Published papers on

THERMOLOGY or TEMPERATURE MEASUREMENT

between 2014 and 2018

Volume 5.1



an index of publications computed by Prof Kurt Ammer MD, PhD

2nd International Conference on BioSignal Analysis Processing and Systems ICBAPS 2018

Aadal L, Fog L, Pedersen AR. Tympanic ear thermometer assessment of body temperature among patients with cognitive disturbances: An acceptable and ethically desirable alternative? Scandinavian Journal of Caring Sciences 2016; 30 (4) 766-773

Aalaei S, Amini S, Keramati MR, Shahraki H, Abu-Hanna A, Eslami S. Blood bag temperature monitoring system. Studies in health technology and informatics 2014; 205: 730-734.

Aan De Stegge WB, Mejaiti N, Van Netten JJ, Dijkgraaf MGW, Van Baal JG, Busch-Westbroek TE, Bus SA. The cost-effectiveness and cost-utility of at-home infrared temperature monitoring in reducing the incidence of foot ulcer recurrence in patients with diabetes (DIATEMP): Study protocol for a randomized controlled trial 11 Medical and Health Sciences 1117 Public Health and Health Services 11 Medical and Health Sciences 1103 Clinical Sciences. Trials 2018, 19 (1) art. no. 520.

AAT American Academy of Thermology. Guidelines for Breast Thermography Pan American Journal of Medical Thermology 2015; 2(1) 26-34

AAT American Academy of Thermology. Guidelines for Dental-Oral And Systemic Health Infrared Thermography. Pan American Journal of Medical Thermology 2015; 2(1) 44-53

AAT American Academy of Thermology. Guidelines for Neuromusculoskeletal Infrared Thermography Sympathetic Skin Response (SSR) Studies. Pan American Journal of Medical Thermology 2015; 2(1) 35- 43

Abadi E, Segars WP, Harrawood B, Kapadia A, Samei E. Virtual clinical trial in action: Textured XCAT phantoms and scanner-specific CT simulator to characterize noise across CT reconstruction algorithms. Progress in Biomedical Optics and Imaging - Proceedings of SPIE2018, 10573, art. no. 1057317.

Abbas AE, Zacharias SK, Goldstein JA, Hanson ID, Safian RD. Invasive characterization of atherosclerotic plaque in patients with peripheral arterial disease using near-infrared spectroscopy intravascular ultrasound. Catheterization and Cardiovascular Interventions 2017, 90 (3): 461-470.

Abbas AK, Leonhardt S. Intelligent neonatal monitoring based on a virtual thermal sensor. BMC Medical Imaging 2014; 14 (1) Art. No. 9.

Abd Elmawgood A, Rashwan S, Rashwan D. Effect of parecoxib on remifentanil induced postoperative shivering. Egyptian Journal of Anaesthesia 2014; 30 (4): 399-403.

Abdelkader H, Fathalla Z. Investigation into the Emerging Role of the Basic Amino Acid L-Lysine in Enhancing Solubility and Permeability of BCS Class II and BCS Class IV Drugs. Pharmaceutical Research 2018, 35 (8), art. no. 160.

Abdelwahab R, Yang H, Teka H.G. A quality improvement study of the emergency centre triage in a tertiary teaching hospital in northern Ethiopia. African Journal of Emergency Medicine 2017, 7(4) 160-166

Abdi MR, Shakur HR, Rezaee Ebrahim Saraee KH, Sadeghi M. Effective removal of uranium ions from drinking water using CuO/X zeolite-based nanocomposites: Effects of nano concentration and cation exchange. Journal of Radioanalytical and Nuclear Chemistry 2014; 300 (3): 1217-1225.

Abdul-Aziz A, Wroblewski AC, Bhatt RT, Jaskowiak MH, Gorican D, Rauser RW. Assessment of NDE methods for detecting cracks and damage in environmental barrier coated CMC tested under tension. in: Peters KI, ed, Proceedings of SPIE CT Conference on Smart Sensor Phenomena Technology Networks and Systems integration March 09-10 -2015, San Diego CA 2015, Vol 9436, pp. 943609-943609

Abdulkadir MB, Johnson WB, Ibraheem RM. Validity and accuracy of maternal tactile assessment for fever in under-five children in north central Nigeria: a cross-sectional study. BMJ open 2014; 4 (10), p. e005776.

Abdullayev R, Sabuncu Ü, Yildirim E. Important aspects of anesthetic management of a patient with hereditary sensorial and autonomic neuropathy type 4: A case report. Gazi Medical Journal 2018, 29 (3): 244-245.

Abdul'vapova ZN, Grachev PV, Artemova EV, Galstyan GR, Bondarenko ON, Gorbacheva AM, Linkov KG, Loschenov VB. Near infrared imaging for angiography in diabetic patients with peripheral artery disease. Biomedical Photonics 2017, 6 (1): 4-11.

Abe K, Taira T. Focused ultrasound treatment present and future. Neurologia Medico-Chirurgica 2017, 57 (8): 386-391.

Abidalla M, Roversi PF. Vitrification Assessment: Thermal Analysis of Cryoprotective Aqueous Solutions 1,2 Propanediol and Ethylene Glycol. Biopreservation and Biobanking 2018, 16 (3): 207-216.

Abouridouane M, Klocke F, Lung D, Veselovac D. The mechanics of cutting: in-situ measurement and modelling. Procedia CIRP 2015, 31, 246-251.

Abo-Zahhad M, Ahmed SM, Elnahas O. A wireless emergency telemedicine system for patients monitoring and diagnosis. International Journal of Telemedicine and Applications art. no. 380787.

Abraham H, Kuzhively J, Rizvi SW. Chronic inflammatory demyelinating polyneuropathy (CIDP): An uncommon manifestation of systemic lupus erythematosus (SLE). American Journal of Case Reports 2017, 18: 980-983.

Abraham JP, Plourde BD. Validation of Numerically Simulated Tissue Temperatures during Transcutaneous Recharge of Neurostimulation Systems. Neuromodulation 2016; 9 (2) 161-169

Abraham P, Gu Y, Guo L, Kroeger K, Ouedraogo N, Wennberg P, Henni S. Clinical application of transcutaneous oxygen pressure measurements during exercise. Atherosclerosis 2018, 276: 117-123.

Abraham V, Johnson E, Deep K. Comparison of Non-contact Infrared Temperature with Digital Axillary Temperature. Indian Pediatrics 2018, 55 (7): 609-610.

Abreau K, Callan C, Kottaiyan R, Zhang A, Yoon G, Aquavella JV, Zavislan J, Hindman HB. Temperatures of the Ocular Surface Lid and Periorbital Regions of Sjögren's Evaporative and Aqueous-Deficient Dry Eyes Relative to Normals. Ocular Surface 2016; 14 (1) 64-73

Abtahi SMM, Pourghanbari M. A new less toxic polymer gel dosimeter: Radiological characteristics and dosimetry properties. Physica Medica 2018, 53: 137-144.

Acar YA, Çevik E, Çinar O. A novel technique for therapeutic hypothermia: Cooled oxygen inhalation. American Journal of Emergency Medicine 2014; 32 (4), p. 384.

Acharya S, Gurung DB, Saxena VP. Human males and females body thermoregulation: Perfusion effect analysis. Journal of Thermal Biology 2014; 45, 30-36.

Acharya S, Mishra S, Chand S. Solvent extraction of La (III) using Cyanex 921 in petrofin and modelling of data by linear and nonlinear techniques. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 1813-1824.

Acharya UR, Tan JH, Koh JEW, Sudarshan VK, Yee S, Too CL, Chua CK, Ng EYK, Tong L. Automated diagnosis of dry eye using Infrared thermography images. Infrared Physics & Technology 2015; 71: 263- 271

Acikgoz M, Guzel A, Mura N, Karli A, Sezgin U. Reliability of the infrared and chemical dot temperature measurement methods in the children admitted in the pediatric emergency unit: A prospective study. Kuwait Medical Journal 2016; 48 (2) 105-110

Adam M, Ng EYK, Tan JH, Heng ML, Tong JWK, Acharya UR. Computer aided diagnosis of diabetic foot using infrared thermography: A review. Computers in Biology and Medicine 2017, 91: 326-336.

Adamczewski Z, Krol A, Kaluzna-Markowska K, Brzezinski J, Lewinski A, Dedecius M. Lateral spread of heat during thyroidectomy using different haemostatic devices. Annals of Agricultural and Environmental Medicine 2015; 22(3): 491-494

Adamczyk J, Boguszewski D, Reaburn P, Bialoszewski D. Is it possible to create a thermal model of warm-up? Monitoring the training process in athletic Decathlon (extended abstract). Thermology international 2015, 25(3) 126.

Adamczyk JG, Boguszewski D, Bialoszewski D. Evaluation of recovery effect of foam rolling massage with two different types of roller. Thermology International 2018; 28 (Supplement) S25

Adamczyk JG, Boguszewski D, Siewierski M, Bialoszewski D. Non-invasive evaluation of lactate level in capillary blood during post-exercise recovery (abstract). Thermology international 2014; 24(2) 66

Adams J, Salvador M, Lucera L, Langner S, Spyropoulos GD, Fecher FW, Voigt MM, Dowland SA, Osvet A, Egelhaaf HJ, Brabec CI. Water ingress in Encapsulated Inverted Organic Solar Cells: Correlating Infrared Imaging and Photovoltaic Performance. Advanced Energy Materials 2015; 5(20) 1501065

Adams JD, McDermott BP, Ridings CB, Mainer LL, Ganio MS, Kavouras SA. Effect of air-filled vest on exercise-heat strain when wearing ballistic protection. Annals of Occupational Hygiene 2015, 58 (8): 1057- 1064.

Adams M, Howell K. Reperfusion of digital vasculature and pulsatility index in Raynaud's phenomenon (abstract). Thermology international 2016, 26(2) 63

Adams MS, Salgaonkar VA, Plata-Camargo J, Jones PD, Pascal-Tenorio A, Chen H-Y, Bouley DM, Sommer G, Pauly KB, Diederich CJ. Endoluminal ultrasound applicators for MR-guided thermal ablation of pancreatic tumors: Preliminary design and evaluation in a porcine pancreas model. Medical Physics 2016; 43 (7) 4184-4197

Adams WM, Hosokawa Y, Huggins RA, Mazerolle SM, Casa DJ. An exertional heat stroke survivor's return to running: An integrated approach on treatment recovery and return to activity. Journal of Sport Rehabilitation 2016; 25 (3) 280-287

Adderley C, Christen A, Voogt JA. The effect of radiometer placement and view on inferred directional and hemispheric radiometric temperatures of an urban canopy. Atmospheric Measurement Techniques 2015; 8 (7): 2699-2714

Afolabi OOD, Sohail M. Microwaving human faecal sludge as a viable sanitation technology option for treatment and value recovery – A critical review. Journal of Environmental Management 2017, 187: 401-415.

Afonso AS, Andrade HA, Hazin FHV. Structure and dynamics of the shark assemblage off Recife Northeastern Brazil. PLoS ONE 2014; 9 (7), art. no. e102369.

Afşar Sİ, Çetin N, Ayaş, S, Mumcu GA, Karatas M. Ulnar nerve conduction abnormalities in Turkish taxi drivers. Archives of Rheumatology 2014; 29 (2): 110-117.

Afshari M, Dinari M, Momeni MM. Ultrasonic irradiation preparation of graphitic-C3N4/polyaniline nanocomposites as counter electrodes for dye-sensitized solar cells. Ultrasonics Sonochemistry 2018; 42: 631-639.

Afyf A, Bellarbi L, Riouch F, Errachid A, Sennouni MA. Flexible antenna array for early breast cancer detection using radiometric technique. International Journal of Biology and Biomedical Engineering 2016; 10 10-17

Agafontsev MV, Loboda EL, Reyno VV, Anufriev IS. Justification of choice of the spectral range for the study of combustion processes with the use of thermography in the middle IR range. in: Matvienko GG, Romanovskij OA, eds, Proceedings of SPIE 21st International Symposium On Atmospheric and Ocean Optics -Atmospheric Physics June 22-26 2015, CL Tomsk Russia 2015; pp. 96803H-96803H

Agalloco JP. Increasing patient safety by closing the sterile production gap-part 2. Implementation. PDA Journal of Pharmaceutical Science and Technology 2017, 71(4) 269-273.

Agarwal HS, Wolfram KB, Saville BR, Donahue BS, Bichell DP. Postoperative complications and association with outcomes in pediatric cardiac surgery. Journal of Thoracic and Cardiovascular Surgery 2014; 148 (2): 609-616E1.

Agazzi A, Fadanelli G, Vittadello F, Zulian F, Martini G. Reliability of LoSCAT score for activity and tissue damage assessment in a large cohort of patients with Juvenile Localized Scleroderma. Pediatric Rheumatology 2018; 16 (1), art. no. 37.

Aghaei M, Grimaccia F, Gonano CA, Leva S. Innovative Automated Control System for PV Fields inspection and Remote Control. IEEE Transactions on industrial Electronics 2015; 62(11): 7287-7296.

Aghayan SA, Sardari D, Mahdavi SRM, Mohammadi M. Enhancing the properties of beam forming bolus in hyperthermia: numerical simulation and empirical verification. Australasian Physical and Engineering Sciences in Medicine 2014; 37 (4): 691-703.

Agrawal A, Sharma AR, Tayal S. Assessment of regional climatic changes in the Eastern Himalayan region: a study using multi-satellite remote sensing data sets. Environmental Monitoring and Assessment 2014; 186 (10): 6521-6536.

Agrawal M, Pardasani KR, Adlakha N. Steady state temperature distribution in dermal regions of an irregular tapered shaped human limb with variable eccentricity. Journal of Thermal Biology 2014; 44 (1): 27-34.

Aguilar-Alberola JA, Mesquita-Joanes F. Breaking the temperature-size rule: Thermal effects on growth development and fecundity of a crustacean from temporary waters. Journal of Thermal Biology 2014; 42 (1) 15-24.

Ahmed H, Field W, Hayes MT, Lopez WOC, McDannold N, Mukundan S, Tierney TS. Evolution of Movement Disorders Surgery Leading to Contemporary Focused Ultrasound Therapy for Tremor. Magnetic Resonance Imaging Clinics of North America 2015; 23(4): 515

Ahmed IM, Aglan RF, Hamed MM. Removal of Arsenazo-III and Thorin from radioactive waste solutions by adsorption onto low-cost adsorbent. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 2253-2262.

Ahmed MM, Huda ASN, Isa NAM. Recursive construction of of output-context fuzzy systems for the condition monitoring of electrical hotspots based on Infrared thermography. Engineering Applications of Artificial intelligence 2015; 39: 120-131

Ahmed SA, Saad-Hussein A, El Feel A, Hamed MA. Time series trend of Bilharzial bladder cancer in Egyptand its relation to climate change: A study from 1995-2005. International Journal of Pharmaceutical and Clinical Research 2014; 6 (1) 46-53.

Ahnen L, Wolf M, Hagmann C, Sanchez S. Near-infrared image reconstruction of newborns' brains: Robustness to perturbations of the source/detector location. Advances in Experimental Medicine and Biology 2016; 876 377-382

Ahrens P, Mueller D, Siebenlist S, Lenich A, Stoeckle U, Sandmann GH. The influence of radio frequency ablation on intra-articular fluid temperature in the ankle joint - A cadaver study. BMC Musculoskeletal Disorders 2018; 19 (1), art. no. 413.

Ahusborde E, Azaiez M, Ben Belgacem F, Del Barrio EP. Mercer's spectral decomposition for the characterization of thermal parameters. Journal of Computational Physics 2015; 294: 1-19

Ai SG, Fang DN, He RI, Pei YM. Effect of manufacturing defects on mechanical properties and failure features of 3D orthogonal woven C/C composites. Composites Part B-Engineering 2015; 71: 113-121

Aidi B, Philen MK, Case SW. Progressive damage assessment of centrally notched composite specimens in fatigue. Composites Part A-Applied Science and Manufacturing 2015; 74: 47-59

Aizawa N, Fujimori Y, Kobayashi J.-I, Nakanishi O, Hirasawa H, Kume H, Homma Y, Igawa Y. KPR-2579, a novel TRPM8 antagonist inhibits acetic acid-induced bladder afferent hyperactivity in rats. Neurourology and Urodynamics 2018; 37 (5): 1633-1640.

Ajayi OO, Adefenwa MA, Agaviezor BO, Ikeobi CON, Wheto M, Okpeku M, Amusan SA, Yakubu A, De Donato M, Peters SO, Imumorin IG. A novel TaqI polymorphism in the coding region of the ovine TNXB gene in the MHC class III region: Morphostructural and physiological influences. Biochemical Genetics 2014; 52 (1-2) 1-14.

Ajmi H, Mabrouk S, Hassayoun S, Regaieg H, Tfifha M, Jalel C, Skouri H, Zouari N, Abroug S. Success of anti-CD20 monoclonal antibody treatment for severe autoimmune hemolytic anemia caused by warm-reactive immunoglobulin A, immunoglobulin G, and immunoglobulin M autoantibodies in a child: A case report. Journal of Medical Case Reports 2017, 11 (1), art. no. 321.

Akbari A, Rockel CP, Kumbhare DA, Noseworthy MD. Safe MRI-Compatible electrical muscle stimulation (EMS) system. Journal of Magnetic Resonance Imaging 2016; 44 (6) 1530-1538.

Akens MK, Chien C, Katchky RN, Kreder HJ, Finkelstein J, Whyne CM. The impact of thermal cycling on Staphylococcus aureus biofilm growth on stainless steel and titanium orthopaedic plates. BMC Musculoskeletal Disorders 2018; 19 (1), art. no. 260.

Akhalaya M, Maksimov GV, Rubin AB, Lademann J, Darvin ME. Molecular action mechanisms of solar infrared radiation and heat on human skin. Ageing Research Reviews 2014; 16 (1) 1-11.

Akhloufi MA, Guyon Y, Bendada A, Castanedo CI. Three-dimensional non-destructive testing (NDT) in the Infrared spectrum. in: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23 2015, CL Baltimore MD 2015; pp. 948519-948519.

Akhloufi MA, Toulouse T, Rossi L, Maldague X. Multimodal three-dimensional vision for wildland fires detection and analysis. Proceedings of the 7th International Conference on Image Processing Theory Tools and Applications IPTA 2017, 2018 pp. 1-6.

Akhloufi MA, Verney B Multimodal Registration and Fusion for 3D Thermal Imaging. Mathematical Problems in Engineering 2015, AR 450101.

Akins CD, Ruder CD, Price SJ, Harden LA, Gibbons JW, Dorcas ME. Factors affecting temperature variation and habitat use in free-ranging diamondback terrapins. Journal of Thermal Biology 2014; 44 (1) 63-69.

Akl ZF, Ali TA. A novel modified screen-printed electrode with triazole surfactant assembled on silver nanoparticles for potentiometric determination of uranium. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 1865-1875.

Akram J, Puli R, Kalvala PR, Misra M. Microstructural Studies on Friction Surfaced Coatings of Ni-Based Alloys. Praktische Metallographie-Practical Metallography 2015; 52(10): 590-606.

Aksoy F, Dogan R, Ozturan O, Eren SB, Veyseller B, Gedik O. Thermal effects of cold light sources used in otologic surgery. European Archives of Oto-Rhino-Laryngology 2014; 272 (10): 2679-2687.

Al Kindi AH, Al Kimyani N, Alameddine T, Al Abri Q, Balan B, Al Sabti H. "Open" approach to aortic arch aneurysm repair. Journal of the Saudi Heart Association 2014; 26 (3): 152-161.

Al Shakarchi J, Hodson J, Field M, Inston N. Novel use of infrared thermal imaging to predict arteriovenous fistula patency and maturation. Journal of Vascular Access 2017, 18 (4): 313-318.

Al Shakarchi J, Inston N. Reply to Comments on: Novel use of infrared thermal imaging to predict arteriovenous fistula patency and maturation. Journal of Vascular Access 2018; 19 (2): 215.

Al Shehhi MR, Gherboudj I, Ghedira H. In situ spectral response of the Arabian Gulf and Sea of Oman coastal waters to bio-optical properties. Journal of Photochemistry and Photobiology B: Biology 2017, 175: 235-243.

Al Zaabi A, Rahmani AY, Souid A. Optimal temperature for whole-body hypothermia in the newborn: An in vitro study using foreskin mitochondrial oxygen consumption. Journal of Neonatal- Perinatal Medicine 2014; 7 (3) 179-183.

Alam A, Olarte R, Callum J, Fatahi A, Nascimento B, Laflamme C, Cohen R, Nathens AB, Tien H. Hypothermia indices among severely injured trauma patients undergoing urgent surgery: A single-centred retrospective quality review and analysis. Injury 2018; 49 (1): 117-123.

Alam K, Hassan E, Bahadur I. Experimental measurements of temperatures in ultrasonically assisted drilling of cortical bone. Biotechnology & Biotechnological Equipment 2015; 29(4): 753-757

Alam K, Khan M, Muhammad R, Qamar SZ, Silberschmidt VV. in-vitro experimental analysis and numerical study of temperature in bone drilling. Technology and Health Care 2015; 23(6): 775-783

Alam K, Khan M, Silberschmidt VV. 3D finite-element modelling of drilling cortical bone: Temperature analysis. Journal of Medical and Biological Engineering 2014; 34 (6): 618-623.

Alam K, Silberschmidt VV. Analysis of temperature in conventional and ultrasonically-assisted drilling of cortical bone with infrared thermography. Technology and Health Care 2014; 22 (2): 243-252.

Alam K. Experimental measurements of temperatures in drilling cortical bone using thermocouples. Scientia Iranica 2015; 22(2): 487-492

Alam K. Exploring thermal anisotropy of cortical bone using temperature measurements in drilling. Bio- Medical Materials and Engineering 2016; 27 (1) 39-48

Al-Armaghany A, Tong K, Leung TS. Development of a hybrid microwave-optical thermoregulation monitor for the muscle. Advances in Experimental Medicine and Biology 2014; 812, 347-353.

Alavéz-Ramírez R, Chiñas-Castillo F, Morales-Domínguez VJ, Ortiz-Guzmán M, Caballero-Montes JL, Caballero-Caballero M. Thermal lag and decrement factor of constructive component reinforced mortar channels filled with soil–cement–sawdust. Indoor and Built Environment 2018; 27 (4): 466-485.

Albahloul KE, Hollingsworth DK. Observations of bubble shape and confinement in diabatic two-phase flow in a minichannel. International Journal of Heat and Mass Transfer 2015; 83: 200-211

Al-Batayneh OB, Seow WK, Walsh LJ. Assessment of Er: YAG laser for cavity preparation in primary and permanent teeth: a scanning electron microscopy and thermographic study. Pediatric Dentistry 2014; 36 (3): 90-94.

Albatici R, Tonelli AM, Chiogna M.A comprehensive experimental approach for the validation of quantitative Infrared thermography in the evaluation of building thermal transmittance. Applied Energy 2015; 141: 218-228

Alberti N, Buy X, Frulio N, Montaudon M, Canella M, Gangi A, Crombe A, Palussière J. Rare complications after lung percutaneous radiofrequency ablation: Incidence risk factors prevention and management. European Journal of Radiology 2016; 85 (6) 1181-1191

Aldaas OM, Padwal J, Hsu JC. Beyond Pulmonary Vein Isolation During Catheter Ablation in Atrial Fibrillation and Systolic Dysfunction. Journal of the American College of Cardiology 2018; 71 (11): 1292-1293.

Aldeguer Y, Oropello J. What is the impact on neurologic recovery of the first monitored rhythm after nontraumatic cardiac arrest treated with hypothermia? Critical Care Medicine 2014; 42 (10): 2303-2304.

Aldoukhi AH, Ghani KR, Hall TL, Roberts WW. Thermal Response to High-Power Holmium Laser Lithotripsy. Journal of Endourology 2017, 31 (12): 1308-1312.

Aldoukhi AH, Hall TL, Ghani KR, Maxwell AD, MacConaghy B, Roberts WW. Caliceal Fluid Temperature during High-Power Holmium Laser Lithotripsy in an in Vivo Porcine Model. Journal of Endourology 2018; 32 (8): 724-729.

Aldred A, Nogueira Batista B, Brioschi ML, Jacobsen Teixeira M. Infrared thermography in the preoperative planning of anterolateral thigh perforator free flap (extended abstract). Thermology international 2014; 24(1) 14

Alegre LM, Hasler M, Wenger S, Nachbauer W, Csapo R. Does knee joint cooling change in vivo patellar tendon mechanical properties? European Journal of Applied Physiology 2016; 116 (10) 1921-1929

Alencar J, Freire M, Cardoso R, Ferreira J. Thermographic changes in workers with shoulder disorders (extended abstract). Thermology international 2015, 25(3) 143.

Alexander J, Richards J, Attah O, Cheema S, Snook J, Wisdell C, May K, Selfe J. Delayed effects of a 20-min crushed ice application on knee joint position sense assessed by a functional task during a re-warming period. Gait and Posture 2018; 62: 173-178.

Alexandre D, Prieto M, Beaumont F, Taiar R, Polidori G. Wearing lead aprons in surgical operating rooms: ergonomic injuries evidenced by infrared thermography. Journal of Surgical Research 2017, 209: 227-233.

Alexandrov AW, Palazzo P, Biby S, Doerr A, Dusenbury W, Young R, Lindstrom A, Grove M, Tsivgoulis G, Middleton S, Alexandrov AV. Back to Basics: Adherence with Guidelines for Glucose and Temperature Control in an American Comprehensive Stroke Center Sample. Journal of Neuroscience Nursing 2018; 50 (3): 131-137.

Alexis C, Franck B, Didier D, Emmanuel A, Hangseok C. Evaluation of gluing of CFRP onto concrete structures by Infrared thermography coupled with thermal impedance. Composites Part B-Engineering 2015; 69: 350-358

Alfaro SCA, Vargas JAR, de Carvalho GC, de Souza GG. Characterization of "Humping" in the GTA welding process using Infrared images. Journal of Materials Processing Technology 2015; 223: 216-224

Alfieri FM, Battistella LR. Body temperature of healthy men evaluated by thermography: A study of reproducibility. Technology and Health Care 2018; 26 (3): 559-564.

Alfieri FM, Massaro AR, Filippo TR, Portes LA, Battistella LR. Evaluation of body temperature in individuals with stroke. NeuroRehabilitation 2017, 40 (1): 119-128.

Alfonsi P, Adam F, Bouhassira D. Thermoregulation and pain perception: Evidence for a homoeostatic (interoceptive) dimension of pain. European Journal of Pain (United Kingdom) 2016; 20 (1) 138-148

Alfonsi P, Passard A, Guignard B, Chauvin M, Sessler DI. Nefopam and meperidine are infra- additive on the shivering threshold in humans. Anesthesia and Analgesia 2014; 119 (1): 58-63.

Alghamdi IG, Hussain II, Almalki SS, Alghamdi MS, Alghamdi MM, El-Sheemy MA. The pattern of Middle east respiratory syndrome coronavirus in Saudi Arabia: A descriptive epidemiological analysis of data from the Saudi Ministry of Health. International Journal of General Medicine 2014; 7: 417-423.

Al-Habaibeh A, Meyerowitz B, Athresh A, The design and development of an innovative simulator for an open loop system for extracting energy from flooded coal mines. Energy Procedia 2015, *75*, 1470-1476

Alhomary M, Howlett T. Core temperature measurement through the gastric channel of the i-gel® Paediatric Anaesthesia 2018; 28 (6): 566-567.

Ali ME, Nair NN, Retegan M, Neese F, Staemmler V, Marx D. The iron-sulfur core in Rieske proteins is not symmetric. Journal of Biological Inorganic Chemistry 2014; 19 (8): 1287-1293.

Ali MM, Taha MH, Killa HM, Abd El Wanees S, El-Maadawy MM. Synergistic extraction of uranium from acidic sulfate leach liquor using D2EHPA mixed with TOPO. Journal of Radioanalytical and Nuclear Chemistry 2014; 300 (3): 963-967.

Alikhassi A, Hamidpour SF, Firouzmand M, Navid M, Eghbal M. Prospective comparative study assessing role of ultrasound versus thermography in breast cancer detection. Breast Disease 37 (4): 191-196.

Alimohamadi H, Sadeghy K. On the Use of Magnetic Fields for Controlling the Temperature of Hot Spots on Porous Plaques in Stenosis Arteries. Nihon Reoroji Gakkaishi 2015; 43 (5): 135-144

Alinezhad S, Väänänen R-M, Lehmusvuori A, Karhunen U, Soukka T, Kähkönen E, Taimen P, Alanen K, Pettersson K. Lanthanide chelate complementation and hydrolysis enhanced luminescent chelate in real- time reverse transcription polymerase chain reaction assays for KLK3 transcripts. Analytical Biochemistry 2014; 444 (1) 1-7.

Aljuboori AHR, Uemura Y, Osman NB, Yusup S. Production of a bioflocculant from Aspergillus niger using palm oil mill effluent as carbon source. Bioresource Technology 2014; 171, 66-70.

Alkins RD, Mainprize TG. High-Intensity Focused Ultrasound Ablation Therapy of Gliomas. Progress in Neurological Surgery 2018; 32: 39-47.

Allegaert K, Casteels K, van Gorp I, Bogaert G. Tympanic infrared skin and temporal artery scan thermometers compared with rectal measurement in children: A real-life assessment. Current Therapeutic Research - Clinical and Experimental 2014; 76: 34-38.

Allen J, Di Maria C, Anderson K. Study of the thermovascular characteristics in patients with Willis-Ekbom disease (extended abstract). Thermology international 2015, 25(3) 119.

Allen J, Howell K. Microvascular imaging: Techniques and oortunities for clinical physiological measurements. Physiological Measurement 2014; 35 (7) R91-R141.

Allen J. Experiences and opportunities in the setting up of a vascular optics clinical measurement and research facility. Thermology International 2018; 28(2) 105.

Allen TK, Habib AS. Inadvertent Perioperative Hypothermia Induced by Spinal Anesthesia for Cesarean Delivery Might Be More Significant Than We Think: Are We Doing Enough to Warm Our Parturients? Anesthesia and Analgesia 2018; 126 (1): 7-9.

Al-Maliky MA, Mahmood AS, Al-Karadaghi TS, Kurzmann C, Laky M, Franz A, Moritz A. The effects of CO2 laser with or without nanohydroxyapatite paste in the occlusion of dentinal tubules. Scientific World Journal 2014; 2014, Art. No. 798732.

Almeida AKA, Monteiro MP, Dias JMM, Omena L, Da Silva AJ.C, Tonholo J, Mortimer RJ, Navarro M, Jacinto C, Ribeiro AS, De Oliveira IN. Synthesis and spectroscopic characterization of a fluorescent pyrrole derivative containing electron acceptor and donor groups. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy 2014; 128: 812-818.

Almeida N, Mueller A, Hirschi S, Rakesh L. Rheological studies of polysaccharides for skin scaffolds. Journal of Biomedical Materials Research - Part A 2014; 102 (5): 1510-1517.

Al-Nuaimi Y, Sherratt MJ, Griffiths CEM. Skin health in older age. Maturitas 2014; 79 (3) 256-264.

Alon L, Deniz CM, Carluccio G, Brown R, Sodickson DK, Collins CM. Effects of anatomical differences on electromagnetic fields SAR, and temperature change. Concepts in Magnetic Resonance Part B: Magnetic Resonance Engineering 2016; 46 (1) 8-18

Al-Otaibi ST. Male infertility among bakers associated with exposure to high environmental temperature at the workplace. Journal of Taibah University Medical Sciences 2018; 13 (2): 103-107.

Alqahtani MF, Marsillio LE, Rozenfeld RA. A review of biomarkers and physiomarkers in pediatric sepsis. Clinical Pediatric Emergency Medicine 2014; 15 (2): 177-184.

Alreshidi MM, Dunstan RH, Gottfries J, Macdonald MM, Crompton MJ, Ang C-S, Williamson NA, Roberts TK. Changes in the cytoplasmic composition of amino acids and proteins observed in Staphylococcus aureus during growth under variable growth conditions representative of the human wound site. PLoS ONE 2016; 11 (7), art no e0159662

Alsaaod M, Schaefer AL, Buscher W, Steiner A. The Role of Infrared Thermography as a Non-invasive Tool for the Detection of Lameness in Cattle. Sensors 2015; 15(6): 14513-14525

Alsaaod M, Syring C, Dietrich J, Doherr MG, Gujan T, Steiner A. A field trial of infrared thermography as a non-invasive diagnostic tool for early detection of digital dermatitis in dairy cows. Veterinary Journal 2014; 199 (2): 281-285.

Alsaaod M, Syring C, L Doherr MG, Steiner A. Effect of routine claw trimming on claw temperature in dairy cows measured by Infrared thermography. Journal of Dairy Science 2015; 98(4): 2381-2388

Alshaarawy O, Elbaz HA. Cannabis use and blood pressure levels: United States National Health and Nutrition Examination Survey 2016; 2005-2012. Journal of Hypertension 2016; 34 (8) 1507-1512

Alshimemeri A. Therapeutic hypothermia after cardiac arrest. Annals of Cardiac Anaesthesia 2014; 17(4) 285-291.

Altrichter S, Salow J, Ardelean E, Church MK, W erner A, Maurer M. Development of a standardized pulse-controlled ergometry test for diagnosing and investigating cholinergic urticarial. Journal of Dermatological Science 2014; 75 (2): 88-93.

Aluwong T, Sumanu VO, Ayo JO, Ocheja BO, Zakari FO, Minka NS. Daily rhythms of cloacal temperature in broiler chickens of different age groups administered with zinc gluconate and probiotic during the hot-dry season. Physiological Reports 2017, 5 (12), art. no. e13314.

Álvarez EV, Rodríguez MF, Pérez EV, Bayón MA. Reliability in the measurement of body temperature with a tympanic thermometer in geriatric patients [Fiabilidad en la medición de la temperatura corporal con un termómetro timpánico en pacientes geriátricos]. Gerokomos 2017, 28 (2): 68-72.

Alves MBR, de Arruda RP, Batissaco L, Florez-Rodriguez SA, de Oliveira BMM, Torres MA, Ravagnani GM, Lanconi R, de Almeida TG, Storillo VM, Vellone VS, Franci CR, Thome HE, Canella CL, De Andrade AFC, Celeghini ECC. Low-level laser therapy to recovery testicular degeneration in rams: effects on seminal characteristics scrotal temperature plasma testosterone concentration and testes histopathology. Lasers in Medical

Science 2016; 31 (4) 695-704

Alwan OS, Rao KP. Dedicated real-time monitoring system for health care using ZigBee. Healthcare Technology Letters 2017, 4 (4): 142-144.

Amado Nonato I, Brioschi ML, Jacobsen Teixeira M. Thermometry skin in the diagnosis of chronic chest pain - a case report (extended abstract). Thermology international 2014; 24(1) 18

Amano T, Kai S, Nakajima M, Ichinose-Kuwahara T, Gerrett N, Kondo N, Inoue Y. Sweating responses to isometric hand-grip exercise and forearm muscle metaboreflex in prepubertal children and elderly. Experimental Physiology 2017, 102(2) 214-227.

Ameme DK, Afari EA, Nyarko KM, Malm KL, Sackey S, W urapa F. Direct observation of outpatient management of malaria in a rural ghanaian district. Pan African Medical Journal 2014; 19, art. no. 367.

Amendt J, Rodner S, Schuch C-P, Sprenger H, Weidlich L, Reckel F. Helicopter thermal imaging for detecting insect infested cadavers. Science and Justice 2017, 57 (5): 366-372.

Amharar Y, Curtin V, Gallagher KH, Healy AM. Solubility of crystalline organic compounds in high and low molecular weight amorphous matrices above and below the glass transition by zero enthalpy extrapolation. International Journal of Pharmaceutics 2014; 472 (1-2): 241-247.

Amini N, Habibi S, Dekan J, Pavúk M, Novák P, Miglierini M. Mössbauer spectrometry analysis of Fe78Si9B13 metallic glass prepared with different quenching wheel speed. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 2099-2111.

Amini SM, Kharrazi S, Rezayat SM, Gilani K. Radiofrequency electric field hyperthermia with gold nanostructures: role of particle shape and surface chemistry. Artificial Cells Nanomedicine and Biotechnology 2018; 46 (7): 1452-1462.

Ammer K, Formenti D. Does the type of skin temperature distribution matter? (editorial) Thermology international 2016, 26(2) 51-54

Ammer K, Vardasca R. Image analysis. Thermology International 28 (1), p. 21.

Ammer K. 13th Congress of the European Association of Thermology in Madrid (editorial). Thermology international 2015, 25(3) 89-90

Ammer K. 22th National Congress of the Polish Association of Thermology. Thermology International 2018; 28 (Supplement) S12.

Ammer K. Can the source of metabolic heat be seen by infrared thermal imaging? (extended abstract). Thermology international 2017; 27 (2) 69-70

Ammer K. Current trends in medical thermography: Quality assurance and data mining. Thermology International 28 (1): 5-6.

Ammer K. Do thermography papers meet the standard requirements of reporting in biomedical journals? (extended abstract). Thermology international 2015, 25(2) 68-69.

Ammer K. Do we need reference data of local skin temperatures? (editorial) Thermology international 2015, 25(2) 45-47

Ammer K. Does the TISEM-checklist address the deficits in reporting thermographic studies? Thermology International 2018; 28(2) 71.

Ammer K. Does the type of skin temperature distribution matter? (extended abstract). Thermology international 2016, 26 (Supplement) S6

Ammer K. Does thermology belong to complementary medicine? Thermology International 2017, 27 (1): 5-8.

Ammer K. Human Skin Temperature Measurement Based on Radiometry– A historical review (extended abstract). Thermology international 2015, 25(3) 109.

Ammer K. Medical Thermology 2016-A computer assisted literature review. Thermology international 2017, 27(1) 11-37

Ammer K. Medical Thermology 2017 - A computer-assisted literature survey. Thermology International 28 (3): 139-178.

Ammer K. One step closer to evidence based infrared thermal imaging. Thermology International 2017, 27 (4): 125-126.

Ammer K. Policy statements, evidence-based medicine and infrared thermal imaging (editorial). Thermology international 2015, 25(1) 5-6

Ammer K. Producing a thermographic report. Thermology International 2018; 28(1) 19.

Ammer K. Publication output of EAT board members between October 2015 and November 2016. Thermology International 2016; 26 (4) 117-122

Ammer K. Response to Aderito Seixas. Thermology International 2017, 27 (4): 140-141.

Ammer K. Response to Aleksandr Urakov. Thermology International 2017, 27 (2): 79-80.

Ammer K. Should infrared thermal imaging be classified as QIB (Quantitatve Imaging Biomarker)? Thermology International 2018; 28 (Supplement) S 13

Ammer K. Standardization of thermal imaging recording and analysis. Thermology International 2018; 28 (1), 18.

Ammer K. Temperature measurements and thermography of the palmar surface of the human hand - An overview. Thermology International 2016; 26 (4) 107-116

Ammer K. The challenge of objective evaluation of infrared thermal images in health sciences. Thermology International 2017, 27 (3): 93-97.

Ammer K. The influence of colour scale on the accuracy of infrared thermal images. Thermology international 2014; 24(4) 141-146

Ammer K. The value of thermography in back pain patients (extended abstract). Thermology international 2014; 24(2) 55-56.

Ammer K. Thermography 2015 - A computer-assisted literature survey. Thermology International 2016; 26 (1) 5-42

Ammer K. Thermology 2013 - a computer- assisted literature survey. Thermology international 2014; 24(3) 93-130

Ammer K. Thermology 2014- a computer- assisted literature survey. Thermology international 2015, 25(4) 153-208

Ammer K. Thermology international consider now study protocols for publication. Thermology International 2018; 28 (Supplement) S4.

Amoury M, Bauerschlag D, Zeppernick F, Felbert V, Berges N, Fiore SD, Mintert I, Bleilevens A, Maass N, Bräutigam K, Meinhold-Heerlein I, Stickeler E, Barth S, Fischer R, Hussain AF. Photoimmunotheranostic agents for triple-negative breast cancer diagnosis and therapy that can be activated on demand. Oncotarget 2016, *7*(34), 54925.

Amri A, Pulko SH, Wilkinson AJ. Potentialities of steady-state and transient thermography in breast tumour depth detection: A numerical study. Computer Methods and Programs in Biomedicine 2016; 123 68-80

Amukele T.K, Hernandez J, Snozek CL, Wyatt R.G, Douglas M, Amini R, Street J. Drone Transport of Chemistry and Hematology Samples over Long Distances. American Journal of Clinical Pathology 2017, 148(5) 427-435

An YK, Yang J, Hwang S, Sohn H. Line laser lock-in thermography for instantaneous imaging of cracks in semiconductor chips. Optics and Lasers in Engineering 2015; 73: 128-136

Anagnostopoulos G, Treossi E, Parthenios J, Papagelis K, Palermo V, Galiotis C. An evaluation of graphene as a multi-functional heating element for biomedical applications. Journal of Biomedical Nanotechnology 2018; 14 (1): 86-97.

Anandakrishnan P, Khoo TB. Unusual case of cerebral demyelination and bilateral optic neuritis in an infant with suppurative BCG lymphadenitis. BMJ Case Reports 2018, art. no. bcr-2018-224496.

Anandalakshmi V, Murugan E, Leng EGT, Ting LW, Chaurasia SS, Yamazaki T, Nagashima T, George BL, Peh GSL, Pervushin K, Lakshminarayanan R, Mehta JS Effect of position-specific single-point mutations and biophysical characterization of amyloidogenic peptide fragments identified from lattice corneal dystrophy patients. Biochemical Journal 2017, 474(10) 1705-1725).

Anastasova S, Crewther B, Bembnowicz P, Curto V, Ip H.M, Rosa B, Yang G-Z A wearable multi sensing patch for continuous sweat monitoring. Biosensors and Bioelectronics 2017, 93: 139-145.

Anaya J, Rossi S, Alomari M, Kohn E, Toth L, Pecz B, Kuball M. Thermal conductivity of ultrathin nano- crystalline diamond films determined by Raman thermography assisted by silicon nanowires. Applied Physics Letters 2015; 106(2) 223101

Anbergen H, Ruhaak W, Frank J, Sass I. Numerical simulation of a freeze-thaw testing procedure for borehole heat exchanger grouts. Canadian Geotechnical Journal 2015; 52(8): 1087-1100

Andelkovic AS, Gvozdenac-Urosevic B, Kliajic M, Igniatovic MG. Experimental research of the thermal characteristics of a multi-storey naturally ventilated double skin facade. Energy and Buildings 2015; 86: 766-781

Anderson KR, Oleson JJ, Anthony TR. Variability in coefficient of restitution in human facial skin. Skin Research and Technology 2014; 20 (3): 355-362.

Andreasen AM, Linnet KE, Asghar S, Rothe C, Rosenstock CV, Lange KHW, Lundstrøm LH. “Eyeball test” of thermographic patterns for predicting a successful lateral infraclavicular block [L’évaluation ‘à coup d’œil’ des motifs thermographiques pour prédire la réussite d’un bloc infraclaviculaire latéral]. Canadian Journal of Anesthesia 2017, 64 (11): 1111-1118.

Andrews PJD, Verma V, Healy M, Lavinio A, Curtis C, Reddy U, Andrzejowski J, Foulkes A, Canestrini S. Targeted temperature management in patients with intracerebral haemorrhage subarachnoid haemorrhage or acute ischaemic stroke: consensus recommendations. British Journal of Anaesthesia 2018; 121 (4): 768-775.

Andruszkow H, Hildebrand F. Accidental hypothermia [Akzidentelle Hypothermie/schwere Unterkühlung 1]. Notarzt 2014; 30 (1): 7-15.

Anfuso L. To the Editor— Esophageal thermal probes and esophageal lesions during cryoablation. Heart Rhythm 2017, 14 (10), p. e273.

Ang C-Y, Yew AK-S, Tay DK-J, Chia S-L, Yeo S-J, Lo N-N, Chin P-L. Reducing allograft contamination and disease transmission: Intraosseous temperatures of femoral head allografts during autoclaving. Singapore Medical Journal 2014, *55*(10), 526.

Ang QY, Goh HJ, Cao Y, Li Y, Chan S-P, Swain JL, Henry CJ, Leow MK- S. A new method of infrared thermography for quantification of brown adipose tissue activation in healthy adults (TACTICAL): a randomized trial. The Journal of Physiological Sciences: JPS 2017, 67(3) 395-406.

Angelino K, Edlund D, Bhatia G, Wu S, Shah P. Near-infrared transillumination guides administration of dental 2D radiography and CBCT imaging. Proceedings - 2017 IEEE 17th International Conference on Bioinformatics and Bioengineering BIBE 2017, 2018, pp. 327-333.

Angelino K, Edlund DA, Shah P Near-Infrared Imaging for Detecting Caries and Structural Deformities in Teeth. IEEE Journal of Translational Engineering in Health and Medicine 2017, 5 Article Number: 7904594.

Annals of Occupational Hygiene 2014; 59 (7): 922-931.

Annborn M, Bro-Jeppesen J, Nielsen N, Ullén S, Kjaergaard J, Hassager C, Wanscher M, Hovdenes J, Pellis T, Pelosi P, Wise MP, Cronberg T, Erlinge D, Friberg H. The association of targeted temperature management at 33 and 36°C with outcome in patients with moderate shock on admission after out-of- hospital cardiac arrest: A post hoc analysis of the Target Temperature Management trial. Intensive Care Medicine 2014; 40 (9): 1210-1219.

Anonymous. Antipyretic activity. Progress in Drug Research 2016; 71 113-115

Anonymous. Top 5 fixes for itchy winter skin. A humidifier moisturizer and lukewarm water can help. Harvard health letter / from Harvard Medical School 2014; 39 (4), p. 4.

Anonymous: Keeping the chain going. Pharmaceutical Outsourcing 2017, 18, art. no. 19.

Anonymous: This Month in Aerospace Medicine History. Aerospace Medicine and Human Performance 2017, 88 (7), p. 705.

Anosov AA, Balashov IS, Beliaev RV, Vilkov VA, Garskov RV, Kazanskiĭ, AS, Mansfel'd AD, Shcherbakov MI. [Acoustic thermometry of the patient brain with traumatic brain injury] Biofizika 2014; 59 (3): 545-551.

Anosov AA, Belyaev RV, Vilkov VA, Zakaryan AV, Kazanskij AS, Mansfel'd AD, Subochev PV. Reconstruction of the deep temperature by the acoustothermometric method and with consideration for the heat conduction equation. Journal of Communications Technology and Electronics 2015; 60 (8): 919-927

Anosov AA, Nemchenko OY, Less YA, Kazanskij AS, Mansfel'd AD. Possibilities of acoustic thermometry for controlling targeted drug delivery. Acoustical Physics 2015; 61(4): 488-493

Antabak A, Šiško J, Romić, I, Papeš, D, Pasini M, Halužan D, Bogović, M, Medančić, SS, Ćavar S, Luetić, T, Fuchs N, Andabak M, Prlić, I, Ćurković, S. Frontal axillary and tympanic temperature measurements in children [Timpanična frontalna i aksilarna temperatura u djece]. Lijecnicki Vjesnik 2016; 138 (1-2) 30-33

Antikainen T, Rohumaa A, Bulota M, Kotilahti T, Hughes M. Estimating birch veneer (Betula pendula Roth) moisture content using Infrared technology. European Journal of Wood and Wood Products 2015; 73 (5): 617-625

Antonio-Rubio I, Madrid-Navarro CI, Salazar-Lopez E, Perez-Navarro MJ, Saez-Zea C, Gomez-Milan E, Minguez-Castellanos A, Escamilla-Sevilla F. Abnormal thermography in Parkinson's disease.

Antosik-W ojcinska A.Z, Bzinkowska D, Swiecicki L, Bienkowski P. Post-ECT hyperthermia and rapid mood improvements: A case report. Journal of Neuropsychiatry and Clinical Neurosciences 2014; 26 (2): E21.

Aoki K, Ogawa Y, Iwasaki K.-I. Blunted cutaneous vasoconstriction and increased frequency of presyncope during an orthostatic challenge under moderate heat stress in the morning. European Journal of Applied Physiology 2014; 114 (3): 629-638.

Aoyagj M, Hiraguri T, Ueno T. Applying Dynamic Thermography for Observation of Water Level in Column-Shaped Opaque Beverage Containers. Packaging Technology and Science 2015; 28(3): 205-215

Aoyagj M, Hiraguri T, Ueno T. Observation of powder and particles in a container by pulsed thermography. Insight 2015; 57(5): 269-275

Apanasevich P, Lucas D, Beyer M, Szalinski L. CFD based approach for modelling direct contact condensation heat transfer in two-phase turbulent stratified flows. International Journal of Thermal Sciences 2015; 95: 123-135

Arai N, Inaba M, Ichijyo T, Kagami H, Mine Y. Thyrotropin-producing pituitary adenoma simultaneously existing with Graves' disease: A case report. Journal of Medical Case Reports 2017, 11 (1), art. no. 9.

Arai S, Takeoka S, Ishiwata S, Sato H, Suzuki M. Micro-thermography in millimeter-scale animals by using orally-dosed fluorescent nanoparticle thermosensors. Analyst 2015; 140(2)2: 7534-7539

Arango M, Combariza JF. Fever after peripheral blood stem cell infusion in haploidentical transplantation with post-transplant cyclophosphamide. Hematology/ Oncology and Stem Cell Therapy 2017, 10 (2): 79-84.

Araújo MC, Souza RMCR, Lima RCF, Filho TMS. An interval prototype classifier based on a parameterized distance applied to breast thermographic images. Medical and Biological Engineering and Computing 2017, 55(6) 873-884.

Arav A, Natan Y, Levi-Setti PE, Menduni F, Patrizio P. New methods for cooling and storing oocytes and embryos in a clean environment of −196°C. Reproductive BioMedicine Online 2016; 33 (1) 71-78

Arda MS, Koçman AE, Söztutar E, Baksan B, Çetin C. A new apparatus for standardization of experimental burn models. Burns 2017, 43 (6): 1322-1329.

Arias-Gil G, Ohl FW, Takagaki K, Lippert MT. Measurement modeling and prediction of temperature rise due to optogenetic brain stimulation. Neurophotonics 2016; 3 (4), art no 045007

Arien-Zakay H, Gincberg G, Nagler A, Cohen G, Liraz-Zaltsman S, Trembovler V, Alexandrovich AG, Matok I, Galski H, Elchalal U, Lelkes PI, Lazarovici P, Shohami E. Neurotherapeutic effect of cord blood derived CD45+ hematopoietic cells in mice after traumatic brain injury. Journal of Neurotrauma 2014; 31 (16) 1405-1416.

Arimah BD, Ogunlowo OP, Adebayo MA, Jesumirhewe C. Identification of lactic acid bacteria isolated from selected Nigerian foods and comparison of their bacteriocins activities. International Journal of Pharmaceutical and Clinical Research 2014; 6 (1) 20-26.

Arimoto H, Yanai M, Egawa M. Analysis of absorption and spreading of moisturizer on the microscopic region of the skin surface with near-infrared imaging. Skin Research and Technology 2016; 22 (4) 505-512

Arinaga T, Komaki T, Miura S-I, Futami M, Morii J, Sugihara M, Saku K. A rare case of eosinophilic granulomatosis with polyangiitis complicated with progressive pericardial effusion. Journal of Cardiology Cases 2017, 15 (5): 163-166.

Armato SG, III, Blyth KG, Keating JJ, Katz S, Tsim S, Coolen J, Gudmundsson E, Opitz I, Nowak AK. Imaging in pleural mesothelioma: A review of the 13th International Conference of the International Mesothelioma Interest Group. Lung Cancer 2016; 101 48-58

Arnold JF. Is there adequate perfusion for healing? What routine noninvasive vascular studies are missing? Wounds 2018; 30 (9): E89-E92.

Arora E, Bhandarwar A, Wagh A, Gandhi S, Patel C, Gupta S, Talwar G, Agarwal J, Rathore J, Chatnalkar S. Role of indo-cyanine green (ICG) fluorescence in laparoscopic adrenalectomy: a retrospective review of 55 Cases. Surgical Endoscopy 2018; 32 (11): 4649-4657.

Arora V, Siddiquj JA, Mulaveesala R, Muniyappa A. Pulse Compression Approach to Nonstationary Infrared Thermal Wave Imaging for Nondestructive Testing of Carbon Fiber Reinforced Polymers. IEEE Sensors Journal 2015; 15(2): 663-664

Arranja A, Schroder AP, Schmutz M, W aton G, Schosseler F, Mendes E. Cytotoxicity and internalization of Pluronic micelles stabilized by core cross-linking. Journal of Controlled Release 2014; 196, 87-95.

Arrazola PJ, Aristimuno P, Soler D, Childs T. Metal cutting experiments and modelling for improved determination of chip/tool contact temperature by Infrared thermography. CIRP Annals-Manufacturing Technology 2015; 64(1): 57-60

Arshad M, Qayyum A, Shar GA, Soomro GA, Nazir A, Munir B, Iqbal M. Zn-doped SiO2 nanoparticles preparation and characterization under the effect of various solvents: Antibacterial antifungal and photocatlytic performance evaluation. Journal of Photochemistry and Photobiology B: Biology 2018; 185: 176-183.

Arslan D, Kuştarcı, A. The effect of the KTP laser on smear layer and temperature change: an in vitro study. Lasers in Medical Science 2018; 33 (1): 149-157.

Artozoul J, Lescalier C, Dudzinski D. Experimental and analytical combined thermal approach for local tribological understanding in metal cutting. Applied Thermal Engineering 2015; 89: 394-404

Arul KT. A bipolar-pulse voltage method for junction temperature measurement of sporadic current LED. Indian Journal of Public Health Research and Development 2018; 9 (6): 539-543.

Arvidsson L, Lindgren S, Martinell L, Lundin S, Rylander C. Target temperature 34 vs. 36°C after out-of-hospital cardiac arrest – a retrospective observational study. Acta Anaesthesiologica Scandinavica 2017, 61 (9): 1176-1183.

Asadian S, Khatony A, Moradi G, Abdi A, Rezaei M. Accuracy and precision of four common peripheral temperature measurement methods in intensive care patients. Medical Devices: Evidence and Research 2016; 9 301-308

Asavapiriyanont S, Kittikraisak W, Suntarattiwong P, Ditsungnoen D, Kaoiean S, Phadungkiatwatana P, Srisantiroj N, Chotpitayasunondh T, Dawood FS, Lindblade KA. Tolerability of trivalent inactivated influenza vaccine among pregnant women 2015. BMC Pregnancy and Childbirth 12018; 8 (1), art. no. 110.

Ascione F, Bianco N, De Masi RF, De'Rossi F, Vanoli GP. Energy retrofit of an educational building in the ancient center of Benevento. Feasibility study of energy savings and respect of the historical value. Energy and Buildings 2015; 95: 172-183

Asfaram A, Ghaedi M, Ghezelbash GR, Pepe F. Application of experimental design and derivative spectrophotometry methods in optimization and analysis of biosorption of binary mixtures of basic dyes from aqueous solutions. Ecotoxicology and Environmental Safety 2017, 139: 219-227.

Asghar S, Bjerregaard LS, Lundstrøm LH, Lund J, Jenstrup MT, Lange KHW. Distal infrared thermography and skin temperature after ultrasound-guided interscalene brachial plexus block: A prospective observational study. European Journal of Anaesthesiology 2014; 31 (11): 626-634.

Asghar S, Lundstrøm LH, Bjerregaard LS, Lange KHW. Ultrasound-guided lateral infraclavicular block evaluated by infrared thermography and distal skin temperature Acta Anaesthesiologica Scandinavica 2014; 58 (7): 867-874.

Ashok A, Brison M, LeTallec Y. Improving cold chain systems: Challenges and solutions. Vaccine 2017, 35 (17): 2217-2223.

Asiimwe SB, Okello S, Moore C.C. Frequency of vital signs monitoring and its association with mortality among adults with severe sepsis admitted to a general medical ward in Uganda. PLoS ONE 2014; 9 (2), art. no. e89879.

Assali A, Akhavan O, Adeli M, Razzazan S, Dinarvand R, Zanganeh S, Soleimani M, Dinarvand M, Atyabi F. Multifunctional core-shell nanoplatforms (gold@graphene oxide) with mediated NIR thermal therapy to promote miRNA delivery. Nanomedicine: Nanotechnology Biology and Medicine 2018; 14 (6): 1891-1903.

Astarita T, Cardone G, de Luca L, Carlomagno GM. Some Experimental investigations on Gas Turbine Cooling Performed with Infrared Thermography at Federico II. International Journal of Rotating Machinery 2015, 890414

Atallah L, Bongers E, Lamichhane B, Bambang-Oetomo S. Unobtrusive monitoring of neonatal brain temperature using a zero-heat-flux sensor matrix. IEEE Journal of Biomedical and Health Informatics 2016; 20 (1), art no 6994739

Atallah L, Ciuhu C, Wang C, Bongers E, Blom T, Paulussen I, Noordergraaf G.-J. An ergonomie wearable core body temperature sensor. 2018 IEEE 15th International Conference on Wearable and Implantable Body Sensor Networks BSN 2018, 2018, pp. 70-73.

Atallah S, Mabardy A, Volpato AP, Chin T, Sneider J, Monson JRT. Surgery beyond the visible light spectrum: theoretical and applied methods for localization of the male urethra during transanal total mesorectal excision. Techniques in Coloproctology 2017, 21 (6): 413-424.

Ataş Berksoy E, Bağ, Ö, Yazici S, Çelik T. Use of noncontact infrared thermography to measure temperature in children in a triage room. Medicine (United States) 2018; 97 (5), art. no. e9737.

Atsina K-B, Sharan AD, Wu C, Evans JJ, Sperling MR, Skidmore CT, Gorniak RJ. Longitudinal qualitative characterization of mri features after laser interstitial thermal therapy in drug-resistant epilepsy. American Journal of Roentgenology 2017, 208 (1): 48-55.

Aubakir B, Nurimbetov B, Tursynbek I, Varol HA. Vital sign monitoring utilizing Eulerian video magnification and thermography. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7591489 3527-3530

Auboiroux V, Petrusca L, Viallon M, Muller A, Terraz S, Breguet R, Montet X, Becker CD, Salomir R. Respiratory-gated MRgHIFU in uer abdomen using an MR-compatible in-bore digital camera. BioMed Research International 2014; 2014, Art. No. 421726.

Auer V, Hildebrandt C, Müller L, Raschner C. Quantification of skin blood flow with medical infrared thermography following the application of a novel regenerative device. Thermology International 2017, 27 (2): 51-57.

Aughey RJ, Goodman CA, McKenna MJ. Greater chance of high core temperatures with modified pacing strategy during team sport in the heat. Journal of Science and Medicine in Sport 2014; 17 (1): 113-118.

Augustynek M, Korpas D, Penhaker M, Cvek J, Binarova A. Monitoring of CRT-D devices during radiation therapy in vitro. BioMedical Engineering Online 2016; 15 (1), art no 29

Austin DM, Sadler L, McLintock C, McArthur C, Masson V, Farquhar C, Rhodes S. Early detection of severe maternal morbidity: A retrospective assessment of the role of an Early Warning Score System. Australian and New Zealand Journal of Obstetrics and Gynaecology 2014; 54 (2): 152- 155.

Avachat AM, Oswal YM, Gujar KN, Shah RD. Preparation and characterization of rivastigmine loaded human serum albumin (Hsa) nanoparticles. Current Drug Delivery 2014; 11 (3) 359-370.

Avallone F, Greco CS, Schrijer FFJ, Cardone G. A low-computational-cost inverse heat transfer technique for convective heat transfer measurements in hypersonic flows. Experiments in Fluids 2015, 56(4) 86.

Avetisov SE, Novikov IA, Lutsevich EE, Reyn ES. Use of infrared thermography in ophthalmology. Vestnik Oftalmologii 2017, 133 (6): 99-104.

Avilés-Martínez KI, González-Cortés LF, Aguirre-Jáuregui O. Thermic difference between iliac fossae: Diagnosis and prediction of acute appendicitis [Diferencia térmica entre fosas iliacas: Diagnóstico y predicción de apendicitis aguda]. Revista Mexicana de Pediatria 2017, 84 (1): 5-9.

Awal S, Madabushi R, Agarwal A, Singla V. CRPS: Early lumbar sympathetic block is better compared to other interventions". Pain Physician 2016; 19 (2), p E363

Aydemir O, Soysaldi E, Kale Y, Kavurt S, Bas A.Y, Demirel N. Body temperature changes of newborns under fluorescent versus LED phototherapy. Indian Journal of Pediatrics 2014; 81 (8): 751-754.

Ayvaz HH, Gönül M, Gökçe A. Acquired idiopathic generalised anhidrosis: A rare cause of sweating deficiency. Australasian Journal of Dermatology 2018; 59 (4): e299-e301.

Azharuddin M, Bera SK, Datta H, Dasgupta AK. Thermal fluctuation-based study of aqueous deficient dry eyes by non-invasive thermal imaging. Experimental Eye Research 2014; 120, 97- 102.

Aziz N, Detels R, Quint JJ, Li Q, Gjertson D, Butch AW. Stability of cytokines chemokines and soluble activation markers in unprocessed blood stored under different conditions. Cytokine 2016; 84 17-24

Baart VM, Boonstra MC, Sier CFM. uPAR directed-imaging of head-and-neck cancer. Oncotarget 2017, 8 (13): 20519-20520.

Babin V, Shemer L, Barnea D. Local instantaneous heat transfer around a rising single Taylor bubble. International Journal of Heat and Mass Transfer 2015; 89: 884-893

Babourina-Brooks B, W ilson M, Arvanitis TN, Peet AC, Davies NP. MRS water resonance frequency in childhood brain tumours: A novel potential biomarker of temperature and tumour environment. NMR in Biomedicine 2014; 27 (10) 1222-1229.

Bach AJE, Stewart IB, Minett GM, Costello JT. Does the technique employed for skin temperature assessment alter outcomes? A systematic review. Physiological Measurement 2015; 36(9): R27-R51

Backe D, Balle F, Eifler D. Fatigue testing of CFRP in the Very High Cycle Fatigue (VHCF) regime at ultrasonic frequencies. Composites Science and Technology 2015; 106: 93-99

Baczkowski L, Jacquet JC, Jardel O, Gaquiere C, Moreau M, Carisetti D, Brunel L, Vouzelaud F, Mancuso Y. Thermal Characterization Using Optical Methods of AlGaN/GaN HEMTs on SiC, Substrate in RF Operating Conditions. IEEE Transactions On Electron Devices 2015; 62(12): 3992-3998

Badal J, Biarnés M, Monés J. Performance characteristics of multicolor versus blue light and infrared imaging in the identification of reticular pseudodrusen. International Ophthalmology 2018; 38 (1): 199-206.

Badea M-S, Vertan C, Florea C, Florea L, Bădoiu S. Severe burns assessment by joint color-thermal imagery and ensemble methods. 2016 IEEE 18th International Conference on e-Health Networking Applications and Services Healthcom 2016, art no 7749450

Bader MK, Hill M, Cahoon WD, Guanci MM, Blissitt PA, Hamilton LA. Clinical Q & A: Translating therapeutic temperature management from theory to practice. Therapeutic Hypothermia and Temperature Management 2018; 8 (2): 121-124.

Bader MK, Laux C, Guanci MM, Figueroa SA, Francis KE, Livesay SL, Mathiesen C. Clinical Q and A: Translating Therapeutic Temperature Management from Theory to Practice. Therapeutic Hypothermia and Temperature Management 2016; 6 (1) 52-56

Bae M, Lee S, Kim N. Development of a robust and cost-effective 3D respiratory motion monitoring system using the kinect device: Accuracy comparison with the conventional stereovision navigation system. Computer Methods and Programs in Biomedicine 2018; 160: 25-32.

Bae S.-H, Kim G.-D, Kim K.-Y. Analgesic effect of transcranial direct current stimulation on central post- stroke pain. Tohoku Journal of Experimental Medicine 2014; 234 (3): 189-195.

Baek S.-W, Lee J.-M, Park Y.-B, Park Y.-J. Relationship between Tongue Temperature Estimated by Infrared Thermography Tongue Color and Cold-Heat Pathological Patterns: A Retrospective Chart Review Study. Evidence-based Complementary and Alternative Medicine 2018, art. no. 6841460.

Baek YS, Kim J, Han G, Oh CH. Application of dynamic thermal imaging in a photocarcinogenesis mouse model. International Journal of Hyperthermia 2018; 34 (7): 961-968.

Baffou G, Rigneault H, Marguet D, Jullien L. A critique of methods for temperature imaging in single cells. Nature Methods 2014; 11 (9): 899-901.

Bagavathiappan S, Lahiri BB, Suresh S, Philip J, Jayakumar T. Online monitoring of cutting tool temperature during micro-end milling using Infrared thermography. Insight 2015; 57(1): 9-17

Bagheri S, Zgrabik CM, Gissibl T, Tittl A, Sterl F, Walter R, De Zuani S, Berrier A, Stauden T, Richter G, Hu EL, Giessen H. Large-area fabrication of TiN nanoantenna arrays for refractory plasmonics in the mid- Infrared by femtosecond direct laser writing and Interference lithography. Optical Materials Express 2015; 5(11): 2625-2633

Bagheri ZS, Avval PT, Bougherara H, Aziz MSR, Schemitsch EH, Zdero R. Biomechanical analysis of a new carbon fiber/flax/epoxy bone fracture plate shows less stress shielding compared to a standard clinical metal plate Journal of Biomechanical Engineering 2014; 136 (9), art. no. 091002.

Bagheri ZS, El Sawi I, Bougherara H, Zdero R. Biomechanical fatigue analysis of an advanced new carbon fiber/flax/epoxy plate for bone fracture repair using conventional fatigue tests and thermography. Journal of the Mechanical Behavior of Biomedical Materials 2014; 35, 27-38.

Bagrul D, Karadeniz EG, Koca S. Gastrointestinal involvement in Kawasaki disease: A case report. Cardiology in the Young 2018; 28 (8): 1070-1073.

Bahramian F, Mojra A. Thermal Imaging of the Human Neck for Thyroid Gland Detection Based on CT Scan Images. 2017 24th Iranian Conference on Biomedical Engineering and 2017 2nd International Iranian Conference on Biomedical Engineering ICBME 2017, 2018; art. no. 8430276.

Bai D-Y, Wang X, Zhao J-Y, Li L, Gao J, Wang N-L. Comparison of color fundus photography infrared fundus photography and optical coherence tomography in detecting retinal hamartoma in patients with tuberous sclerosis complex. Chinese Medical Journal 2016; 129 (10) 1229-1235

Bai L, Cirendunzhu Woodward A, Dawa Zhaxisangmu Chen B, Liu Q. Temperature hospital admissions and emergency room visits in Lhasa Tibet: A time-series analysis. Science of the Total Environment 2014; 490: 838-848.

Bai R, Di Biase L, Mohanty P, Trivedi C, Dello Russo A, Themistoclakis S, Casella M, Santarelli P, Fassini G, Santangeli P, Mohanty S, Rossillo A, Pelargonio G, Horton R, Sanchez J, Gallinghouse J, Burkhardt JD, Ma C-S, Tondo C, Natale A. Proven isolation of the pulmonary vein antrum with or without left atrial posterior wall isolation in patients with persistent atrial fibrillation. Heart Rhythm 2016; 13 (1) 132-140

Baic A, Kasprzyk T, Rzany M, Stanek A, Sieroń K, Suszyński K, Marcol W, Cholewka A Can we use thermal imaging to evaluate the effects of carpal tunnel syndrome surgical decompression? Medicine (United States) 2017, 96(39) Article Number: e7982.

Baier S, Rochet A, Hofmann G, Kraut M, Grunwaldt JD. Lithographically fabricated silicon microreactor for in situ characterization of heterogeneous catalysts enabling correlative characterization techniques. Review of Scientific Instruments 2015, 86(6) 065101.

Bailey PBS, Lafferty AD. Specimen gripping effects in composites fatigue testing -Concerns from initial investigation. Express Polymer Letters 2015; 9(5): 480-488

Baillot M, Le Bris S, Hue O. Fluid replacement strategy during a 27-Km trail run in hot and humid conditions. International Journal of Sports Medicine 2014; 35 (2) 147-152.

Bain AR, Morrison SA, Ainslie PN. Cerebral oxygenation and hyperthermia. Frontiers in Physiology 2014; Art. No. Article 92.

Bainbridge S, Berkelmans R. The use of climatologies and Bayesian models to link observations to outcomes; An example from the Torres Strait. Environmental Sciences: Processes and Impacts 2014; 16 (5): 1041-1049.

Bajwa SJS, Swati Perioperative hypothermia in pediatric patients: Diagnosis prevention and management. Anaesthesia Pain and Intensive Care 2014; 18 (1): 97-100.

Bak J, Kang HW. Temperature-monitored optical treatment for radial tissue expansion. Lasers in Medical Science 2017, 32 (5): 993-999.

Baker JA, Davis MS. Effect of conditioning on exercise-induced hyperthermia and post-exercise cooling in dogs. Comparative Exercise Physiology 2018; 14 (2): 91-97.

Bakker A, Holman R, Rodrigues DB, Dobšíček Trefná, H, Stauffer PR, van Tienhoven G, Rasch CRN, Crezee H. Analysis of clinical data to determine the minimum number of sensors required for adequate skin temperature monitoring of superficial hyperthermia treatments. International Journal of Hyperthermia 2018; 34 (7): 910-917.

Bakker A, Kolff MW, Holman R, van Leeuwen CM, Korshuize-van Straten L, de Kroon-Oldenhof R, Rasch CRN, van Tienhoven G, Crezee H. Thermal Skin Damage During Reirradiation and Hyperthermia Is Time-Temperature Dependent. International Journal of Radiation Oncology Biology Physics 2017, 98 (2): 392-399.

Baklouti M, Cristol AL, Desplanques Y, Elleuch R. Impact of the glass fibers addition on tribological behavior and braking performances of organic matrix composites for brake lining. Wear 2015; 330: 507- 514

Balageas DL, Roche JM, Leroy FH, Liu WM, Gorbach AM. The thermographic signal reconstruction method: A powerful tool for the enhancement of transient thermographic images. Biocybernetics and Biomedical Engineering 2015; 35(1): 1-9

Balandraud X, Barrera N, Biscari P, Grediac M, Zanzotto G. Strain Intermittency in shape-memory alloys. Physical Review B 2015; *91*(17), 174111.

Balasubramaniam SC, Pellegrini M, Staurenghi G, Pulido JS. Infrared imaging of circumscribed choroidal hemangiomas. Retina 2017, 37 (6): 1134-1139.

Balasubramaniam SC, Pellegrini M, Staurenghi G, Pulido JS. Infrared Imaging of Circumscribed Choroidal Hemangiomas. Retina 2017, *37*(6), 1134-1139

Balasubramanian R, Cohen DA, Klerman EB, Pignatelli D, Hall JE, Dwyer AA, Czeisler CA, Pitteloud N, Crowley JR, WF. Absence of central circadian pacemaker abnormalities in humans with loss of function mutation in prokineticin 2. Journal of Clinical Endocrinology and Metabolism 2014; 99 (3): E561-E566.

Balbin MM, Belotindos LP, Abes NS, Mingala CN. Caprine arthritis encephalitis virus detection in blood by loop-mediated isothermal amplification (LAMP) assay targeting the proviral gag region Diagnostic Microbiology and Infectious Disease 2014; 79 (1): 37-42.

Balconi M, Pezard L, Nandrino J-L, Vanutelli ME Two is better than one: The effects of strategic cooperation on intra- and inter-brain connectivity by fNIRS. PLoS ONE 2017, 12(11) Article Number: e0187652.

Baldinelli G, Bonafoni S, Anniballe R, Presciutti A, Gioli B, Magliulo V. Spaceborne detection of roof and impervious surface albedo: Potentialities and comparison with airborne thermography measurements. Solar Energy 2015; 113: 281-294

Baldini A, Nota A, Cioffj C, Ballanti F, Cozza P. Infrared Thermographic Analysis of Craniofacial Muscles in Military Pilots Affected by Bruxism. Aerospace Medicine and Human Performance 2015; 86(4): 374-378

Baldwin AL, Hammerschlag R. Biofield-based therapies: A systematic review of physiological effects on practitioners during healing. Explore: The Journal of Science and Healing 2014; 10 (3) 150-161.

Balestrino A, Veríssimo C, Tantbirojn D, García-Godoy F, Soares CJ, Versluis A. Heat generated during light-curing of restorative composites: Effect of curing light exotherm and experiment substrate. American Journal of Dentistry 2016; 29 (4) 234-240

Balistrieri LS, Mebane CA. Predicting the toxicity of metal mixtures. Science of the Total Environment 2014; 466-

467, 788-799.

Ballard-Croft C, Wang D, Rosenstein K, Wang J, Pollock R, Morris JA, Zwischenberger JB. Venovenous perfusion-induced systemic hyperthermia: Five-day sheep survival studies. Journal of Thoracic and Cardiovascular Surgery 2014; 148 (5) 2360-2366.

Ban J, Huang L, Chen C, Guo Y, He MZ, Li T Integrating new indicators of predictors that shape the public's perception of local extreme temperature in China. Science of the Total Environment 2017, 579: 529-536.

Ban MJ, Nam Y, Park JH. Detection of peritonsillar abscess using smartphone-based thermal imaging. Pakistan Journal of Medical Sciences 2017, 33 (2): 502-504.

Bandara T, Nguyen NT, Rosengarten G. Slug flow heat transfer without phase change in microchannels: A review. Chemical Engineering Science 2015; 126: 283-295

Bandeira F, Neves EB, de Moura MAM, Nohama P. The thermography in support for diagnosis of muscle injury in sport [A termografia no apoio ao diagnóstico de lesão muscular no esporte]. Revista Brasileira de Medicina do Esporte 2014; 20 (1): 59-64.

Bandla A, Sundar R, Liao L-D, Tan SSH, Lee S-C, Thakor NV, Wilder-Smith EPV. Hypothermia for preventing chemotherapy-induced neuropathy - A pilot study on safety and tolerability in healthy controls. Acta Oncologica 2016; 55 (4) 430-436

Banerjee C, Snelling B, Berger MH, Shah A, Ivan ME, Komotar RI. The role of magnetic resonance-guided laser ablation in neurooncology. British Journal of Neurosurgery 2015; 29(2): 192-196

Banerjee D, Chattopadhyay SK, Chatterjee K, Tuli S, Jain N, Goyal I, Mukhopadhyay S. Non-destructive testing of jute-polypropylene composite using frequency-modulated thermal wave imaging. Journal of Thermoplastic Composite Materials 2015; 28(4): 548-557

Banerjee S. Methyglyoxal administration induces modification of hemoglobin in experimental rats: An in vivo study. Journal of Photochemistry and Photobiology B: Biology 2017, 167: 82-88.

Bang JW, Heo H, Choi J.-S, Park KR. Assessment of eye fatigue caused by 3D displays based on multimodal measurements. Sensors (Basel Switzerland) 2014; 14 (9): 16467-16485.

Banos O, Villalonga C, Damas M, Gloesekoetter P, Pomares H, Rojas I. PhysioDroid: Combining Wearable Health Sensors and Mobile Devices for a Ubiquitous Continuous and Personal Monitoring. Scientific World Journal 2014; 2014, art. no. 490824.

Bansal SC, Nimbalkar SM, Shah NA, Shrivastav RS, Phatak AG. Evaluation of knowledge and skills of home based newborn care among Accredited Social Health Activists (ASHA). Indian Pediatrics 2016; 53 (8) 689-691

Barabino G, Klein JP, Porcheron J, Grichine A, Coll J-L, Cottier M. Reply to: Comments on 'Intraoperative near-infrared fluorescence imaging using indocyanine green in colorectal carcinomatosis surgery: Proof of concept'. European Journal of Surgical Oncology 2017, 43 (1): 242-243.

Barabino G, Klein JP, Porcheron J, Grichine A, Coll J-L, Cottier M. Intraoperative Near-Infrared Fluorescence Imaging using indocyanine green in colorectal carcinomatosis surgery: Proof of concept. European Journal of Surgical Oncology 2016; 42 (12) 1931-1937

Baraliya JD Joshj HH. Spectroscopic and thermographic study of Ni-Zn ferrites. Journal of Thermal Analysis and Calorimetry 2015; 119(1): 85-90

Baranowski P, Jedryczka M, Mazurek W, Babula-Skowronska D, Siedliska A, Kaczmarek J. Hyperspectral and Thermal Imaging of Oilseed Rape (Brassica napus) Response to Fungal Species of the Genus Alternaria. PLOS ONE 2015; 10 (3) e0122913.

Barati D, Kader S, Pajoum Shariati SR, Moeinzadeh S, Sawyer RH, Jabbari E Synthesis and Characterization of Photo-Cross-Linkable Keratin Hydrogels for Stem Cell Encapsulation. Biomacromolecules 2017, 18(2) 398-412.

Barbosa Pereira C, Yu X, Czaplik M, Blazek V, Venema B, Leonhardt S. Estimation of breathing rate in thermal imaging videos: a pilot study on healthy human subjects. Journal of Clinical Monitoring and Computing 2017, *31*(6), 1241-1254

Barcat L, Decima P, Bodin E, Delanaud S, Stephan-Blanchard E, Leke A, Libert J-P, Tourneux P, Bach V. Distal skin vasodilation promotes rapid sleep onset in preterm neonates. Journal of Sleep Research 2017, 26(5) 572-577.

Barcelos EZ, Caminhas WM, Pimenta EM, Ribeiro E, Palhares RM. Registration of thermal images using global and non-parametric models for analyses in medical thermography. Thermology International 2018; 28(2) 114-115.

Bardou M, Seng P, Meddeb L, Gaudart J, Honnorat E, Stein A. Modern approach to infectious disease management using infrared thermal camera scanning for fever in healthcare settings. Journal of Infection 2017, 74 (1): 95-97.

Barin JS, Tischer B, Oliveira AS, Wagner R, Ben Costa A, Flores EMM. Infrared Thermal Imaging: A Tool for Simple Simultaneous and High-Throughput Enthalpimetric Analysis. Analytical Chemistry 2015; 87(2)4: 12065-12070

Barizza A, Bison P, Boldrini S, Bortolin A, Cadelano G, Colla L, Ferrarini G. Comparison of the insulation property

of an innovative material and a traditional one by Infrared thermography. in: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, CL Baltimore MD, 2015; pp. 948515-948515-15

Barney CC, Hoch J, Byiers B, Dimian A, Symons FJ. A Case-controlled investigation of Pain Experience and Sensory Function in Neuronal Ceroid Lipofuscinosis. Clinical Journal of Pain 2015; 31(11): 998-1003

Barolet D. Pulsed versus continuous wave low-level light therapy on osteoarticular signs and symptoms in limited scleroderma (CREST syndrome): A case report. Journal of Biomedical Optics 2014; 19 (11), art. no. 118001.

Baron P, Deckers R, Bouwman JG, Bakker CJG, De Greef M, Viergever MA, Moonen CTW, Bartels LW. Influence of water and fat heterogeneity on fat-referenced MR thermometry. Magnetic Resonance in Medicine 2016; 75 (3) 1187-1197

Baron P, Deckers R, De Greef M, Merckel LG, Bakker CJG, Bouwman JG, Bleys RLAW, Van Den Bosch MAAJ, Bartels LW. Correction of proton resonance frequency shift MR-thermometry errors caused by heat- induced magnetic susceptibility changes during high intensity focused ultrasound ablations in tissues containing fat. Magnetic Resonance in Medicine 2014; 72 (6) 1580-1589.

Baron P, Ries M, Deckers R, De Greef M, Tanttu J, Köhler M, Viergever MA, Moonen CTW, Bartels LW. In vivo T2-based MR thermometry in adipose tissue layers for high-intensity focused ultrasound near-field monitoring. Magnetic Resonance in Medicine 2014; 72 (4) 1057-1064.

Barra NG, Palanivel R, Denou E, Chew MV, Gillgrass A, Walker TD, Kong J, Richards CD, Jordana M, Collins SM, Trigatti BL, Holloway AC, Raha S, Steinberg GR, Ashkar AA. Interleukin- 15 modulates adipose tissue by altering mitochondrial mass and activity. PLoS ONE 2014; 9 (12) Art. No. e114799,

Barreaux AMG, Stone CM, Barreaux P, Koella JC. The relationship between size and longevity of the malaria vector Anopheles gambiae (s.s.) depends on the larval environment. Parasites and Vectors 2018; 11 (1), art. no. 485.

Barreras J, Chang TP. Authors' Response. JAVA - Journal of the Association for Vascular Access 2017, 22(4) 163-164.

Barreras J, Chang TP. Using a Near Infrared Device to Improve Successful Venous Access in Children with Special Health Care Needs. JAVA - Journal of the Association for Vascular Access 2017, 22 (2): 75-80.

Barrese J, Sun XR, Patel N, Jethwa P, Danish SF. Endoscopic laser ablation of clival chordoma with magnetic resonance-guided laser induced thermal therapy. Interdisciplinary Neurosurgery: Advanced Techniques and Case Management 2014; 1 (4) 76-80.

Barroso J, Renau J, Lozano A, Miralles J, Martin J, Sanchez F, Barreras F. Experimental determination of the heat transfer coefficient for the optimal design of the cooling system of a PEM fuel cell placed inside the fuselage of an UAV. Applied Thermal Engineering 2015; 89: 1-10

Barry L, Nooney GL. The effect of passive infrared hemoencephalography on athlete performance. NeuroRegulation 2018; 5 (4): 129-136.

Bartosz R, Agnieszka R, Boleslaw K, Francis R, Przemyslaw K, Andrzej T, Anna J. A study of heat loss in patients undergoing general anesthesia warmed with a heated mattress with esophageal temperature monitoring compared to facial infrared thermography. Journal of Medical Imaging and Health Informatics 2016; 6 (1) 141-145

Barwood MJ, Corbett J, White DK. Spraying with 0.20% L-menthol does not enhance 5 km running performance in the heat in untrained runners. The Journal of sports medicine and physical fitness 2014; 54 (5): 595-604.

Basheer M, Nithin PV, Ravindran P, Balasubramaniam K. A Thermographic Approach for Surface Crack Depth Evaluation through 3D, Finite Element Modeling. in: Chimenti DE, Bond LI, eds, 41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE) JUL 20-25, 2014, 2015; 1650: 1782-1789

Basmaci R, Ilharreborde B, Bonacorsi S, Kahil M, Mallet C, Aupiais C, Doit C, Dugué, S, Lorrot M. Septic arthritis in children with normal initial C-reactive protein: Clinical and biological features [Arthrite septique de l'enfant à protéine C-réactive initialement normale: Description clinique et biologique]. Archives de Pediatrie 2014; 21 (11): 1195-1199.

Bastola RC, Shrestha SK, Bastola BS, Shrestha D, Sharma YR. Comparison of oral versus normal and high-dose rectal paracetamol in the treatment of fever in children. Journal of Nepal Paediatric Society 2018; 37 (3): 220-225.

Bastos-Pereira AL, Fraga D, Ott D, Simm B, Murgott J, Roth J, Zampronio AR. Involvement of brain cytokines in zymosan-induced febrile response. Journal of Applied Physiology 2014; 116 (9): 1220-1229.

Bates JL, Karriker LA, Stock ML, Pertzborn KM, Baldwin LG, Wulf LW, Lee CJ, Wang C, Coetzee JF. Impact of transmammary-delivered meloxicam on biomarkers of pain and distress in piglets after castration and tail docking. PLoS ONE 2014; 9 (12) Art. No. e113678.

Bats FD, Mathis T, MAUGET-FAÿSSE, M, Joubert F, Denis P, Kodjikian L. Prevalence of reticular pseudodrusen in age-related macular degeneration using multimodal imaging. Retina 2016; 36 (1) 46-52

Batsale JC, Pradere C. Infrared image processing devoted to thermal non-contact characterization- Applications to Non-Destructive Evaluation, Microfluidics and 2D source term distribution for multispectral tomography. Journal of

Physics: Conference Series 2015, 655(1), 012002.

Batz NG, Mellors JS, Alarie JP, Ramsey JM. Chemical vapor deposition of aminopropyl silanes in microfluidic channels for highly efficient microchip capillary electrophoresis-electrospray ionization- mass spectrometry. Analytical Chemistry 2014; 86 (7): 3493-3500.

Baucom RB, Phillips SE, Ehrenfeld JM, Holzman MD, Nealon WH, Sharp KW, Kaiser JL, Poulose BK. Defining intraoperative hypothermia in ventral hernia repair. Journal of Surgical Research 2014; 190 (1): 385-390.

Bauer J, Hahnel A, Blumtritt H, Deniz H, Zuschlag A, Breitenstein O. Do lomer dislocations spoil high performance of mc-Si solar cells? Energy Procedia 2015; 77: 565-571

Bauer R, Martin E, Haegele-Link S, Kaegi G, von Specht M, W erner B. Noninvasive functional neurosurgery using transcranial MR imaging-guided focused ultrasound. Parkinsonism and Related Disorders 2014; 20 (Suppl.1): S197-S199.

Bauer SLM, Stensland A, Daae FL, Sandaa R.-A, Thorseth IH, Steen IH, Dahle H. Water masses and depth structure prokaryotic and T4-like viral communities around hydrothermal systems of the Nordic Seas. Frontiers in Microbiology 2018; art. no. 1002.

Baumbach SF, Lobo CM, Badyine I, Mutschler W, Kanz K.-G. Prepatellar and olecranon bursitis: Literature review and development of a treatment algorithm. Archives of Orthopaedic and Trauma Surgery 2014; 134 (3): 359-370.

Baumgartner CF, Kolbitsch C, McClelland JR, Rueckert D, King AP. Autoadaptive motion modelling for MR-based respiratory motion estimation. Medical Image Analysis 2017, 35: 83-100.

Bauones S, Garnon J, Chari B, Cazzato RL, Tsoumakidou G, Caudrelier J, Koch G, Gangi A. Protection of the Proximal Articular Cartilage During Percutaneous Thermal Ablation of Acetabular Metastasis Using Temperature Monitoring. CardioVascular and Interventional Radiology 2018; 41 (1): 163-169.

Bavis RW, Van Heerden ES, Brackett DG, Harmeling LH, Johnson SM, Blegen HJ, Logan S, Nguyen GN, Fallon SC. Postnatal development of eupneic ventilation and metabolism in rats chronically exposed to moderate hyperoxia. Respiratory Physiology and Neurobiology 2014; 198 (1) 1-12.

Baxter R, Taylor N, Kellar I, Pye V, Mohammed MA, Lawton R. Identifying positively deviant elderly medical wards using routinely collected NHS Safety Thermometer data: An observational study. BMJ Open 2018; 8 (2), art. no. e020219.

Bayat M, Ballard JR, Ebbini ES. in Vivo Ultrasound Thermography in Presence of Temperature Heterogeneity and Natural Motions. IEEE Transactions On Biomedical Engineering 2015; 62(2): 450-457

Bayhan C, Özsürekçi Y, Tekçam N, Güloğlu A, Ehliz G, Ceyhan M, Kara A. Comparison of infrared tympanic thermometer with non-contact infrared thermometer [Temassız Kızılötesi Termometre ile Timpanik Kızılötesi Termometre Karşılaştırması) Cocuk Enfeksiyon Dergisi 2014; 8 (2) 52-55.

Bazrafshan B, Hübner F, Farshid P, Hammerstingl R, Paul J, Vogel V, Mäntele W, Vogl TJ. Temperature imaging of laser-induced thermotherapy (LITT) by MRI: Evaluation of different sequences in phantom. Lasers in Medical Science *2014, 29*(1), 173-183.

Bazyleu A, Kumar A. Incubation temperature osmolarity and salicylate affect the expression of resistance-nodulation-division efflux pumps and outer membrane porins in Acinetobacter baumannii ATCC19606T. FEMS Microbiology Letters 2014; 357 (2) 136-143.

Beaumont F, Taiar R, Zaidi H, Abdi E, Polidori G. Numerical investigation of the human body skin temperature response using a radiative and convective heat transfer model. Series on Biomechanics 2017, 31 (1): 27-34.

Bebell LM, Ngonzi J, Bazira J, Fajardo Y, Boatin AA, Siedner MJ, Bassett IV, Nyehangane D, Nanjebe D, Jacquemyn Y, Van Geertruyden J-P, Mwanga-Amumpaire J, Bangsberg DR, Riley LE, Boum Y, II. Antimicrobial-resistant infections among postpartum women at a Ugandan referral hospital. PLoS ONE 2017, 12 (4), art. no. e0175456.

Becerra L, Aasted CM, Boas DA, George E, Yücel MA, Kussman BD, Kelsey P, Borsook D. Brain measures of nociception using near-infrared spectroscopy in patients undergoing routine screening colonoscopy. Pain 2016; 157 (4) 840-848

Bechkit MA, Flageul S, Guerin R, Tabbagh A. Monitoring soil water content by vertical temperature variations. Groundwater 2014; 52 (4) 566-572.

Becker A, Felgentreff F, Schröder H, Meier B, Brattström A. The anxiolytic effects of a Valerian extract is based on Valerenic acid. BMC Complementary and Alternative Medicine 2014; 14, Art. No. 267.

Bédat B, Triponez F, Sadowski SM, Ellenberger C, Licker M, Karenovics W. Impact of near-infrared angiography on the quality of anatomical resection during video-assisted thoracic surgery segmentectomy. Journal of Thoracic Disease 2018; 10: S1229-S1234.

Bedussi B, Van Der Wel NN, de Vos J, Van Veen H, Siebes M, VanBavel E, Bakker ENTP. Paravascular channels cisterns and the subarachnoid space in the rat brain: A single compartment with preferential pathways. Journal of Cerebral Blood Flow and Metabolism 2017, 37 (4): 1374-1385.

Beekman RB, Greer DM, Brooks DC, Maciel CB. Clinical reasoning: Prognostication after cardiac arrest: What do we really know? Neurology 2017, 89(20) e239-e244.

Beer F, Farmakis ETR, Kopic J, Kurzmann C, Moritz A. Temperature Development on the External Root Surface during Laser-Assisted Endodontic Treatment Applying a Microchopped Mode of a 980 nm Diode Laser. Photomedicine and Laser Surgery 2017, 35 (4): 206-212.

Behbahani M, Bagheri S, Amini MM, Sadeghi Abandansari H, Reza Moazami H, Bagheri A. Application of a magnetic molecularly imprinted polymer for the selective extraction and trace detection of lamotrigine in urine and plasma samples. Journal of Separation Science 2014; 37 (13) 1610-1616.

Beik J, Shiran MB, Abed Z, Shiri I, Ghadimi-Daresajini A, Farkhondeh F, Ghaznavi H, Shakeri-Zadeh A. Gold nanoparticle-induced sonosensitization enhances the antitumor activity of ultrasound in colon tumor-bearing mice. Medical Physics 2018; 45 (9): 4306-4314.

Beilin D. The role of regulation capacity in the development and treatment of neoplastic conditions (abstract). Thermology international 2015, 25(1) 23

Beilken K, Hancock MJ, Maher CG, Li Q, Steffens D. Acute low back pain? Do not blame the weather-A case-crossover study. Pain Medicine (United States) 2017, 18 (6): 1139-1144.

Bekele K, Markos D. Left-sided incarcerated Amyand's hernia with cecum and terminal ileum: A case report. International Medical Case Reports Journal 2017, 10: 349-352.

Belay RE, Huang GO, Shen JK-C, Ko EYK. Diagnosis of clinical and subclinical varicocele: How has it evolved? Asian Journal of Andrology 2016; 18 (2) 182-185

Belcaro G, Cornelli U, Dugall M, Hosoi M, Cotellese R, Feragalli B. Long-haul flights edema and thrombotic events: Prevention with stockings and Pycnogenol® supplementation (LONFLIT Registry Study). Minerva Cardioangiologica 2018; 66 (2): 152-159.

Belgrado J-P. Reply to "near-Infrared Fluorescence Lymphatic Imaging to Reconsider Occlusion Pressure of Superficial Lymphatic Collectors in Upper Extremities of Health Volunteers: Facts and/or Artifacts" by Pierre Bourgeois and Romain Barbieux. Lymphatic Research and Biology 2017, 15 (1): 109-113.

Belkacemi M, Stolz C, Aubreton O. 3D and NDT using scanning from heating. in: Meriaudeau F, Aubreton O, eds Proceedings of SPIE 12th International Conference on Quality Control by Artificial Vision JUN 03- 05 2015, 2015; 95341G-95341G-6.

Belkacemi M, Stolz C, Mathieu A, Lemaitre G, Massich J, Aubreton O. Nondestructive testing based on scanning-from-heating approach: application to nonthrough defect detection and fiber orientation assessment. Journal of Electronic Imaging 2015; 24(6), 061112-061112.

Belkin A, Abulafia A, Michaeli A, Ofir S, Assia EI. Wound temperature profiles of coaxial mini-incision versus sleeveless microincision phacoemulsification. Clinical and Experimental Ophthalmology 2017, 45 (3): 247-253.

Belliveau RG, DeJong SA, Cassidy BM, Lu Z, Morgan SL, Myrick ML. Ridge patterns of blood-transferred simulated fingerprints observed on fabrics via steam thermography. Forensic Chemistry 2016; 1 74-77

Belloni M, Paz ICLA, Naas IA, Alves MCF, Garcia RG, Caldara FR, Seno LO. Productive Qualitative and Physiological Aspects of Layer Hens Fed, with Propolis. Brazilian Journal of Poultry Science 2015; 17(4):467-472

Belussi L, Danza L, Meroni I, Salamone F. Energy performance assessment with empirical methods: application of energy signature. Opto-Electronics Review. 2015; 23(1): 83-87

Benaarbia A, Chrysochoos A, Robert G. Fiber orientation effects on heat source distribution in reinforced polyamide 6.6 subjected to low cycle fatigue. Journal of Engineering Mathematics 2015; 90(1): 13-36

Benaarbia A, Chrysochoos A, Robert G. influence of relative humidity and loading frequency on the PA6.6 thermomechanical cyclic behavior: Part II. Energy aspects. Polymer Testing 2015; 41: 92-98

Benavent O, Benavente N, Priego Quesada JI, Galindo C, Cibrián RM, Salvador R, Núñez F. Preliminary study on the use of infrared thermography in diagnosing central venous catheter infections in children with cancer. Thermology International 2018; 28(2) 111-112.

Bendada A, Sfarra S, Ibarra-Castanedo C, Akhloufi M, Caumes JP, Pradere C, Batsale JC, Maldague X. Subsurface imaging for panel paintings inspection: A comparative study of the ultraviolet the visible the Infrared and the terahertz spectra. Opto-Electronics Review 2015; 23(1): 88-99

Bendas ER, Abdelbary AA. Instantaneous enteric nano-encapsulation of omeprazole: Pharmaceutical and pharmacological evaluation. International Journal of Pharmaceutics 2014; 468 (1-2) 97-104.

Bene BJ, Taylor WA, Birnbaum ER, Sudowe R. Chromatographic separation of thulium from erbium for neutron capture cross section measurements—Part II: Preparative scale separation. Journal of Radioanalytical and Nuclear Chemistry 2017, 311 (1): 155-163.

Benetos G, Toutouzas K, Drakopoulou M, Tolis E, Masoura C, Nikolaou C, Tsekoura D, Tsiamis E, Grassos H, Siores E, Stefanadis C, Tousoulis D. Bilateral Symmetry of Local inflammatory Activation in Human Carotid Atherosclerotic Plaques. Hellenic Journal of Cardiology 2015; 56(2): 118-124

Benetti C, Ana PA, Bachmann L, Zezell DM. Mid-Infrared Spectroscopy Analysis of the Effects of Erbium

Chromium: Yattrium-Scandium-Gallium-Garnet (ErCr:YSGG) Laser Irradiation on Bone Mineral and Organic Components. Applied Spectroscopy 2015; 69 (12): 1496-1504

Bénit P, Chrétien D, Porceddu M, Yanicostas C, Rak M, Rustin P. An effective, versatile, and inexpensive device for oxygen uptake measurement. Journal of Clinical Medicine 2017, 6(6) Article Number: 58.

Bennett JR, Darragh KM, Walsh SJ, Allen DJ, Scott M, Stevenson M, Adgey JAA, Anderson JMCJ, Manoharan G. Low-tilt monophasic and biphasic waveforms compared with standard biphasic waveforms in the transvenous defibrillation of ventricular fibrillation. PACE - Pacing and Clinical Electrophysiology 2014; 37 (3) 279-289.

Bennett SL, Goubran R, Knoefel F. Context-Awareness in Non-Contact Multi-Modality Bed-Based Monitoring of Vital Signs. MeMeA 2018 - 2018 IEEE International Symposium on Medical Measurements and Applications Proceedings 2018; art. no. 8438684.

Bensghir M, Badou N, Houba A, Balkhi H, Haimeur C, Azendour H. Convulsions during cataract surgery under peribulbar anesthesia: A case report. Journal of Medical Case Reports 2014; 8 (1) Art. No. 218.

Benz SA, Bayer P, Blum P. Global patterns of shallow groundwater temperatures. Environmental Research Letters 2017, 12 (3), art. no. 034005.

Bergamaschi C, Watson DC, Valentin A, Bear J, Peer CJ, Figg WD, Sr Felber BK, Pavlakis GN. Optimized administration of hetIL-15 expands lymphocytes and minimizes toxicity in rhesus macaques. Cytokine 2018; 108: 213-224.

Bergamo O, Campione G, Donadello S, Russo G. in-situ NDT testing procedure as an integral part of failure analysis of historical masonry arch bridges. Engineering Failure Analysis 2015; 57: 31-55

Berger MJ, Hubli M, Krassioukov AV. Sympathetic skin responses and autonomic dysfunction in spinal cord injury. Journal of Neurotrauma 2014; 31 (18) 1531-1539.

Bergstrand S, Källman U, Ek A-C, Lindberg L-G, Engström M, Sjöberg F, Lindgren M. Pressure- induced Vasodilation and Reactive Hyperemia at Different Depths in Sacral Tissue Under Clinically Relevant Conditions. Microcirculation 2014; 21 (8) 761-771.

Bernard S. Inducing hypothermia after out of hospital cardiac arrest. BMJ (Online) 2014; 348, Art. No. g2735.

Bernard V, Andrašina T, Mornstein V, Staffa E, Válek V. Infrared thermography as a tool for monitoring of radiofrequency tissue ablation inside of metal stent (extended abstract). Thermology international 2015, 25(3) 140.

Bernard V, Čan V, Staffa E, Farkašová M, Němcová M, Dostál M, Kala Z, Mornstein V. Infrared thermal imaging: a potential tool used in open colorectal surgery. Minerva chirurgica 2017, 72(5) 442-446.

Bernard V, Staffa E, Pokorna J, Bourek A, Morstein V. Overview of recent infrared thermographic studies in human and veterinary medicine. Thermology International 2018; 28 (Supplement) S20

Bertille N, Purssell E, Hjelm N, Bilenko N, Chiappini E, de Bont EGPM, Kramer MS, Lepage P, Lava SAG, Mintegi S, Sullivan JE, Walsh A, Cohen JF, Chalumeau M. Symptomatic management of febrile illnesses in children: A systematic review and meta-analysis of parents' knowledge and behaviors and their evolution over time. Frontiers in Pediatrics 2018; 6, art. no. 279.

Bertolin C, Luciani A, Valisi L, Camuffo D, Landi A, Del Curto D. Laboratory tests for the evaluation of the heat distribution efficiency of the Friendly-Heating heaters. Energy and Buildings 2015; 107: 319-328

Berz R, Berz JP. Survey and controlling of infrared irradiation local hyperthermia by thermographic system HeatControl (extended abstract). Thermology international 2015, 25(1) 25

Berz R, Berz JP. The standardized recording and evaluation procedure of MammoVision (extended abstract). Thermology international 2015, 25(1) 21-22

Berz R. German contributions to thermography and infrared imaging and to its medical use. (extended abstract). Thermology international 2015, 25(1) 14-16

Best S, Thompson M, Caillaud C, Holvik L, Fatseas G, Tammam A. Exercise-heat acclimation in young and older trained cyclists. Journal of Science and Medicine in Sport 2014; 17 (6) 677-682.

Beyaz A, Fan W, Carr PW, Schellinger AP. Instrument parameters controlling retention precision in gradient elution reversed-phase liquid chromatography. Journal of Chromatography A 2014; 1371, 90-105.

Bhargava A, Chanmugam A, Herman C. Heat transfer model for deep tissue injury: A step towards an early thermographic diagnostic capability. Diagnostic Pathology 2014; 9 (1) Art. No. 36.

Bhargava P, Singh M, Sreekanth V, Bajaj A. Nature of the charged headgroup determines the fusogenic potential and membrane properties of lithocholic acid phospholipids. Journal of Physical Chemistry B 2014; 118 (31) 9341-9348.

Bhat KJ, Pandita KK, Khajuria A, Wani SM. Visceral leishmaniasis (kalazar) migrating West: A new autochthonous case from sub-Himalayas. Indian Journal of Medical Microbiology 2014; 32 (1) 94-95.

Bhattacharjee S, Guha N, Dutta G, Chakraborty M, Jana M, Paul S. Formulation and evaluation of sustained release matrix tablet of anti-amoebic drug by natural polymers. Research Journal of Pharmacy and Technology 2017, 10 (7): 2041-2046.

Bhattacharya J, Biswas G, Bhowmik A, Pal SR, Naskar S. Thermometric profile of term early neonates in a tertiary care institution in West Bengal India. Biomedicine (India) 2014; 34 (4) 464- 467.

Bhowmik A, Repaka R, Mishra SC. Thermographic evaluation of early melanoma within the vascularized skin using combined non-Newtonian blood flow and bioheat models. Computers in Biology and Medicine 2014; 53, 206-219.

Bhusal B, Bhattacharyya P, Baig T, Jones S, Martens M. Measurements and simulation of RF heating of implanted stereo-electroencephalography electrodes during MR scans. Magnetic Resonance in Medicine 2018; 80 (4): 1676-1685.

Bicanic D, Streza M, Doka O, Valinger D, Luterotti S, Ajtony Z, Kurtaniek Z, Dadarlat D. Non-destructive Measurement of Total Carotenoid Content in Processed Tomato Products: Infrared Lock-in Thermography Near-Infrared Spectroscopy/Chemometrics and Condensed Phase Laser-Based Photoacoustics-Pilot Study. International Journal of Thermophysics 2015; 36(9): 2380-2388

Bijur PE, Shah PD, Esses D. Temperature measurement in the adult emergency department: Oral tympanic membrane and temporal artery temperatures versus rectal temperature. Emergency Medicine Journal 2016; 33 (12) 843-847

Billah MM, Zaman K, Estivariz CF, Snider CJ, Anand A, Hampton LM, Bari TIA, Russell KL, Chai SJ. Cold-Chain Adaptability during Introduction of Inactivated Polio Vaccine in Bangladesh 2015. Journal of Infectious Diseases 2017, 216: S114-S121.

Billet A, Froux L, Hanrahan JW, Becq F. Development of automated patch clamp technique to investigate CFTR chloride channel function. Frontiers in Pharmacology2017, 8: art. no. 195.

Billington EO, Horne A, Gamble GD, Maslowski K, House M, Reid IR. Effect of single-dose dexamethasone on acute phase response following zoledronic acid: a randomized controlled trial. Osteoporosis International 2017, 28 (6): 1867-1874.

Bilodeau GA, Desgent S, Farah R, Duss S, Langlois JMP, Carmant L. Body temperature measurement of an animal by tracking in biomedical experiments. Signal Image and Video Processing 2015; 9(2): 251-259

Bindu B, Bindra A, Rath G Temperature management under general anesthesia: Compulsion or option. Journal of Anaesthesiology Clinical Pharmacology 2017, 33(3) 306-316.

Binek M, Drzazga Z, Pokora I. Thermal mapping of ski-runners during endurance training (abstract). Thermology international 2017; 27 (2) 76-77.

Bing C, Staruch RM, Tillander M, Köhler MO, Mougenot C, Ylihautala M, Laetsch TW, Chopra R. Drift correction for accurate PRF-shift MR thermometry during mild hyperthermia treatments with MR-HIFU. International Journal of Hyperthermia 2016; 32 (6) 673-687

Biondi F, Dornbusch PT, Sampaio M, Montiani-Ferreira F. Infrared ocular thermography in dogs with and without keratoconiunctivitis sicca. Veterinary Ophthalmology 2015; 18(1): 28-34

Birkl C, Langkammer C, Haybaeck J, Ernst C, Stollberger R, Fazekas F, Ropele S. Temperature- induced changes of magnetic resonance relaxation times in the human brain: A postmortem study. Magnetic Resonance in Medicine 2014;71 (4) 1575-1580.

Birklein F, Drummond PD, Li W, Schlereth T, Albrecht N, Finch PM, Dawson LF, Clark JD, Kingery WS. Activation of cutaneous immune responses in complex regional pain syndrome. Journal of Pain 2014; 15 (5) 485-495.

Birt MA, Guay K, Treiber K, Ramirez HR, Snyder D. The influence of a Soft Touch Therapy Flowtrition on Heart Rate Surface Temperature and Behavior in Horses. Journal of Equine Veterinary Science 2015; 35(8): 636-644

Bischof JC. A01 plenary lecture: Challenges and opportunities in temperature and injury measurements during cryosurgery Cryobiology 2014; 69 (1): 184-199.

Bison P, Clarelli F, Vannozzj A. Pulsed Thermography for Depth Profiling in Marble Sulfation. International Journal of Thermophysics 2015; *36*(5-6), 1123-1130.

Bitelli G, Conte P, Csoknyaj T, Franci F, Girelli VA, Mandanici E. Aerial Thermography for Energetic Modelling of Cities. Remote Sensing 2015; 7(2)2152-2170

Bitton RR, Webb TD, Pauly KB, Ghanouni P. Improving thermal dose accuracy in magnetic resonance- guided focused ultrasound surgery: Long-term thermometry using a prior baseline as a reference. Journal of Magnetic Resonance Imaging 2016; 43 (1) 181-189

Bixler JN, Hokr BH, Denton ML, Noojin GD, Shingledecker AD, Beier HT, Thomas RJ, Rockwell BA, Yakovlev VV. Assessment of tissue heating under tunable near-infrared radiation. Journal of Biomedical Optics 2014; 19 (7) Art. No. 070501.

Bjelland TW, Klepstad P, Haugen BO, Nilsen T, Salvesen Ø, Dale O. Concentrations of remifentanil propofol fentanyl and midazolam during rewarming from therapeutic hypothermia. Acta Anaesthesiologica Scandinavica 2014; 58 (6) 709-715.

Bjurlin MA, Zhao LC, Kenigsberg AP, Mass AY, Taneja SS, Huang WC. Novel Use of Fluorescence Lymphangiography During Robotic Groin Dissection for Penile Cancer. Urology 2017, 107: 267.

Bjursell M, Xu X, Admyre T, Böttcher G, Lundin S, Nilsson R, Stone VM, Morgan NG, Lam YY, Storlien LH, Lindén D, Smith DM, Mohammad B-Y, Oscarsson J. The beneficial effects of n-3 polyunsaturated fatty acids on diet induced obesity and impaired glucose control do not require Gpr120. PLoS ONE 2014; 9; (12) Art. No. e114942.

Black B, Granja-Vazquez R, Johnston BR, Jones E, Romero-Ortega M. Anthropogenic radio-frequency electromagnetic fields elicit neuropathic pain in an amputation model. PLoS ONE 2016; 11 (1), art no e0144268

Black-Maier E, Pokorney SD, Barnett AS, Zeitler EP, Sun AY, Jackson KP, Bahnson TD, Daubert JP, Piccini JP. Risk of atrioesophageal fistula formation with contact force–sensing catheters. Heart Rhythm 2017, 14 (9): 1328-1333.

Blanche A, Chrysochoos A, Ranc N, Favier V. Dissipation Assessments During Dynamic Very High Cycle Fatigue Tests. Experimental Mechanics, 2015; 55(4): 699-709

Blasco JM, Sanchis-Sanchez E, Martin JD, Sanchis E, Salvador-Palmer R, Cibrian R. Thermographic imaging tool for children fracture detection. 2016 Global Medical Engineering Physics Exchanges/Pan American Health Care Exchanges GMEPE/PAHCE 2016, art no 7504626

Blazek V, Blanik N, Blazek CR, Paul M, Pereira C, Koeny M, Venema B, Leonhardt S. Active and Passive Optical Imaging Modality for Unobtrusive Cardiorespiratory Monitoring and Facial Expression Assessment. Anesthesia and Analgesia 2017, 124(1) 104-119.

Bloch-Salisbury E, Zuzarte I, Indic P, Bednarek F, Paydarfar D. Kangaroo care: Cardio-respiratory relationships between the infant and caregiver. Early Human Development 2014; 90 (12) 843-850.

Blockhaus C, Müller P, Vom Dahl S, Leonhardt S, Häussinger D, Gerguri S, Clasen L, Schmidt J, Kurt M, Brinkmeyer C, Kelm M, Shin D-I, Makimoto H. Low incidence of esophageal lesions after pulmonary vein isolation using contact-force sensing catheter without esophageal temperature probe. International Heart Journal 2017, 58 (6): 880-884.

Blondin DP, Tingelstad HC, Mantha OL, Gosselin C, Haman F. Maintaining thermogenesis in cold exposed humans: relying on multiple metabolic pathways. Comprehensive Physiology 2014; 4 (4) 1383-1402.

Blondin NA. Diagnosis and management of periodic hypothermia. Neurology: Clinical Practice 2014; 4 (1) 26-33.

Bluemel S, Staehr R, Jaeschke P, Suttmann O, Overmeyer L. Correlation of Internal and surface temperatures during laser cutting of epoxy-based carbon fibre reinforced plastics. Journal of Reinforced Plastics and Composites 2015; 34(8): 662-671

Blume P, Wu S. Updating the Diabetic Foot Treatment Algorithm: Recommendations on Treatment Using Advanced Medicine and Therapies. Wounds 2018; 30 (2): 29-35.

Boatin AA, Wylie BJ, Goldfarb I, Azevedo R, Pittel E, Ng C, Haberer JE. Wireless Vital Sign Monitoring in Pregnant Women: A Functionality and Acceptability Study. Telemedicine and e-Health 2016; 22 (7) 564- 571

Bobola MS, Chen L, Ezeokeke CK, Kuznetsova K, Lahti AC, Lou W, Myroniv AN, Schimek NW, Selby ML, Mourad PD. A Review of Recent Advances in Ultrasound Placed in the Context of Pain Diagnosis and Treatment. Current Pain and Headache Reports 2018; 22 (9), art. no. 60.

Boccardi S, Boffa ND, Carlomagno GM, Maio L, Meola C, Ricci F. Infrared thermography and ultrasonics to evaluate composite materials, for aerontical applications. Journal of Physics Conference Series. 2015; 658: 012007

Boccardi S, Carlomagno GM, Meola C, Simeoli G, Russo P. Infrared thermography to evaluate thermoplastic composites under bending load. Composite Structures 2015, 134, 900-904.

Bocci V, Chiodi G, Iacoangeli F, Nuccetelli M, Recchia L. The ArduSiPM a compact trasportable Software/Hardware Data Acquisition system for SiPM detector. (2014) 2014 IEEE Nuclear Science Symposium and Medical Imaging Conference NSS/MIC 2014, art no 7431252

Bock G, Won J, Ji TW, Kim N. Feasibility Study on Active Infrared Thermographic investigation of Wooden Tablets. International Conference on Power Electronics and Energy Engineering (PEEE) APR 19-20, 2015 Hong Kong, 2015: 160-163

Boddicker RL, Seibert JT, Johnson JS, Pearce SC, Selsby JT, Gabler NK, Lucy MC, Safranski TJ, Rhoads RP, Baumgard LH, Ross JW. Gestational heat stress alters postnatal offspring body composition indices and metabolic parameters in pigs. PLoS ONE 2014; 9 (11) Art. No. e110859.

Bodkin RP, Acquisto NM, Zwart JM, Toussaint SP. Differences in noninvasive thermometer measurements in the adult emergency department. American Journal of Emergency Medicine 2014; 32 (9): 987-989.

Boguszewski D, Adamczyk J, Slupik A, Bialoszewski D. Using thermovision in evaluation the effect of isometric and classical massage on selected physiological and biomechanical parameters of lower limbs (extended abstract). Thermology international 2015, 25(3) 129.

Boguszewski D, Adamczyk JG, Bialoszewski D. Comparison of thermal effects of hot stone, rubber cup and classical massages. Thermology International 2018; 28 (Supplement) S25

Böhme T, Medinger M, Suenderhauf C, Speer O, Schmugge M, Passweg J, Bachofner A. Severe anemia after trans-catheter arterial chemoembolization—an unusual presentation of hemoglobin Zurich. Annals of Hematology 2018; 97 (11): 2249-2251.

Boisson M, Alaux A, Kerforne T, Mimoz O, Debaene B, Dahyot-Fizelier C, Frasca D. Intra-operative cutaneous temperature monitoring with zero-heat-flux technique (3M SpotOn) in comparison with oesophageal and arterial temperature: A prospective observational study. European Journal of Anaesthesiology 2018; 35 (11): 825-830.

Boixeda P, Feltes F, Santiago JL, Paoli J. Future Prospects in Dermatologic Applications of Lasers Nanotechnology and Other New Technologies [Perspectivas de futuro en láseres nuevas tecnologías y nanotecnología en dermatología]. Actas Dermo-Sifiliograficas. Article in Press.

Bojovic B, Petrov L, Matija L, Koruga D. Actual Diamond Engraving of a Fullerene Coated Glass Plate. Fullerenes Nanotubes and Carbon Nanostructures 2015; 23 (11): 947-955

Bollo RJ. Surgical advancements in pediatric epilepsy surgery: From the mysterious to the minimally invasive. Translational Pediatrics 2016; 5 (3) 180-182

Bond AE, Shah BB, Huss DS, Dallapiazza RF, Warren A, Harrison MB, Sperling SA, Wang X-Q, Gwinn R, Witt J, Ro S, Elias WJ. Safety and efficacy of focused ultrasound thalamotomy for patients with medication-refractory tremor-dominant Parkinson disease a randomized Clinical trial. JAMA Neurology 2017, 74 (12): 1412-1418.

Bondarenco A, Körtner G, Geiser F. Hot bats: Extreme thermal tolerance in a desert heat wave. Naturwissenschaften 2014; 101 (8) 679-685.

Bone A, O'Connell E. Health and high temperatures. Public Health 2018; 161: 117-118.

Bongers CCWG, Hopman MTE, Eijsvogels TMH. Validity and reliability of the myTemp ingestible temperature capsule. Journal of Science and Medicine in Sport 2018; 21 (3): 322-326.

Bonmarin M, Le Gal FA. A lock-in thermal imaging setup for dermatological applications. Skin Research and Technology 2015; 21(3): 284-290

Bonmarin M, Le Gal F-A. Lock-in thermal imaging for the early-stage detection of cutaneous melanoma: A feasibility study. Computers in Biology and Medicine 2014; 47 (1) 36-43.

Bonmati-Carrion MA, Middleton B, Revell V, Skene DJ, Rol MA, Madrid JA. Circadian phase asessment by ambulatory monitoring in humans: Correlation with dim light melatonin onset Chronobiology International 2014; 31 (1): 37-51.

Bonnemains L, Barbier T, Felblinger J. Metal wires should not be abandoned inside implantable cardioverter-defibrillators leads during heart transplantation! Transplant International 2016; 29 (10) 1136-1138

Boogerd LSF, Handgraaf HJM, Lam H-D, Braat AE, Baranski AG, Swijnenburg R-J, Frangioni JV, Vahrmeijer AL, Ringers J. Application of near-infrared fluorescence imaging during modified associating liver partition and portal vein ligation for staged hepatectomy. Surgery (United States) 2016; 159 (5) 1481- 1482

Boon MR, Bakker LEH, Van Der Linden RAD, Pereira Arias-Bouda L, Smit F, Verberne HJ, Van Marken Lichtenbelt WD, Jazet IM, Rensen P.CN. Supraclavicular skin temperature as a measure of18F-FDG uptake by BAT in human subjects. PLoS ONE 2014; 9 (6), art. no. e98822.

Booth S, Ballal M, Pillai A. Complex ankle arthrodesis with step-cut osteotomy in Charcot arthropathy with bone loss. Foot and Ankle Surgery 2017, 23 (1): e5-e7.

Borazjani E, Spinello D, Necsulescu DS. Determination of the modulation frequency for thermographic non-destructive testing. NDT & E InternationaL 2015; 70: 1-8

Borchardt L, Michels NL, Nowak T, Mitchell S, Perez-Ramirez J. Structuring zeolite bodies for enhanced heat-transfer properties. Microporous and Mesoporous Materials 2015; 208: 196-202

Bordignon S, Fürnkranz A, Dugo D, Perrotta L, Gunawardene M, Bode F, Klemt A, Nowak B, Schullte- Hahn B, Schmidt B, Chun KRJ. Author reply Europace 2014; 16 (11): 1698-1699.

Bordonaro SF, McGillicuddy DC, Pompei F, Burmistrov D, Harding C, Sanchez LD. Human temperatures for syndromic surveillance in the emergency department: Data from the autumn wave of the 2009 swine flu (H1N1) pandemic and a seasonal influenza outbreak. BMC Emergency Medicine 2016; 16 (1), art no 16

Borges BC, Rorato R, Torres Uchoa E, Marangon P, da Silva GSF, de Paula FJ, Branco LGS, Antunes- Rodrigues J, Kagohara Elias LL. High-fat diet induces site-specific unresponsiveness to LPS-stimulated STAT3 activation in the hypothalamus. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 306 (1) R34-R44.

Borisov VV, Lin D.C. Temperature fluctuations in the lower limbs of young and elderly individuals during activities of daily living. Experimental Gerontology 2015, 57: 243-249.

Borji M, Tarjoman A, Nejad HT, Meymizade M, Nariman S, Safari S. Relationship between knowledge-skill and importance of physical examination for children admitted to infectious wards: Examining nurses' points of view. Journal of Comprehensive Pediatrics 2018; 9 (1), art. no. e63292.

Borman PTS, Bos C, De Boorder T, Raaymakers BW, Moonen CTW, Crijns SPM. Towards real-time thermometry using simultaneous multislice MRI. Physics in Medicine and Biology 2016; 61 (17) N461- N477

Borne RT, Nguyen DT. Red Alert: Infrared Thermography for Esophageal Monitoring. Circulation: Arrhythmia and Electrophysiology 2018; 11 (2), art. no. e006113.

Bortolami A, Fiore E, Gianesella M, Corro M, Catania S, Morgante M. Evaluation of the udder health status in subclinical mastitis affected dairy cows through bacteriological culture somatic cell count and thermographic imaging. Polish Journal of Veterinary Sciences 2015; 18(4): 799-805

Bortolin A, Bison P, Cadelano G, Ferrarini G, Fortuna S. Measurement of thermophysical properties coupled with LCA assessment for the optimization of a historical building retrofit. Journal of Physics: Conference Series 2015, 655(1) 012011.

Boryshpolets S, Sochorová, D, Rodina M, Linhart O, Dzyuba B. Cryopreservation of Carp (Cyprinus carpio L.) Sperm: Impact of Seeding and Freezing Rates on Post-Thaw Outputs. Biopreservation and Biobanking 2017, 15 (3): 234-240.

Boskey AL, Donnelly E, Boskey E, Spevak L, Ma Y, Zhang W, Lappe J, Recker RR. Examining the Relationships between Bone Tissue Composition Compositional Heterogeneity and Fragility Fracture: A Matched Case-Controlled FTIRI Study. Journal of Bone and Mineral Research 2016; 31 (5) 1070-1081.

Boskey AL, Spevak L, Ma Y, Wang H, Bauer DC, Black DM, Schwartz AV. Insights into the bisphosphonate holiday: a preliminary FTIRI study. Osteoporosis International 2018; 29 (3): 699-705.

Bosschem V, Mauws N, Heyneman A, Van Derjeught D, Hoste E, Decruyenaere J, Dewaele JJ. Intermittent axillary temperature measurement fails to detect fever in critically ill patients. Minerva Anestesiologica 2016; 82 (6) 721-722

Both B, Szánthó, Z. Objective investigation of discomfort due to draught in a tangential air distribution system: Influence of air diffuser's offset ratio. Indoor and Built Environment 2018; 27 (8): 1105-1118.

Bøtker HE, Hausenloy D, Andreadou I, Antonucci S, Boengler K, Davidson SM, Deshwal S, Devaux Y, Di Lisa F, Di Sante M, Efentakis P, Femminò, S, García-Dorado D, Giricz Z, Ibanez B, Iliodromitis E, Kaludercic N, Kleinbongard P, Neuhäuser M, Ovize M, Pagliaro P, Rahbek-Schmidt M, Ruiz-Meana M, Schlüter K.-D, Schulz R, Skyschally A, Wilder C, Yellon DM, Ferdinandy P, Heusch G. Practical guidelines for rigor and reproducibility in preclinical and clinical studies on cardioprotection. Basic Research in Cardiology 2018; 113 (5), art. no. 39.

Böttcher A, Jowett N, Kucher S, Reimer R, Schumacher U, Knecht R, Wöllmer W, Münscher A, Dalchow CV. Use of a microsecond Er: YAG laser in laryngeal surgery reduces collateral thermal injury in comparison to superpulsed CO2 laser. European Archives of Oto-Rhino-Laryngology 2014; 271 (5) 1121-1128.

Böttcher A, Kucher S, Knecht R, Jowett N, Krotz P, Reimer R, Schumacher U, Anders S, Munscher A, Dalchow CV, Miller RID. Reduction of thermocoagulative iniury via use of a picosecond Infrared laser (PIRL) in laryngeal tissues. European Archives of Oto-Rhino-Laryngology 2015; 272(4): 941-948

Bottoms L, Price M. The effect of arm training on thermoregulatory responses and calf volume during upper body exercise. European Journal of Applied Physiology 2014; 114 (6): 1113-1122.

Bouchoux G, Shivashankar R, Abruzzo TA, Holland CK. In silico study of low-frequency transcranial ultrasound fields in acute ischemic stroke patients. Ultrasound in Medicine and Biology 2014; 40 (6) 1154- 1166.

Boué Y, Payen J-F, Brun J, Thomas S, Levrat A, Blancher M, Debaty G, Bouzat P. Survival after avalanche-induced cardiac arrest. Resuscitation 2014; 85 (9): 1192-1196.

Boufi S, Bel Haaj S, Magnin A, Pignon F, Impéror-Clerc M, Mortha G. Ultrasonic assisted production of starch nanoparticles: Structural characterization and mechanism of disintegration. Ultrasonics Sonochemistry 2018; 41: 327-336.

Bougrine A, Harba R, Canals R, Ledee R, Jabloun M. A joint snake and atlas-based segmentation of plantar foot thermal images. Proceedings of the 7th International Conference on Image Processing Theory Tools and Applications IPTA 2017, 2018; pp. 1-6.

Bouma BE, Villiger M, Otsuka K, Oh W-Y. Intravascular optical coherence tomography [Invited]. Biomedical Optics Express 2017, 8(5) 2660-2686.

Bour P, Marquet F, Ozenne V, Toupin S, Dumont E, Aubry J-F, Lepetit-Coiffe M, Quesson B. Real-time monitoring of tissue displacement and temperature changes during MR-guided high intensity focused ultrasound. Magnetic Resonance in Medicine 2017, 78 (5): 1911-1921.

Bour P, Ozenne V, Marquet F, Denis de Senneville B, Dumont E, Quesson B. Real-time 3D ultrasound based motion tracking for the treatment of mobile organs with MR-guided high-intensity focused ultrasound. International Journal of Hyperthermia 2018; 34 (8): 1225-1235.

Bousbaa H, Amhajji L. Case study of glomus tumor of the index finger [A propos d'une observation de tumeur glomique de l'index]. Pan African Medical Journal 2017, 26, art. no. 155.

Bouvier V, Roudaut Y, Osorio N, Aimonetti J.-M, Ribot-Ciscar E, Penalba V, Merrot T, Lebonvallet N, Le Gall-Ianotto C, Misery L, Delmas P, Crest M. Merkel Cells Sense Cooling with TRPM8 Channels. Journal of Investigative Dermatology 2018; 138 (4): 946-956.

Bouzigon R, Arfaoui A, Grappe F, Ravier G, Jarlot B, Dugue B. Validation of a new whole-body cryotherapy chamber based on forced convection. Journal of Thermal Biology 2017, 65: 138-144.

Bowman AS, Nolting JM, Workman JD, Cooper M, Fisher AE, Marsh B, Forshey T. The Inability to Screen Exhibition Swine for Influenza A Virus Using Body Temperature. Zoonoses and Public Health 2016; 63 (1) 34-39

Boyce JM, Sullivan L, Vaughn D, Nuzzo J, Davis KA. A retrospective study of the accuracy of surgical care improvement project metrics for documenting normothermia. Infection Control and Hospital Epidemiology 2014; 35 (11): 1408-1410.

Boye G, Schmidt J, Beyrau F. Analysis of flow boiling heat transfer in narrow annular gaps applying the design of experiments method. Advances in Mechanical Engineering 2015; 7(6), 1687814015584544

Boyer RB, Hocking KM, Booth GS, Berry JM, Spain TW, Michaels DR, Sandberg WS, Pilla MA. An evaluation of induced failure modes in the belmont® rapid infuser. Anesthesia and Analgesia 2016; 122 (4) 1062-1069

Bozzoli F, Cattani L, Pagliarini G, Rainieri S., Infrared image filtering applied to the restoration of the convective heat transfer coefficient distribution in coiled tubes. Opto-Electronics Review 2015; 23(1): 107- 115

Brabrand M, Dahlin J, Fløjstrup M, Zwisler ST, Michelsen J, Nielsen LG, Sørensen JA. Use of infrared thermography in diagnosing necrotizing fasciitis in the emergency department: A case study. European Journal of Case Reports in Internal Medicine 2017, 4(10) Article Number: 6.

Brade C, Dawson B, Wallman K. Effects of different precooling techniques on repeat sprint ability in team sport athletes. European Journal of Sport Science 2014; 14 (SUL1) S84-S91.

Brändström H, Johansson G, Giesbrecht GG, Ängquist K.-A, Haney MF. Accidental cold-related injury leading to hospitalization in northern Sweden: An eight-year retrospective analysis. Scandinavian Journal of Trauma Resuscitation and Emergency Medicine 2014; 22 (1), art. no. 6.

Braun A, Kecsmar S, Krause F, Berthold M, Frentzen M, Frankenberger R, Schelle F. Effect of simulated pulpal fluid circulation on intrapulpal temperature following irradiation with an Nd: YVO4 laser. Lasers in Medical Science: 2015; 30(4), 1197-1202

Bravo-Sánchez A, Abián-Vicén J, Montalbán AT, Abián-Vicén P. Acute effects of badminton practice on the surface temperature of lower limbs introduction [Efectos agudos de la práctica del bádminton sobre la temperatura superficial de los miembros inferiores]. Archivos de Medicina del Deporte 2018; 35 (4): 239-244.

Bray JE, Stub D, Bloom JE, Segan L, Mitra B, Smith K, Finn J, Bernard S. Changing target temperature from 33 C to 36°C in the ICU management of out-of-hospital cardiac arrest: A before and after study. Resuscitation 2017, 113: 39-43.

Brazaitis M, Eimantas N, Daniuseviciute L, Mickeviciene D, Steponaviciute R, Skurvydas A. Two strategies for response to 14°C cold-water immersion: Is there a difference in the response of motor cognitive immune and stress markers? PLoS ONE 2014; 9 (10), art. no. e109020.

Brehar R, Vancea C, Oniga F, Negru M, Nedevschi S. A study of the impact of HOG and LBP based temporal association on far infrared pedestrian detection. Proceedings - 2016 IEEE 12th International Conference on Intelligent Computer Communication and Processing ICCP 2016, art no 7737157 263-268

Breitenstein O, Bauer J, Hinken D, Bothe K. The reliability of thermography-and luminescence-based series resistance and saturation current density imaging. Solar Energy Materials and Solar Cells 2015; 137: 50-60

Breitenstein O, Bauer J, Hinken D, Bothe K. Towards an improved Laplacian-based photoluminescence image evaluation method. Solar Energy Materials and Solar Cells 2015; 142: 92-101

Breitenstein O, Fertig F, Bauer J. An empirical method for imaging the short circuit current density in silicon solar cells based on dark lock-in thermography. Solar Energy Materials and Solar Cells 2015; 143: 406-410

Brendler M. Cryopreservation: The dream of frozen organs [Kryokonservierung: Der Traum vom Tiefkühlorgan]. Pharmazeutische Zeitung 2017, 162 (25).

Breslin TJ, Tenorio-Bernal MI, Marks BP, Booren AM, Ryser ET, Hall NO. Evaluation of Salmonella thermal inactivation model validity for slow cooking of whole-muscle meat roasts in a pilot-scale oven. Journal of Food Protection 2014; 77 (11): 1897-1903.

Brézillon S, Untereiner V, Lovergne L, Tadeo I, Noguera R, Maquart F-X, Wegrowski Y, Sockalingum GD. Glycosaminoglycan profiling in different cell types using infrared spectroscopy and imaging. Analytical and Bioanalytical Chemistry 2014; 406 (24) 5795-5803.

Bright FM, Winskog C, Tsokos M, Walker M, Byard RW. Issues in the diagnosis of hypothermia: A comparison of two geographically separate populations. Journal of Forensic and Legal Medicine 2014; 22: 30-32.

Brik MG, Kityk IV, Denysyuk NM, Khyzhun OY, Levkovets SI, Parasyuk OV, Fedorchuk AO, Myronchuk GL. Specific features of the electronic structure of a novel ternary Tl 3PbI5 optoelectronic material. Physical Chemistry Chemical Physics 2014; 16 (25): 12838-12847.

Brindle R, Williams OM, Davies P, Harris T, Jarman H, Hay AD, Featherstone P. Adjunctive clindamycin for cellulitis: A clinical trial comparing flucloxacillin with or without clindamycin for the treatment of limb cellulitis. BMJ Open 2017, 7 (3), art. no. e013260.

Brink WM, Wu Z, Webb AG. A simple head-sized phantom for realistic static and radiofrequency characterization at high fields. Magnetic Resonance in Medicine 2018; 80 (4): 1738-1745.

Brinkman ACM, ten Tusscher BL, de Waard M.C, de Man FR, Girbes ARJ, Beishuizen A. Minimal effects on ex vivo coagulation during mild therapeutic hypothermia in post cardiac arrest patients. Resuscitation 2014; 85 (10): 1359-1363.

Brioschi ML, Jacobsen Teixeira M. Postural thermography assessment (extended abstract). Thermology international 2014; 24(1) 13

Brioschi ML, Jacobsen Teixeira M. The “mantle sign”: how thermography can help to support the clinical diagnosis of fibromyalgia syndrome? (extended abstract) Thermology international 2014; 24(1) 12-13

Brioschi ML, Neves EB, Reis VM, Reisemberger GG. Estimating the normal breast reference temperature in young women: a thermographic equation. (extended abstract). Thermology international 2015, 25(3) 102

Brioschi ML, Neves EB, Reis VM, Reisemberger GG. Thermographic evaluation of risk factors for hip pain (extended abstract). Thermology international 2015, 25(3) 129.

Brioschi ML, Neves EB, Reis VM, Reisemberger GG. Thermographic evaluation of lateral epicondylitis in patients with fibromyalgia syndrome (extended abstract). Thermology international 2015, 25(3) 130-131.

Brioschi ML, Yeng LT, Jacobsen Teixeira M. Medical thermography: what is it? And its applications. Pan American Journal of Medical Thermology 2015; 2(1) 14-17

Brioschi ML. Brazilian Current Studies of Medical Thermology. Pan American Journal of Medical Thermology 2015; 2(2) 86-89

Brioschi ML. Introducing Brazilian Thermology Society, ICGMT, and PAJMT (editorial). Pan American Journal of Medical Thermology 2015; 2(2) 55-57

Brito-Silva C, Pizarro-Cerda J, Gil F, Paredes-Sabja D. Identification of Escherichia coli strains for the heterologous overexpression of soluble Clostridium difficile exosporium proteins. Journal of Microbiological Methods 2018; 154: 46-51.

Broberg P, Siodahl M, Runnemalm A. Comparison of NDT-methods for automatic inspection of weld defects. International Journal of Materials & Product Technology 2015; 50(1): 1-21

Brocherie F, Girard O, Pezzoli A, Millet GP. Outdoor exercise performance in ambient heat: Time to overcome challenging factors? International Journal of Hyperthermia 2014; 30 (8): 547-549.

Broday EE, de Paula Xavier AA, de Oliveira R. Comparative analysis of methods for determining the clothing surface temperature (tcl) in order to provide a balance between man and the environment. International Journal of Industrial Ergonomics 2017, 57: 80-87.

Brodin NP, Partanen A, Asp P, Branch CA, Guha C, Tomé, WA. A simple method for determining the coagulation threshold temperature of transparent tissue-mimicking thermal therapy gel phantoms: Validated by magnetic resonance imaging thermometry. Medical Physics 2016; 43 (3) 1167-1174

Broeckhoven K, Desmet G. Considerations for the use of ultra-high pressures in liquid chromatography for 2.1 mm inner diameter columns. Journal of Chromatography A 2017, 1523: 183-192.

Brosius N, Ward K, Matsumoto S, Sansoucie M, Narayanan R. Faraday forcing of high-temperature levitated liquid metal drops for the measurement of surface tension. NPJ Microgravity 2018; 4 (1), art. no. 10.

Brotschi B, Gunny R, Rethmann C, Held U, Latal B, Hagmann C. Relationship between temperature variability and brain injury on magnetic resonance imaging in cooled newborn infants after perinatal asphyxia. Journal of Perinatology 2017, 37 (9): 1032-1037.

Brown J, Chittineni SH. Comparison of lock-in and pulse-phase thermography for defect characterization in FRP composites applied to concrete. in: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23, 2015, CL Baltimore MD, 2015; pp. 94850B-94850B-8.

Brown MJ, Curry TB, Hyder JA, Berbari EF, Truty MJ, Schroeder DR, Hanson AC, Kor DJ. Intraoperative Hypothermia and Surgical Site Infections in Patients with Class I/Clean Wounds: A Case-Control Study. Journal of the American College of Surgeons 2017, 224 (2): 160-171.

Brown R, Deniz CM, Zhang B, Chang G, Sodickson DK, Wiggins G.C. Design and application of combined 8-channel transmit and 10-channel receive arrays and radiofrequency shimming for 7-t shoulder magnetic resonance imaging. Investigative Radiology 2014; 49 (1): 35-47.

Brown-Joel ZO, Vidal NY, Wanat KA. Expanding purpura in a neutropenic patient. JAMA Oncology 2017, 3 (9): 1276-1277.

Brož, P, Rajdl D, Racek J, Zeman V, Novák J, Trefil L. Relationship between cold water swimming and increased cardiac markers: A pilot study. Klinicka Biochemie a Metabolismus 2017, 25 (1): 27-31.

Brubacher JW, Karg J, Weinstock P, Bae DS. A Novel Cast Removal Training Simulation to Improve Patient Safety. Journal of Surgical Education 2016; 73 (1) 7-11

Bruins AA, Kistemaker KRJ, Boom A, Klaessens JHGM, Verdaasdonk RM, Boer C. Thermographic skin temperature measurement compared with cold sensation in predicting the efficacy and distribution of epidural anesthesia. Journal of Clinical Monitoring and Computing 2018; 32 (2): 335-341.

Bryan AW, Jr Qian Q, Kirby JE. Photo quiz: A man with fever and headache. Journal of Clinical Microbiology 2017, 55 (2), p. 351.

Bu CW, Tang QJ, Liu YL, Jin XY, Sun ZH, Yan ZG. A theoretical study on vertical finite cracks detection using pulsed laser spot thermography (PLST). INfrared Physics & Technology 2015; 71: 475-480

Buchenberg WB, Wassermann F, Grundmann S, Jung B, Simpson R. Acquisition of 3D temperature distributions in fluid flow using proton resonance frequency thermometry. Magnetic Resonance in Medicine 2016; 76 (1) 145-155

Buchta P, Myrda K, Skrzypek M, Wojtaszczyk A, Budzyn B, Gąsior M The influence of ablation power reduction associated with oesophagus location on pulmonary vein isolation results in patients with paroxysmal atrial fibrillation: Six-month follow-up. Kardiologia Polska 2017, 75(11) 1171-1176

Buckley D Re: The freeze–thaw cycle in cryosurgery. Journal of the European Academy of Dermatology and Venereology 2017, 31(9) e405-e406.

Bucknor MD, Rieke V. MRgFUS for desmoid tumors within the thigh: Early clinical experiences. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 4.

Buffa R, Mereu E, Marini E. Reply to the comment on "Lower lean mass and higher percent fat mass in patients with Alzheimer's disease". Experimental Gerontology 2015, 60, p. 166.

Buffone C, Sefiane K, Minetti C, Mamalis D. Standing wave in evaporating meniscus detected by Infrared thermography. Applied Physics Letters 2015; 107(4) 041606

Bui HK, Wasselynck G, Trichet D, Berthiau G. Performance Assessment of induction Thermography Technique Applied to Carbon-Fiber-Reinforced Polymer Material. IEEE Transactions On Magnetics 2015; 51 (3) 8001804

Buitendijk GHS, Hooghart AJ, Brussee C, de Jong PTVM, Hofman A, Vingerling JR, Klaver CCW. Epidemiology of reticular pseudodrusen in age-related macular degeneration: The rotterdam study. Investigative Ophthalmology and Visual Science 2016; 57 (13) 5593-5601

Bukowska DM, Wan SL, Chew AL, Chelva E, Tang I, Mackey DA, Chen FK. Fundus autofluorescence in rubella retinopathy: Correlation with photoreceptor structure and function. Retina 2017, 37 (1): 124-134.

Buledi R, Butt ZA, Ahmed J, Alizai AA. Status of cold chain in routine immunisation centres of the expanded programme on immunisation in Quetta Pakistan. Journal of the Pakistan Medical Association 2017, 67 (5): 739-744.

Büntjen L, Voges J, Heinze HJ, Hinrichs H, Schmitt FC. Stereotactic laser ablation: Technical concepts und clinical application [Stereotaktische Laserablation: Technische Konzepte und klinische Anwendungen]. Zeitschrift fur Epileptologie 2017, 30 (2): 138-145.

Buonfiglio D, Parthimos R, Dantas R, Silva RC, Gomes G, Andrade-Silva J, Ramos-Lobo A, Amaral FG, Matos R, Sinésio J, Jr Motta-Teixeira LC, Donato J, Jr Reiter RJ, Cipolla-Neto J. Melatonin absence leads to long-term leptin resistance and overweight in rats. Frontiers in Endocrinology 2018; 9: art. no. 122.

Buono MJ, Holloway B, Levine A, Rasmussen C, Kolkhorst FW. Effect of air temperature on the rectal temperature gradient at rest and during exercise. International Journal of Physiology Pathophysiology and Pharmacology 2014; 6 (1): 61-65.

Burattini C, Nardecchia F, Bisegna F, Cellucci L, Gugliermetti F, Vollaro AD, Salata F, Golasi I. Methodological Approach to the Energy Analysis of Unconstrained Historical Buildings. Sustainability 2015; 7(8): 10428-10444

Burghold EM, Frekers Y, Kneer R. Determination of time-dependent thermal contact conductance through IR-thermography. International Journal of Thermal Sciences 2015; 98: 148-155

Burgholzer P. Thermodynamic Limits of Spatial Resolution in Active Thermography. International Journal of Thermophysics 2015; 36(9): 2328-2341

Burke C, Dreher MR, Negussie AH, Mikhail AS, Yarmolenko P, Patel A, Skilskyj B, Wood BJ, Haemmerich D. Drug release kinetics of temperature sensitive liposomes measured at high-temporal resolution with a millifluidic device. International Journal of Hyperthermia 2018; 34 (6): 786-794.

Burkes SA, Patel M, Adams DM, Hammill AM, Eaton KP, Randall Wickett R, Visscher MO. Infantile hemangioma status by dynamic infrared thermography: A preliminary study. International Journal of Dermatology 2016; 55 (10) e522-e532

Burke-Smith A, Collier J, Jones I. A comparison of non-invasive imaging modalities: Infrared thermography spectrophotometric intracutaneous analysis and laser Doppler imaging for the assessment of adult burns. Burns 2015; 41 (8): 1695-1707

Burmeister DM, Cerna C, Becerra SC, Sloan M, Wilmink G, Christy RJ. Noninvasive Techniques for the Determination of Burn Severity in Real Time. Journal of Burn Care and Research 2017, (1): e180-e191.

Burns TI, McCafferty DJ, Kennedy MW. Core and body surface temperatures of nesting leatherback turtles (Dermochelys coriacea). Journal of Thermal Biology 2015; 51: 15-22

Bus SA. Innovations in plantar pressure and foot temperature measurements in diabetes. Diabetes/Metabolism Research and Reviews 2016; 32 221-226

Busato CR, Utrabo CAL, Lipinski LC, de Lima KD, Filho MDG, Medeiros NB, Fagundes SB, Josviak W. Ischemia and reperfusion by retrograde flow: Experimental comparative study [Isquemia e reperfusão por circulação retrógrada: Estudo comparativo experimental]. Jornal Vascular Brasileiro 2017, 16 (3): 187-194.

Buschschlüter S, Koch C, von Eicken J, Höh H. Computation of the temperature rise at the corneal endothelium during cataract surgery by modeling of heat generation inside the anterior chamber. Ultrasound in Medicine and Biology 2014; 40 (10) 2431-2444.

Bushell J, Sherlock P, Mummery P, Bellin B, Zacchia F. An investigation of pulsed phase thermography for detection of disbonds in HIP-bonded beryllium tiles in ITER normal heat flux first wall (NHF, FW) components. Fusion Engineering and Design, *98*, 1244-1249

Busnardo C, Tavares RF, Correa FMA. Angiotensinergic neurotransmission in the paraventricular nucleus of the hypothalamus modulates the pressor response to acute restraint stress in rats. Neuroscience 2014; 270, 12-19.

Butler P, Fluhrer J. Thermal imaging and circulating tumour cells - windows on breast health (extended abstract). Thermology international 2015, 25(1) 16-17

Büttner C. The Use of Infrared Thermography in the Arcadia Clinic for Integrative Medicine and Cancer Treatment (abstract). Thermology international 2015, 25(1) 23

Byrne DT, Berry DP, Esmonde H, McHugh N. Temporal spatial inter-, and intra-cow repeatability of thermal imaging. Journal of Animal Science 2017, 95 (2): 970-979.

Byun DJ, Wolchok JD, Rosenberg LM, Girotra M. Cancer immunotherapy-immune checkpoint blockade and associated endocrinopathies. Nature Reviews Endocrinology 2017, 13 (4): 195-207.

Çabalar M, Ertaşoğlu Toydemir H, Özkaya A, Erdoğan HA, Yayla V A case of tongue swelling after intravenous recombinant tissue plasminogen activator administration for acute ischemic stroke. Turk Beyin Damar Hastaliklar Dergisi 2017, 23(2) 80-82.

Cabizosu A, Carboni N, Martinez-Almagro Andreo A, Vegara-Meseguer JM, Marziliano N, Gea Carrasco G, Casu G. Theoretical basis for a new approach of studying Emery-Dreifuss muscular dystrophy by means of thermography. Medical Hypotheses 2018; 118: 103-106.

Cadelano G, Bison P, Bortolin A, Ferrarini G, Peron F, Girotto M, Volinia M. Monitoring of historical frescoes by timed Infrared imaging analysis. Opto-Electronics Review 2015; 23(1): 100-106

Cai K, Yang R, Chen H, Huang Y, Wen X, Huang W, Ou S. Synchronization Design and Error Analysis of Near-Infrared Cameras in Surgical Navigation. Journal of Medical Systems 2016; 40 (1), art no 7 1-8

Cai W, Hite ZL, Lyu B, Wu Z, Lin Z, Gregorich ZR, Messer AE, McIlwain SJ, Marston SB, Kohmoto T, Ge Y. Temperature-sensitive sarcomeric protein post-translational modifications revealed by top-down proteomics. Journal of Molecular and Cellular Cardiology 2018; 122: 11-22.

Calcagno C, Fayad ZA. Intraplaque and cellular distribution of dextran-coated iron oxide fluorescently labeled nanoparticles insights into atherothrombosis and plaque rupture. Circulation: Cardiovascular Imaging 2017, 10 (5), art. no. e006533.

Caldwell JN, Matsuda-Nakamura M, Taylor NAS. Three-dimensional interactions of mean body and local skin temperatures in the control of hand and foot blood flows. European Journal of Applied Physiology 2014; 114 (8): 1679-1689.

Caldwell JN, Taylor NAS. Water-displacement plethysmography: A technique for the simultaneous thermal manipulation and measurement of whole-hand and whole-foot blood flows. Physiological Measurement 2014; 35 (9): 1781-1795.

Califano R, Naddeo A, Vink P. The effect of human-mattress interface's temperature on perceived thermal comfort. Applied Ergonomics 2017, 58: 334-341.

Calin MA, Mologhianu G, Savastru R, Calin MR, Brailescu CM. A review of the effectiveness of thermal Infrared imaging in the diagnosis and monitoring of knee diseases. Infrared Physics & Technology 2015; 69: 19-25

Calixto J, Bärtschi BC. Comparison of GDP between Brazil, WHO and EMA international requirements and scenario concerning good distribution and transport practices. Pharmazeutische Industrie 2017, 79(2) 216-220.

Calkins H, Hindricks G, Cappato R, Kim Y-H, Saad EB, Aguinaga L, Akar JG, Badhwar V, Brugada J, Camm J, Chen P-S, Chen S-A, Chung MK, Nielsen JC, Curtis AB, Davies DW, Day JD, d'Avila A, de Groot NMSN, Di Biase L, Duytschaever M, Edgerton JR, Ellenbogen KA, Ellinor PT, Ernst S, Fenelon G, Gerstenfeld EP, Haines DE, Haissaguerre M, Helm RH, Hylek E, Jackman WM, Jalife J, Kalman JM, Kautzner J, Kottkamp H, Kuck KH, Kumagai K, Lee R, Lewalter T, Lindsay BD, Macle L, Mansour M, Marchlinski FE, Michaud GF, Nakagawa H, Natale A, Nattel S, Okumura K, Packer D, Pokushalov E, Reynolds MR, Sanders P, Scanavacca M, Schilling R, Tondo C, Tsao H-M, Verma A, Wilber DJ, Yamane T. 2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. Heart Rhythm 2017, 14 (10): e275-e444.

Calkosinski I, Dobrzynski M, Rosinczuk J, Dudek K, Chroszcz A, Fita K, Dymarek R. The Use of Infrared Thermography as a Rapid Quantitative and Noninvasive Method for Evaluation of inflammation Response in Different Anatomical Regions of Rats. Biomed Research International 2015, 972535

Calvert AE, Dixon KL, Delorey MJ, Blair CD, Roehrig JT. Development of a small animal peripheral challenge model of Japanese encephalitis virus using interferon deficient AG129 mice and the SA14-14-2 vaccine virus strain. Vaccine 2014; 32 (2): 258-264.

Campbell-Washburn AE, Rogers T, Stine AM, Khan JM, Ramasawmy R, Schenke WH, McGuirt DR, Mazal JR, Grant LP, Grant EK, Herzka DA, Lederman RJ. Right heart catheterization using metallic guidewires and

low SAR cardiovascular magnetic resonance fluoroscopy at 1.5 Tesla: First in human experience. Journal of Cardiovascular Magnetic Resonance 2018; 20 (1), art. no. 41.

Campos CM, Bourantas CV, Garcia-Garcia HM, Lemos PA, Serruys PW. How can the vulnerable plaque be identified? Dialogues in Cardiovascular Medicine 2014; 19 (1): 29-35.

Campos HO, Leite LHR, Drummond LR, Cunha DNQ, Coimbra C.C, Natali AJ, Prímola-Gomes TN. Temperature control of hypertensive rats during moderate exercise in warm environment. Journal of Sports Science and Medicine 2014; 13 (3): 695-701.

Campos MF, Heimbecher CT, Romaneli EFR, Ripka WL, Ulbricht L, Stadinik AM. Comparison between thermal recovery in women with Raynaud's Phenomenon and not diagnosed women using thermography. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018, art. no. 8513367: 3886-3889.

Campos PH, Noblet J, Jaguelin-Peyraud Y, Gilbert H, Mormède P, Donzele RF, Donzele JL, Renaudeau D. Thermoregulatory responses during thermal acclimation in pigs divergently selected for residual feed intake. International Journal of Biometeorology 2014; 58 (7) 1545- 1557.

Cando D, Herranz B, Borderías AJ, Moreno HM. Different additives to enhance the gelation of surimi gel with reduced sodium content. Food Chemistry 2016; 196 791-799

Cao Z, Balasubramanian A, Marrelli SP. Pharmacologically induced hypothermia via TRPV1 channel agonism provides neuroprotection following ischemic stroke when initiated 90 min after reperfusion. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 306 (2): R149- R156.

Capitani G, Sehnem E, Rosa C, Matos F, Reis VM, Neves EB. Osgood-Schlatter disease diagnosis by algometry and infrared thermography. Open Sports Sciences Journal 2017, 10: 223-228.

Capo A, Di Paolo J, Celletti E, Ismail E, Merla A, Amerio P. Thermal alterations in patients with inflammatory diseases: a comparison between psoriatic and rheumatoid arthritis. Reumatismo 2018; 70 (4): 225-231.

Carcillo JA. A synopsis of 2007 ACCM clinical practice parameters for hemodynamic support of term newborn and infant septic shock. Early Human Development 2014; 90 (Suppl.1): S45-S47.

Cardinale T, Valva R, Lucarelli M. The Integrated Survey for Excavated Architectures: The Complex of Casalnuovo District Within The World Heritage Site "Sassi" (Matera, Italy). The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences 2015, 40(5) 403-409.

Cardone D, Merla A. New Frontiers for Applications of Thermal Infrared Imaging Devices: Computational Psychopshysiology in the Neurosciences. Sensors (Basel, Switzerland) 2017, 17(5).

Cardone D, Merla A. The thermal dimension of social interactions. (extended abstract). Thermology international 2015, 25(3) 1124-115.

Cardoso CC, Peripolli V, Amador SA, Brandao EG, Esteves GIF, Sousa CMZ, Franca MFMS, Goncalves FG, Barbosa FA, Montalvao TC, Martins CF, Neto AMF, McManus C. Physiological and thermographic response to heat stress in zebu cattle. Livestock Science 2015; 182: 83-92

Cardoso Freire F, Brioschi ML, Jacobsen Teixeira M. Case report: breast infrared thermography in a mammographic BI-RADS-3 (extended abstract). Thermology international 2014; 24(1) 16-17

Carek AM, Inan OT. A temperature-controlled glove with non-invasive arterial pulse sensing for active neuro-vascular assessment. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590778 619-622

Caretti DM, Barker DJ. Effects of respirator ambient air cooling on thermophysiological responses and comfort sensations. Journal of Occupational and Environmental Hygiene 2014; 11 (5) 269- 281.

Carey C. Climate change extinction risks and reproduction of terrestrial vertebrates. Advances in Experimental Medicine and Biology 2014; 753, 35-54.

Carias M, Hynynen K. The evaluation of steerable ultrasonic catheters for minimally invasive MRI- guided cardiac ablation. Magnetic Resonance in Medicine 2014; 72 (2) 591-598.

Carli AV, Sethuraman AS, Bhimani SJ, Ross FP, Bostrom MPG. Selected Heat-Sensitive Antibiotics Are Not Inactivated During Polymethylmethacrylate Curing and Can Be Used in Cement Spacers for Periprosthetic Joint Infection. Journal of Arthroplasty 2018; 33 (6): 1930-1935.

Carlson LA, Ferguson DP, Kenefick RW. Physiological strain of stock car drivers during competitive racing. Journal of Thermal Biology 2014; 44 (1) 20-26.

Carneiro TA, Guiselini C, Pandorfi H, Lopes Neto JP, Loges V, de Souza RF. Primary thermal conditioning of rural installations by means of different types of cover. Revista Brasileira de Engenharia Agrícola e Ambiental 2015, 19(11), 1086-1092.

Caron S, Roger M, Pernpeintner J. Transient Infrared thermography heat loss measurements on parabolic trough receivers under laboratory conditions. Energy Procedia 2015, *69*, 310-319

Carpagnano GE, Lacedonia D, Malerba M, Martinelli D, Cotugno G, Foschino-Barbaro MP. Exhaled breath temperature measurement: Influence of circadian rhythm. Journal of Biological Regulators and Homeostatic

Agents 2017, 31 (1): 229-235.

Carpagnano GE, Lacedonia D, Spanevello A, Martinelli D, Saliani V, Ruggieri C, Foschino- Barbaro MP. Exhaled breath temperature in NSCLC: Could be a new non-invasive marker? Medical Oncology 2014; 31 (5).

Carpenter JS, Robillard R, Hermens DF, Naismith SL, Gordon C, Scott EM, Hickie IB. Sleep-wake profiles and circadian rhythms of core temperature and melatonin in young people with affective disorders. Journal of Psychiatric Research 2017, 94: 131-138.

Carracedo G, Wang Z, Serramito-Blanco M, Martin-Gil A, Carballo-Alvarez J, Pintor J. Ocular Surface Temperature During Scleral Lens Wearing in Patients with Keratoconus. Eye and Contact Lens 2017, *43*(6), 346-351

Carroll MS, Reed DW, Kuntz NL, Weese-Mayer DE. Novel methods of imaging and analysis for the thermoregulatory sweat test. Journal of Applied Physiology 2018; 125 (3): 755-762.

Carruthers J, Fabi S, Weiss R. Monopolar radiofrequency for skin tightening: Our experience and a review of the literature. Dermatologic Surgery 2014; 40: S168-S173.

Carson SD, Hafenstein S, Lee H. MOPS and coxsackievirus B3 stability. Virology 2017, 501: 183-187.

Carstens AMG, Tambara EM, Colman D, Carstens MG, Matias JEF. Infrared image monitoring of local anesthetic poisoning in rats [Monitorização por imagem infravermelha da intoxicação por anestésico local em ratos]. Brazilian Journal of Anesthesiology 2016; 66 (6) 603-612

Carter HH, Spence AL, Atkinson CL, Pugh CJA, Cable NT, Thijssen DHJ, Naylor LH, Green DJ. Distinct effects of blood flow and temperature on cutaneous microvascular adaptation. Medicine and Science in Sports and Exercise 2014; 46 (11): 2113-2121.

Carter HH, Spence AL, Atkinson CL, Pugh CJA, Naylor LH, Green DJ. Repeated core temperature elevation induces conduit artery adaptation in humans. European Journal of Applied Physiology 2014; 114 (4): 859-865.

Carter MR, Mcginn R, Barrera-Ramirez J, Sigal RJ, Kenny GP. Impairments in local heat loss in type 1 diabetes during exercise in the heat. Medicine and Science in Sports and Exercise 2014; 46 (12): 2224- 2233.

Carvalho AF, Gasperini L, Ribeiro RS, Marques AP, Reis RL. Control of osmotic pressure to improve cell viability in cell-laden tissue engineering constructs. Journal of Tissue Engineering and Regenerative Medicine 2018; 12 (2): e1063-e1067.

Carvalho T, Augusto V, Rocha A, Lourenço NMT, Correia NT, Barreiros S, Vidinha P, Cabrita EJ, Dionísio M. Ion jelly conductive properties using dicyanamide-based ionic liquids. Journal of Physical Chemistry B 2014; 118 (31): 9445-9459.

Casa DJ, Hosokawa Y, Belval LN, Adams WM, Stearns RL. Preventing death from exertional heat stroke-the long road from evidence to policy. Kinesiology Review 2017, 6 (1): 99-109.

Casal D, Pais D, Mota-Silva E, Pelliccia G, Iria I, Videira PA, Mendes MM, Goyri-O'Neill J, Mouzinho MM. Reconstruction of a long defect of the ulnar artery and nerve with an arterialized neurovenous free flap in a teenager: A case report and literature review. Microsurgery 2018; 38 (2): 209-217.

Casanova I, Diaz A, Pinto S, De Carvalho M. Motor excitability measurements: The influence of gender body mass index age and temperature in healthy controls. Neurophysiologie Clinique 2014; 44 (2): 213- 218.

Casanova JJ, O'Shaughnessy SA, Evett SR, Rush CM. Development of a wireless computer vision instrument to detect biotic stress in wheat. Sensors (Basel Switzerland) 2014; 14 (9): 17753-17769.

Casavola C, Cazzato A, Moramarco V, Pappalettere C. influence of the clamps configuration on residual stresses field in friction stir welding process. Journal of Strain Analysis for Engineering Design 2015; 50(4): 232-242

Cassey J, Salter J, Colyvas K, Burstal R, Stanger R. The effect of convective heating on evaporative heat loss in anesthetized children. Paediatric Anaesthesia 2014; 24 (12): 1274-1280.

Cassiman C, Casteels I, Jacob J, Plasschaert E, Brems H, Dubron K, Keer KV, Legius E. Choroidal abnormalities in café-au-lait syndromes: a new differential diagnostic tool? Clinical Genetics 2017, 91 (4): 529-535.

Castellani JW, Demes R, Endrusick TL, Cheuvront SN, Montain SJ. Heat removal using microclimate foot cooling: A thermal foot manikin study. Aviation Space and Environmental Medicine 2014; 85 (4): 445-448.

Castillo M. Cold and hot. American Journal of Neuroradiology 2014; 35 (3): 413-414.

Castoldi M, Zotarelli MF, Durigon A, Carciofi BAM, Laurindo JB. Production of tomato powder by refractance window drying. Drying technology 2015, 33(12), 1463-1473.

Castrodale V, Rinehart S. The golden hour improving the stabilization of the very low birth-weight infant. Advances in Neonatal Care 2014; 14 (1): 9-14.

Casula E, Asuni G.P, Sogos V, Fadda S, Delogu F, Cincotti A. Osmotic behaviour of human mesenchymal stem cells: Implications for cryopreservation. PLoS ONE 2017, 12:9 Article Number: e0184180.

Catenazzi A. Ecological implications of metabolic compensation at low temperatures in salamanders. PeerJ 2016; 2016 (24), art no e2072

Cauchy E, Leal S, Magnan M.-A, Nespoulet H. Portable hyperbaric chamber and management of hypothermia and frostbite: An evident utilization. High Altitude Medicine and Biology 2014; 15 (1): 95-96.

Cavalheiro AL, da Costa DT, de Menezes ALF, Pereira JM, de Carvalho EM. Thermographic analysis and autonomic response in the hands of patients with leprosy. Anais Brasileiros de Dermatologia 2016; 91 (3) 274-283

Cavallaro KF, Francois J, Jacques R, Mentor D, Yalcouye I, Wilkins K, Mueller N, Turner R, Wallace A, Tohme RA. Demonstration of the use of remote temperature monitoring devices in vaccine refrigerators in haiti. Public Health Reports 2018; 133 (1): 39-44.

Cavalleri D, Murphy M, Seewald W, Drake J, Nanchen S. Two randomized controlled studies to assess the efficacy and safety of lotilaner (Credelio™) in preventing Dermacentor reticulatus transmission of Babesia canis to dogs. Parasites and Vectors 2017, 10 (1), art. no. 520.

Cech J, Pechman V, Hromadka M, Ruzicka J, Pospisil J, Durspek J, Rokyta R. Mild therapeutic hypothermia induced by intravenous ice-cold saline: Comparison between forearm vein and external jugular vein access Experimental and Clinical Cardiology 2014; 20 (1): 19-24.

Celicanin Z Auboiroux V, Bieri O, Petrusca L, Santini F, Viallon M, Scheffler K, Salomir R. Real- time method for motion-compensated MR thermometry and MRgHIFU treatment in abdominal organs. Magnetic Resonance in Medicine 2014; 72 (4) 1087-1095.

Celicanin Z, Manasseh G, Petrusca L, Scheffler K, Auboiroux V, Crowe LA, Hyacinthe J.-N, Natsuaki Y, Santini F, Becker CD, Terraz S, Bieri O, Salomir R. Hybrid ultrasound-MR guided HIFU treatment method with 3D motion compensation. Magnetic Resonance in Medicine 2018; 79 (5): 2511-2523.

Celorrio R, Omella AJ, Mendioroz A, Oleaga A, Salazar A. Advances in Crack Characterization by Lock-in Infrared Thermography. International Journal of Thermophysics 2015; 36(5-6): 1202-1207

Cengiz E, Weinzimer SA, Sherr JL, Tichy EM, Carria L, Cappiello D, Steffen A, Tamborlane WV. Faster in and faster out: Accelerating insulin absorption and action by insulin infusion site warming. Diabetes Technology and Therapeutics 2014; 16 (1): 20-25.

Cernuschj F. Can TBC porosity be estimated by non-destructive Infrared techniques? A theoretical and experimental analysis. Surface & Coatings Technology 2015; 272: 387-394

Çetinkaya EA, Koc K, Atılgan S, Muluk NB, Cingi C. Digital infrared thermal imaging analysis of thyroid nodules. Current Medical Imaging Reviews 2018; 14 (5): 807-811.

Cha DG, Kim KS, Jeong JS, Kwon HM. The dose effect of ephedrine on the onset time and intubating conditions after cisatracurium administration. Korean Journal of Anesthesiology 2014; 67 (1): 26-31.

Chaâri N, Frikha M, Mezghanni N, Masmoudi L, Souissi N. Time-of-day and warm-up durations effects on thermo-regulation and anaerobic performance in moderate conditions. Biological Rhythm Research 2014; 45 (4): 495-508.

Chae SY, Kim Y-S, Park MJ, Yang J, Park H, Namgung M-S, Rhim H, Lim HK. High-intensity focused ultrasound-induced localized mild hyperthermia to enhance anti-cancer efficacy of systemic doxorubicin: An experimental study. Ultrasound in Medicine and Biology 2014; 40 (7) 1554-1563.

Chaiamarit C, Balandraud X, Preechawuttipong I, Grediac M. Stress Network Analysis of 2D Non- Cohesive Polydisperse Granular Materials using Infrared Thermography. Experimental Mechanics 2015; 55(4): 761-769

Chaki S, Harizj W, Bourse G, Ourak M. Multi-technique approach for non-destructive diagnostic of structural composite materials using bulk ultrasonic waves guided waves acoustic emission and Infrared thermography. Composites Part A-Applied Science and Manufacturing 2015; 78: 358-361

Chakraborty A, Sen K. Impact of pH and temperature on phase diagrams of different aqueous biphasic systems. Journal of Chromatography A 2016; 1433 41-55

Chakraborty M, Mukhopadhyay S, Dasgupta A, Banerjee S, Patsa S, Ray JG, Chaudhuri K. A new paradigm of oral cancer detection using digital infrared thermal imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9785, art no 97853I

Chalcraft KR, Kong J, Waserman S, Jordana M, McCarry BE. Comprehensive metabolomic analysis of peanut-induced anaphylaxis in a murine model. Metabolomics 2014; 10 (3) 452-460.

Challan SB, Massoud A. Radiolabeling of graphene oxide by Tchnetium-99m for infection imaging in rats. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 2189-2199.

Chamani A, Mehta HP, McDermott MK, Djeffal M, Nayyar G, Patwardhan DV, Attaluri A, Topoleski LDT, Zhu L. Theoretical simulation of temperature elevations in a joint wear simulator during rotations. Journal of Biomechanical Engineering 2014; 136 (2), art. no. 021027.

Chan AY, Tran DKT, Gill AS, Hsu FPK, Vadera S. Stereotactic robot-assisted MRI-guided laser thermal ablation of radiation necrosis in the posterior cranial fossa: Technical note. Neurosurgical Focus 2016; 41 (4), art no E5

Chan EYY, Lam HCY, So SHW, Goggins WB, III, Ho JY, Liu S, Chung PPW. Association between ambient temperatures and mental disorder hospitalizations in a subtropical city: A time-series study of Hong Kong special administrative region. International Journal of Environmental Research and Public Health 2018; 15 (4), art. no. 754.

Chan JYC, Lin HL, Tian LW. Meteorological factors and El Nino Southern Oscillation are associated with paediatric varicella infections in Hong Kong 2004-2010. Epidemiology and Infection 2014; 142 (7): 1384-1392.

Chan KH, Fried NM, Fried D. Selective ablation of carious lesions using an integrated near-IR imaging system and a novel 9.3-μm CO2 Laser. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10473, art. no. 104730E.

Chan KH, Hirasuna K, Fried D. Analysis of enamel surface damage after selective laser ablation of composite from tooth surfaces. Photonics and Lasers in Medicine 2014; 3 (1): 37-45.

Chan M, Dennis K, Huang Y, Mougenot C, Chow E, DeAngelis C, Coccagna J, Sahgal A, Hynynen K, Czarnota G, Chu W. Magnetic Resonance–Guided High-Intensity-Focused Ultrasound for Palliation of Painful Skeletal Metastases: A Pilot Study. Technology in Cancer Research and Treatment 2017, 16 (5): 570-576.

Chan PS, Spertus JA. In reply. JAMA - Journal of the American Medical Association 2017, 317(6) 645

Chan TCY, Wan KH, Shih KC, Jhanji V. Advances in dry eye imaging: The present and beyond. British Journal of Ophthalmology 2018; 102 (3): 295-301.

Chandler C Why Thermograpy? (extended abstract). Thermology international 2015, 25(3) 111.

Chandler C. The Use of Thermography in Elevated Body Temperature Screening. Pan American Journal of Medical Thermology 2015; 2(2) 58-62

Chandran D, Prasad B. Coniugate Heat Transfer Study of Combined Impingement and Showerhead Film Cooling Near NGV Leading Edge. International Journal of Rotating Machinery 2015, 315036

Chang DF, Mamalis N, Werner L. Precision Pulse Capsulotomy Preclinical Safety and Performance of a New Capsulotomy Technology. Ophthalmology 2016; 123 (2) 255-264

Chang K, Liu J, Lin H, Wang N, Zhao K, Zhang A, Jin F, Zhong Y, Hu X, Duan W, Zhang Q, Fu L, Xue Q- K, Chen X, Ji S-H. Discovery of robust in-plane ferroelectricity in atomic-thick SnTe. Science 2016; 353 (6296) 274-278

Chang K, Yoon S, Sheth N, Seidel M, Antalek M, Ahad J, Darlington T, Ikeda A, Kato GJ, Ackerman H, Gorbach AM. Rapid vs. delayed Infrared responses after ischemia reveal recruitment of different vascular beds. Quantitative Infrared Thermography Journal 2015; 12(2): 173-183

Chang M. The chiropractic scope of practice in the United States: A cross-sectional survey. Journal of Manipulative and Physiological Therapeutics 2014; 37 (6): 363-376.

Chang SW, Hwang PW, Chiang KF, Caj WL. Heat transfer of twin-fin piezofan at various orientations and buoyancy levels. International Journal of Heat and Mass Transfer 2015; 81: 512-530

Chani MTS, Karimov KhS, Asiri AM, Ahmed N, Bashir MM, Khan SB, Rub MA, Azum N. Temperature gradient measurements by using thermoelectric effect in CNTs-silicone adhesive composite. PLoS ONE 2014; 9 (4), art. no. e95287.

Chanmugam A, Langemo D, Thomason K, Haan J, Altenburger EA, Tippett A, Henderson L, Zortman TA. Relative Temperature Maximum in Wound Infection and Inflammation as Compared with a Control Subject Using Long-Wave Infrared Thermography. Advances in Skin and Wound Care 2017, 30 (9): 406-414.

Chao W, Kolski-Andreaco A. This Month in JoVE -Assessing Freezing Tolerance in Plants Patterning 2D Shapes with DNA, Studying Ischemia in Vitro Studying Social Cognition in Monkeys. JoVE-Journal of Visualized Experiments 2015(99) e5727

Chaplin V, Caskey CF. Multi-focal HIFU reduces cavitation in mild-hyperthermia. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 12.

Charafeddine L, Tamim H, Hassouna H, Akel R, Nabulsi M. Axillary and rectal thermometry in the newborn: Do they agree? BMC Research Notes 2014; 7 (1), art. no. 584.

Charbon E, Scandini M, Mata Pavia J, Wolf M. A dual backside-illuminated 800-cell multi-channel digital SiPM with 100 TDCs in 130nm 3D IC technology. (2014) 2014 IEEE Nuclear Science Symposium and Medical Imaging Conference NSS/MIC 2014, art no 7431246

Charkaluk E, Seghir R, Bodelot L, Witz JF, Dufrénoy P. Microplasticity in Polycrystals: A Thermomechanical Experimental Perspective. Experimental Mechanics 2015, 55(4), 741-752.

Charrier G, Pramsohler M, Charra-Vaskou K, Saudreau M, Ameglio T, Neuner G, Mayr S. Ultrasonic emissions during ice nucleation and propagation in plant xylem. New Phytologist 2015; 207(3): 570-578

Chatproedprai S, Heamawatanachai K, Tempark T, Wananukul S. A comparative study of 3 different methods of temperature measurement in children. Journal of the Medical Association of Thailand 2016; 99 (2) 142-149

Chatzaraki V, Schweitzer W, Thali MJ, Ruder TD, Ampanozi G. Rectal thermometry signs in postmortem CT. Journal of Forensic Radiology and Imaging 2017, 9: 44-46.

Chauris N, Ayel V, Bertin Y, Romestant C. Evaporation of a liquid film deposited on a capillary heated tube: Experimental analysis by Infrared thermography of its thermal footprint. International Journal of Heat and Mass Transfer 2015; 86: 492-507

Chavanne X, Frangi J.-P. Presentation of a complex permittivity-meter with applications for sensing the moisture and salinity of a porous media. Sensors (Basel Switzerland) 2014; 14 (9): 15815-15835.

Chebbout R, Newton RS, Walters M, Wrench IJ, Woolnough M. Does the addition of active body warming to in-line intravenous fluid warming prevent maternal hypothermia during elective caesarean section? A randomised controlled trial. International Journal of Obstetric Anesthesia 2017, 31: 37-44.

Cheheltani R, Pichamuthu JE, Rao J, Weinbaum JS, Kiani MF, Vorp DA, Pleshko N. Fourier Transform Infrared Spectroscopic Imaging-Derived Collagen Content and Maturity Correlates with Stress in the Aortic Wall of Abdominal Aortic Aneurysm Patients. Cardiovascular Engineering and Technology 2017, 8 (1): 70-80.

Chen B, Wang Z, Sun J, Song Q, He B, Zhang H, Wang X, Dai W, Zhang Q. A tenascin C targeted nanoliposome with navitoclax for specifically eradicating of cancer-associated fibroblasts. Nanomedicine: Nanotechnology Biology and Medicine 2016; 12 (1) 131-141

Chen B, Yu L, Leng S, Kofler J, Favazza C, Vrieze T, McCollough C. Predicting detection performance with model observers: Fourier domain or spatial domain? Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9783, art no 978326

Chen B.-T, Shieh J, Huang C.-W, Chen W.-S, Chen S.-R, Chen C-S. Ultrasound thermal mapping based on a hybrid method combining physical and statistical models. Ultrasound in Medicine and Biology 2014; 40 (1): 115-129.

Chen CC. Determining the Leaf Emissivity of Three Crops by Infrared Thermometry. Sensors 2015; 15 (5): 11387-11401

Chen CL, Jian BL. Infrared thermal facial image sequence registration analysis and verification. Infrared Physics & Technology2015; 69: 1-6

Chen C-Y, Weng Y-M, Chen J-C. Pneumocystis pneumonia infection in a survivor of paraquat intoxication. Journal of Acute Medicine 2017, 7 (2): 75-78.

Chen CY, Yeh CH, Chang BR, Pan JM. 3D Reconstruction from IR Thermal Images and Reprojective Evaluations. Mathematical Problems in Engineering 2015, 520534

Chen J, Feng ZL. IR-based Spot Weld NDT in Automotive Applications. in: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015, pp. 948513-948513-6

Chen J, Fu J, Du W, Liu X, Rongkavilit C, Huang X, Wu Y, Wang Y, McGrath E. Group B streptococcal colonization in mothers and infants in western China: Prevalences and risk factors. BMC Infectious Diseases 2018; 18 (1), art. no. 291.

Chen J, Li W, Wang M, Guo X, Yang H, Zhu X, Lian K, Luo Y, Gu X. A novel Glycyrrhiza uralensis polysaccharide-glycinin conjugate synthesized by maillard reaction decreases the antigenicity of glycinin. Biomedical Research (India) 2017, 28 (2): 764-768.

Chen J, Todd DM, Hocini M, Larsen TB, Bongiorni MG, Blomström-Lundqvist C. Current periprocedural management of ablation for atrial fibrillation in Europe: Results of the European Heart Rhythm Association survey. Europace 2014; 16 (3): 378-381.

Chen J, Zhong B, Wang Y. Agranulocytosis induced by sinomenine hydrochloride. American Journal of Case Reports 2017, 18: 959-962.

Chen K, Cui M Recent progress in the development of metal complexes as β-amyloid imaging probes in the brain. MedChemComm 2017, 8(7) 1393-1407.

Chen K-C, Chu P. The Case: Hypomagnesemia with knee pain. Kidney International 2017, 91 (5): 1261-1262.

Chen K-J, Chen T-H, Sue Y-M, Chen T-J, Cheng C-Y. High-volume plasma exchange in a patient with acute liver failure due to non-exertional heat stroke in a sauna. Journal of Clinical Apheresis 2014; 29 (5) 281-283.

Chen M, Blumen HM, Izzetoglu M, Holtzer R. Spatial Coregistration of Functional Near-Infrared Spectroscopy to Brain MRI. Journal of Neuroimaging 2017, 27 (5): 453-460.

Chen Q, Liang C, Sun X, Chen J, Yang Z, Zhao H, Feng L, Liu Z. H_2O_2-responsive liposomal nanoprobe for photoacoustic inflammation imaging and tumor theranostics via in vivo chromogenic assay. Proceedings of the National Academy of Sciences of the United States of America 2017, 114(21) 5343-5348.

Chen Q, Shang W, Zeng C, Wang K, Liang X, Chi C, Liang X, Yang J, Fang C, Tian J. Theranostic imaging of liver cancer using targeted optical/MRI dual-modal probes. Oncotarget 2017, 8 (20): 32741-32751.

Chen Q, Venkatesan K, Cheong G. General and regional anaesthesia in Brugada Syndrome – A case report. Trends in Anaesthesia and Critical Care 2018; 19: 16-18.

Chen S. Research on potential pathological knee diagnosis for undergraduates by infrared image analysis. Journal of Medical Imaging and Health Informatics 2014; 4 (5) 793-796.

Chen T-H, Chen W-P, Wang M-JJ. The effect of air permeability and water vapor permeability of cleanroom clothing on physiological responses and wear comfort. Journal of Occupational and Environmental Hygiene 2014; 11 (6): 366-376.

Chen TYF, Kuo MH. Conversion of Infrared grey-level image into temperature field by polynomial curve fitting. in. Tan J, Wen X, eds, Proceedings of SPIE 9th International Symposium on Precision Engineering Measurements and instrumentation (ISPEMI) Aug 08-10-2014 Changsha, China, 2015; 94461B-94461B-4

Chen W, Druzak SA, Wang Y, Josephson CD, Hoffmeister KM, Ware J, Li R. Refrigeration-induced binding of von willebrand factor facilitates fast clearance of refrigerated platelets. Arteriosclerosis Thrombosis and Vascular Biology 2017, 37 (12): 2271-2279.

Chen W-J, Huang F-YJ, Chang H-Y, Lee T-W, Chang C-W, Lo J-M. The novel preparation of 99mTc(I)- labeled human serum albumin (HSA) nanoparticles as a SPECT imaging agent. Journal of Radioanalytical and Nuclear Chemistry 2016; 307 (1) 141-150

Chen X, Hu Y. The clinical application of infrared thermal imaging in lumbocrural pain. Current Medical Imaging Reviews 2018; 14 (5): 818-821.

Chen X, Lee D, Yu S, Kim G, Lee S, Cho Y, Jeong H, Nam K.T, Yoon J. In vivo near-infrared imaging and phototherapy of tumors using a cathepsin B-activated fluorescent probe. Biomaterials 2017, 122: 130-140.

Chen X, Zhang J. Imaging informatics based on method of MR temperature measurement in high- intensity focused ultrasound. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9039, Art.No. 90390S.

Chen Y, Ge M, Ali R, Jiang H, Huang X, Qiu B. Quantitative MR thermometry based on phase-drift correction PRF shift method at 0.35 T. BioMedical Engineering Online 2018; 17 (1), art. no. 39.

Chen Y, Ge M, Jiang H, Wang L, Qiu B. An effective method for monitoring tissue temperature using low-field MRI system. Technology and Health Care 2018; 26 (3): 565-570.

Chen Y, Islam A, Abraham P, Deuster P. Single-dose oral quercetin improves redox status but does not affect heat shock response in mice. Nutrition Research 2014; 34 (7) 623-629.

Chen Y, Kwok KW, Ge J, Hu Y, Fok M, Nilsson KR, Tse ZTH. Augmented reality for improving catheterization in magnetic resonance imaging-guided cardiac electrophysiology therapy. Journal of Medical Devices, Transactions of the ASME 2014, 8 (2) art. no. 020917.

Chen Y-C, Hung M-S, Chang C-H, Liu C-Y, Chen P-C, Hsiao C-T, Yang Y-H. Major interventions are associated with survival of out of hospital cardiac arrest patients - A population based survey. Signa Vitae 2017, 13(2) 108-115.

Chen Y-C, Tu Y-K, Zhuang J-Y, Tsai Y-J, Yen C-Y, Hsiao C-K. Evaluation of the parameters affecting bone temperature during drilling using a three-dimensional dynamic elastoplastic finite element model. Medical and Biological Engineering and Computing 2017, 55(11) 1949-1957.

Cheng B, Zhang Y, Tong B, Yin H. Influence of Selenium on the Production of T-2 Toxin by Fusarium poae. Biological Trace Element Research 2017, 178 (1): 147-152.

Cheng C-C, Lee D. Smart sensors enable smart air conditioning control. Sensors (Basel Switzerland) 2014; 14 (6): 11179-11203.

Cheng H, Chi C, Shang W, Rengaowa S, Cui J, Ye J, Jiang S, Mao Y, Zeng C, Huo H, Chen L, Tian J. Precise integrin-targeting near-infrared imaging-guided surgical method increases surgical qualification of peritoneal carcinomatosis from gastric cancer in mice. Oncotarget 2017, 8 (4): 6258-6272.

Chernomordik V, Amyot F, Kenney K, Wassermann E, Diaz-Arrastia R, Gandjbakhche A. Abnormality of low frequency cerebral hemodynamics oscillations in TBI population. Brain Research 2016; 1639 194-199

Chernov G, Chernov V, Davila-Peralta C, Rodriguez-Carvajal R, Barboza Flores M. 3D infrared thermography system for biomedical applications (extended abstract). Thermology international 2015, 25(3) 98

Cheung VTF, Joshi D, Amin Z, Webster GJ. Fever and right upper quadrant pain in a 24-year-old male Gut 2014; 63 (10): 1606 and 1625.

Cheyuo C, Grand W, Balos LL. Near-Infrared Confocal Laser Reflectance Cytoarchitectural Imaging of the Substantia Nigra and Cerebellum in the Fresh Human Cadaver. World Neurosurgery 2017, 97: 465-470.

Chia W-L, Kuo K-N, Lin S-H. Synthesis and thermotropic studies of two novel series of kinked liquid crystals: 2-(4'-alkoxybiphen-4-yl)-6-methylquinolines and 2-(6-alkoxynaphthalen-2-yl)-6-methylquinolines. International Journal of Molecular Sciences 2014; 15 (5): 7579-7593.

Chiang M-C, Jong Y-J, Lin C-H. Therapeutic hypothermia for neonates with hypoxic ischemic encephalopathy. Pediatrics and Neonatology 2017, 58 (6): 475-483.

Chiappini E, Cangelosi AM, Becherucci P, Pierattelli M, Galli L, de Martino M. Knowledge attitudes and misconceptions of Italian healthcare professionals regarding fever management in children. BMC Pediatrics 2018; 18 (1), art. no. 194.

Chien L-C, Yu H-L. Impact of meteorological factors on the spatiotemporal patterns of dengue fever incidence. Environment International 2014; 73, 46-56.

Childs C, Wang L, Neoh BK, Goh HL, Zu MM, Aung PW, Yeo TT. Multi-parameter brain tissue microsensor and interface systems: Calibration reliability and user experiences of pressure and temperature sensors in the setting of neurointensive care. Journal of Medical Engineering and Technology 2014; 38 (7): 339-350.

Childs C, Wright N, Willmott J, Davies M, Kilner K, Lu ZH, Soltani H, Farrell T. Changing the spectrum of surgical site infection: Visual to infrared. Thermology International 2018; 28(2) 91.

Childs C. Body temperature and clinical thermometry. Handbook of Clinical Neurology 2018; 157: 467-482.

Chin JL, Billia M, Relle J, Roethke MC, Popeneciu IV, Kuru TH, Hatiboglu G, Mueller-Wolf MB, Motsch J, Romagnoli C, Kassam Z, Harle CC, Hafron J, Nandalur KR, Chronik BA, Burtnyk M, Schlemmer H-P, Pahernik S. Magnetic Resonance Imaging–Guided Transurethral Ultrasound Ablation of Prostate Tissue in Patients with Localized Prostate Cancer: A Prospective Phase 1 Clinical Trial. European Urology 2016; 70 (3) 447-455

Chindarkar NS, Rentmeester LL, Ly BT, Fitzgerald RL. Black urine due to urobilinogen in a patient with alcoholic pellagra. Clinical Biochemistry 2014; 47 (12) 1132-1135.

Chirombo J, Lowe R, Kazembe L. Using structured additive regression models to estimate risk factors of malaria: Analysis of 2010 Malawi malaria indicator survey data. PLoS ONE 2014; 9 (7), art. no. e101116.

Chittawatanarat K, Morakul S, Thawitsri T, Permpikul C, Chaiwat O, Kongsayreepong S, Vorrakitpokatorn P, W ilaichone W, Bunburaphong T, Saengchote W, Morakul S, Thawitsri T, Sitthipan C, Sombunvibul W, Chatrkaw P, Poonyathawon S, W atanathum A, Fuengfoo P, Sataworn D, Wongsa A, Piyavechviratana K, Rungruanghiranya S, Pothirat C, Deesomchok A, Patjanasoontorn B, Bhurayanontachai R, Champunut R, Chuachamsai N, Thongchai C. Non- cardiopulmonary monitoring in thai-ICU (ICU-RESOURCE I study). Journal of the Medical Association of Thailand 2014; 97 (1 Suppl. 1): S31-S37.

Cho C-H, Wust P. Hyperthermia in gynaecological oncology [Hyperthermie in der gynäkologischen Onkologie]. Gynakologische Praxis 2014; 38 (1) 85-100.

Cho CW, Nahm FS, Choi E, Lee P-B, Jang I-K, Lee CJ, Kim YC, Lee SC. Multicenter study on the asymmetry of skin temperature in complex regional pain syndrome: An examination of temperature distribution and symptom duration. Medicine (United States) 2016; 95 (52), art no e5548

Cho E, Park SW, Jun CH, Shin SS, Park EK, Lee KS, Park SY, Park CH, Kim HS, Choi SK, Rew JS. A rare case of pericarditis and pleural empyema secondary to transdiaphragmatic extension of pyogenic liver abscess. BMC Infectious Diseases 2018; 18 (1), art. no. 40.

Cho J, Prasad B, Kim JK. Near-infrared laser irradiation of a multilayer agar-gel tissue phantom to induce thermal effect of traditional moxibustion. Journal of Innovative Optical Health Sciences 2018; 11 (6), art. no. 1850033.

Cho SS, Zeh R, Pierce JT, Salinas R, Singhal S, Lee JYK. Comparison of Near-Infrared Imaging Camera Systems for Intracranial Tumor Detection. Molecular Imaging and Biology 2018; 20 (2): 213-220.

Cho Y, Julier SJ, Marquardt N, Bianchi-Berthouze N Robust tracking of respiratory rate in high dynamic range scenes using mobile thermal imaging. Biomedical Optics Express 2017, 8(10) 4480-4503.

Cho YK, Ham Y, Golpavar-Fard M. 3D as-is building energy modeling and diagnostics: A review of the state-of-the-art. Advanced Engineering informatics 2015; 29(2): 184-195

Cho YS, Choi YH. Comparison of three cooling methods for burn patients: A randomized clinical trial. Burns 2017, 43 (3): 502-508.

Choi HJ, Kim T-J, Lee Y-Y, Lee J-W, Kim B-G, Bae D-S. Time-lapse imaging of sentinel lymph node using indocyanine green with near-infrared fluorescence imaging in early endometrial cancer. Journal of Gynecologic Oncology 2016; 27 (3), art no e27 2016; 2 p

Choi J-H, Nam S-H, Song Y-S, Lee H-W, Lee H-J, Song K, Hong J-W, Kim G-C. Treatment with low- temperature atmospheric pressure plasma enhances cutaneous delivery of epidermal growth factor by regulating E-cadherin-mediated cell junctions. Archives of Dermatological Research 2014; 306 (7): 635-643.

Choi S, Baek J. A new method to reduce cone beam artifacts by optimal combination of FDK and TV-IR images. Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 2018; 10574, art. no. 105741Q.

Choi S, Birarda G. Protein Mixture Segregation at Coffee-Ring: Real-Time Imaging of Protein Ring Precipitation by FTIR Spectromicroscopy. The Journal of Physical Chemistry. B 2017, 121(30) 7359-7365.

Choi SH, Choi J, Kim JY. Nondestructive Testing System with Heat Transfer Characteristics in Composite Materials. International Journal of Precision Engineering and Manufacturing 2015; 16(7): 1583-1589

Choi SH, Han JH, Kim JY., Convergence non-destructive evaluation system for the parts and materials. Materials Research innovations 2015; 19(Supp. 5): 1219-1223

Choi SH, Kim JY. Convergence Non-Destructive Evaluation System Apply Infrared Thermography Technique. Journal of Computational and Theoretical Nanoscience 2015; 12 (5): 880-885

Choi TY, Denton ML, Noojin GD, Estlack LE, Shrestha R, Rockwell BA, Thomas R, Kim D. Thermal evaluation of laser exposures in an in vitro retinal model by microthermal sensing. Journal of Biomedical Optics 2014; 19 (9) Art. No. 097003.

Chojnowski M. Infrared thermal imaging in connective tissue diseases. Reumatologia 2017, 55 (1): 38-43.

Cholewka A, Kapek L, Szlag M, Wojcieszek P, Kellas-Sleczka S, Stanek A, Sieron-Stoltny K, Slosarek K, Biawas B, Cholewka A. The use of thermal imaging in evaluation of brachytherapy effcts in basal cell carcinoma. Thermology international 2017; 27 (2) 72

Cholewka A, Stanek A, Kwiatek S, Cholewka A, Cieślar G, Straszak D, Gibińska J, Sieroń-Stołtny K. Proposal of thermal imaging application in photodynamic therapy-Preliminary report. Photodiagnosis and Photodynamic Therapy 2016; 14 34-39

Chopeĭ IV, Bratasiuk AM, Chopeĭ OI, Myhovych II, Hanynets' PP, Kanchi, VM, Bychko MM, Madi Iulu. The value of transendoscopy thermometry of gastric mucosa in the evaluation of blood flow in patients with osteoarthrosis and atherosclerosis by duplex ultrasound of extracranial brachiocephalic arteries

Choynzonov EL, Ryabova AI, Miloichikova IA, Turgunova ND, Gribova OV, Startseva ZA, Novikov VA, Vasiljev RV, Krasnykh AA, Cherepennikov YM, Stuchebrov SG. Measurement of the Temperature Field in a Brain Phantom with Simulated Glioblastoma in Transcranial High-Frequency Hyperthermia. Biomedical Engineering 2018; 51 (5): 350-353.

Christensen J, Matzen LH, Schou Sø, Væth M, Wenzel A. Is thermography useful for assessment of postoperative inflammation after surgical removal of mandibular third molars when methylprednisolone is administered and how does it correlate with patients' perception of swelling? Journal of Oral and Maxillofacial Surgery 2014; 72 (3): 463-469.

Chrobak L, Malinski M, Zakrzewski J. Simultaneous determination of the thermal diffusivity and a drum factor for CdSeMnTe crystals with the photoacoustic method. Thermochimica acta 2015; 606: 84-89

Chromy A, Klima O. A 3D scan model and thermal image data fusion algorithms for 3D thermography in medicine. Journal of Healthcare Engineering 2017, art. no. 5134021.

Chu W, Staruch RM, Pichardo S, Tillander M, Köhler MO, Huang Y, Ylihautala M, McGuffin M, Czarnota G, Hynynen K. Magnetic resonance-guided high-intensity focused ultrasound hyperthermia for recurrent rectal cancer: MR thermometry evaluation and preclinical validation. International Journal of Radiation Oncology Biology Physics 2016; 95 (4) 1259-1267

Chua ACL, Venkataraman K, Whittle SL. Occipital condyle syndrome mimicking giant cell arteritis as the first manifestation of disseminated malignancy. Internal Medicine Journal 2018; 48 (9): 1163-1164.

Chua EC-P, Yeo S-C, Lee IT-G, Tan L-C, Lau P, Cai S, Zhang X, Puvanendran K, Gooley JJ. Sustained attention performance during sleep deprivation associates with instability in behavior and physiologic measures at baseline. Sleep 2014; 37 (1): 27-39.

Chudecka M, Lubkowska A, Kempińska-Podhorodecka A. Body surface temperature distribution in relation to body composition in obese women. Journal of Thermal Biology 2014; 43 (1): 1-6.

Chudecka M, Lubkowska A, Leznicka K, Krupecki K. The Use of Thermal Imaging in the Evaluation of the Symmetry of Muscle Activity in Various Types of Exercises (Symmetrical and Asymmetrical). Journal of Human Kinetics 2015; 49(1):141-147

Chudecka M, Lubkowska A. Thermal Imaging of Body Surface Temperature Distribution in Women with Anorexia Nervosa. European Eating Disorders Review 2016; 24 (1) 57-61

Chudecka M, Lubkowska A. Thermal maps of young women and men. Infrared Physics & Technology 2015; 69: 81-87

Chudecka M, Zaborski D, Lubkowska A, Grzesiak W, Klimek A, Modrzejewski A. Temperature changes in selected areas of body surface induced by systemic cryostimulation. Aviation Space and Environmental

Chulkov AO, Gaverina L, Pradere C, Batsale JC, Vavilov VP. P, Water detection in honeycomb composite structures using terahertz thermography. Russian Journal of Nondestructive Testing 2015; 51 (8): 520-523

Chulkov AO, Vavilov VP. Comparing thermal stimulation techniques in Infrared thermographic inspection of corrosion in steel. in: IOP Conference Series: Materials Science and Engineering. IOP Publishing, 2015. pp. 012100.

Chung K, Kim KH, Kim ED. Perfusion index as a reliable parameter of vasomotor disturbance in complex regional pain syndrome. British Journal of Anaesthesia 2018; 121 (5): 1133-1137.

Ciampa F, Angioni SL, Pinto F, Scarselli G, Almond DP, Meo M. Modeling of Thermal Wave Propagation in Damaged Composites with Internal Source. in Shull PJ, ed. Proceedings of SPIE Conference on Structural Health Monitoring and inspection of Advanced Materials Aerospace and Civil Infrastructure, MAR 09-12 2015 San Diego CA, 2015; 9437- 943709

Ciantar A, Falzon O, Sammut L, Schembri M, Baron YM, Calleja-Agius J, Pierre Demicoli P, Camilleri KP. Registration of Dynamic Thermography Data of the Abdomen of Pregnant and Non-Pregnant Women. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018: art. no. 8513504: 5668-5671.

Cichocki B, Dugat D, Payton M. Agreement of axillary and auricular temperature with rectal temperature in systemically healthy dogs undergoing surgery. Journal of the American Animal Hospital Association 2017, 53(6) 291-296.

Cifuentes IJ, Dagnino BL, Salisbury MC, Perez ME, Ortega C, Maldonado D. Augmented reality and dynamic infrared thermography for perforator mapping in the anterolateral thigh. Archives of Plastic Surgery 2018; 45 (3): 284-288.

Cıkman O, Ozkan OF, Adam G, Tas S, Ademoglu S, Karaayvaz M. A rare reason of mechanical intestinal obstruction; phytobezoar images for clinicians [Mekanik barsak tıkanıklığının nadir bir nedeni: Fitobezoar]. European Journal of General Medicine 2014; 11 (4): 275-277.

Cimina S, Wang CL, Wang L, Niro A, Sunden B. Experimental study of pressure drop and heat transfer in a u-bend, channel with various guide vanes and ribs. Journal of Enhanced Heat Transfer 2015; 22 (1): 29- 45

Ciris PA, Cheng C-C, Mei C-S, Panych LP, Madore B. Dual-Pathway sequences for MR thermometry: When and where to use them. Magnetic Resonance in Medicine 2017, 77 (3): 1193-1200.

Ciumas C, Schaefers G, Bouvard S, Tailhades E, Perrin E, Comte J.-C, Canet-Soulas E, Bonnet C, Ibarrola D, Polo G, Moya J, Beuf O, Ryvlin P. A phantom and animal study of temperature changes during fMRI with intracerebral depth electrodes. Epilepsy Research 2014; 108 (1): 57-65.

Clancy NT, Gurusamy K, Jones G, Davidson B, Clarkson MJ, Hawkes DJ, Stoyanov D. Spectral Imaging of Thermal Damage Induced during Microwave Ablation in the Liver. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8512901: 3001-3004.

Claoston N, Samsuri AW, Ahmad Husni MH, Mohd Amran MS. Effects of pyrolysis temperature on the physicochemical properties of empty fruit bunch and rice husk biochars. Waste Management and Research 2014; 32 (4): 331-339.

Clatot J, Zheng Y, Girardeau A, Liu H, Laurita KR, Marionneau C, Deschênes I. Mutant voltage-gated Na+ channels can exert a dominant negative effect through coupled gating. American Journal of Physiology - Heart and Circulatory Physiology 2018; 315 (5): H1250-H1257.

Clay-Warner J, Robinson DT. Infrared Thermography as a Measure of Emotion Response. Emotion Review 2015; 7 (2): 157-162

Cleary MA, Toy MG, Lopez RM. Thermoregulatory cardiovascular and perceptual responses to intermittent cooling during exercise in a hot humid outdoor environment. Journal of Strength and Conditioning Research 2014; 28 (3): 792-806.

Clemente M, Correia R, Coimbra D, Vardasca R, Gabriel J. The contribution of medical thermal imaging in the study of Temporomandibular disorders (TMD) disorders in clarinet players (extended abstract). Thermology international 2015, 25(3) 115-116

Cloutier JM, Liu S, Hiebert B, Tam JW, Seifer CM. Relationship of Extreme Cold Weather and Implantable Cardioverter Defibrillator Shocks. American Journal of Cardiology 2017, 120 (6): 1002-1007.

Cluni F Costarelli D, Minotti AM, Vinti G. Enhancement of thermographic images as tool for structural analysis in earthquake engineering. NDT & E International 2015; 70: 60-72

Co MLF, Agdamag AC, Mateo RC, Williams KA. An easy miss: Aortic dissection in a 'healthy' male. BMJ Case Reports 2017, art. no. 221616.

Coate EA, Kocsis AG, Peters KN, Anderson PE, Ellersieck MR, Fine DM, Anderson DM. Remote monitoring of the progression of primary pneumonic plague in Brown Norway rats in high-capacity high- containment housing. Pathogens and Disease 2014; 71 (2): 263-273.

Çoban B, Dolgun A. A comparision of axillary with infrared tympanic and non-contact infrared thermometry [Koltukaltı vücut sıcaklığı ölçümü ile timpanik kızılötesi termometre ve temassız kızılötesi termometre ile ölçümlerinin karşılaştırılması]. Cocuk Enfeksiyon Dergisi 2016; 10 (3) 82-85

Cobb B, Abir G, Carvalho B. Preoperative anterior thigh temperature does not correlate with perioperative temporal hypothermia during cesarean delivery with spinal anesthesia: Secondary analysis of a randomized control trial. International Journal of Obstetric Anesthesia 2018; 33: 40-45.

Cocchi MN, Boone MD, Giberson B, Giberson T, Farrell E, Salciccioli JD, Talmor D, W illiams D, Donnino MW. Fever after rewarming: Incidence of pyrexia in postcardiac arrest patients who have undergone mild therapeutic hypothermia Journal of Intensive Care Medicine 2014; 29 (6): 365- 369.

Coffey RJ, Kalin R, Olsen JM. Magnetic resonance imaging conditionally safe neurostimulation leads: Investigation of the maximum safe lead tip temperature. Neurosurgery 2014; 74 (2) 215- 224.

Cohen Y, Alchanatis V, Sela E, Saranga Y, Cohen S, Meron M, Bosak A, Tsipris J, Ostrovsky V, Orolov V, Levj A, Brikman R. Crop water status estimation using thermography: multi-year model development using ground-based thermal images. Precision Agriculture 2015; 16 (3): 311-329

Cole C, Turnbull C, Eardley W, Hunt P. Force protection in contingency operations: an evaluation of temperature monitoring in Sierra Leone. Journal of the Royal Army Medical Corps 2016; 162 (3) 176-179

Cole JB, Orozco BS, Arens AM. Physostigmine Reversal of Dysarthria and Delirium After Iatrogenic Atropine Overdose From a Dental Procedure. Journal of Emergency Medicine 2018; 54 (6): e113-e115.

Coleman WP. Commentary on Inexpensive Device and App for Monitoring Temperature of Neuromodulator Storage. Dermatologic Surgery 2017, 43 (3), p. 473.

Colen RR, Sahnoune I, Weinberg JS. Neurosurgical Applications of High-Intensity Focused Ultrasound with Magnetic Resonance Thermometry. Neurosurgery Clinics of North America 2017, 28 (4): 559-567.

Colodron AS, Moreira DG, Sillero-Quintana M. Effect of anti-inflammatory cream on soccer players skin temperature (abstract). Thermology international 2017; 27 (2) 76

Colombo C, Carrado A, Palkowski H, Vergani L. Impact behaviour of 3-layered metal-polymer-metal sandwich panels. Composite Structures 2015; 133: 140-147

Colvin J, Zaidi N, Berber E. The utility of indocyanine green fluorescence imaging during robotic adrenalectomy. Journal of Surgical Oncology 2016; 114 (2) 153-156

Concheiro M, Baumann MH, Scheidweiler KB, Rothman RB, Marrone GF, Huestis MA. Nonlinear pharmacokinetics of (±)3,4-methylenedioxymethamphetamine (MDMA) and its pharmacodynamic consequences in the rat. Drug Metabolism and Disposition 2014; 42 (1) 119-125.

Congratulations to Francis Ring. Thermology international 2015, 25(3) 218-221

Considine J, Jones D, Pilcher D, Currey J. Patient physiological status during emergency care and rapid response team or cardiac arrest team activation during early hospital admission. European Journal of Emergency Medicine 2017, 24 (5): 359-365.

Constans C, Mateo P, Tanter M, Aubry J.-F. Potential impact of thermal effects during ultrasonic neurostimulation: Retrospective numerical estimation of temperature elevation in seven rodent setups. Physics in Medicine and Biology 2018; 63 (2), art. no. 025003.

Contou D, d'Ythurbide G, Messika J, Ridel C, Parrot A, Djibré, M, Hertig A, Rondeau E, Fartoukh M. Description and predictive factors of infection in patients with chronic kidney disease admitted to the critical care unit. Journal of Infection 2014; 68 (2): 105-115.

Contreras C, González-García I, Seoane-Collazo P, Martínez-Sánchez N, Liñares-Pose L, Rial-Pensado E, Fernø, J, Tena-Sempere M, Casals N, Diéguez C, Nogueiras R, López M. Reduction of hypothalamic endoplasmic reticulum stress activates browning of white fat and ameliorates obesity. Diabetes 2017, 66 (1): 87-99.

Conwell TD, Lind KE. Comparison of the Diagnostic Accuracy of Three Infrared Imaging Methods In Evaluating Patients With Presumptive Complex Regional Pain Syndrome, Type 1. Thermology international 2015, 25(2) 54-63

Conwell TD, Lind KE. Comparison of the Diagnostic Accuracy of Three Infrared Imaging Methods in Evaluating Patients with Presumptive CRPS (extended abstract). Thermology international 2015, 25(3) 123-124.

Cook NI, Chabot B, Luj T, Bench CI, Schaefer AL. Infrared thermography detects febrile and behavioural responses to vaccination of weaned piglets. Animal 2015; 9 (2): 339-346

Cooperstein R, Young M. Mapping intended spinal site of care from the upright to prone position: An interexaminer reliability study. Chiropractic and Manual Therapies 2014; 22 (1), art. no. 20.

Copeland-Halperin LR, Emery E, Collins D, Liu C, Dort J. Dogma without data: A clinical decision-making tool for postoperative blood cultures. American Surgeon 2018; 84 (8): 1339-1344.

Coppler PJ, Marill KA, Okonkwo DO, Shutter LA, Dezfulian C, Rittenberger JC, Callaway CW, Elmer J. Concordance of Brain and Core Temperature in Comatose Patients after Cardiac Arrest. Therapeutic Hypothermia and Temperature Management 2016; 6 (4) 194-197

Cordeiro LMS, Guimarães JB, Wanner SP, La Guardia RB, Miranda RM, Marubayashi U, Soares DD. Inhibition of tryptophan hydroxylase abolishes fatigue induced by central tryptophan in exercising rats. Scandinavian Journal of Medicine and Science in Sports 2014; 24 (1) 80-88.

Corigliano P, Crupj V, Fricke W, Friedrich N, Guglielmino E. Experimental and numerical analysis of fillet- welded joints under low-cycle fatigue loading by means of full-field techniques. Proceedings of The Institution of Mechanical Engineers Part C-Journal of, Mechanical Engineering Science 2015; 229 (7): 1327-1338

Corkrey R, McMeekin TA, Bowman JP, Ratkowsky DA, Olley J, Ross T. Protein thermodynamics can be predicted directly from biological growth rates. PLoS ONE 2014; 9 (5) Art. No. e96100.

Corrigendum: Referenceless MR thermometry - A comparison of five methods (2017 Phys. Med. Biol. 62 1-16). Physics in Medicine and Biology 62 (8): 3375-3377.

Corsi C, New frontiers for Infrared. Opto-Electronics Review 2015; 23 (1): 1-23

Cortés PA, Franco M, Moreno-Gómez FN, Barrientos K, Nespolo RF. Thermoregulatory capacities and torpor in the South American marsupial Dromiciops gliroides. Journal of Thermal Biology 2014; 45, 1-8.

Cosentino F, Vizzielli G, Turco LC, Fagotti A, Cianci S, Vargiu V, Zannoni GF, Ferrandina G, Scambia G. Near-Infrared Imaging with Indocyanine Green for Detection of Endometriosis Lesions (Gre-Endo Trial): A Pilot Study. Journal of Minimally Invasive Gynecology 2018; 25 (7): 1249-1254.

Costa CMA, Sillero-Quintana M, Piñonosa Cano S, Moreira DG, Brito CJ, Fernandes AA, Pussieldi GA, Marins JCB. Daily oscillations of skin temperature in military personnel using thermography. Journal of the Royal Army Medical Corps 2016; 162 (5) 335-342

Costa KA, Soares ADN, Wanner SP, Santos RG.C, Fernandes SOA, Martins FS, Nicoli JR, Coimbra C, Cardoso VN. L-arginine supplementation prevents increases in intestinal permeability and bacterial translocation in male swiss mice subjected to physical exercise under environmental heat stress. Journal of Nutrition 2014; 144 (2): 218-223.

Costanzo A, Minasi M, Casula G, Musacchio M, Buongiorno MF. Combined Use of Terrestrial Laser Scanning and IR Thermography Applied to a Historical Building. Sensors, 2015; 15 (1): 194-213

Costello JT, Donnelly AE, Karki A, Selfe J. Effects of whole-body cryotherapy and cold-water immersion on knee skin temperature. International Journal of Sports Medicine 2014; 35 (1): 35-40.

Costello JT, Stewart KL, Stewart IB. Inside the 'Hurt Locker': The Combined Effects of Explosive Ordnance Disposal and Chemical Protective Clothing on Physiological Tolerance Time in Extreme Environments. Extreme Physiology & Medicine 2015, 4(1) A79

Cotic P, Kolaric D, Bosilikov VB, Bosilikov V, Jaglicic Z. Determination of the applicability and limits of void and delamination detection in concrete structures using Infrared thermography. NDT & E International 2015; 74: 87-93

Cotrim CC, Toscano L, Messias A, Jorge R, Siqueira RC. Intravitreal use of bone marrow mononuclear fraction containing CD34+ stem cells in patients with atrophic age-related macular degeneration. Clinical Ophthalmology 2017, 11: 931-938.

Cotter JD, Tipton MJ. Moving in extreme environments: What's extreme and who decides? Extreme Physiology and Medicine 2014; 3 (1), art. no. 11.

Cour M, Jahandiez V, Loufouat J, Ovize M, Argaud L. Minor Changes in Core Temperature Prior to Cardiac Arrest Influence Outcomes: An Experimental Study. Journal of Cardiovascular Pharmacology and Therapeutics 2014; 20 (4): 407-413.

Courivaud F, Kazaryan AM, Lund A, Orszagh VC, Svindland A, Marangos IP, Halvorsen PS, Jebsen P, Fosse E, Hol PK, Edwin B. Thermal fixation of swine liver tissue after magnetic resonance-guided high- intensity focused ultrasound ablation. Ultrasound in Medicine and Biology 2014; 40 (7) 1564-1577.

Cox J, Kaes L, Martinez M, Moles D. A Prospective Observational Study to Assess the Use of Thermography to Predict Progression of Discolored Intact Skin to Necrosis among Patients in Skilled Nursing Facilities. Ostomy Wound Management 2016; 62 (10) 14-33

Crabtree DR, Chambers ES, Hardwick RM, Blannin AK. The effects of high-intensity exercise on neural responses to images of food 1-3. American Journal of Clinical Nutrition 2014; 99 (2): 258- 267.

Crake C, Meral FC, Burgess MT, Papademetriou IT, McDannold NJ, Porter TM. Combined passive acoustic mapping and magnetic resonance thermometry for monitoring phase-shift nanoemulsion enhanced focused ultrasound therapy. Physics in Medicine and Biology 2017, 62 (15): 6144-6163.

Cramer MN, Jay O. Selecting the correct exercise intensity for unbiased comparisons of thermoregulatory responses between groups of different mass and surface area. Journal of Applied Physiology 2014; 116 (9): 1123-1132.

Crampton D, Egaña M, Donne B, Warmington SA. Including arm exercise during a cold-water immersion recovery better assists restoration of sprint cycling performance. Scandinavian Journal of Medicine and Science in Sports 2014; 24 (4): e290-e298.

Crawford BK, Duncan GT, West DE, Saric WS. Robust automated processing of IR thermography for quantitative boundary-layer transition measurements. Experiments in Fluids 2015; 56 (7) 1-11.

Crisologo PA, Lavery LA. Remote home monitoring to identify and prevent diabetic foot ulceration. Annals of Translational Medicine 2017, 5 (21), art. no. 430.

Crozier I, Daly M, Lim G, Roper G. Esophageal Infrared thermography during atrial fibrillation ablation. Heart Rhythm 2015; 12 (11): 2362-2363

Crupi V, Epasto G, Guglielmino E, Risitano G. Analysis of temperature and fracture surface of AISI4140 steel in very high cycle fatigue regime. Theoretical and Applied Fracture Mechanics 2015; 80: 22-30

Crupi V, Epasto G, Guglielmino E, Risitano G. Thermographic method for very high cycle fatigue design in transportation engineering. Proceedings of The Institution of Mechanical Engineers Part C-Journal of Mechanical Engineering Science 2015; 229 (7): 1260-1270

Crupi V, Guglielmino E, Risitano G, Tavilla F. Experimental analyses of SFRP material under static and fatigue loading by means of thermographic and DIC techniques. Composites Part B-Engineering 2015; 77: 268-277

Cruz A, Marín P, Magan N, González-Jaén MT. Combined effects of benomyl and environmental factors on growth and expression of the fumonisin biosynthetic genes FUM1 and FUM19 by Fusarium verticillioides. International Journal of Food Microbiology 2014; 191, 17-23.

Cruz CA jr, Lucci CM, Peripolli V, Silva AF, Menezes AM, Morais SRL, Araujo MS, Ribeiro LMCS, Mattos RC. Effects of testicle insulation on seminal traits in rams: Preliminary study. Small Ruminant Research 2015; 130: 157-165

Cruz CA jr, Lucci CM, Peripolli V, Tanure CB, Ribeiro LMCS, Barbosa TM, Ramos AF, Louvandini H, McManus C. Laser and thermographic Infrared temperatures associated with heat tolerance in adult rams. Small Ruminant Research 2015; 132: 86-91

Cruz CD, Shah S, Tammela P. Defining conditions for biofilm inhibition and eradication assays for Gram-positive clinical reference strains. BMC Microbiology 2018; 18 (1), art. no. 173.

Cuaderes E, DeShea L, Lyndon Lamb W. Weight-bearing exercise and foot health in native. Americans Care Management Journals 2014; 15 (4): 184-195.

Cuddy JS, Hailes WS, Ruby B.C. A reduced core to skin temperature gradient not a critical core temperature affects aerobic capacity in the heat. Journal of Thermal Biology 2014; 43 (1): 7-12.

Cui F, Dong S, Shi X, Zhao X, Zhang X-H. Overexpression and characterization of a novel thermostable β-agarase YM01-3, from marine bacterium Catenovulum agarivorans YM01T. Marine Drugs 2014; 12 (5) 2731-2747.

Cui ZQ, Yang HW, Wang WX, Yan ZF, Ma ZZ, Xu BS, Xu HY. Research on fatigue crack growth behavior of AZ31B magnesium alloy electron beam welded joints based on temperature distribution around the crack tip. Engineering Fracture Mechanics 2015; 133: 14-23.

Cunha BA, Apostolopoulou A, Gian J. Fever of unknown origin (FUO) due to miliary BCG: The diagnostic importance of morning temperature spikes and highly elevated ferritin levels. Heart and Lung: Journal of Acute and Critical Care 2017, 46 (3): 205-207.

Cunniffe B, Ellison M, Loosemore M, Cardinale M. Warm-up practices in elite boxing athletes: Impact On power output. Journal of Strength and Conditioning Research 2017, 31 (1): 95-105.

Cunningham F, Dean K, Hanson-Dorr K, Harr K, Healy K, Horak K, Link J, Shriner S, Bursian S, Dorr B. Development of methods for avian oil toxicity studies using the double crested cormorant (Phalacrocorax auritus). Ecotoxicology and Environmental Safety 2017, 141: 199-208.

Curkovic S, Antabak A, Haluzan D, Luetic T, Prlic I, Sisko J. Medical thermography (Digital Infrared Thermal Imaging -DITI) in paediatric forearm fractures -A pilot study. Iniury 2015; 46: S36-S39

Curry DJ, Raskin J, Ali I, Wilfong AA. MR-guided laser ablation for the treatment of hypothalamic hamartomas. Epilepsy Research 2018; 142: 131-134.

Curto S, Faridi P, Shrestha TB, Pyle M, Maurmann L, Troyer D, Bossmann SH, Prakash P. An integrated platform for small-animal hyperthermia investigations under ultra-high-field MRI guidance. International Journal of Hyperthermia 2018; 34 (4): 341-351.

Cutolo M, Ruaro B, Pizzorni C, Ravera F, Smith V, Zampogna G, Paolino S, Seriolo B, Cimmino M, Sulli A. Longterm treatment with endothelin receptor antagonist bosentan and iloprost improves fingertip blood perfusion in systemic sclerosis. Journal of Rheumatology 2014; 41 (5): 881-886.

Cutti AG. Assessment of lower limb prosthesis through wearable sensors and thermography. Sensors (Basel Switzerland) 2014; 14 (3): 5041-5055.

Cutuli SL, Osawa EA, Glassford NJ, Marshall D, Eyeington CT, Eastwood GM, Young PJ, Bellomo R. Body temperature measurement methods and targets in Australian and New Zealand intensive care units. Critical Care and Resuscitation 2018; 20 (3): 241-244.

Cwynar P, Kolacz R, Czerski A. Effect of heat stress on physiological parameters and blood composition in Polish Merino rams. Berliner und Münchener tierärztliche Wochenschrift 2014; 127 (5-6) 177-182.

Cwynar P, Kupczynski R, Soroko M. The impact of heat stress on physiological reactions and animal welfare. Thermology International 2018; 28(2) 63-64.

Cwynar P, Soroko M, Kupczynski R. Infrared thermography-A new tool in animal welfare assessment? Thermology International 2018; 28(2) 106-107.

Czapla N, Łokaj M, Falkowski A, Prowans P. The use of thermography to design tissue flaps- experimental studies on animals. Wideochirurgia I Inne Techniki Maloinwazyjne 2014; 9 (3): 319- 328.

D. Thermoregulatory responses during thermal acclimation in pigs divergently selected for residual feed intake. International Journal of Biometeorology 2014; 58 (7) 1545- 1557.

D. Tissue hemoglobin monitoring is unable to follow variations of arterial hemoglobin during transitions from pulsatile to constant flow in cardiac surgery. Journal of Cardiothoracic and Vascular Anesthesia 2014; 28 (3) 668-673.

D'Arbo Alves ML, Gabarra MHC. Comparison of power doppler and thermography for the selection of thyroid nodules in which fine-needle aspiration biopsy is indicated [Comparação entre power Doppler e termografia na seleção de nódulos tireoidianos com indicação de punção aspirativa]. Radiologia Brasileira 2016; 49 (5) 311-315

Da Matta Sellani GFR, Valois C, Pereira WCD, Machado CB. Thermographic Analysis of Block and Cylindrical Bone Phantoms and in Vitro Human Bone Samples after Therapeutic Ultrasound Stimulation. In: 6th European Conference of the International Federation for Medical and Biological Engineering *2015,* pp. 192-195

Da Silva LB, Karshenas A, Bach FW, Rasmussen S, Arendt-Nielsen L, Gazerani P. Blockade of glutamate release by botulinum neurotoxin type A in humans: A dermal microdialysis study. Pain Research and Management 2014; 19 (3): 126-132.

Da Silva TPN, Pandorfj H, Guiselini C. Energy balance in the poultry-shed system and its influence on broiler performance. Engenharia agricola 2015; 35 (4): 613-624

Da Silva W, Machado AS, Souza MA, Kunzler MR, Mello-Carpes PB, Priego Quesada JI, Carpes FP. Relationship between muscle damage and skin temperature after an eccentric exercise. Thermology International 2018; 28(2) 74-75.

Da Silva W, Machado AS, Souza MA, Kunzler MR, Priego-Quesada JI, Carpes FP. Can exercise-induced muscle damage be related to changes in skin temperature? Physiological Measurement 2018; 39 (10), art. no. 104007.

da Silveira Ferrão VH, Brioschi ML, Jacobsen Teixeira M. Cutaneous infrared thermography and its applicability in chronic pain originating in the abdominal wall after laparotomy and hernioplastias (inguinodinia): cases report (extended abstract). Thermology international 2014; 24(1) 21-22

Dadakova T, Gellermann J, Voigt O, Korvink JG, Pavlina JM, Hennig J, Bock M. Fast PRF-based MR thermometry using double-echo EPI: in vivo comparison in a clinical hyperthermia setting. Magnetic Resonance Materials in Physics Biology and Medicine 2015; 28 (4): 305-314

Dadarlat D, Streza M, Onija O, Prejmerean C, Silaghi-Dumitrescu L, Cobirzan N, Strzalkowski K. Complementary photothermal techniques for complete thermal characterization of porous and semi- transparent solids. Journal of Thermal Analysis and Calorimetry 2015; 119 (1): 301-308

Dadpay M, Ghayoumi Zadeh H, Danaeian M, Namdari F, Rezakhaniha B. Evaluation of thermal imaging system of the scrotum in patients with varicocele. Iranian Journal of Public Health 2017, 46 (12): 1742-1743.

Daffara C, Parisotto S, Mariotti PI. Mid-Infrared thermal imaging for an effective mapping of surface materials and sub-surface detachments in mural paintings: integration of thermography and thermal quasi- reflectography. In: Pezzati L, Targowski P, eds, Proceedings of SPIE Conference on Optics for Arts Architecture and Archaeology V, JUN 24-25, 2015, Munich Germany, 2015; 9527

Dagdanpurev S, Sun G, Choimaa L, Abe S, Matsui T. Clinical Application of Multiple Vital Signs-Based Infection Screening System in a Mongolian Hospital: Optimization of Facial Temperature Measurement by Thermography at Various Ambient Temperature Conditions Using Linear Regression Analysis. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8513513: 5313-5316.

Dagher J, Reese T, Bilgin A. High-resolution large dynamic range field map estimation. Magnetic Resonance in Medicine 2014; 71 (1): 105-117.

Dahyot-Fizelier C, Lamarche S, Kerforne T, Bénard T, Giraud B, Bellier R, Carise E, Frasca D, Mimoz O. Accuracy of Zero-Heat-Flux Cutaneous Temperature in Intensive Care Adults. Critical Care Medicine 2017, 45 (7): e715-e717.

Dai F, Cogi NH, Heinzl EUL, Dalla Costa E, Canali E, Minero M. Validation of a fear test in sport horses using infrared thermography. Journal of Veterinary Behavior-Clinical Applications and Research 2015; 10 (2): 128-136

Dai Q, Liang Q, Hu Y, Meng F, Li J, Hou L, Zhou H, Chu K, Hu X, Tang R, Wang W, Hu J, Huang H, Li Z, Yang S, Zhu F. The early-onset febrile reaction following vaccination and associated factors: An exploratory sub-study based on the Ebola vaccine clinical trial. Human Vaccines and Immunotherapeutics 2017, 13 (6): 1441-1446.

Dakappa PH, Prasad K, Rao SB, Bolumbu G, Bhat GK, Mahabala C. A Predictive Model to Classify Undifferentiated Fever Cases Based on Twenty-Four-Hour Continuous Tympanic Temperature Recording. Journal of Healthcare Engineering 2017, art. no. 5707162.

Dal Corso A, Neri D Linker stability influences the anti-tumor activity of acetazolamide-drug conjugates for the therapy of renal cell carcinoma. Journal of Controlled Release 2017, 246: 39-45.

Dallapiazza R, Khaled M, Eames M, Snell J, Lopes MB, Wintermark M, Elias WJ. Feasibility and Safety of MR-Guided Focused Ultrasound Lesioning in the Setting of Deep Brain Stimulation. Stereotactic and Functional Neurosurgery 2015; 93 (2): 140-146

Dallapiazza RF, Timbie KF, Holmberg S, Gatesman J, Lopes MB, Price RJ, Miller GW, Elias WJ. Noninvasive neuromodulation and thalamic mapping with low-intensity focused ultrasound. Journal of Neurosurgery 2018; 128 (3): 875-884.

Dalmaso Neto C, Brioschi ML, Jacobsen Teixeira M. Cutaneous infrared thermometry in aid to differential diagnosis of chronic pain and neurogenic pain - case report (extended abstract). Thermology international 2014; 24(1) 15

Dalmau A, Catanese B, Rafel O, Rodriguez P, Fuentes C, Llonch P, Mainau E, Velarde A, Ramon J, Taberner E, Lopez-Bejar M, Piles M. Effect of high temperatures on breeding rabbit behaviour. Animal Production Science 2015; 55 (9): 1207-1214

Dalton BGA, Ali AA, Crandall M, Awad ZT. Near infrared perfusion assessment of gastric conduit during minimally invasive Ivor Lewis esophagectomy. American Journal of Surgery 2018; 216 (3): 524-527.

Daly MG, Melton I, Roper G, Lim G, Crozier IG. High-Resolution Infrared Thermography of Esophageal Temperature during Radiofrequency Ablation of Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology 2018; 11 (2), art. no. e005667.

Damaggio AS, Gorman MR. Circadian phase determines effects of repeated ethanol vapor exposure and withdrawal on body temperature and activity rhythms of male mice. Alcoholism: Clinical and Experimental

D'Amato G, Vitale C, Rosario N, Neto HJC, Chong-Silva DC, Mendonça F, Perini J, Landgraf L, Solé, D, Sánchez-Borges M, Ansotegui I, D'Amato M. Climate change allergy and asthma and the role of tropical forests. World Allergy Organization Journal 2017, 10 (1), art. no. 11.

Dananché, C, Bénet T, Vanhems P. Ebola: Fever definitions might delay detection in non- epidemic areas The Lancet 2014; 384 (9956), p. 1743.

Dang BN, Dowell CH. Factors associated with heat strain among workers at an aluminum smelter in Texas Journal of Occupational and Environmental Medicine 2014; 56 (3): 313-318.

Daniels B, Reimers P, King T, Schmidt S, Coutsoudis A. Effect of the PiAstra Benchtop Flash-Heating Pasteurizer on Immune Factors of Donor Human Milk. Breastfeeding Medicine 2018; 13 (4): 281-285.

Daniels B, Schmidt S, King T, Israel-Ballard K, Mansen K.A, Coutsoudis A. The effect of simulated flash-heat pasteurization on immune components of human milk. Nutrients 2017, 9(2) Article Number: 178.

Danielski I, Fröling M. Diagnosis of Buildings' Thermal Performance-A Quantitative Method Using Thermography Under Non-Steady State Heat Flow. Energy Procedia 2015, 83, 320-329.

Danish M, Khanday WA, Hashim R, Sulaiman NSB, Akhtar MN, Nizami M. Application of optimized large surface area date stone (Phoenix dactylifera) activated carbon for rhodamin B removal from aqueous solution: Box-Behnken design approach. Ecotoxicology and Environmental Safety 2017, 139: 280-290.

Darocha T, Majkowski J, Sanak T, Podsiadło P, Kosiński S, Sałapa K, Mazur P, Ziętkiewicz M, Gałązkowski R, Krzych Ł, Drwiła R. Measuring core temperature using the proprietary application and thermo-smartphone adapter. Journal of Clinical Monitoring and Computing 2017, 31 (6): 1299-1304.

Darocha T, Majkowski J, Sanak T, Podsiadło P, Kosiński S, Sałapa K, Mazur P, Ziętkiewicz M, Gałązkowski R, Krzych Ł, Drwiła R. Measuring core temperature using the proprietary application and thermo-smartphone adapter. Journal of Clinical Monitoring and Computing 1-6 Article in Press

Darvall J, Vijayakumar R, Leslie K. Prewarming neurosurgical patients to minimize hypotension on induction of anesthesia: a randomized trial [Réchauffement préopératoire des patients neurochirurgicaux pour minimiser l'hypotension lors de l'induction de l'anesthésie: une étude randomisée]. Canadian Journal of Anesthesia 2016; 63 (5) 577-583

Das J, Kumar S, Khanna S, Mehta Y. Re: Mani Menon Akshay Sood Mahendra Bhandari et al. Robotic kidney transplantation with regional hypothermia: A step-by-step description of the vattikuti urology institute-medanta technique (IDEAL Phase 2a). Eur Urol 2014; 65:991-1000. European Urology 2014; 65 (6): e87.

Das Neves LMS, De Oliveira Guirro EC, De Almeida Albuquerque FL, Marcolino AM. Effects of high- voltage electrical stimulation in improving the viability of musculocutaneous flaps in rats. Annals of Plastic Surgery 2016; 77 (4) e50-e54

Daskin JH, Bell S.C, Schwarzkopf L, Alford RA. Cool temperatures reduce antifungal activity of symbiotic bacteria of threatened amphibians - Implications for disease management and patterns of decline. PLOS One 2014; 9 (6), art. no. e100378.

Datta NR, Ordonez SG, Gaipl US, Paulides MM, Crezee H, Gellermann J, Marder D, Puric E, Bodis S. Local hyperthermia combined with radiotherapy and-/or chemotherapy: Recent advances and promises for the future. Cancer Treatment Reviews 2015; 41 (9): 742-753

Datta NR, Pestalozzi B, Clavien P-A, Siebenhüner A, Puric E, Khan S, Mamot C, Riesterer O, Knuchel J, Reiner CS, Bodis S, Oliveira MD, Petrowsky H, Winder T, Guckenberger M, Lang S, Bauerfeind P, Bode B, Tschalèr O, Marder D, Roeren T, Grobholz R, Seifert B. 'HEATPAC' - A phase II randomized study of concurrent thermochemoradiotherapy versus chemoradiotherapy alone in locally advanced pancreatic cancer. Radiation Oncology 2017, 12 (1), art. no. 183.

Datta NR, Rogers S, Ordóñez SG, Puric E, Bodis S. Hyperthermia and radiotherapy in the management of head and neck cancers: A systematic review and meta-analysis. International Journal of Hyperthermia 2016; 32 (1) 31-40

Datta V. Therapeutic Hypothermia for Birth Asphyxia in Neonates. Indian Journal of Pediatrics 2017, 84(3) 219-226.

Daud D, Arsad NFM, Ismail A, Tawang A. Anti-pyretic action of caulerpa lentillifera hibiscus rosa-sinensis and piper sarmentosum aqueous extract in mice. Asian Journal of Pharmaceutical and Clinical Research 2016; 9 (1) 145-147

Dauphin Y, Luquet G, Perez-Huerta A, Salomé, M. Biomineralization in modern avian calcified eggshells: similarity versus diversity. Connective Tissue Research 2018; 59: 67-73.

Davies DJ, Clancy M, Lighter D, Balanos GM, Lucas SJE, Dehghani H, Su Z, Forcione M, Belli A. Frequency-domain vs continuous-wave near-infrared spectroscopy devices: a comparison of clinically viable monitors in controlled hypoxia. Journal of Clinical Monitoring and Computing 2017, 31 (5): 967-974.

Davin T, Wang X, Chabane A, Pawelko R, Guida G, Serio B, Herve P. Thermal imaging method to visualize a hidden painting thermally excited by far Infrared radiations. In: Pezzati L, Targowski P, eds Proceedings of SPIE Conference on Optics for Arts Architecture and Archaeology V, Jun 24-25, 2015 Munich Germany, 2015; pp. 95270T-95270T-8.

Davis LWL, Kelly PF, King RSP, Bleay SM. Visualisation of latent fingermarks on polymer banknotes using copper vacuum metal deposition: A preliminary study. Forensic Science International 2016; 266 e86-e92

Davis RM, Zhou Z, Chung H, Warren WS. Multi-spin echo spatial encoding provides three-fold improvement of temperature precision during intermolecular zero quantum thermometry. Magnetic Resonance in Medicine 2016; 75 (5) 1958-1966

Dayawansa S, Wang EW, Liu W, Markman JD, Gelbard HA, Huang JH. Allotransplanted DRG neurons or Schwann cells affect functional recovery in a rodent model of sciatic nerve injury. Neurological Research 2014; 36 (11): 1020-1027.

de Almeida Ferreira J, Herculano dos Santos B, de Araújo Silva Y, de Oliveira UF. Thermographic analysis of the effect of different modalities of exercise: Aerobic and eccentric exercise (extended abstract). Thermology international 2015, 25(3) 144

de Almeida Ferreira, de Oliveira UF, Caldas Araújo L, Herculano dos Santos B. Thermographic profile of the hamstring muscles during static stretching (extended abstract). Thermology international 2015, 25(3) 143-144.

De Andrade Fernandes A, Dos Santos Amorim PR, Brito CJ, De Moura AG, Moreira DG, Costa CMA, Sillero-Quintana M, Marins JCB. Measuring skin temperature before during and after exercise: A comparison of thermocouples and infrared thermography. Physiological Measurement 2014; 35 (2) 189-203.

de Andrade Fernandes A, Pimenta EM, Moreira DG, Sillero-Quintana M, Marins JCB, Morandi RF, Kanope T, Garcia ES Skin temperature changes of under-20 soccer players after two consecutive matches. Sport Sciences for Health 2017; 13 (3): 635-643

de Araújo MA, de Albuquerque VB, Deschk M, Trein TA, Frazílio FO, dos Santos PSP. Effects of continuous rate infusion of butorphanol in isoflurane-anesthetized calves. Acta Cirurgica Brasileira 2014; 29 (7): 465-471.

De Barros Fernandez Nogueira C, Vicari Nogueira C, Brioschi M, Ribeiro N. Case Studies – How Thermography Can Assist Clinical Examination in Various Stages Following Trauma (extended abstract). Thermology international 2015, 25(3) 144-145

De Barros Fernandez Nogueira C, Vicari Nogueira C, Brioschi ML, MaestroN. Case Report: Thermal Anatomic Aspects in Facial Palsy and Use of Thermography As A Healing Evaluation Method (extended abstract). Thermology international 2015, 25(3) 138-139.

De Bever J, Todd N, Payne A, Christensen DA, Roemer RB. Adaptive model-predictive controller for magnetic resonance guided focused ultrasound therapy. International Journal of Hyperthermia 2014; 2014; 30 (7) 456-470.

de Bever JT, Odéen H, Hofstetter LW, Parker DL. Simultaneous MR thermometry and acoustic radiation force imaging using interleaved acquisition. Magnetic Resonance in Medicine 2018; 79 (3): 1515-1524.

de Bever JT, Odéen H, Todd N, Farrer AI, Parker DL. Evaluation of a three-dimensional MR acoustic radiation force imaging pulse sequence using a novel unbalanced bipolar motion encoding gradient. Magnetic Resonance in Medicine 2016; 76 (3) 803-813

De Bruyne B, Adjedj J, Xaplanteris P, Ferrara A, Mo Y, Penicka M, Floré, V, Pellicano M, Toth G, Barbato E, Duncker DJ, Pijls NHJ. Saline-Induced Coronary Hyperemia. Circulation: Cardiovascular Interventions 2017, 10 (4), art. no. e004719.

De Carvalho Barbosa M, Kosturakis AK, Eng C, Wendelschafer-Crabb G, Kennedy WR, Simone DA, Wang XS, Cleeland CS, Dougherty PM. A quantitative sensory analysis of peripheral neuropathy in colorectal cancer and its exacerbation by oxaliplatin chemotherapy. Cancer Research 2014; 74 (21) 5955- 5962.

de Carvalho CF, Brioschi ML, Jacobsen Teixeira M. Prevention of breast cancer assisted by medical infrared imaging (extended abstract). Thermology international 2014; 24(1) 15

de Carvalho CF, Brioschi ML, Jacobsen Teixeira M. Uso da Termografia na Avaliação da Ozonioterapia como Tratamento da Epicondilite Lateral. Pan American Journal of Medical Thermology 2015; 2(2) 90-93

De D, Mukherjee A, Sau A, Bhakta I. Design of smart neonatal health monitoring system using SMCC. Healthcare Technology Letters 2017, 4 (1): 13-19.

De Finis R, Palumbo D, Ancona F, Galietti U. Fatigue limit evaluation of various martensitic stainless steels with new robust thermographic data analysis. International Journal of Fatigue 2015; 74: 88-96

de Jalon AG, Perez D, Benito P, Zaversky F. Inspection receiver tubes device for CSP plants. Energy Procedia 2015; 69: 1868-1876

de Jesus Guirro RR, Oliveira Lima Leite Vaz MM, das Neves LMS, Dibai-Filho AV, Carrara HHA, de Oliveira Guirro EC. Accuracy and Reliability of Infrared Thermography in Assessment of the Breasts of Women Affected by Cancer. Journal of Medical Systems 2017, 41 (5), art. no. 87.

de Jong MJ, Pierik MJ, Peters A, Roemers M, Hilhorst V, van Tubergen A. Exploring conditions for redistribution of anti-tumor necrosis factors to reduce spillage: A study on the quality of anti-tumor necrosis factor home storage. Journal of Gastroenterology and Hepatology (Australia) 2018; 33 (2): 426-430.

De Keyser R, van den Broeke EN, Courtin A, Dufour A, Mouraux A. Event-related brain potentials elicited by high-speed cooling of the skin: A robust and non-painful method to assess the spinothalamic system in humans. Clinical Neurophysiology 2018; 129 (5): 1011-1019.

De Leeuw F, Breuskin I, Abbaci M, Casiraghi O, Mirghani H, Ben Lakhdar A, Laplace-Builhé, C, Hartl D. Intraoperative Near-infrared Imaging for Parathyroid Gland Identification by Auto-fluorescence: A Feasibility Study. World Journal of Surgery 2016; 40 (9) 2131-2138

De Lima JLMP, Abrantes JRCB, Silva VP, De Lima MIP, Montenegro AAA. Mapping soil surface macropores using infrared thermography: An exploratory laboratory study. Scientific World Journal 2014; 2014, art. no. 845460.

de Lima JLMP, Silva VP, de Lima MIP, Abrantes JRCB, Montenegro AAA. Revisiting simple methods to estimate drop size distributions: a novel approach based on Infrared thermography. Journal of Hydrology and Hydromechanics 2015; 63 (3): 220-227

de Lima RLP, Abrantes JRCB, de Lima JLMP, de Lima MIP.Using thermal tracers to estimate flow velocities of shallow flows: laboratory and field experiments. Journal of Hydrology and Hydromechanics 2015; 63 (3): 255-262

de Medeiros CR, Brioschi ML, de Souza SN, Teixeira MJ. Infrared thermography to diagnose and manage venomous animal bites and stings. Revista da Sociedade Brasileira de Medicina Tropical 2017, 50 (2): 260-264.

de Médicis É. From visualizing nerves to visualizing blocks: a natural trend? [De la visualisation des nerfs à la visualisation des blocs: une évolution naturelle?]. Canadian Journal of Anesthesia 2017, 64 (11): 1098-1100.

De Mey G, Felczak M, Wiecek B. Modelling and IR measurement of the electronic substrate thermal conductivity. Microelectronics Reliability 2015; 55 (1): 138-142

De Oliveira CRAC, Zanin F, Cassoni A, Rodrigues JA, Silveira L, Jr Pacheco MT, Brugnera A. Analysis of Human Tooth Pulp Chamber Temperature after 670 nm Laser Irradiation: In Vitro Study. Photomedicine and Laser Surgery 2017, 35 (10): 515-519.

De Oliveira HV, Salles-Cunha SX. Digital traumatic fistula and arteriovenous malformation in a patient with ulnar nerve compression syndrome. Journal for Vascular Ultrasound 2017, 41 (1): 18-23.

de Oliveira Pereira, LP, Silva SB, Brioschi ML, Jacobsen Teixeira M. Case report: myofascial pain syndrome in patient with neuromuscular scoliosis - use of thermography in diagnostic and therapy evaluation (extended abstract). Thermology international 2014; 24(1) 20

de Oliveira UF, de Araújo LC, de Andrade PR, dos Santos HH, Moreira DG, Sillero-Quintana M, Ferreira JJA. Skin temperature changes during muscular static stretching exercise. Journal of Exercise Rehabilitation 2018; 14 (3): 451-459.

De Paula G, Lima E, Da Silva E, Costa J, Farias B. Does infrared functional imaging could help clinicians to diagnose late-onset reactions to food? Thermology International 2018; 28(2) 103.

De Pauw R, Choikhet K, Desmet G, Broeckhoven K. Temperature effects in supercritical fluid chromatography: A trade-off between viscous heating and decompression cooling. Journal of Chromatography A 2014; 1365: 212-218.

De Podesta M, Sutton G, Edwards G, Stanger L, Preece H. Practical acoustic thermometry with twin-tube and single-tube sensors. 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465575

De Rosa S, De Cal M, Joannidis M, Villa G, Pacheco JLS, Virzì GM, Samoni S, D'Ippoliti F, Marcante S, Visconti F, Lampariello A, Zannato M, Marafon S, Bonato R, Ronco C. The effect of whole-body cooling on renal function in post-cardiac arrest patients. BMC Nephrology 2017, 18(1) Article Number: 376

De Sousa J, Cheatham C, Wittbrodt M. The effects of a moisture-wicking fabric shirt on the physiological and perceptual responses during acute exercise in the heat. Applied Ergonomics 2014; 45 (6): 1447-1453.

De Sousa NTA, Guirro ECDO, Calió, JG, De Queluz MC, Guirro RRDJ. Application of shortwave diathermy to lower limb increases arterial blood flow velocity and skin temperature in women: a randomized controlled trial. Brazilian Journal of Physical Therapy 2017, 21 (2): 127-137.

De Souza MA, Krefer AG, Benvenutti Borba G, Vizinoni E Silva GJ, Franco APGO, Gamba HR. Generation of 3D thermal models for dentistry applications. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590969 1397-1400

de Souza RC, Pansini M, Arruda G, Valente C, Brioschi ML. Laser acupuncture causes thermal changes in small intestine meridian pathway. Lasers in Medical Science 2016; 31 (8) 1645-1649

de Trotta J, Ulbricht L. Termografia no Diagnóstico Complementar de Doenças Músculo Esqueléticas [Thermography in Complementary Diagnostic of Musculoskeletal Diseases. Pan American Journal of Medical Thermology 2015, 2(1) 7-13

De Vasconcelos JTM, Filho SDSG, Atié, J, Maciel W, De Souza OF, Benchimol Saad E, Kalil CA, De Castro Mendonca R, Araujo N, Pisani CF, Scanavacca MI. Atrial-oesophageal fistula following percutaneous radiofrequency catheter ablation of atrial fibrillation: The risk still persists. Europace 2017, 19 (2): 250-258.

De Vita C, Brun J, Reynard-Carette C, Carette M, Amharrak H, Lyoussi A, Fourmentel D, Villard JF. Study of the influence of heat sources on the out-of-pile calibration curve of calorimetric cells used for nuclear energy deposition quantification. 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465593

de Vries J, Ren N, Chaos M. Temperature measurements on solid surfaces in rack-storage fires using IR thermography. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp. 94850H-94850H-10.

De Weerd L, Weum S, Mercer JB. Detection of perforators using thermal imaging. Plastic and Reconstructive Surgery 2014; 134 (5): 850e-851e.

De Weerd L, Weum S, Mercer JB. Locating perforator vessels by dynamic infrared imaging and flow doppler with no thermal cold challenge. Annals of Plastic Surgery 2014; 72 (2), p. 261.

De Wijk RA, He W, Mensink MGJ, Verhoeven RHG, De Graaf C. ANS responses and facial expressions differentiate between the taste of commercial breakfast drinks. PLoS ONE 2014; 9 (4), art. no. e93823.

Deckers R, Sprinkhuizen SM, Crielaard BJ, Iel JH, Boelens R, Bakker CJG, Storm G, Lammers T, Bartels LW. Absolute MR thermometry using nanocarriers. Contrast Media and Molecular Imaging 2014; 9 (4) 283- 290.

Decorato JW, Chen B, Sierra R. Subcutaneous adipose tissue response to a non-invasive hyperthermic treatment using a 1,060 nm laser. Lasers in Surgery and Medicine 2017, 49 (5): 480-489.

DeCoursey TE. CrossTalk proposal: Proton permeation through H(V)1 requires transient protonation of a conserved aspartate in the S1 transmembrane helix. Journal of Physiology 2017, 595(22) 6793-6795.

Dede O, Bosch P, Bowles AJ, Ward WT, Roach JW. Clinical decision making in early wound drainage following posterior spine surgery in pediatric patients. Spine Deformity 2014; 2 (2): 104- 109.

Dehkharghani S, Fleischer CC, Qiu D, Yepes M, Tong F. Cerebral temperature dysregulation: MR thermographic monitoring in a nonhuman primate study of acute ischemic stroke. American Journal of Neuroradiology 2017, 38 (4) 712-720.

Dejarnac R, Stangeby PC, Goldston RI, Gauthier E, Horacek J, Hron M, Kocan M, Komm M, Panek R, Pitts RA, Vondracek P. Understanding Narrow SOL Power Flux Component I COMPASS Limiter Plasmas By Use of Langmuir Probes. Journal of Nuclear Materials 2015; 463: 381-384

Del Coso J, González C, Abian-Vicen J, Salinero Martín JJ, Soriano L, Areces F, Ruiz D, Gallo C, Lara B, Calleja-González J. Relationship between physiological parameters and performance during a half- ironman triathlon in the heat. Journal of Sports Sciences 2014, 32(18):1680-1687

del Estal A, Brito C-J, Galindo V-E, Lopez Diaz de Durana A, Franchini E, Sillero-Quintana M Thermal asymmetries in striking combat sports athletes measured by infrared thermography [Asymétries thermiques en sport de combat mesurées par thermographie infrarouge]. Science and Sports 2017; 32 (2): e61-e67

Delaney MM, Maji P, Kalita T, Kara N, Rana D, Kumar K, Masoinneuve J, Cousens S, Gawande AA, Kumar V, Kodkany B, Sharma N, Saurastri R, Singh VP, Hirschhorn LR, Semrau KEA, Firestone R. Improving adherence to essential birth practices using the WHO safe childbirth checklistwith peer coaching: Experience from 60 public health facilities in Uttar Pradesh India. Global Health Science and Practice 2017, 5 (2): 217-231.

Delanthabettu S, Menaka M, Venkatraman B, Raj B. Defect depth quantification using lock-in thermography. Quantitative Infrared Thermography Journal 2015; 12 (1): 37-52

Delchambre E, van Houtte D, Courtois X, Aumeunier MH, Bucalossi J. RAMI approach as guidance for optimizing the design of the WEST machine protection system using IR thermography measurements. Fusion Engineering and Design, 96: 772-776.

Dellavalle B, Kirchhoff J, Maretty L, Castberg F.C, Kurtzhals JAL. Implementation of minimally invasive and objective humane endpoints in the study of murine Plasmodium infections. Parasitology 2014; 141 (12): 1621-1627.

Delobelle V, Favier D, Louche H, Connesson N. Determination of Local Thermophysical Properties and Heat of Transition from Thermal Fields Measurement During Drop Calorimetric Experiment. Experimental Mechanics 2015; 55 (4): 711-723

Demiańczyk A, Michaluk K. Evaluation of the effectiveness of selected natural fertility symptoms used for contraception: Estimation of the Pearl index of Lady-Comp Pearly and Daysy cycle computers based on 10 years of observation in the Polish market. Ginekologia Polska 2016; 87 (12) 793-797

Demina AG, Bregovskiy VB, Karpova IA. Criteria of immobilization duration of the affected foot in diabetic Charcot neuro-osteoarthropathy. Diabetes Mellitus 2014; 2014 (4): 60-65.

Demir H, Ozdemir K, Karaman K. Pyogenic liver abscess after laparoscopic sleeve gastrectomy. Pakistan Journal of Medical Sciences 2018; 34 (3): 767-769.

Demir T, Ugurlucan M, Bahceci F, Demir HB, Sezer S. Coronary artery bypass grafting in a patient with myasthenia gravis. Heart Surgery Forum 2014; 17 (5): E239-E241.

Demirel H, Bahar A, Gokgoz N, Arslan M, Dane S. Right-sided lateralization of skin temperature in healthy young persons. Clinical and Investigative Medicine 2016; 39 (6) S121-S124

Den Uil CA, Lagrand WK, Van Der Ent M, Nieman K, Struijs A, Jewbali LSD, Constantinescu AA, Spronk PE, Simoons ML. Conventional hemodynamic resuscitation may fail to optimize tissue perfusion: An observational study on the effects of dobutamine enoximone and norepinephrine in patients with acute myocardial infarction complicated by cardiogenic shock. PLoS ONE 2014; 9 (8), art. no. e103978.

Deneke T, Nentwich K, Berkovitz A, Sonne K, Ene E, Pavlov B, Fochler F, Bötsch A.-K, Kuhn R, Halbfaß, P. High-Resolution Infrared Thermal Imaging of the Esophagus During Atrial Fibrillation Ablation as a Predictor of Endoscopically Detected Thermal Lesions. Circulation. Arrhythmia and electrophysiology 2018; 11 (11) e006681.

Deneke T, Schade A, Diegeler A, Nentwich K. Esophago-pericardial fistula complicating atrial fibrillation ablation using a novel irrigated radiofrequency multipolar ablation catheter. Journal of Cardiovascular Electrophysiology 2014; 25 (4): 442-443.

Deng F, Tang Q, Jiang M, Zhong N, Liu G. Infrared thermal imaging and Doppler vessel pressurization ultrasonography to detect lower extremity deep vein thrombosis: Diagnostic accuracy study. Clinical Respiratory Journal 2018; 12 (3): 1118-1124.

Deng FG, Tang Q, Zeng GQ, Wu H, Zhang NF, Zhong NS. Effectiveness of digital Infrared thermal imaging in detecting lower extremity deep venous thrombosis. Medical Physics 2015; 42 (5): 2242-2248

Deng G, Zhang Y, Luo X, Yang J. Direct extraction of U(VI) from a simulated saline solution by alkali-activated collagen fiber. Journal of Radioanalytical and Nuclear Chemistry 2018; 318 (2): 1109-1118.

Deniz CM, Carluccio G, Collins C. Parallel transmission RF pulse design with strict temperature constraints. NMR in Biomedicine 2017, 30 (5), art. no. e3694.

Deren TM, Coris EE, Casa DJ, Demartini JK, Bain AR, Walz SM, Jay O. Maximum heat loss potential is lower in football linemen during an NCAA summer training camp because of lower self- generated air flow. Journal of Strength and Conditioning Research 2014; 28 (6): 1656-1663.

Derruau S, Renard Y, Pron H, Taiar R, Abdi E, Polidori G, Lorimier S. Combining Magnetic Resonance Imaging (MRI) and Medical Infrared Thermography (MIT) in the pre- and peri-operating management of severe Hidradenitis Suppurativa (HS). Photodiagnosis and Photodynamic Therapy 2018; 23: 9-11.

Derusova DA, Vavilov VP, Pawar SS. Evaluation of equivalent defect heat generation in carbon epoxy composite under powerful ultrasonic stimulation by using infrared thermography. In: IOP Conference Series: Materials Science and Engineering 2015, 81(1) p. 012084 84

Des Marais AM. Detection of cadaveric remains by thermal imaging cameras. Journal of Forensic Identification 2014; 64 (5): 489-512.

Desebbe O, Faulcon C, Henaine R, Tran L, Koffel C, Delannoy B, Lehot J-J, Bastien O, Maucort- Boulch D. Tissue hemoglobin monitoring is unable to follow variations of arterial hemoglobin during transitions from pulsatile to constant flow in cardiac surgery. Journal of Cardiothoracic and Vascular Anesthesia 2014; 28 (3) 668-673

Desmarest M, Aupiais C, Le Gal J, Tourteau L, Le Coz J, de Paepe E, Titomanlio L, Faye A. Value of procalcitonin for infants with bronchiolitis in an emergency department [Dosage de la procalcitonine et bronchiolites vues dans un service d'accueil des urgences pédiatriques]. Archives de Pediatrie 2017, 24 (11): 1060-1066.

Desmedt B, Ates G, Courselle P, De Beer JO, Rogiers V, Hendrickx B, Deconinck E, De Paepe K. In vitro Dermal Absorption of Hydroquinone: Protocol Validation and Applicability on Illegal Skin-Whitening Cosmetics. Skin Pharmacology and Physiology 2017, 29 (6): 300-308.

Destefano Z, Abi-Jaoudeh N, Li M, Wood BJ, Summers RM, Yao J. CT thermometry for cone-beam CT guided ablation. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9786, art no 978615

Devereaux PJ, Biccard BM, Chan MTV. High-sensitivity troponin levels ischemia and mortality-reply. JAMA - Journal of the American Medical Association 2017, 318 (9) 865.

Dhaliwal K, Griffin M, Denton CP, Butler PEM. The novel use of botulinum toxin A for the treatment of Raynaud's phenomenon in the toes. BMJ Case Reports 2018, art. no. bcr-2017-219348.

Dhandhukia JP, Li Z, Peddi S, Kakan S, Mehta A, Tyrpak D, Despanie J, MacKay JA. Berunda polypeptides: Multi-headed fusion proteins promote subcutaneous administration of rapamycin to breast cancer in vivo. Theranostics 2017, 7 (16), art. no. 19981.

Dharmadhikari S, James JR, Nyenhuis J, Bansal N. Evaluation of radiofrequency safety by high temperature resolution MR thermometry using a paramagnetic lanthanide complex. Magnetic Resonance in Medicine 2016; 75 (5) 2121-2129

D'Huys K, Saeys W, De Ketelaere B. Detection of seal contamination in heat sealed food packaging based on active Infrared thermography. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; 94851G- 94851G-13.

Di Carlo A, Elia F, Desiderio F, Catricalà, C, Solivetti FM, Laino L. Can video thermography improve differential diagnosis and therapy between basal cell carcinoma and actinic keratosis? Dermatologic Therapy 2014; 27 (5) 290-297.

Di Giacinto A, Brunetti M, Sepede G, Ferretti A, Merla A. Thermal signature of fear conditioning in mild post traumatic stress disorder. Neuroscience 2014; 266: 216-223.

Di Leo G, Trimboli RM, Sella T, Sardanelli F. Optical imaging of the breast: Basic principles and clinical applications. American Journal of Roentgenology 2017, 209 (1): 230-238.

Di Maio R, Piegari E, Mancini C, Chiapparino A. Quantitative analysis of pulse thermography data for degradation assessment of historical buildings. European Physical Journal Plus 2015; 130(6), 1-8

Di Maria C, Allen J, Dickinson J, Neoh C. Analysis of thermal images to quantify inflammation in Graves' orbitopathy. (extended abstract). Thermology international 2015, 25(3) 112.

Di Maria C, Hainsworth P, Allen J. Microvascular imaging for the intra-operative evaluation of bowel perfusion (extended abstract). Thermology international 2015, 25(3) 104

Di Piazza S, Zotti M, Barranco R, Cecchi G, Greco G, Ventura F. Post-mortem fungal colonization pattern during 6 weeks: Two case studies. Forensic Science International 2018; 289: e18-e23.

Di Tuccio MC, Ludwig N, Gargano M, Bernardi A. Thermographic inspection of cracks in the mixed materials statue: Ratto delle Sabine. Heritage Science 2015; 3: 10

Diaham S, Belijar G, Locatelli ML, Lebey T. Thermal runaway in polyimide at high electric field probed by infrared thermography. Applied Physics Letters 2015; 106 (12) 122903

Diakite M, Odéen H, Todd N, Payne A, Parker DL. Toward real-time temperature monitoring in fat and aqueous tissue during magnetic resonance-guided high-intensity focused ultrasound using a three- dimensional proton resonance frequency T1 method. Magnetic Resonance in Medicine 2014; 72 (1): 178-187.

Díaz LE, Valero MF. Polyurethanes obtained from castor oil modified with triethanolamine: Synthesis mechanical properties biodegradation and biocompatibility. Journal of Biomaterials and Tissue Engineering 2017, 7 (9): 901-909.

Dibai AV, Guirro RRD. Evaluation of myofascial trigger points using infrared thermography: a critical review of the literature. Journal of Manipulative and Physiological Therapeutics 2015; 38 (1): 86-92

Dibai-Filho AV, Barros MA, de Oliveira AK, de Jesus Guirro RR. Electrical impedance of the torso is associated with the pressure pain threshold on myofascial trigger points in patients with chronic neck pain: A cross-sectional study. Journal of Back and Musculoskeletal Rehabilitation 2018; 31 (2): 275-284.

Dibai-Filho AV, Guirro ECO, Ferreira VTK, Brandino HE, Vaz MMOLL, Guirro RRI. Reliability of different methodologies of Infrared image analysis of myofascial trigger points in the upper trapezius muscle. Brazilian Journal of Physical Therapy 2015; 19 (2): 122-128

Dibai-Filho AV, Packer AC, de Souza Costa AC, Rodrigues-Bigaton D. The chronicity of myogenous temporomandibular disorder changes the skin temperature over the anterior temporalis muscle. Journal of Bodywork and Movement Therapies 2014; 18 (3): 430-434.

Dibaji SAR, Wansapura J, Myers MR, Banerjee RK. In vivo monitoring of HIFU induced temperature rise in porcine liver using magnetic resonance thermometry. Journal of Medical Devices Transactions of the ASME 2014; 8 (3), art. no. 030937.

DiBernardo BE, DiBernardo G, Pozner JN. Subsurface Laser and Radiofrequency for Face and Body Rejuvenation. Clinics in Plastic Surgery 2016; 43 (3) 527-533

Dicheva BM, Koning GA. Targeted thermosensitive liposomes: An attractive novel aroach for increased drug delivery to solid tumors. Expert Opinion on Drug Delivery 2014; 11 (1) 83-100.

Dickson MJ, Yakub R, Cheung K. There must be more to surgical wound infection prevention than antibiotic prophylaxis alone. BJOG: An International Journal of Obstetrics and Gynaecology 2014; 121 (12): 1575-1576.

Diesner SC, Bannert C, Gruber S, Dehlink E, Eiwegger T, Szepfalusi Z. The mydriaticum cyclopentolate induces severe allergy in a 5-year-old child. Klinische Padiatrie 2014; 226 (4): 252- 253.

Dietrichs ES, Kondratiev T, Tveita T. Milrinone ameliorates cardiac mechanical dysfunction after hypothermia in an intact rat model. Cryobiology 2014; 69 (3): 361-366.

Diez Artigao I, Diez DS. Detection of pathology of horse extremities with the use of thermography. Thermology International 2018; 28(2) 61-62.

Diez Artigao I. Use of thermography on fracture management in small animal clinics about a clinical case. Thermology International 2018; 28(2) 67-69.

Digesu CS, Weiss KD, Colson YL. Near-infrared sentinel lymph node identification in non-small cell lung cancer. JAMA Surgery 2018; 153 (5): 487-488.

Dijkstra-Tiekstra MJ, Setroikromo A.C, Kraan M, Gkoumassi E, De W ildt-Eggen J. Optimization of the freezing process for hematopoietic progenitor cells: Effect of precooling initial dimethyl sulfoxide concentration freezing program and storage in vapor-phase or liquid nitrogen on in vitro white blood cell quality Transfusion 2014; 54 (12): 3155-3163.

Dikic G, Tomic L, Damnianovic V, Milanovic B. Characterization of periodic cylindrical subsurface defects by pulsed, flash thermography. Surface Review and Letters 2015; 22 (2) 1550032

DiLeo T, Roberge RJ, Kim J-H. Effect of wearing an N95 filtering facepiece respirator on superomedial orbital infrared indirect brain temperature measurements. Journal of Clinical Monitoring and Computing 2017, 31 (1): 67-73.

Dillon CR, Borasi G, Payne A. Analytical estimation of ultrasound properties thermal diffusivity and perfusion using magnetic resonance-guided focused ultrasound temperature data. Physics in Medicine and Biology 2016; 61 (2) 923-936

Dillon CR, Payne A, Christensen DA, Roemer RB. The accuracy and precision of two non-invasive magnetic resonance-guided focused ultrasound-based thermal diffusivity estimation methods. International Journal of Hyperthermia 2014; 2014; 30 (6) 362-371.

Dillon CR, Rieke V, Ghanouni P, Payne A. Thermal diffusivity and perfusion constants from in vivo MR-guided focussed ultrasound treatments: a feasibility study. International Journal of Hyperthermia 2018; 34 (4): 352-362.

Dima V, Demetrian M, Dima C, Nica A. The use of infrared thermography in neonatology (abstract). Thermology international 2014; 24(2) 65.

Dimitrijevic IM, Kocic MN, Lazovic MP, Mancic DD, Marinkovic OK, Zlatanovic DS. Correlation of thermal deficit with clinical parameters and functional status in patients with unilateral lumbosacral radiculopathy. Hong Kong Medical Journal 2016; 22 (4) 320-326

Dinari M, Salehi E, Abdolmaleki A. Thermal and morphological properties of nanocomposite materials based on graphene oxide and L-leucine containing poly(benzimidazole-amide) prepared by ultrasonic irradiation. Ultrasonics Sonochemistry 2018; 41: 59-66.

Dinçer M, Çıtlak G, Akıncı M. A rare cause of acute abdomen in adults: Intestinal malrotation [Erişkinde nadir bir akut karın nedeni: İntestinal malrotasyon]. Haseki Tip Bulteni 2017, 55 (2): 151-153.

Dine S, Aid S, Ouaras K, Malard V, Odorico M, Herlin-Boime N, Habert A, Gerbil-Margueron A, Grisolia C, Chene J, Pieters G, Rousseau B, Vrel D. Synthesis of tungsten nanopowders: Comparison of milling SHS, MASHS and milling-induced chemical processes. Advanced Powder Technology 2015; 26 (5): 1300-1305

Ding D, Miao Z.-H, Wang Z, Fang W.-J, Wang H-B. Identification of cleavage site in hinge region of monoclonal antibody A in liquid formulation. Chinese Journal of New Drugs 2014; 23 (20): 2442-2445 and 2449.

Ding F, Fu J, Jiang D, Hao M, Lin G. Mapping the spatial distribution of Aedes aegypti and Aedes albopictus. Acta Tropica 2018; 178: 155-162.

Ding H, Liang C, Sun K, Wang H, Hiltunen JK, Chen Z Shen J. Dithiothreitol-caed fluorescent gold nanoclusters: An efficient probe for detection of coer(II) ions in aqueous solution. Biosensors and Bioelectronics 2014; 59, 216-220. Dobson G. The August Krogh principle: Seeking unity in diversity. Shock 2014; 42 (5) P 480.

Ding X, Nguyen MM, James IB, Marra KG, Rubin JP, Leers SA, Kim K. Improved Estimation of Ultrasound Thermal Strain Using Pulse Inversion Harmonic Imaging. Ultrasound in Medicine and Biology 2016; 42 (5) 1182-1192

Ding Z, Liu P, Hu D, Sheng Z, Yi H, Gao G, Wu Y, Zhang P, Ling S, Cai L. Redox-responsive dextran based theranostic nanoparticles for near-infrared/magnetic resonance imaging and magnetically targeted photodynamic therapy. Biomaterials Science 2017, 5(4) 762-771.

Diouf I, Rodriguez-Fonseca B, Deme A, Caminade C, Morse AP, Cisse M, Sy I, Dia I, Ermert V, Ndione J-A, Gaye AT. Comparison of malaria simulations driven by meteorological observations and reanalysis products in Senegal. International Journal of Environmental Research and Public Health 2017, 14 (10), art. no. 1119.

Ditcham TG, Wotherspoon A, Kirkbride KP, Lenehan CE, Popelka-Filcoff RS. Thermal decomposition of Australian uranium ore concentrates: characterisation of speciation and morphological changes following thermogravimetric analysis. Journal of Radioanalytical and Nuclear Chemistry 2016; 310 (2) 725-732

Divel SE, Hsieh SS, Wang J, Pelc NJ. Can image-domain filtering of FBP CT reconstructions match low-contrast performance of iterative reconstructions? Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 2018; 10573, art. no. 1057314.

Divo E, Saad H, Boetcher S, Brown J, Kassab A. Inverse vof meshless method for efficient nondestructive thermographic evaluation. Computational Thermal Sciences 2015; 7 (2): 105-121

Do TP, Heldarskard GF, Kolding LT, Hvedstrup J, Schytz HW. Myofascial trigger points in migraine and tension-type headache. The journal of Headache and Pain 2018; 19 (1), p. 84.

Docherty T, Montalto M, Leslie J, King K, Niblett S, Garrett T. Temperature profiles of antibiotic-containing elastomeric infusion devices used by ambulatory care patients. American Journal of Health-System Pharmacy 2017, 74 (13): 992-1001.

Dolz-Marco R, Gal-Or O, Freund KB. Choroidal thickness influences near-infrared reflectance intensity in eyes with geographic atrophy due to age-related macular degeneration. Investigative Ophthalmology and Visual Science 2016; 57 (14) 6440-6446

Domingos J, Ricotti V, Martinez AE, Muntoni F. Severe persistent injection site reactions after subcutaneous 2′-O-methyl phosphorothioate oligonucleotide therapy for Duchenne muscular dystrophy. Neuromuscular Disorders 2018; 28 (2): 176-177.

Dong HL, Zheng BY, Chen FF. Infrared sequence transformation technique for in situ measurement of thermal diffusivity and monitoring of thermal diffusion. Infrared Physics & Technology 2015; 73: 130-140

Dong Y, Ng WK, Hu J, Shen S, Tan RBH. Clay as a matrix former for spray drying of drug nanosuspensions. International Journal of Pharmaceutics 2014; 465 (1-2): 83-89.

Donnelly J, Czosnyka M. The thermodynamic brain. Critical Care 2014; 18 (1), art. no. 693.

Dore R, Levata L, Gachkar S, Jöhren O, Mittag J, Lehnert H, Schulz C. The thermogenic effect of nesfatin-1 requires recruitment of the melanocortin system. Journal of Endocrinology 2017, 235 (2): 111-122.

Dorn H, Schmid G, Eggert T, Sauter C, Bolz T, Danker-Hopfe H. Experimental investigation of possible warmth perception from a head exposure system for human provocation studies with TETRA handset-like signals. Bioelectromagnetics 2014; 35 (6): 452-458.

Dornseifer U, Fichter AM, Von Isenburg S, Stergioula S, Rondak I-C, Ninkovic M. Impact of active thermoregulation on the microcirculation of free flaps. Microsurgery 2016; 36 (3) 216-224

dos Santo EB, Bianco HT, Brioschi ML. Thermography in Assessing Cardiovascular Risk. Pan American Journal of Medical Thermology 2015; 2(1) 23-25

dos Santos EB, Bonasso C, Brioschi ML, Bianco HT, Fernandes Raposo Filho JJ. Diferença entre Gêneros no Teste de Reatividade Vascular com Termografia por Radiação Infravermelha. Pan American Journal of Medical Thermology 2015; 2(2) 78-85

Dostalova T, Kroulikova V, Podzimek S, Jelinková, H. Low-Level Laser Therapy after Wisdom Teeth Surgery: Evaluation of Immunologic Markers (Secretory Immunoglobulin A and Lysozyme Levels) and Thermographic Examination: Placebo Controlled Study. Photomedicine and Laser Surgery 2017, 35 (11): 616-621.

Dou J-P, Yu J, Cheng Z-G, Han Z-Y, Liu F-Y, Yu X-L, Liang P. Ultrasound-Guided Percutaneous Microwave Ablation for Hepatocellular Carcinoma in the Caudate Lobe. Ultrasound in Medicine and Biology 2016; 42 (8) 1825-1833

Dou J-P, Yu J, Han Z-Y, Liu F-Y, Cheng Z-G, Liang P. Microwave ablation for hepatocellular carcinoma associated with Budd–Chiari syndrome after transarterial chemoembolization: an analysis of ten cases. Abdominal Radiology 2017, 42 (3): 962-968.

Dou Y, Hynynen K, Allen C To heat or not to heat: Challenges with clinical translation of thermosensitive liposomes. Journal of Controlled Release 2017, 249: 63-73.

Doughty A, Hasanjee A, Pettitt A, Silk K, Liu H, Chen WR, Zhou F. Temperature distribution in target tumor tissue and photothermal tissue destruction during laser immunotherapy. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9709

Douglas PK, Pisani M, Reid R, Head A, Lau E, Mirakhor E, Bramen J, Gordon B, Anderson A, Kerr WT, Cheong C, Cohen MS. Method for simultaneous fMRI/EEG data collection during a focused attention suggestion for differential thermal sensation. Journal of Visualized Experiments (83), art. no. e3298.

Dow J, Simkhovich BZ, Hale SL, Kay G, Kloner RA. Capsaicin-induced cardioprotection. Is hypothermia or the salvage kinase pathway involved? Cardiovascular drugs and therapy / sponsored by the International Society of Cardiovascular Pharmacotherapy 2014; 28 (4): 295-301.

Downham RP, Brewer ER, King RSP, Luscombe AM, Sears VG. Fingermark visualisation on uncirculated £5 (Bank of England) polymer notes: Initial process comparison studies. Forensic Science International 2017, 275: 30-43.

Drake-Brockman TFE, Hegarty M, Chambers NA, Von Ungernsternberg BS. Monitoring temperature in children undergoing anaesthesia: A comparison of methods. Anaesthesia and Intensive Care 2014; 42 (3): 315-320.

Dritsakou K, Liosis G, Valsami G, Polychronopoulos E, Skouroliakou M. Improved outcomes of feeding low birth weight infants with predominantly raw human milk versus donor banked milk and formula. Journal of Maternal-Fetal and Neonatal Medicine 2016; 29 (7) 1131-1138

Drucker AM, Piguet V. Hot Stuff: Thermal Imaging Aids in Cellulitis Diagnosis. Journal of Investigative Dermatology 2018; 138 (3): 482-484.

Drury P, Levi C, D'Este C, Mcelduff P, Mcinnes E, Hardy J, Dale S, Cheung NW, Grimshaw JM, Quinn C, Ward J, Evans M, Cadilhac D, Griffiths R, Middleton S. Quality in Acute Stroke Care (QASC): Process evaluation of an intervention to improve the management of fever hyperglycemia and swallowing dysfunction following acute stroke. International Journal of Stroke 2014; 9 (6): 766-776.

Drzazga Z, Cholewka A, Ciszek W, Czuba MC, Poprzecki S. TI Body Temperature Depression to Training Exercise in Normobaric Hypoxia - Primary Studies. In: Lackovic I, Vasic D, eds, ProceedingsCT 6th European Conference of the International-Federation-for-Medical-and-Biological-Engineering (MBEC) SEP 07-11 2014, Dubrovnik CROATIA, 2015; 45: 232-235

Du B, Gu X, Zhao W, Liu Z, Li D, Wang E, Wang J. Hybrid of gold nanostar and indocyanine green for targeted imaging-guided diagnosis and phototherapy using low-density laser irradiation. Journal of Materials Chemistry B 2016; 4 (35) 5842-5849

Du B-X, Xiang M-R, Fu Y-P, Jiang H-Q, Gong L-L, Rong R. Structural characterization of Glehniae Radix polysaccharides using partial acid hydrolysis-hydrophilic interaction liquid chromatography-mass spectrometry. Zhongguo Zhongyao Zazhi 2017, 42 (24): 4814-4818.

Du Pont-Thibodeau G, Joyal J.-S, Lacroix J. Management of neonatal sepsis in term newborns. F1000Prime Reports 2014; 6, art. no. 67.

Du X, Li B, Liu H, Yang D, Yu W, Liao J, Huang Z, Xia K. The response of human thermal sensation and its prediction to temperature step-change (cool-neutral-cool). PLoS ONE 2014; 9 (8), art. no. e104320.

Du Y, Zhang H, Feng X. Continuous renal replacement therapy and mild hypothermia for acute left heart failure after cardiovascular surgery. Journal of Thoracic and Cardiovascular Surgery 2014; 148 (1): e137- e139.

Dua G, Mulaveesala R, Siddique JA. Effect of spectral shaping on defect detection in frequency modulated thermal wave imaging. Journal of Optics 2015; 17 (2) 025604

Dua G, Mulaveesala R.Infrared thermography for detection and evaluation of bone density variations by non-stationary thermal wave imaging. Biomedical Physics and Engineering Express 2017, 3(1) Article Number: 017006.

Duarte I, Veseniak M, Krstulovic-Opara L, Anzel I, Ferreira JMF. Manufacturing and bending behaviour of in situ foam-filled aluminium alloy tubes. Materials & Design 2015; 66: 532-544

Duarte I, Veseniak M, Krstulovic-Opara L, Ren ZR. Static and dynamic axial crush performance of in-situ foam-filled tubes. Composite Structures 2015; 124: 128-139

Dudek M, Romanowska J, Wituła T, Trylska J. Interactions of amikacin with the RNA model of the ribosomal A-site: Computational spectroscopic and calorimetric studies. Biochimie 2014; 102 (1) 188-202.

Dudley PN, Bonazza R, Jones TT, Wyneken J, Porter WP. Leatherbacks swimming in silico: Modeling and verifying their momentum and heat balance using computational fluid dynamics. PLoS ONE 2014; 9 (10), art. no. e110701.

Dudzik S. Two-stage neural algorithm for defect detection and characterization uses an active thermography. Infrared Physics & Technology 2015; 71: 187-197

Dula AN, Virostko J, Shellock FG. Reply to "Assessment of MRI issues at 7 T". American Journal of Roentgenology 2014; 203 (5), p. W 561.

Dultsev FN, Kurus NN. Temperature dependence of unwinding forces between complementary oligonucleotides. Journal of Microbiological Methods 2017, 143: 94-97.

Dulz S, Wagenfeld L, Nickel M, Richard G, Schwartz R, Bartsch U, Kohlschütter A, Schulz A. Novel morphological macular findings in juvenile CLN3 disease. British Journal of Ophthalmology 2016; 100 (6) 824-828

Duman Atilla O, Yesilaras M. Headache blurred vision and seizure in hemodialysis patient. Turkiye Acil Tip Dergisi 2014; 14 (2), p. 45.

Duman FD, Erkisa M, Khodadust R, Ari F, Ulukaya E, Acar HY. Folic acid-conjugated cationic Ag_2S quantum dots for optical imaging and selective doxorubicin delivery to HeLa cells. Nanomedicine 2017, 12 (19): 2319-2333.

Dumm G, Fallon JB, W illiams CE, Shivdasani MN. Virtual electrodes by current steering in retinal prostheses. Investigative Ophthalmology and Visual Science 2014; 55 (12): 8077-8085.

Dumoulin J, Criniere A, Averty R. Outdoor thermal monitoring of large scale structures by Infrared thermography integrated in an ICT based architecture. In: Meriaudeau F, Aubreton O, eds Proceedings of SPIE 12th International Conference on Quality Control by Artificial Vision JUN 03-05, 2015, Le Creusot France, 2015; pp. 95341H-95341H-7

Dunbar RL, Goel H, Tuteja S, Song W-L, Nathanson G, Babar Z, Lalic D, Gelfand JM, Rader DJ, Grove GL. Measuring niacin-associated skin toxicity (NASTy) stigmata along with symptoms to aid development of niacin mimetics. Journal of Lipid Research 2017, 58(4) 783-797.

Duncan AE, Torgerson-White LL, Allard SM, Schneider T. An evaluation of infrared thermography for detection of bumblefoot (pododermatitis) in penguins. Journal of Zoo and Wildlife Medicine 2016; 47 (2) 474-485

Duong D, Shastri D, Pavlidis I. Dynamic 3D print of the breathing function. Proceedings - 2017 IEEE 17th International Conference on Bioinformatics and Bioengineering BIBE 2017, 2018, pp. 402-408.

Duong T, Li X, Yang B, Schumann C, Albarqi HA, Taratula O, Taratula O. Phototheranostic nanoplatform based on a single cyanine dye for image-guided combinatorial phototherapy. Nanomedicine: Nanotechnology Biology and Medicine 2017, 13 (3): 955-963.

Duquesne M, Godin A, del Barrio EP, Daranlot J. Experimental analysis of heterogeneous nucleation in undercooled melts by Infrared thermography. Quantitative Infrared Thermography Journal 2015; 12 (1): 112-126

Duraes EFR, Madajka M, Frautschi R, Soliman B, Cakmakoglu C, Barnett A, Tadisina K, Liu Q, Grady P, Quintini C, Okamoto T, Papay F, Rampazzo A, Bassiri Gharb B. Developing a protocol for normothermic ex-situ limb perfusion. Microsurgery 2018; 38 (2): 185-194.

Duran SR, Aggarwal S, Natarajan G. The effect of transport on the physiologic stability of neonates with ductal-dependent single-ventricle lesions. Journal of Maternal-Fetal and Neonatal Medicine 2018; 31 (4): 500-505.

Durán-Lobato M, Martín-Banderas L, Lopes R, Gonçalves LMD, Fernández-Arévalo M, Almeida AJ. Lipid nanoparticles as an emerging platform for cannabinoid delivery: Physicochemical optimization and biocompatibility. Drug Development and Industrial Pharmacy 2016; 42 (2) 190-198

Durnovo EA, Potekhina YP, Marochkina MS, Yanova NA, Sahakyan M.Y, Ryzhevsky DV. Diagnostic capabilities of infrared thermography in the examination of patients with diseases of maxillofacial area. Sovremennye Tehnologii v Medicine 2014; 6 (2): 61-65.

Duschka RL, Wojtczyk H, Panagiotopoulos N, Haegele J, Bringout G, Buzug TM, Barkhausen J, Vogt FM. Safety measurements for heating of instruments for cardiovascular interventions in magnetic particle imaging (MPI) - First experiences. Journal of Healthcare Engineering 2014; 5 (1): 79-94.

Duymus M, Orman G, Özben S, Hüseyinoğlu N, Ulaşli AM. The association between bifid median nerve and carpal tunnel syndrome: Is it really a risk factor? Archives of Rheumatology 2014; 29 (2): 105-109.

Dymek K, Dejmek P, Galindo FG, Wisniewski M. Influence of vacuum impregnation and pulsed electric field on the freezing temperature and ice propagation rates of spinach leaves. LWT-Food Science and Technology 2015; 64 (1): 497-502

e Côrte ACR, Hernandez AJ. Application of medical infrared thermography to sports medicine [Termografia médica infravermelha aplicada à medicina do esporte] [Termografía médica infrarroja aplicada a la medicina deportiva]. Revista Brasileira de Medicina do Esporte 2016; 22 (4) 315-319

Eain MMG, Egan V, Punch J. Local Nusselt number enhancements in liquid-liquid Taylor flows. International Journal of Heat and Mass Transfer 2015; 80: 85-97

Earhart EL, Weiss EP, Rahman R, Kelly PV. Effects of oral sodium supplementation on indices of thermoregulation in trained endurance athletes. Journal of Sports Science and Medicine 2014; 14 (1): 172- 178.

Earle RR, Bandaru KK, Lakshmi Usha A. Formulation and characterization of sustained release coated matrix granules of metformin hydrochloride. Asian Journal of Pharmaceutical and Clinical Research 2018; 11 (7) 387-392.

Ebrahimi H, Pourabdian S, Forouharmajd F. Evaluation of the effects of radio frequency waves and mobile phone distance on cow brain tissue temperature. Scientific Journal of Kurdistan University of Medical Sciences 2018; 23 (2): 37-45.

Ebrahimpour L, Morteza A, Akhlaghpoor S. Management of intravenous contrast extravasations with ultrasonography: A case report. Journal of Medical Imaging and Radiation Sciences 2014; 45 (3) 327-329.

Edelman GJ, Aalders MC. Photogrammetry using visible infrared hyperspectral and thermal imaging of crime scenes. Forensic Science International 2018; 292: 181-189.

Eder C, Valente V, Donaldson N, Demosthenous A. A CMOS smart temperature and humidity sensor with combined readout. Sensors (Basel Switzerland) 2014; 14 (9): 17192-17211.

Edis E, Flores-Colen I, De Brito J. Time-Dependent Passive Building Thermography for Detecting Delamination of Adhered Ceramic Cladding. Journal of Nondestructive Evaluation 2015, 34(3), 1-16.

Edner A, Lindberg LG, Brostrom H, Bergh A. Does a magnetic blanket induce changes in muscular blood flow skin temperature and muscular tension in horses? Equine Veterinary Journal 2015; 47 (3): 302-307

Edoh T. Risk Prevention of Spreading Emerging Infectious Diseases Using a HybridCrowdsensing Paradigm Optical Sensors and Smartphone. Journal of Medical Systems 2018; 42 (5), art. no. 91.

Eeman M, Olofsson G, Sparr E, Nasir MN, Nylander T, Deleu M. Interaction of fengycin with stratum corneum mimicking model membranes: A calorimetry study. Colloids and Surfaces B: Biointerfaces 2014; 121, 27-35.

Effatparvar M, Jamshidi N, Karimian A. Bone temperature reduction during drilling via alcohol: Brief report. Tehran University Medical Journal 2016; 74 (8) 597-600

Efstathiou P, Kouskouni E, Manolidou Z, Tseroni M, Karageorgou K, Maltezou HC, Chalkias A, Papanikolaou S, Efstathiou A, Logothetis E. Copper-coated thermometer for the prevention of cross- infections: Preliminary results. American Journal of Emergency Medicine 2016; 34 (3) 653-656

Ehara N, Hirose T, Shiozaki T, Wakai A, Nishimura T, Mori N, Ohnishi M, Sadamitsu D, Shimazu T. The relationship between cerebral regional oxygen saturation during extracorporeal cardiopulmonary resuscitation and the neurological outcome in a retrospective analysis of 16 cases. Journal of Intensive Care 2017, 5 (1), art. no. 20.

Eiamsa-ard S, Nanan K, Wongcharee K. Heat transfer visualization of co/counter-dual swirling impinging jets by thermochromic liquid crystal method. International Journal of Heat and Mass Transfer 2015; 86: 600-621

Eidstuen SC, Uleberg O, Vangberg G, Skogvoll E. When do trauma patients lose temperature? – a prospective observational study. Acta Anaesthesiologica Scandinavica 2018; 62 (3): 384-393.

Eijsvogels TM, Bongers C.C, Veltmeijer MT, Moen MH, Hopman M. Cooling during exercise in temperate conditions: impact on performance and thermoregulation. International Journal of Sports Medicine 2014; 35 (10): 840-846.

Ektate K, Kapoor A, Maples D, Tuysuzoglu A, Van Osdol J, Ramasami S, Ranjan A. Motion compensated ultrasound imaging allows thermometry and image guided drug delivery monitoring from echogenic liposomes. Theranostics 2016; 6 (11) 1963-1974

El Bitar N, Pollin B, Karroum E, Pincedé, I, Mouraux A, Le Bars D. Thermoregulatory vasomotor tone of the rat tail and paws in thermoneutral conditions and its impact on a behavioral model of acute pain. Journal of Neurophysiology 2014; 112 (9): 2185-2198.

El Bitar N, Pollin B, Le Bars D. “On-” and “off-” cells in the rostral ventromedial medulla of rats held in thermoneutral conditions: Are they involved in thermoregulation? Journal of Neurophysiology 2014; 112 (9) 2199-2217.

El Hadi H, Frascati A, Granzotto M, Silvestrin V, Ferlini E, Vettor R, Rossato M. Infrared thermography for indirect assessment of activation of brown adipose tissue in lean and obese male subjects. Physiological Measurement 2016; 37 (12), art no N118 N118-N128

El Hadi H, Vettor R, Rossato M. Functional imaging of brown adipose tissue in human. Hormone Molecular Biology and Clinical Investigation 2017, 31 (1), art. no. 20170009.

El Mezouar I, Abourazzak F.Z, Mansouri S, Harzy T. Septic arthritis of the pubic symphysis: A case report. Pan African Medical Journal 2014; 18, art. no. 149.

El Yagoubi J, Lamon J, Batsale JC, Dhote J, Le Flem M. Multiscale Thermal Characterization of Mechanically Loaded Ceramic Matrix Composite. Experimental Mechanics 2015; 55 (4): 783-794

ElBardisi H, Arafa M, Rengan AK, Durairajanayagam D, AlSaid SS, Khalafalla K, AlRumaihi K, Majzoub A, Agarwal A. Varicocele among infertile men in Qatar. Andrologia 2017, 49 (4), art. no. e12637.

Elbes D, Denost Q, Robert B, Köhler MO, Tanter M, Bruno Q. Magnetic resonance imaging for the exploitation of bubble-enhanced heating by high-intensity focused ultrasound: A feasibility study in ex vivo liver. Ultrasound in Medicine and Biology 2014;40 (5) 956-964.

Elghoul Y, Frikha M, Abdelmlak S, Chtourou H, Dammak K, Chamari K, Souissi N. Time-of-day effect on dart-throwing performance and the perception of the difficulty of the task in 9-10year-old boys Biological Rhythm Research 2014; 45 (4): 523-532.

Elliott GD, Wang S, Fuller BJ. Cryoprotectants: A review of the actions and applications of cryoprotective solutes that modulate cell recovery from ultra-low temperatures. Cryobiology 2017, 76: 74-91.

Ellis-Hutchings RG, Moore NP, Marshall VA, Rasoulpour RJ, Carney EW. Disposition of glycolic acid into rat and rabbit embryos in vitro. Reproductive Toxicology 2014; 46: 46-55.

Ellul C, Formosa C, Gatt A, Hamadani AA, Armstrong DG. The Effectiveness of Calf Muscle Electrostimulation on Vascular Perfusion and Walking Capacity in Patients Living with Type 2 Diabetes Mellitus and Peripheral Artery Disease. International Journal of Lower Extremity Wounds 2017, 16 (2): 122-128.

Elstad M, Vanggaard L, Lossius AH, Walløe L, Kristin Bergersen T. Responses in acral and non- acral skin vasomotion and temperature during lowering of ambient temperature. Journal of Thermal Biology 2014; 45: 168-174.

Elzein F, Mohammed N, Ali N, Bahloul A, Albadani A, Alsherbeeni N. Pulmonary manifestation of Plasmodium falciparum malaria: Case reports and review of the literature. Respiratory Medicine Case Reports 2017, 22: 83-86.

Emanuel KS, Mader KT, Peeters M, Kingma I, Rustenburg CME, Vergroesen P.-PA, Sammon C, Smit TH. Early changes in the extracellular matrix of the degenerating intervertebral disc assessed by Fourier transform infrared imaging. Osteoarthritis and Cartilage 2018; 26 (10): 1400-1408.

Enayatifard R, Akbari J, Alami S. Investigating the effects of humidity and temperature on rate and kinetics of theophylline release from hydrophilic matrices. Journal of Mazandaran University of Medical Sciences 2018; 28 (163): 113-118.

Endo K, Norimatsu K, Nakamura T, Setoya T, Nakamae K. Thermoreflectance mapping observation of Power MOSFET under UIS, avalanche breakdown condition. Microelectronics Reliability 2015; 55(9)-10: 1628-1633

Eng CC, Ibrahim NA, Zainuddin N, Ariffin H, Yunus WZW. Impact strength and flexural properties enhancement of methacrylate silane treated oil palm mesocarp fiber reinforced biodegradable hybrid composites. Scientific World Journal 2014; 2014.

Eng JW-L, Reed CB, Kokolus KM, Repasky EA. Housing temperature influences the pattern of heat shock protein induction in mice following mild whole-body hyperthermia. International Journal of Hyperthermia 2014; 30 (8) 540-546.

Eng OS, Raoof M, O'leary MP, Lew MW, Wakabayashi MT, Paz IB, Melstrom LG, Lee B. Hypothermia is Associated with Surgical Site Infection in Cytoreductive Surgery with Hyperthermic Intra-Peritoneal Chemotherapy. Surgical Infections 2018; 19 (6): 618-621.

Engin B, Keçici AS, Yilmaz S, Kutlubay Z, Serdaroğlu S, Tüzün Y. Infrared imaging in diagnosis of dysplastic nevi and malignant melanoma [Kızılötesi işık ile atipik nevus ve malign melanom tesbiti]. Turkiye Klinikleri Journal of Medical Sciences 2016; 36 (1) 14-21

Englisz B, Cholewka A, Firganek E, Baic A, Knefel G, Lizka G, Kawecki M; Nowak M. Effect of hyperbaric oxygen therapy on delayed wound healing evaluated by thermal imaging and planimetry. Thermology international 2017; 27 (2) 72

Englisz B, Cholewka A, Firganek E, Knefel G, Liszka G, Kawecki M, Nowak M, Sieron K, Stanek A. Evaluation of hyperbaric oxygen therapy effects in hard-to-heal wounds studied by thermal imaging and planimetry. Thermology International 2018; 28 (Supplement) S26

Engorn BM, Kahntroff SL, Frank KM, Singh S, Harvey HA, Barkulis CT, Barnett AM, Olambiwonnu OO, Heitmiller ES, Greenberg RS. Perioperative hypothermia in neonatal intensive care unit patients: effectiveness of a thermoregulation intervention and associated risk factors. Paediatric Anaesthesia 2017, 27 (2): 196-204.

Ensom MHH, Décarie D. Stability of extemporaneously compounded clonidine in glass and plastic bottles and plastic syringes. Canadian Journal of Hospital Pharmacy 2014; 67 (4): 308-310.

Enzmann GU, Pavlidou S, Vaas M, Klohs J, Engelhardt B. ICAM-1null C57BL/6 Mice Are Not Protected from Experimental Ischemic Stroke. Translational Stroke Research 2018; 9 (6): 608-621.

Eppard E, Homann T, De La Fuente A, Essler M, Rosch F. Optimization of labeling PSMAHBED with ethanol-postprocessed 68ga and its quality control systems. Journal of Nuclear Medicine 2017, 58 (3): 432-437.

Epperla CP, Chen OY, Chang H-C. Gold/diamond nanohybrids may reveal how hyperlocalized hyperthermia kills cancer cells. Nanomedicine 2016; 11 (5) 443-445

Eppleston J, Begg DJ, Dhand NK, W att B, Whittington RJ. Environmental survival of Mycobacterium avium subsp. paratuberculosis in different climatic zones of eastern Australia. Applied and Environmental Microbiology 2014; 80 (8): 2337-2342.

Epstein RH, Dexter F, Hofer IS, Rodriguez LI, Schwenk ES, Maga JM, Hindman BJ. Perioperative temperature measurement considerations relevant to reporting requirements for national quality programs using data from anesthesia information management systems. Anesthesia and Analgesia 2018; 126 (2): 478-486.

Eranki A, Farr N, Partanen A, Sharma KV, Rossi CT, Rosenberg AZ, Kim A, Oetgen M, Celik H, Woods D, Yarmolenko PS, Kim PCW, Wood BJ. Mechanical fractionation of tissues using microsecond-long HIFU pulses on a clinical MR-HIFU system. International Journal of Hyperthermia 2018; 34 (8): 1213-1224.

Erbani R, Dégrugilliers L, Lahana A, Glusko-Charlet A, Haraux E, Durand E, Tourneux P. Failing to meet relative humidity targets for incubated neonates causes higher heat loss and metabolic costs in the first week of life. Acta Paediatrica International Journal of Paediatrics 2018; 107 (7): 1177-1183.

Erbay C, Carreon-Bautista S, Sanchez-Sinencio E, Han A. High performance monolithic power management system with dynamic maximum power point tracking for microbial fuel cells. Environmental Science and Technology 2014; 48 (23): 13992-13999.

Erel VK, Özkan HS. Thermal camera as a pain monitor. Journal of Pain Research 2017, 10: 2827-2832.

Erelli R, Saha AK, Panigrahj PK. K, influence of turn geometry on turbulent fluid flow and heat transfer in a stationary two-pass square duct. International Journal of Heat and Mass Transfer 2015; 89: 667-684

Ergin M, Erdogan S, Akturk O, Erel O. The effects of transport by car on coagulation tests. Clinical Chemistry and Laboratory Medicine 2017, 55 (12): 1943-1947.

Eristow Nogueira F, Brioschi ML Jacobsen Teixeira M. Acupunture induced thermographic alterations (extended abstract). Thermology international 2014; 24(1) 17

Erlinge D, Götberg M, Lang I, Holzer M, Noc M, Clemmensen P, Jensen U, Metzler B, James S, Bötker HE, Omerovic E, Engblom H, Carlsson M, Arheden H, Östlund O, Wallentin L, Harnek J, Olivecrona GK. Rapid endovascular catheter core cooling combined with cold saline as an adjunct to percutaneous coronary intervention for the treatment of acute myocardial infarction: The CHILL- MI trial: A randomized controlled study of the use of central venous catheter core cooling combined with cold saline as an adjunct to percutaneous coronary intervention for the treatment of acute myocardial infarction. Journal of the American College of Cardiology 2014; 63 (18): 1857- 1865.

Eronina TB, Chebotareva NA, Sluchanko NN, Mikhaylova VV, Makeeva VF, Roman SG, Kleymenov SY, Kurganov BI. Dual effect of arginine on aggregation of phosphorylase kinase. International Journal of Biological Macromolecules 2014; 68, 225-232.

Eronina TB, Chebotareva NA, Sluchanko NN, Mikhaylova VV, Makeeva VF, Roman SG, Kleymenov S.Y, Kurganov BI. Dual effect of arginine on aggregation of phosphorylase kinase International Journal of Biological Macromolecules 2014; 68: 225-232.

Erratum: Comparison of rectal and aural core body temperature thermometry in hyperthermic exercising individuals: A meta-analysis (Journal of Athletic Training 49:1 (138) DOI: 10.4085/1062- 6050-49.1.10)) Journal of Athletic Training 2014; 49 (1), p. 138.

Ertürk MA, Hegde SS, Bottomley PA. Radiofrequency ablation MR thermometry and high-spatial- resolution MR parametric imaging with a single minimally invasive device. Radiology 2016; 281 (3) 927- 932

Eryaman Y, Lagore RL, Ertürk MA, Utecht L, Zhang P, Torrado-Carvajal A, Türk EA, DelaBarre L, Metzger GJ, Adriany G, Uğurbil K, Vaughan JT. Radiofrequency heating studies on anesthetized swine using fractionated dipole antennas at 10.5 T. Magnetic Resonance in Medicine 2018; 79 (1): 479-488.

Escamilla-Galindo VL, Estal-Martínez A, Adamczyk JG, Brito CJ, Arnaiz-Lastras J, Sillero-Quintana M. Skin temperature response to unilateral training measured with infrared thermography. Journal of Exercise Rehabilitation 2017, 13 (5): 526-534.

Esenaliev RO. Optoacoustic monitoring of physiologic variables. Frontiers in Physiology 2017, 8: art. no. 1030.

Esfahani AJ, Mahdavi SR, Shiran MB, Khoei S The role of radiofrequency hyperthermia in the radiosensitization of a human prostate cancer cell line. Cell Journal 2017, 19 (Supplement 1) 86-95.

Eshraghi Y, Nasr V, Parra-Sanchez I, Van Duren A, Botham M, Santoscoy T, Sessler DI. An evaluation of a zero-heat-flux cutaneous thermometer in cardiac surgical patients. Anesthesia and Analgesia 2014; 119 (3): 543-549.

Esposito E, Ebner M, Ziemann U, Poli S. In cold blood: Intraarteral cold infusions for selective brain cooling in stroke. Journal of Cerebral Blood Flow and Metabolism 2014; 34 (5): 743-752.

Esposito G, Nakazawa J, Ogawa S, Stival R, Kawashima A, Putnick DL, Bornstein MH. Baby you light-up my face: Culture-general physiological responses to infants and culture-specific cognitive judgements of adults. PLoS ONE 2014; 9 (10), art. no. e106705.

Esposito G, Nakazawa J, Ogawa S, Stival R, Putnick DL, Bornstein MH. Using Infrared thermography to assess emotional responses to infants. Early Child Development and Care 2015; 185 (3): 438-447

Estes III NAM. EP news: Clinical. Heart Rhythm 2014; 11 (4), p. 743.

Ettrich U, Konrad B, Prate K, Seifert J, Krummenauer F. Mild whole-body hyperthermia in combination with inpatient multimodal oriented pain therapY Evaluation in patients with chronic unspecific lumbar back pain [Milde

Ganzkörperhyperthermie in Kombination mit stationärer multimodal orientierter Schmerztherapie: Evaluation bei Patienten mit chronischem unspezifischem lumbalem Rückenschmerz]. 2014; Orthopäde 43 (2) 165-174.

Eugénio G, Tavares J, Marques M, Duarte C, Da Silva JAP. Just a painful swelling of the ankles? BMJ (Online) 2018; 360, art. no. k436.

Evron S, Weissman A, Toivis V, Shahaf DB, You J, Sessler DI, Ezri T. Evaluation of the temple touch pro a novel noninvasive coreerature monitoring system. Anesthesia and Analgesia 2017, 125 (1): 103-109.

Exarchos DA, Dalla PT, Tragazikis IK, Matikas TE. The effect of CNTs reinforcement on thermal and electrical properties of cement-based materials. In: Peters KI, ed, Proceedings of SPIE, Conference on Smart Sensor Phenomena Technology Networks and Systems integration, MAR 09-10 2015 San Diego CA, 2015; pp. 94360E-94360E-7.

Exarchos DA, Tragazikis I, Psarobas I, Matikas TE. Characterization of Phononic Heterostructures by Infrared Thermography. In: Hsieh SI, Zalameda JN, eds Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015 Baltimore MD, 2015; pp. 94850Y- 94850Y-8.

Eyvazzadeh N, Shakeri-Zadeh A, Fekrazad R, Amini E, Ghaznavi H, Kamran Kamrava S. Gold-coated magnetic nanoparticle as a nanotheranostic agent for magnetic resonance imaging and photothermal therapy of cancer. Lasers in Medical Science 2017, 32 (7): 1469-1477.

Facchinetti M, Florin P, Doudard C, Calloch S. Identification of Self-Heating Phenomena Under Cyclic Loadings Using Full-Field Thermal and Kinematic Measurements: Application to High-Cycle Fatigue of Seam Weld Joints. Experimental Mechanics 2015; 55 (4): 681-698

Fahrenholtz SJ, Madankan R, Danish S, Hazle JD, Stafford RJ, Fuentes D. Theoretical model for laser ablation outcome predictions in brain: Calibration and validation on clinical MR thermometry images. International Journal of Hyperthermia 2018; 34 (1): 101-111.

Faibish D, Gomes A, Boivin G, Binderman I, Boskey A. Erratum: Corrigendum to “Infrared imaging of calcified tissue in bone biopsies from adults with osteomalacia” (Bone (2005) 36(1) (6–12) (S8756328204003412) (101016/jbone200408019)). Bone 2016; 93, p 237

Faisal M, Shahab U, Alatar AA, Ahmad S. Preferential recognition of auto-antibodies against 4-hydroxynonenal modified DNA in the cancer patients. Journal of Clinical Laboratory Analysis 2017, 31 (6), art. no. e22130.

Faizi M, Farrier AJ, Venkatesan M, Thomas C, Uzoigwe CE, Balasubramanian S, Smith RP. Is body temperature an independent predictor of mortality in hip fracture patients? Injury 2014; 45 (12): 1942-1945.

Falkenstein F, Gutknecht N, Franzen R. Analysis of laser transmission and thermal effects on the inner root surface during periodontal treatment with a 940-nm diode laser in an in vitro pocket model. Journal of Biomedical Optics 2014; 19 (12), art. no. 128002.

Fallucco MA, Snell CP, Desai AR. DIEP flap customization using Fluobeam® indocyanine green tissue perfusion assessment with large previous abdominal scar. JPRAS Open 2017, 12: 25-30.

Falzon O, Ciantar A, Sammut L, Schembri M, Baron YM, Calleja-Agius J, Demicoli P, Kenneth Camilleri P. Principal Component Analysis of Dynamic Thermography Data from Pregnant and Non-Pregnant Women. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8513497: 5664-5667.

Fan CL, Wang HL, Zhang L, Yang L, Sun FR. A fake defect phenomenon in defect detection of thermographic NDT: a three-dimensional numerical analysis. In: Gong H, Wu N, Ni Y, Chen W, Lu J, eds, Proceedings of SPIE Annual Conference of the Chinese-Society-for-Optical-Engineering on Applied Optics and Photonics China (AOPC), MAY 05-07 2015 Beijing China, 2015; pp. 967435-967435-9.

Fan J, Guo X, Wu C, Crupj V, Guglielmino E. Influence of Heat Treatments on Mechanical Behavior of FV520B Steel. Experimental Techniques 2015; 39 (2): 55-64

Fan JL, Guo XL, Wu CW, Zhao YG, Guo Q. Stress assessment and fatigue behavior evaluation of components with defects based on the finite element method and lock-in thermography. Proceedings of The Institution of Mechanical Engineers Part C-Journal of, Mechanical Engineering Science 2015; 229 (7): 1194-1205

Fang JL, Campbell MS, Weaver AL, Mara KC, Schuning VS, Carey WA, Colby CE. The impact of telemedicine on the quality of newborn resuscitation: A retrospective study. Resuscitation 2018; 125: 48-55.

Fang X, Yang S, Chingin K, Zhu L, Zhang X, Zhou Z, Zhao Z. Quantitative detection of trace malachite green in aquiculturewater samples by extractive electrospray ionization mass spectrometry. International Journal of Environmental Research and Public Health 2016; 13 (8), art no 814

Fang Y, Zhang W, Zhu M, Chen S, Liu X, Lu W, Zhang X. Characterization of a near-infrared fluorescent DCPO-tagged glucose analogue for cancer cell imaging. Journal of Photochemistry and Photobiology B: Biology 2017, 166: 264-271.

Fani F, Schena E, Saccomandi P, Silvestri S. CT-based thermometry: An overview. International Journal of Hyperthermia 2014; 2014; 30 (4) 219-227.

Fanning E, Persoons T, Murray DB. Heat transfer and flow characteristics of a pair of adjacent impinging synthetic jets. International Journal of Heat and Fluid Flow 2015; 54: 153-166

Farah R, Khamisy-Farah R, Makhoul N. Consecutive measures of CRP correlate with length of hospital stay in patients with community-acquired pneumonia. Israel Medical Association Journal 2018; 20 (6): 345-348.

Farges O, Boleslawski E, Vibert E. Reply to "relevance of Postoperative Peak Transaminase after Elective Hepatectomy". Annals of Surgery 2017, 266(6) e60-e61

Farhat M, Chen PY, Bagci H, Amra C, Guenneau S, Alu A. Thermal invisibility based on scattering cancellation and mantle cloaking. Scientific Reports 2015; 5: 9876

Faroongsarng D, Kongprasertkit J. The Role of Caprylate Ligand Ion on the Stabilization of Human Serum Albumin. AAPS PharmSciTech 2014; 15 (2) 465-471.

Farrell AP, Eliason EJ, Clark TD, Steinhausen MF. Oxygen removal from water versus arterial oxygen delivery: calibrating the Fick equation in Pacific salmon. Journal of Comparative Physiology B: Biochemical Systemic and Environmental Physiology 2014;184 (7) 855-864.

Farronato G, Cossellu G, Miani A, Ceschel G, Tremolati M, Picozzi V, Angiero F. Effect of thermosetting gel with Doxycycline Hyclate 3% + Ketorolac Tromethamine 0.5% on postoperative discomfort after third molar surgery: A prospective randomized study. European Journal of Inflammation 2014; 12 (1): 203-208.

Farsalinos KE, Gillman G. Carbonyl emissions in e-cigarette aerosol: A systematic review and methodological considerations. Frontiers in Physiology 2018; 8: art. no. 1119.

Fasano A, Anfuso L, Arena G, Pandozi C. Thermal field in cryoablation procedures for pulmonary veins isolation: Importance of esophageal temperature monitoring. Journal of Atrial Fibrillation 2017, 9 (6).

Fasano A. Monitoring esophageal temperature during catheter ablation. Journal of Atrial Fibrillation 2017, 10:2.

Fasano A. Reliability of luminal oesophageal temperature monitoring during pulmonary veins isolation. Europace 2017, 19 (8), p. 1411.

Fassoulaki A, Paraskeva A, Tsaroucha A. Cesarean delivery under spinal anesthesia is associated with decreases in cerebral oxygen saturation as assessed by NIRS: An observational study. Current Medical Research and Opinion 2014; 30 (3): 331-337.

Fatima S, Mohanty AR, Naikan VNA. A misalignment detection methodology by measuring rate of temperature rise of shaft coupling using thermal imaging. Proceedings of The Institution of Mechanical Engineers Part O-Journal of Risk and Reliability 2015; 229 (3): 209-219

Favazza CP, Edmonson HA, Ma C, Shu Y, Felmlee JP, Watson RE, Gorny KR. Evaluation of feasibility of 1.5 Tesla prostate MRI using body coil RF transmit in a patient with an implanted vagus nerve stimulator. Medical Physics 2017, 44 (11): 5749-5754.

Favazza CP, King DM, Edmonson HA, Felmlee JP, Rossman PJ, Hangiandreou NJ, W atson RE, Gorny KR. Use of a radio frequency shield during 1.5 and 3.0 tesla magnetic resonance imaging: Experimental evaluation Medical Devices: Evidence and Research 2014; 7: 363-370.

Favero M, Ramonda R, Rossato M. Efficacy of intra-articular corticosteroid injection in erosive hand osteoarthritis: infrared thermal imaging. Rheumatology (Oxford England) 2017, 56 (1), p. 86.

Favi PM, Zhang Q, O'Neill H, Mamontov E, Diallo SO. Dynamics of lysozyme and its hydration water under an electric field. Journal of Biological Physics 2014; 40 (2): 167-178.

Fazel Bakhsheshi M, Stewart EE, Tai JH, Morrison L, Keenliside L, Lee T-Y. Efficacy of Selective Brain Cooling Using a Nasopharyngeal Method in Piglets. Neurocritical Care 2016; 24 (1) 140-149

Fein M, Quinn J, W att K, Nichols T, Kimble R, Cuttle L. Prehospital paediatric burn care: New priorities in paramedic reporting. EMA - Emergency Medicine Australasia 2014; 26 (6): 609-615.

Feketa VV, Zhang Y, Cao Z, Balasubramanian A, Flores CM, Player MR, Marrelli SP. Transient receptor potential melastatin 8 channel inhibition potentiates the hypothermic response to transient receptor potential vanilloid 1 activation in the conscious mouse. Critical Care Medicine 2015, 42 (5): e355-e363.

Feng B, Tang Y-S, Chen B, Dai Y-J, Xu C-L, Xu Z-H, Zhang X-N, Zhang S-H, Hu W-W, Chen Z. Dysfunction of thermoregulation contributes to the generation of hyperthermia-induced seizures. Neuroscience Letters 2014; 581: 129-134.

Feng Z, Li J, Qiao X, Li L, Yang H, Hu M. A thermally annealed Mach-Zehnder interferometer for high temperature measurement. Sensors (Basel Switzerland) 2014; 14 (8): 14210-14221.

Fenner K, Yoon S, White P, Starling M, McGreevy P. The effect of noseband tightening on horses' behavior eye temperature and cardiac responses. PLoS ONE 2016; 11 (5), art no e0154179

Fenollera M, Miguez JL, Goicoechea I, Lorenzo J. Experimental Study on Thermal Conductivity of Self-Compacting Concrete with Recycled Aggregate. Materials 2015; 8 (7): 4457-4478

Fenot M, Dorignac E, Lalizel G. Heat transfer and flow structure of a multichannel impinging jet. International Journal of Thermal Sciences 2015; 90: 323-338

Fenwick AQ, Luca OR. The Formation of CO by Thermal Decomposition of Formic Acid under Electrochemical Conditions of CO2 Reduction. Journal of Photochemistry and Photobiology B: Biology 2014; Article in Press.

Fernandes AA, Amorim PRS, Brito CJ, Sillero-Quintana M, Marins JCB. Regional skin temperature response to moderate aerobic exercise measured by infrared thermography. Asian Journal of Sports Medicine 2016; 7 (1), art no e29243

Fernandes AA, Pimenta EM, Moreira DG, Sillero-Quintana M, Bouzas Marins JC, Morandi RF, Kanope T, Garcia ES. Effect of a professional soccer match in skin temperature of the lower limbs: A case study. Journal of Exercise Rehabilitation 2017, 13 (3): 330-334.

Fernandes GW, Ueta CB, Fonseca TL, Gouveia CHA, Lancellotti CL, Brum PC, Christoffolete MA, Bianco AC, Ribeiro MO. Inactivation of the adrenergic receptor β2 disrupts glucose homeostasis in mice. Journal of Endocrinology 2014; 221 (3) 381-390.

Fernandes H, Ibarra-Castanedo C, Zhang H, Maldague X. Thermographic Non-destructive Evaluation of Carbon Fiber-Reinforced, Polymer Plates After Tensile Testing. Journal of Non-destructive Evaluation 2015; 34(4) 35.1-35.10

Fernandes H, Zhang H, Ibarra-Castanedo C, Maldague X. Fiber orientation assessment on randomly- oriented strand composites by means of Infrared thermography. Composites Science and Technology 2015; 121: 25-33

Fernandes H, Zhang H, Maldague X. An active Infrared thermography method for fiber orientation assessment of fiber-reinforced composite materials. Infrared Physics & Technology 2015; 72: 286-292

Fernandes HC, Maldague X. Fiber orientation assessment in complex shaped parts reinforced with carbon fiber using Infrared thermography. Quantitative Infrared Thermography Journal 2015; 12 (1): 64-79

Fernandez C, Beeching NJ. Response. Clinical Medicine Journal of the Royal College of Physicians of London 2018; 18 (4), p. 351.

Fernández-Caballero A, López MT, Serrano-Cuerda J. Thermal-infrared pedestrian ROI extraction through thermal and motion information fusion. Sensors (Basel Switzerland) 2014; 14 (4): 6666- 6676.

Fernández-Cuevas I, Grams L, Marins J, Sillero-Quintana M. Skin temperatura differences between aerobic and anaerobic training (extended abstract). Thermology international 2015, 25(3) 127.

Fernandez-Cuevas I, Marins JCB, Lastras JA, Carmona PMG, Carlo SP, Garcia-Concepcion MA, Sillero- Quintana M. Sillero-Quintana Manuel. Classification of factors influencing the use of Infrared thermography in humans: A review. Infrared Physics & Technology 2015; 71: 28-55

Ferrara F. Sclero-resistance sclero-sensibility and sclero-sensitization. Phlebologie - Annales Vasculaires 2014; 67 (1) 15-20.

Ferrari A, Fiorino E, Longo R, Barilla S, Mitro N, Cermenati G, Giudici M, Caruso D, Mai A, Guerrini U, De Fabiani E, Crestani M. Attenuation of diet-induced obesity and induction of white fat browning with a chemical inhibitor of histone deacetylases. International Journal of Obesity 2017, 41 (2): 289-298.

Ferraz C, Moreira da Silva J, Mendes L. Assessment of stress recovery by thermography (extended abstract). Thermology international 2015, 25(3) 132

Ferreira M, Mação P, Neves N, Dias A, Ferreira G, Carvalho L, Robalo C. Seizures in an adolescent with termic desregulation [Crises convulsivas num adolescente com desregulação térmica]. Sinapse 2014; 14 (1): 34-37.

Ferreira Neto AR, Brioschi ML, Jacobsen Teixeira M, Thermography and ocular uveitis. (abstract) Thermology international 2014; 24(1) 14

Ferreira UM, Fortes MZ, Dias BH, Maciel RS. Thermography as a Tool in Electric Panels Maintenance. IEEE Latin America Transactions 2015; 13 (9): 3005-3009

Ferreira-Junior JB, Bottaro M, Loenneke JP, Vieira A, Vieira CA, Bemben MG. Could whole-body cryotherapy (below -100°C) improve muscle recovery from muscle damage? Frontiers in Physiology 2014; art. no. 00247.

Ferrer CJ, Bartels LW, van Stralen M, Denis de Senneville B, Moonen CTW, Bos C. Fluid filling of the digestive tract for improved proton resonance frequency shift-based MR thermometry in the pancreas. Journal of Magnetic Resonance Imaging 2018; 47 (3): 692-701.

Ferri F, Ambrosini E, Pinti P, Merla A, Costantini M. The role of expectation in multisensory body representation – neural evidence. European Journal of Neuroscience 2017, 46(3) 1897-1905.

Fertig F, Padilla M, Breitenstein O, Hoffler H, Geisemeyer I, Schubert MC, Rein S. Short-circuit current density imaging methods for silicon solar cells. Energy Procedia 2015; 77: 43-56

Fertility Awareness Methods. Journal of Midwifery and Women's Health 2018; 63 (5): 637-638.

Feyzi S, Varidi M, Zare F, Varidi MJ. Fenugreek (Trigonella foenum graecum) seed protein isolate: extraction optimization amino acid composition thermo and functional properties. Journal of The Science of Food and Agriculture 2015; 95(1)5: 3165-3176

Ficke BW, Ransom EF, Oakes JE. Near-Infrared Vein Visualization in Index Finger Pollicization. Journal of Hand Surgery 2017, 42(6) 481.e1-481.e2.

Fielden SW, Feng X, Zhao L, Miller GW, Geeslin M, Dallapiazza RF, Elias WJ, Wintermark M, Butts Pauly K, Meyer CH. A spiral-based volumetric acquisition for MR temperature imaging. Magnetic Resonance in Medicine 2018; 79 (6): 3122-3127.

Figueroa SA, Zhao W, Aiyagari V. Emergency and critical care management of acute ischaemic stroke. CNS

Drugs 2015; 29 (1) 17-28.

Filatov S. Little pigeons can carry great messages: Potential distribution and ecology of Uranotaenia (Pseudoficalbia) unguiculata Edwards 1913 (Diptera: Culicidae), a lesser-known mosquito species from the Western Palaearctic. Parasites and Vectors 2017, 10 (1), art. no. 464.

Filatova DU, Veraksa AN, Berestin DK, Streltsova TV. Stochastic and chaotic assessment of human's neuromuscular system in conditions of cold exposure. Human Ecology (Russian Federation) 2017, (8): 15-20.

Filho FB, Alves AO. Neglected tumor in a female with albinism. Pan African Medical Journal 2017, 28, art. no. 195.

Filingeri D, Fournet D, Hodder S, Havenith G. Body mapping of cutaneous wetness perception across the human torso during thermo-neutral and warm environmental exposures. Journal of Applied Physiology 2014; 117 (8): 887-897.

Filingeri D, Fournet D, Hodder S, Havenith G. Why wet feels wet? A neurophysiological model of human cutaneous wetness sensitivity. Journal of Neurophysiology 2014; 112 (6): 1457-1469.

Filipowska J, Łoziński T. Magnetic resonance-guided high-intensity focused ultrasound (MR-HIFU) in treatment of symptomatic uterine myomas. Polish Journal of Radiology 2014; 79 (1): 439-443.

Filippello A, Porcheron J, Klein JP, Cottier M, Barabino G. Affinity of Indocyanine Green in the Detection of Colorectal Peritoneal Carcinomatosis: The Role of Enhanced Permeability and Retention Effect. Surgical Innovation 2017, 24 (2): 103-108.

Finc M, Kek T, Grum J. Quality control of crimped joint contacts with conductors through thermography. Insight 2015; 57 (5): 257-265

Fink C, Haenssle HA. Non-invasive tools for the diagnosis of cutaneous melanoma. Skin Research and Technology 2017, 23(3), 261-271.

Fiodorenko-Dumas Z, Rabczyński M, Paprocka-Borowicz M, Małecki R, Adamiec R. Changes in the haemodynamics of blood flow to the lower limbs on example of thermography measurements [Zmiany w hemodynamice przepływu krwi w kończynach dolnych na przykładzie pomiarów termograficznych]. Acta Angiologica 2014; 20 (4): 141-146.

Fischer M, Katan M, Morgenthaler NG, Seiler M, Müller B, Lackner P, Errath M, Helbok R, Pfausler B, Beer R, Schmutzhard E, Broessner G. The prognostic value of midregional proatrial natriuretic peptide in patients with hemorrhagic stroke. Cerebrovascular Diseases 2014; 37 (2): 128-133.

Fischer S, Gambaryan-Roisman T, Stephan P. On the development of a thin evaporating liquid film at a receding liquid/vapour-interface. International Journal of Heat and Mass Transfer 2015; 88: 346-356

Fischer S. Proteomic approach in diagnosis and therapy (abstract). Thermology international 2015, 25(1) 31

Fisher-Hubbard AO, Sung L, Hubbard SA, Hlavaty L. Hyperthermia Thermal Injuries and Death from a Forced Convection Heat Source: A Case Report and Experimental Model. Journal of Forensic Sciences 2017, 62 (3): 686-690.

Fishman PS, Frenkel V. Focused Ultrasound: An Emerging Therapeutic Modality for Neurologic Disease. Neurotherapeutics 2017, 14 (2): 393-404.

Fissore D. Model-based PAT for quality management in pharmaceuticals freeze-drying: State of the art. Frontiers in Bioengineering and Biotechnology 2017, 5 : art. no. 5.

Fitzgerald DC, Darling EM, Cardona MF. Staffing Equipment Monitoring Considerations for Extracorporeal Membrane Oxygenation. Critical Care Clinics 2017, 33 (4): 863-881.

Fitzmaurice M. The use of thermal imagery for intrusion detection in a public transit environment. Proceedings of ASME Joint Rail Conference (JRC2015) MAR 23-26, 2015, Mineta Transportat inst San Jose CA 2015, pp. V001T06A009-V001T06A009.

Fiz JA, Lozano M, Monte-Moreno E, Gonzalez-Martinez A, Faundez-Zanuy M, Becker C, Pons-Rodriguez L, Manzano JR. Tuberculine reaction measured by Infrared thermography. Computer Methods and Programs in Biomedicine 2015; 122(2): 199-206

Fleck M. Are different temperatures in axillary and auricular measurement possible? [Temperaturunterschiede bei axillärer und aurikulärer Messung möglich?] Deutsche Medizinische Wochenschrift 2014; 139 (7), p. 344.

Fleischer CC, Wu J, Qiu D, Park S-E, Nahab F, Dehkharghani S. The brain thermal response as a potential neuroimaging biomarker of cerebrovascular impairment. American Journal of Neuroradiology 2017, 38 (11): 2044-2051.

Flo A, Díez-Noguera A, Calpena A.C, Cambras T. Circadian rhythms on skin function of hairless rats: Light and thermic influences. Experimental Dermatology 2014; 23 (3): 214-216.

Florez-Ospina JF, Benitez-Restrepo HD. Toward automatic evaluation of defect detectability in Infrared images of composites and honeycomb structures. Infrared Physics & Technology 2015; 71: 99-112

Floros M.C, Leão AL, Narine SS. Vegetable oil derived solvent and catalyst free "click chemistry" thermoplastic polytriazoles. BioMed Research International 2014; 2014, art. no. 792901.

Flouris AD, Bravi A, Wright-Beatty HE, Green G, Seely AJ, Kenny GP. Heart rate variability during exertional heat stress: Effects of heat production and treatment. European Journal of Applied Physiology 2014; 114 (4): 785-792.

Flouris AD, Poirier MP, Bravi A, Wright-Beatty HE, Herry C, Seely AJ, Kenny GP. Changes in heart rate variability during the induction and decay of heat acclimation. European Journal of Applied Physiology 2014; 114 (10): 2119-2128.

Flouris AD, Wright-Beatty HE, Friesen BJ, Casa DJ, Kenny GP. Treatment of exertional heat stress developed during low or moderate physical work. European Journal of Applied Physiology 2014; 114 (12): 2551-2560.

Fochesato PR, Brioschi ML, Jacobsen Teixeira M. Chronic pain in left hand after trauma identified by thermography (extended abstract). Thermology international 2014; 24(1) 20-21

Foda E, Sirén K. Evaluating the thermal comfort performance of heating systems using a thermal manikin with human thermoregulatory control. Indoor and Built Environment 2016; 25 (1) 191-202

Foerster K, Benk C, Beyersdorf F, Cristina Schmitz H, Wittmann K, Taunyane I, Heilmann C, Trummer G. Twenty minutes of normothermic cardiac arrest in a pig model: the role of short-term hypothermia for neurological outcome. Perfusion (United Kingdom) 2018; 33 (4): 270-277.

Foltran MA, Brioschi ML, Jacobsen Teixeira M. Case report: thermography and peripheral vascular disease (extended abstract). Thermology international 2014; 24(1) 20

Fonda B, De Nardi M, Sarabon N. Effects of whole-body cryotherapy duration on thermal and cardio- vascular response. Journal of Thermal Biology 2014; 42 (1): 52-55.

Fong SSM, Ng SSM, Luk WS, Chung JWY, Leung JCY, Masters RSW. Effects of a 6-month Tai Chi Qigong program on arterial hemodynamics and functional aerobic capacity in survivors of nasopharyngeal cancer. Journal of Cancer Survivorship 2014; 8 (4) 618-626.

Fonseca F, Meneghel J, Cenard S, Passot S, Morris GJ. Determination of intracellular vitrification temperatures for unicellular micro organisms under conditions relevant for cryopreservation. PLoS ONE 2016; 11 (4), art no 0152939

Fontseré N, Mestres G, Burrel M, Barrufet M, Montaña X, Arias M, Ojeda R, Maduell F, Campistol JM. Observational study of surveillance based on the combination of online dialysance and thermodilution methods in hemodialysis patients with arteriovenous fistulas. Blood Purification 2014; 37 (1): 67-72.

Formenti D, Perpetuini D, Cardone D, Iodice P, Michielon G, Caumo A, Alberti G, Merla A. Speed of movement during knee extension does not affect skin temperature dynamic after exercise. Thermology International 2018; 28(2) 72-73).

Fornaini C, Merigo E, Poli F, Cavatorta C, Rocca J-P, Selleri S, Cucinotta A. Use of 1070 nm fiber lasers in oral surgery: Preliminary ex vivo study with FBG temperature monitoring. Laser Therapy 2017, 26 (4): 311-318.

Fornaini C, Merigo E, Vescovi P, Bonanini M, Antonietti W, Leoci L, Lagori G, Meleti M. Different laser wavelengths comparison in the second-stage implant surgery: an ex vivo study. Lasers in Medical Science 2014; 30 (6): 1631-1639.

Forouharmajd F, Pourabdian S, Ebrahimi H. Evaluating temperature changes of brain tissue due to induced heating of cell phone waves. International Journal of Preventive Medicine 2018; 9, art. no. 40.

Forrest AJ, Juliano ML, Conley SP, Cronyn PD, McGlynn A, Auten JD. Temporal artery and axillary thermometry comparison with rectal thermometry in children presenting to the ED. American Journal of Emergency Medicine 2017, 35 (12): 1855-1858.

Forster MA. How significant is nocturnal sap flow? Molecular Human Reproduction 2014; 34 (7), art. no. tpu051: 757-765.

Foster GE, Koehle MS, Dominelli PB, Mwangi FM, Onywera VO, Boit MK, Tremblay JC, Boit C, William Sheel A. Pulmonary mechanics and gas exchange during exercise in Kenyan distance runners. Medicine and Science in Sports and Exercise 2014; 46 (4) 702-710.

Foster J, Mauger A, Thomasson K, White S, Taylor L. Effect of acetaminophen ingestion on thermoregulation of normothermic non-febrile humans. Frontiers in Pharmacology 2016; 7 (MAR), art no 54

Foster KR, Ziskin MC, Balzano Q. Thermal modeling for the next generation of radiofrequency exposure limits: Commentary. Health Physics 2017, 113 (1): 41-53.

Foudazi A, Ghasr MT, Donnell KM. Characterization of Corroded Reinforced Steel Bars by Active Microwave Thermography. IEEE Transactions On Instrumentation and Measurement 2015; 64 (9): 2583-2585

Fox M, Coley D, Goodhew S, De Wilde P. Time-lapse thermography for building defect detection. Energy and Buildings 2015; 92: 95-106

Fraiwan L, AlKhodari M, Ninan J, Mustafa B, Saleh A, Ghazal M. Diabetic foot ulcer mobile detection system using smart phone thermal camera: A feasibility study. BioMedical Engineering Online 2017, 16 (1), art. no. 117.

Francis SV, Sasikala M, Saranya S. Detection of breast abnormality from thermograms using curvelet transform based feature extraction. Journal of Medical Systems 2014; 38 (4).

Franck N, Maris M, Nalbandian S, Talukdar S, Schenk S, Hofmann H.-P, Bullough D, Osborn O. Knock- down of IL-1Ra in obese mice decreases liver inflammation and improves insulin sensitivity. PLoS ONE 2014; 9 (9), art. no. e107487.

Franzè, G, Lavrentyev PJ. Microzooplankton growth rates examined across a temperature gradient in the Barents

Sea. PLoS ONE 2014; 9 (1), art. no. e86429.

Fraser CML, Seebacher F, Lathlean J, Coleman RA. Facing the heat: Does desiccation and thermal stress explain patterns of orientation in an intertidal invertebrate? PLoS ONE 2016; 11 (3), art no e0150200

Fraser J. Hot bodies; Cold war: The forgotten history of breast thermography. CMAJ 2017, 189 (15): E573-E575.

Fraser K, Abbas M, Hull PR. Flow cytometric analysis of regulatory T cells during hyposensitization of acquired allergic contact dermatitis. Dermatitis 2014; 25 (2) 60-65.

Frederick MA, Banks DW, Garzon GA, Matisheck JR. Flight tests of a supersonic natural laminar flow airfoil. Measurement Science & Technology 2015; 26 (6) 064003

Frederiks TM, Christopher JT, Sutherland MW, Borrell AK-Post-head-emergence frost in wheat and barley: defining the problem assessing the damage and identifying resistance. Journal of Experimental Botany 2015; 66 (12): 3487-3498

Freedman RR. Menopausal hot flashes: Mechanisms endocrinology treatment. Journal of Steroid Biochemistry and Molecular Biology 2014; 142, 115-120.

Freeman D, Colon R. Quadriplegia: Causes complications and treatments. Quadriplegia: Causes Complications and Treatments 2018; pp. 1-117.

Freeman NJ, Odéen H, Parker DL. 3D-specific absorption rate estimation from high-intensity focused ultrasound sonications using the Green's function heat kernel. Medical Physics 2018; 45 (7): 3109-3119.

Freeman S, Deakin CD, Nelson MJ, Bootland D. Managing accidental hypothermia: A UK-wide survey of prehospital and search and rescue providers. Emergency Medicine Journal 2018; 35 (11): 652-656.

Freire FC, Brioschi ML, Neves EB. Avaliação Dos Efeitos da Acupuntura no IG4 (Hégu) por Termografia de Infravermelho. Pan American Journal of Medical Thermology 2015; 2(2) 63-69

Freude T, Gillen S, Ehnert S, Nüssler A, Stöckle U, Charalambakis N, Döbele S, Pscherer S. Therapeutic peritoneal lavage with warm saline solution as an option for a critical hypothermic trauma patient. Wiener Klinische Wochenschrift 2014; 126 (1-2): 56-61.

Freundl G, Frank-Herrmann P, Brown S, Blackwell L. A new method to detect significant basal body temperature changes during a woman's menstrual cycle. European Journal of Contraception and Reproductive Health Care 2014; 19 (5): 392-400.

Freundl G, Gnoth C, Krahlisch M. Cycle computers and apps [Zykluscomputer und -Apps]. Gynakologische Endokrinologie 2016; 14 (2) 93-104

Freundt M, Obaji A, Hix JK. Managing combined critical hypothermia diabetic ketoacidosis and cocaine intoxication noninvasively. The American journal of emergency medicine 2014; 32 (4): 395E5-6.

Friciu M, Roullin VG, Leclair G. Stability of gabapentin in extemporaneously compounded oral suspensions. PLoS ONE 2017, 12 (4), art. no. e0175208.

Fricova J, Janatova M, Anders M, Albrecht J, Rokyta R. Thermovision: A new diagnostic method for orofacial pain? Journal of Pain Research 2018; 11: 3195-3203.

Fried D, Simon JC, Darling CL. A system for simultaneous near-infrared reflectance and transillumination imaging of occlusal carious lesions. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9692, art no 96920A

Friesen BJ, Carter MR, Poirier MP, Kenny GP. W ater immersion in the treatment of exertional hyperthermia: Physical determinants. Medicine and Science in Sports and Exercise 2014; 46 (9): 1727- 1735.

Friesen BJ, Périard JD, Poirier MP, Lauzon M, Blondin DP, Haman F, Kenny GP. Work Rate during Self-paced Exercise is not Mediated by the Rate of Heat Storage. Medicine and Science in Sports and Exercise 2018; 50 (1): 159-168.

Frisch NB, Pepper AM, Rooney E, Silverton C. Intraoperative hypothermia in total hip and knee arthroplasty. Orthopedics 2017, 40 (1): 56-63.

Fritz K, Salavastru C, Gyurova M. Clinical evaluation of simultaneously applied monopolar radiofrequency and targeted pressure energy as a new method for noninvasive treatment of cellulite in postpubertal women. Journal of Cosmetic Dermatology 2018; 17 (3): 361-364.

Frölich MA. Labor epidural fever and chorioamnionitis. International Anesthesiology Clinics 2014; 52 (3): 101-109.

Frumovitz M, Plante M, Lee PS, Sandadi S, Lilja JF, Escobar PF, Gien LT, Urbauer DL, Abu-Rustum NR. Near-infrared fluorescence for detection of sentinel lymph nodes in women with cervical and uterine cancers (FILM): a randomised phase 3, multicentre non-inferiority trial. The Lancet Oncology 2018; 19 (10): 1394-1403.

Fu Y, Ni J-X, Marmori F, Zhu Q, Tan C, Zhao J-P. Infrared thermal imaging-based research on the intermediate structures of the lung and large intestine exterior-interior relationship in asthma patients. Chinese Journal of Integrative Medicine 2016; 22 (11) 855-860

Fu Y, She C, Zhang Q. [Thyroglossal cyst of double cyst: one case report]. Lin chuang er bi yan hou tou jing wai ke za zhi = Journal of clinical otorhinolaryngology head and neck surgery 2014; 28 (5): 343-344.

Fu Y, Xiong X, Jiang C, Xu B, Li Y, Li H Imagined Hand Clenching Force and Speed Modulate Brain Activity and Are Classified by NIRS Combined with EEG. IEEE Transactions on Neural Systems and Rehabilitation Engineering 2017, 25(9) 1641-1652.

Fuente R, Rodriguez S, Mendioroz A, Salazar A, Zhukov A, Zhukova V. Thermal Conductivity and Diffusivity Measurements of Glass-Coated Magnetic Microwires Using Lock-in Thermography. International Journal of Thermophysics 2015; 36(5-6): 1137-1141

Fugate JE, White RD, Rabinstein AA. Serotonin syndrome after therapeutic hypothermia for cardiac arrest: A case series. Resuscitation 2014; 85 (6): 774-777.

Fujii N, Honda Y, Komura K, Tsuji B, Sugihara A, Watanabe K, Kondo N, Nishiyasu T. Effect of voluntary hypocapnic hyperventilation on the relationship between core temperature and heat loss responses in exercising humans. Journal of Applied Physiology 2014; 117 (11): 1317-1324.

Fujimoto H, Shiramasa Y, Morisawa K, Hama T, Takuda H. Heat Transfer Characteristics of a Pipe- laminar Jet Impinging on a Moving Hot Solid. ISIJ International 2015, *55*(9), 1994-2001.

Furch J, Glos J, Blecha J. Identifying the technical condition of rotating parts by means of vibrodiagnostics. Transactions of Famena 2015; 39 (2): 75-86

Furuya K, Tan JJ, Boudreault F, Sokabe M, Berthiaume Y, Grygorczyk R. Real-time imaging of inflation- induced ATP release in the ex vivo rat lung. American Journal of Physiology - Lung Cellular and Molecular Physiology 2016; 311 (5) L956-L969

Futyma P, Kułakowski P. Frontal placement of dispersive patch for effective ablation of arrhythmia originating from the anterior right ventricular outflow tract. Journal of Interventional Cardiac Electrophysiology 2017, 49 (3), p. 327.

Futyma P, Wysokińska A, Sander J, Futyma M, Kułakowski P. Bipolar endo-epicardial radiofrequency ablation of arrhythmia originating from the left ventricular summit. Circulation Journal 2018; 82 (6): 1721-1722.

Futyma P. Irreversible electroporation—A hot topic. Journal of Cardiovascular Electrophysiology 2018; 29 (7) E11.

Fyfe KL, Yiallourou SR, Wong FY, Odoi A, Walker AM, Horne RSC. Cerebral oxygenation in preterm infants. Pediatrics 2014; 134 (3): 435-445.

Gabrhel J, Popracová Z, Tauchmannová H. Differential Diagnosis of Growth Pains in Thermal and Musculoskeletal Sonographic Imaging (extended abstract). Thermology international 2016, 26 (Supplement) S9

Gabrhel J, Popracova Z, Tauchmannova H. Painful elbow syndrome in thermal and musculoskeletal sonographic imaging (extended abstract). Thermology international 2017; 27 (2) 75-76

Gabrhel J, Popracova Z, Tauchmannova H. The importance of thermography in differential diagnosis of growing pain. Thermology International 2018; 28 (Supplement)S15

Gabrhel J, Popracová Z, Tauchmannová H. Thermography and sonography for the differentiation of extra-and intra-articular causes of knee pain. Thermology International 2018; 28(2) 104-105.

Gabrhel J, Popracová, Z, Tauchmannová, H, Ammer K. The role of infrared thermal imaging and sonography in the assessment of patients with a painful elbow. Thermology International 2017, 27 (2): 58-66.

Gaenzler AM, Casapu M, Boubnov A, Muller O, Conrad S, Lichtenberg H, Frahm R, Grunwaldt JD. Operando spatially and time-resolved X-ray absorption spectroscopy and Infrared thermography during oscillatory CO oxidation. Journal of Catalysis 2015; 328: 216-224

Gagnon D, Matthew Brothers R, Ganio MS, Hastings JL, Crandall CG. Forehead versus forearm skin vascular responses at presyncope in humans. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 307 (7): R908-R913.

Gagnon DD, Gagnon SS, Rintamäki H, Törmäkangas T, Puukka K, Herzig K.-H, Kyröläinen H. The effects of cold exposure on leukocytes hormones and cytokines during acute exercise in humans. PLoS ONE 2014; 9 (10), art. no. A1850.

Gagnon DD, Rintamäki H, Gagnon SS, Oksa J, Porvari K, Cheung SS, Herzig K-H, Kyröläinen H. Fuel selection during short-term submaximal treadmill exercise in the cold is not affected by pre- exercise low- intensity shivering. Applied Physiology Nutrition and Metabolism 2014; 39 (3) 282- 291.

Gago J, Douthe C, Coopman RE, Gallego PP, Ribas-Carbo M, Flexas J, Escalona J, Medrano H. UAVs challenge to assess water stress for sustainable agriculture. Agricultural Water Management 2015; 153: 9- 19

Gahete MD, Rincón-Fernández D, Villa-Osaba A, Hormaechea-Agulla D, Ibáñez-Costa A, Martínez- Fuentes AJ, Gracia-Navarro F, Castaño JP, Luque RM. Ghrelin gene products receptors and goat enzyme: Biological and pathophysiological insight. Journal of Endocrinology 2014; 220 (1) R1-R24.

Gaikwad V, Kennedy E, Mackie J, Holdsworth C, Molloy S, Kundu S, Stockenhuber M, Dlugogorski B. Reaction of carbon tetrachloride with methane in a non-equilibrium plasma at atmospheric pressure and characterisation of the polymer thus formed. Journal of Hazardous Materials 2014; 280: 38-45.

Galle T, De Waele W, Van Wittenberghe J, De Baets P. Evaluation of a numerical model for tapered threaded connections subjected to combined loading using enhanced experimental measurement techniques. Journal of

Strain Analysis for Engineering Design 2015; 50 (8): 561-570

Galleguillos C, Zorrilla A, Jimenez A, Diaz L, Montiano AL, Barroso M, Viguria A, Lasagni F. Thermographic non-destructive inspection of wind turbine blades using unmanned aerial systems. Plastics Rubber and Composites 2015; 44 (3): 98-103

Galluccio F, Allanore Y, Czirjak L, Furst DE, Khanna D, Matucci-Cerinic M. Points to consider for skin ulcers in systemic sclerosis. Rheumatology (Oxford England) 2017, 56 (5): v67-v71.

Galvagno SM, Jr Mabry RL, Maddry J, Kharod CU, Walrath BD, Powell E, Shackelford S. Measuring US Army medical evacuation: Metrics for performance improvement. Journal of Trauma and Acute Care Surgery 2018; 84 (1): 150-156.

Games KE, Lakin JM, Quindry JC, Weimar WH, Sefton JM. Local pressure application effects on neurological and circulatory function. Aerospace Medicine and Human Performance 2018; 89 (8): 693-699.

Ganesan B, Luximon A, Al-Jumaily AA, Yip J, Gibbons PJ, Chivers A. Developing a three-dimensional (3D) assessment method for clubfoot-A study protocol. Frontiers in Physiology 2018; 8: art. no. 1098.

Ganjoo S, Ahmad K, Qureshi UA, Mir ZH. Clinical Epidemiology of SIRS and Sepsis in Newly Admitted Children. Indian Journal of Pediatrics 2014; 82 (8): 698-702.

Gao H, Hu G, Liu K, Wu L. Preparation of waterborne dispersions of epoxy resin by ultrasonic-assisted supercritical CO2 nanoemulsification technique. Ultrasonics Sonochemistry 2017, 39: 520-527.

Gao H, Wu S, Wang X, Hu R, Zhou Z, Sun X. Temperature simulation of microwave ablation based on improved specific absorption rate method compared to phantom measurements. Computer Assisted Surgery 2017, 22: 9-17.

Gao JM, Li W, Liu Y, Jj XQ, Cheng J, Dong YB, Chen CY, Feng BB, Lu J, Yj P, Yang QW. CA HL-2A Team. Energy deposition onto HL-2A divertor plates in ELMy H-mode discharges using Infrared thermography. Journal of Nuclear Materials 2015; 463: 697-700

Gao L, Zhang C, Li C, Wang L. Intracellular temperature maing with fluorescence-assisted photoacoustic thermometry. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 8943, Art. No. 894309.

Gao Y, Han F, Zhou Z, Cao M, Kaprealian T, Kamrava M, Wang C, Neylon J, Low DA, Yang Y, Hu P. Distortion-free diffusion MRI using an MRI-guided Tri-Cobalt 60 radiotherapy system: Sequence verification and preliminary clinical experience. Medical Physics 2017, 44 (10): 5357-5366.

Gao YL, Tian GY, Li KI, Jj J, Wang P, Wang HT. Multiple cracks detection and visualization using magnetic flux leakage and eddy current pulsed thermography. Sensors and Actuators A-Physical 2015; 234: 269-281

Garbacz P, Giesko T, Mazurkiewicz A. Inspection method of aluminium extrusion process. Archives of Civil and Mechanical Engineering 2015; 15 (3): 631-638

Garbett NC, Brock GN, Chaires JB, Mekmaysy CS, DeLeeuw L, Sivils KL, Harley JB, Rovin BH, Kulasekera KB, Jarjour WN Characterization and classification of lupus patients based on plasma thermograms. PLoS ONE 2017, 12:11 Article Number: e0186398.

Garbett NC, Merchant ML, Helm CW, Jenson AB, Klein JB, Chaires JB. Detection of cervical cancer biomarker patterns in blood plasma and urine by differential scanning calorimetry and mass spectrometry. PLoS ONE 2014; 9 (1) Art. No. e84710.

Garbino A, Blue RS, Pattarini JM, Law J, Clark JB. Physiological monitoring and analysis of a manned stratospheric balloon test program. Aviation Space and Environmental Medicine 2014; 85 (2): 177-182.

Garcia Barbosa H, Brioschi ML, Jacobsen Teixeira M. Medical thermography for the diagnosis of fibromyalgia syndrome and exclusion of other widespread pain disorders (extended abstract). Thermology international 2014; 24(1) 17-18

Garcia CK, Mattingly AJ, Robinson GP, Laitano O, King MA, Dineen SM, Leon LR, Clanton TL. Sex-dependent responses to exertional heat stroke in mice. Journal of Applied Physiology 2018; 125 (3): 841-849.

Garcia EM, Crowley J, Hagan C, Atkinson LL. Evolution of imaging in breast cancer. Clinical Obstetrics and Gynecology 2016; 59 (2) 322-335

Garcia I, Chiodo V, Ma Y, Boskey A. Evidence of altered matrix composition in iliac crest biopsies from patients with idiopathic juvenile osteoporosis. Connective Tissue Research 2016; 57 (1) 28-37

Garcia JMBB, Isaac DLC Sardeiro T, Aquino É, Avila M. Benign familial fleck retina: Multimodal imaging including optical coherence tomography angiography. Arquivos Brasileiros de Oftalmologia 2017, 80 (5): 321-323.

Garcia LM, Soares AB, Simieli C, Boratino AVP, de Jesus Guirro RR. On the effect of thermal agents in the response of the brachial biceps at different contraction levels. Journal of Electromyography and Kinesiology 2014; 24 (6): 881-887.

Garcia UO, Vera A, Cortela G, Negreira C, Leija L. Comparison of diabetic foot diagnosis between thermography infrared methods and the elastography techniques. 2016 Global Medical Engineering Physics Exchanges/Pan American Health Care Exchanges GMEPE/PAHCE 2016, art no 7504664

García-Agudo L, Nilsen E. Butyricimonas virosa: A rare cause of bacteremia. Anaerobe 2018; 54: 121-123.

García-de-la-Peña R, Benhamú, S, Munuera PV. Sensitivity and specificity of a new test for thermographic evaluation of the foot in the diagnosis of diabetic peripheral polyneuropathy. Advances in Skin and Wound Care 2014; 27 (11): 491-498.

García-Molina MD, García-Olmo J, Barro F. Effective identification of low-gliadin wheat lines by Near Infrared Spectroscopy (NIRS): Implications for the development and analysis of foodstuffs suitable for celiac patients. PLoS ONE 2016; 11 (3), art no e0152292

Garcia-Romero MT, Chakkittakandiyil A, Pope E. The role of infrared thermography in evaluation of proliferative infantile hemangiomas. Results of a pilot study. International Journal of Dermatology 2014; 53 (3): e216-e217.

Garcia-Romero MT, Randhawa HK, Laxer R, Pope E. The role of local temperature and other clinical characteristics of localized scleroderma as markers of disease activity. International Journal of Dermatology 2017, 56 (1): 63-67.

Garcia-Tejero IF, Hernandez A, Rodriguez VM, Ponce JR, Ramos V, Muriel JL, Duran-Zuazo VH. Estimating Almond Crop Coefficients and Physiological Response to Water Stress in Semiarid Environments (SW Spain). Journal of Agricultural Science and Technology 2015; 17 (5): 1255-1266

Garduño-Ramón MA, Vega-Mancilla SG, Morales-Henández LA, Osornio-Rios RA. Supportive Noninvasive Tool for the Diagnosis of Breast Cancer Using a Thermographic Camera as Sensor. Sensors (Basel, Switzerland) 2017, 17:3.

Garjani A, Barzegar-Jalali M, Osouli-Bostanabad K, Ranjbar H, Adibkia K. Morphological and physicochemical evaluation of the propranolol HCl–Eudragit® RS100 electrosprayed nanoformulations. Artificial Cells Nanomedicine and Biotechnology 2018; 46 (4): 749-756.

Garla VV, Yanes-Cardozo L, Yousuf T, Ahmad S. Wernicke's encephalopathy secondary to gestational hyperthyroidism. BMJ Case Reports 2017, art. no. bcr-2017-221644.

Garnon J, Koch G, Rao P, Ramamurthy N, Caudrelier J, Cazzato RL, Tsoumakidou G, Gangi A. Optimising Pulmonary Microwave Ablation Using Trans-Scapular Access and Continuous Temperature Monitoring. CardioVascular and Interventional Radiology 2016; 39 (5) 791-794

Gat Y, Goren M. Benign Prostatic Hyperplasia: Long-term follow-up of prostate volume reduction after sclerotherapy of the internal spermatic veins. Andrologia 2018; 50 (2), art. no. e12870.

Gates D, Horner V, Bradley L, Fogle Sheperd T, John O, Higgins M. Temperature Measurements: Comparison of Different Thermometer Types for Patients with Cancer. Clinical Journal of Oncology Nursing 2018; 22 (6): 611-617.

Gatidis S, Schmidt H, Pfannenberg CA, Nikolaou K, Schick F, Schwenzer NF. Is it possible to detect activated brown adipose tissue in humans using single-time-point infrared thermography under thermoneutral conditions? Impact of BMI and subcutaneous adipose tissue thickness. PLoS ONE 2016; 11 (3), art no e0151152

Gatt A, Cassar K, Falzon O, Ellul C, Camilleri KP, Gauci J, Mizzi S, Mizzi A, Sturgeon C, Chockalingam N, Formosa C. The identification of higher forefoot temperatures associated with peripheral arterial disease in type 2 diabetes mellitus as detected by thermography. Primary Care Diabetes 2018; 12 (4): 312-318.

Gatt A, Falzon O, Cassar K, Camilleri KP, Gauci J, Ellul C, Mizzi S, Mizzi A, Papanas N, Sturgeon C, Chockalingam N, Formosa C. The Application of Medical Thermography to Discriminate Neuroischemic Toe Ulceration in the Diabetic Foot. International Journal of Lower Extremity Wounds 2018; 17 (2): 102-105.

Gatt A, Falzon O, Cassar K, Ellul C, Camilleri KP, Gauci J, Mizzi S, Mizzi A, Sturgeon C, Camilleri L, Chockalingam N, Formosa C. Establishing differences in thermographic patterns between Thevarious complications in diabetic foot disease. International Journal of Endocrinology 2018, art. no. 9808295.

Gaur D, Saxena S, Sangwan D, Raheja JL. Identification and Recognition of Defects in Civil Structures Using Non-destructive Technique. In: Mandal JK, Satapathy SC, Sanyal MK, Sarkar PP, Mukhopadhyay A, eds, Information systems design and intelligent applications, Advances in Intelligent Systems and Computing 2015, 340: 747-755

Gaur P, Partanen A, Werner B, Ghanouni P, Bitton R, Butts Pauly K, Grissom WA. Correcting heat- induced chemical shift distortions in proton resonance frequency-shift thermometry. Magnetic Resonance in Medicine 2016; 76 (1) 172-182

Gaur P, Werner B, Feng X, Fielden SW, Meyer CH, Grissom WA. Spatially-segmented undersampled MRI temperature reconstruction for transcranial MR-guided focused ultrasound. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 13.

Gavin HE, Satchell KJF. Surface hypothermia predicts murine mortality in the intragastric Vibrio vulnificus infection model. BMC Microbiology 2017, 17 (1), art. no. 136.

Ge X, Sathiakumar D, Lua BJG, Kukreti H, Lee M, Mcfarlane C. Myostatin signals through miR-34a to regulate Fndc5 expression and browning of white adipocytes. International Journal of Obesity 2017, 41 (1): 137-148.

Geburt K, Friedrich M, Piechotta M, Gauly M, von Borstel UK. Validity of physiological biomarkers for maternal behavior in cows -A, comparison of beef and dairy cattle. Physiology & Behavior 2015; 139: 361- 368

Geen MRS, Johnston GR. Coloration affects heating and cooling in three color morphs of the Australian bluetongue lizard Tiliqua scincoides. Journal of Thermal Biology 2014; 43 (1) 54-60.

Gehrke SA, Bettach R, Taschieri S, Boukhris G, Corbella S, Del Fabbro M. Temperature Changes in Cortical Bone after Implant Site Preparation Using a Single Bur versus Multiple Drilling Steps: An in Vitro investigation. Clinical Implant Dentistry and Related Research 2015; 17 (4): 700-707

Geier R, Wappl C, Freiszmuth H, Slugovc C, Gescheidt G. Thermal effects in polymerisations -a live view differentiating between bulk effects thermal diffusion and oxygen inhibition. Polymer Chemistry 2015; 6 (13): 2488-2492

Geijer H, Udumyan R, Lohse G, Nilsagård Y. Temperature measurements with a temporal scanner: Systematic review and meta-analysis. BMJ Open 2016; 6 (3), art no e009509

Geiss O, Bianchi I, Barrero-Moreno J. Correlation of volatile carbonyl yields emitted by e-cigarettes with the temperature of the heating coil and the perceived sensorial quality of the generated vapours.

Genovese JEC, Sparks KE, Little KD. Tympanic Membrane Temperature and Hemispheric Cognitive Style. The Journal of Genetic Psychology 2017, 178(5) 298-302.

Georges MP. Comparison between thermographic and holographic techniques for nondestructive testing of composites: similarities differences and potential cross-fertilization. In; Santoyo FM, Mendez ER, eds, Proceedings of SPIE 6th International Conference on Speckle Metrology (SPECKLE) Guanajuato Mexico, 2015, pp. 966002-966002-12.

Georges MP. Speckle Interferometry in the long-wave Infrared for combining holography and thermography in a single sensor. Applications to nondestructive testing: the FANTOM project. In: Lehmann P, Osten W, Albertazzj GA, eds Proceedings of SPIE Conference on Optical Measurement Systems for industrial inspection IX, JUN 22-25, 2015 Munich Germany, 2015; pp. 95251L-95251L-15.

Georgiadou SP, Manoulakas E, Makaritsis KP, Dalekos GN. A chronic alcoholic man with high fever neck rigidity and loss of consciousness: Remember the Austrian syndrome a commonly unrecognised invasive pneumococcus triad. BMJ Case Reports 2018, art. no. 225010.

Gerasimova E, Audit B, Roux SG, Khalil A, Gileva O, Argoul F, Naimark O, Arneodo A. Wavelet- based multifractal analysis of dynamic infrared thermograms to assist in early breast cancer diagnosis. Frontiers in Physiology 2014; Art. No. 00176.

Gerasimova-Chechkina E, Toner B, Marin Z, Audit B, Roux SG, Argoul F, Khalil A, Gileva O, Naimark O, Arneodo A. Comparative multifractal analysis of dynamic infrared thermograms and X-ray mammograms enlightens changes in the environment of malignant tumors. Frontiers in Physiology 2016; 7 (AUG), art no 336

Gerber A, Huhn V, Tran TMH, Siegloch M, Augarten Y, Pieters BE, Rau U. Advanced large area characterization of thin-film solar modules by electroluminescence and thermography imaging techniques. Solar Energy Materials and Solar Cells 2015; 135: 35-42

Gerstenfeld EP. Catheter Ablation of Atrial Fibrillation Using Electroporation: Back to the Future? JACC: Clinical Electrophysiology 2018; 4 (8): 996-998.

Gerstenhaber J.A, Barone F.C, Marcinkiewicz C, Li J, Shiloh A.O, Sternberg M, Lelkes P.I, Feuerstein G. Vascular thrombus imaging in vivo via near-infrared fluorescent nanodiamond particles bioengineered with the disintegrin bitistatin (Part II). International Journal of Nanomedicine 2017, 12: 8471-8482.

Geserick G, Krocker K, Wirth I. Vishnevsky spots - A literature review [Uber die Wischnewski-Flecke - eine Literaturstudie]. Archiv fur Kriminologie 2018; 242 (3-4): 73-96.

Gethin G, O'Connor GM, Abedin J, Newell J, Flynn L, Watterson D, O'Loughlin A. Monitoring of pH and temperature of neuropathic diabetic and nondiabetic foot ulcers for 12 weeks: An observational study. Wound Repair and Regeneration 2018; 26 (2): 251-256.

Getson P. An overview of thermographic legal cases throughout the world and recent anti-mammography articles (abstract). Thermology international 2015, 25(1) 23

Getson P. Effect of diet and lifestyle on improving breast health – verification by thermography (abstract). Thermology international 2015, 25(1) 23

Getson P. The predictive value of thermography in CRPS (abstract). Thermology international 2015, 25(1) 27

Ghadermazi K, Khozeimeh MA, Taheri-Behrooz F, Safizadeh MS. Delamination detection in glass-epoxy composites using step-phase thermography (SPT). Infrared Physics & Technology 2015; 72: 204-209

Ghai A, Kaushik T, Kundu ZS, Wadhera S, Wadhera R. Evaluation of new approach to ultrasound guided stellate ganglion block. Saudi Journal of Anaesthesia 2016; 10 (2) 161-167

Ghai S, Louis AS, Van Vliet M, Lindner U, Haider MA, Hlasny E, Spensieri P, Van Der Kwast TH, McCluskey SA, Kucharczyk W, Trachtenberg J. Real-Time MRI-Guided Focused Ultrasound for Focal Therapy of Locally Confined Low-Risk Prostate Cancer: Feasibility and Preliminary Outcomes. American Journal of Roentgenology 2015; 205 (2): W177-W184

Ghai S, Trachtenberg J. Prostate cancer: A consensus on trial design for focal therapy. Nature Reviews Urology 2014; 11 (4) 190-192.

Ghali VS, Suresh B, Hemanth A. Data Fusion for Enhanced Defect Detectability in Non-Stationary Thermal Wave Imaging. IEEE Sensors Journal 2015; 15 (12): 6761-6762

Ghasemi M, Behnaz F, Hajian H. The effect of dexmedetomidine prescription on shivering during operation in the spinal anesthesia procedures of selective orthopedic surgery of the lower limb in addicted patients. Anesthesiology and Pain Medicine 2018; 8 (2), art. no. e63230, 9 p.

Ghassemi P, Wang Q, Pfefer TJ. Dynamic thermal effects of epidermal melanin and plasmonic nanoparticles during photoacoustic breast imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9700

Ghavam M, Soleimanpour M, Hashemikamangar SS, Ebrahimi H, Kharazifard MJ. Microshear bond strength of self-adhesive composite to ceramic after mechanical chemical and laser surface treatments. Laser Therapy 2017, 26 (4): 297-304.

Ghayoumi Zadeh H, Haddadnia J, Montazeri A. A model for diagnosing breast cancerous tissue from thermal images using active contour and lyapunov exponent. Iranian Journal of Public Health 2016; 45 (5) 657-669

Ghazali DA, Guericolas M, Thys F, Sarasin F, Arcos González P, Casalino E. Climate change impacts on disaster and emergency medicine focusing on mitigation disruptive effects: An international perspective. International Journal of Environmental Research and Public Health 2018; 15 (7), art. no. 1379.

Ghidoni S, Finotto M, Menegatti E. Automatic Color inspection for Colored Wires in Electric Cables. IEEE Transactions On Tomation Science and Engineering 2015; 12 (2): 596-607

Ghirlando R, Zhao H, Balbo A, Piszczek G, Curth U, Brautigam CA, Schuck P. Measurement of the temperature of the resting rotor in analytical ultracentrifugation. Analytical Biochemistry 2014; 458, 37-39.

Ghoseiri K, Safari MR. Prevalence of heat and perspiration discomfort inside prostheses: Literature review. Journal of Rehabilitation Research and Development 2014; 51 (6): 855-867.

Ghoseiri K, Zheng YP, Leung AKL, Rahgozar M, Aminian G, Lee TH, Safari MR. Temperature measurement and control system for transtibial prostheses: Functional evaluation. Assistive Technology 2018; 30 (1): 16-23.

Ghoseiri K, Zheng YP, Leung AKL, Rahgozar M, Aminian G, Lee TH, Safari MR. Temperature Measurement and Control System for Transtibial Prostheses: Functional Evaluation. Assistive Technology 1-8 Article in Press

Ghoseiri K, Zheng YP, Leung AKL, Rahgozar M, Aminian G, Masoumi M, Safari MR. Temperature measurement and control system for transtibial prostheses: Single subject clinical evaluation. Assistive Technology 2018; 30 (3): 133-139.

Ghyselen L, Fontaine C, Dégrugilliers L, Degorre C, Léké, A, Tourneux P. Polyethylene bag wrapping to prevent hypothermia during percutaneous central venous catheter insertion in the preterm newborn under 32 weeks of gestation, Journal of Maternal-Fetal and Neonatal Medicine 2014; 27 (18): 1922-1925.

Giannaccare G, Fresina M, Agnifili L, Versura P. Ocular-surface temperature modification by cataract surgery. Journal of Cataract and Refractive Surgery 2016; 42 (7) 983-989

Giannoni-Guzmán MA, Avalos A, Perez JM, Loperena EJO, Kayým M, Medina JA, Massey SE, Kence M, Kence A, Giray T, Agosto-Rivera JL. Measuring individual locomotor rhythms in honey bees paper wasps and other similar-sized insects. Journal of Experimental Biologyl 2014; 217 (8) 1307-1315.

Giansanti L, Bozzuto G, Fracassi A, Bombelli C, Stringaro A, Molinari A, Piozzi A, Sennato S, Mancini G Effect of preparation protocol on physicochemical features and biointeractions of pegylated liposomes. Colloids and Surfaces A: Physicochemical and Engineering Aspects 2017, 532: 444-450

Giaouris E, Chorianopoulos N, Nychas G.-J. Impact of acid adaptation on attachment of Listeria monocytogenes to stainless steel during long-term incubation under low or moderate temperature conditions and on subsequent recalcitrance of attached cells to lethal acid treatments. International Journal of Food Microbiology 2014; 171: 1-7.

Gibelli D, Cantatore A, Porta D, Poppa P, Sala R, Marco G, Cattaneo C. Temperature measurement from the brain and rectum in charred corpses: A pilot study on an animal model. American Journal of Forensic Medicine and Pathology 2014; 35 (1): 34-37.

Gibson C, Matthews K, Thurston R. Daily physical activity and hot flashes in the Study of Women's Health Across the Nation (SWAN) Flashes Study. Fertility and Sterility 2014; 101 (4): 1110-1116.

Gibson OR, Dennis A, Parfitt T, Taylor L, W att PW, Maxwell NS. Extracellular Hsp72 concentration relates to a minimum endogenous criteria during acute exercise-heat exposure. Cell Stress and Chaperones 2014; 19 (3): 389-400.

Giedraityte G, Kalediene L. Biotransformation of eugenol via protocatechuic acid by thermophilic Geobacillus sP AY 946034 strain. Journal of Microbiology and Biotechnology 2014; 24 (4) 475- 482.

Giepman RHM, Schrijer FFJ, van Oudheusden BW. Infrared Thermography Measurements on a Moving Boundary-Layer Transition Front in Supersonic Flow. AIAA Journal 2015; 53 (7): 2056-2060

Giesberts RB, Hekman EEG, Verkerke GJ, Maathuis PGM. Ten cold clubfeet. Acta Orthopaedica 2018; 89 (5): 565-569.

Gil EA, Aubert XL, Beersma DGM. Ambulatory estimation of human circadian phase using models of varying complexity based on non-invasive signal modalities. 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBC 2014, art. no. 6944074: 2278-2281.

Gil-Calvo M, Priego Quesada JI, Jimenez-Perez I, Lucas-Cuevas AG, Pérez-Soriano P. Thermographic analysis of the use of custom-made foot orthoses during running. Thermology International 2018; 28(2) 76-77.

Gillard DM, Corenman DS, Dornan GJ. Failed less invasive lumbar spine surgery as a predictor of subsequent fusion outcomes. International Orthopaedics 2014; 38 (4): 811-815.

Giménez-Rivera VA, Metz M, Siebenhaar F. Mast cell-mediated reactions in vivo Methods in Molecular Biology 2014; 1192: 239-247.

Ginat DT, Anthony GJ, Christoforidis G, Oto A, Dalag L, Sammet S. Comparison between whole-body and head and neck neurovascular coils for 3-T magnetic resonance proton resonance frequency shift thermography guidance in the head and neck region. Lasers in Medical Science 2018; 33 (2): 369-373.

Ginat DT, Sammet S, Christoforidis G. MR thermography-guided head and neck lesion laser ablation. American Journal of Neuroradiology 2018; 39 (9): 1593-1596.

Ginat DT, Swearingen B, Curry W, Cahill D, Madsen J, Schaefer PW. 3 Tesla intraoperative MRI for brain tumor surgery. Journal of Magnetic Resonance Imaging 2014; 39 (6) 1357-1365.

Gingold DB, Strickland MJ, Hess JJ. Ciguatera fish poisoning and climate change: Analysis of national poison center data in the United States 2001-2011 Environmental Health Perspectives 2014; 122 (6): 580-586.

Giorgini E, Sabbatini S, Conti C, Rubini C, Rocchetti R, Fioroni M, Memè, L, Orilisi G. Fourier Transform Infrared Imaging analysis of dental pulp inflammatory diseases. Oral Diseases 2017, 23 (4): 484-491.

Giovannacci D, Detalle V, Martos-Levif D, Ogien J, Bernikola E, Tornari V, Hatzigiannakis K, Mouhoubj K, Bodnar JL, Walker GC, Brissaud D, Trichereau B, Jackson B, Bowen J. Case study of Sainte-Marie Chapel Fontaine Chaalis (France): Complementarity of different optical techniques. In: Pezzati L, Targowski P, eds, Proceedings of SPIE Conference on Optics for Arts Architecture and Archaeology V, JUN 24-25, 2015, Munich Germany 2015; pp. 95270L-95270L-9.

Girard A, Muneer T, Caceres G. A validated design simulation tool for passive solar space heating: Results from a monitored house in West Lothian Scotland. Indoor and Built Environment 2014; 23 (3): 353-372.

Girard O, Racinais S, Périard JD. Tennis in hot and cool conditions decreases the rapid muscle torque production capacity of the knee extensors but not of the plantar flexors British Journal of Sports Medicine 2014; 48 (SUPPL. 1): i52-i58.

Girard O, Racinais S. Combining heat stress and moderate hypoxia reduces cycling time to exhaustion without modifying neuromuscular fatigue characteristics European Journal of Applied Physiology 2014; 114 (7): 1521-1532.

Girod M, Vandenheede M, Farnir F, Gommeren K. Axillary temperature measurement: A less stressful alternative for hospitalised cats? Veterinary Record 2016; 178 (8), p 192

Girrbach F, Etz CD, Dohmen PM, Von Aspern K, Luehr M, Borger MA, Misfeld M, Eifert S, Mohr F.-W. Longevity after mechanical aortic root replacement - Do men live longer? Journal of Thoracic and Cardiovascular Surgery 2014; 148 (5): 2087-2095.

Giurgea LT, Dillon JL, Tafe LJ, Zuckerman RA. Photo quiz: An immunosuppressed acute lymphoblastic leukemia patient with fever and lung nodules. Journal of Clinical Microbiology 2018; 56 (9), art. no. e02146.

Glatz T, Boldt J, Timme S, Kulemann B, Seifert G, Holzner PA, Chikhladze S, Grüneberger JM, Küsters S, Sick O, Höner J, Hopt UT, Marjanovic G. Impact of intraoperative temperature and humidity on healing of intestinal anastomoses. International Journal of Colorectal Disease 2014; 29 (4) 469-475.

Glavaš, H, Vukobratović, M, Keser T. Infrared thermography as control of handheld IPL device for home-use. Journal of Cosmetic and Laser Therapy 2018; 20 (5): 269-277.

Glinzer A, Ma X, Prakash J, Kimm MA, Lohöfer F, Kosanke K, Pelisek J, Thon MP, Vorlova S, Heinze KG, Eckstein H-H, Gee MW, Ntziachristos V, Zernecke A, Wildgruber M. Targeting Elastase for Molecular Imaging of Early Atherosclerotic Lesions. Arteriosclerosis Thrombosis and Vascular Biology 2017, 37 (3): 525-533.

Glowacz A, Glowacz A, Glowacz Z. Recognition of monochrome thermal images of synchronous motor with the, application of skeletonization and classifier based on words. Archives of Metallurgy and Materials 2015; 60 (1): 27-32

Glowacz A, Glowacz A, Glowacz Z. Recognition of Thermal Images of Direct Current Motor with Application of Area Perimeter Vector and Bayes Classifier. Measurement Science Review 2015; 15 (3): 119-126

Gobbo M, Falciati L. Neuromodulation and cognitive rehabilitation: Addressing the methodological issue of circadian rhythms. Frontiers in Psychiatry 2014; Art. No. 150.

Göbölös L, Philipp A, Ugocsai P, Foltan M, Thrum A, Miskolczi S, Pousios D, Khawaja S, Budra M, Ohri SK. Reliability of different body temperature measurement sites during aortic surgery. Perfusion (United Kingdom) 2014; 29 (1): 75-81.

Godfrey M. Iodine and the Breast (abstract). Thermology international 2015, 25(1) 23

Godfrey M. Thermal imaging to assess breast health in women under age 35 - an ongoing pilot study from 2012 (abstract). Thermology international 2015, 25(1) 21

Godfrey M. Thermography and breast cancer (abstract). Thermology international 2015, 25(1) 23

Godin A, Duquesne M, del Barrio EP, Morikawa J. Analysis of crystal growth kinetics in undercooled melts by infrared thermography. Quantitative Infrared Thermography Journal 2015; 12 (2): 237-251

Godoy SE, Hayat MM, Ramirez DA, Myers SA, Padilla RS, Krishna S. Detection theory for accurate and non-invasive skin cancer diagnosis using dynamic thermal imaging. Biomedical Optics Express 2017, 8(4) 2301-2323.

Goenka A, Aziz M, Riley P, Vassallo G. Complex regional pain syndrome involving the face following snowball injury. European Journal of Pediatrics 2014; 173 (3): 397-400.

Goetzl L. Epidural fever in obstetric patients: It's a hot topic. Anesthesia and Analgesia 2014; 118 (3): 494- 495.

Goff RP, Howard BT, Quallich SG, Iles TL, Iaizzo PA. The novel in vitro reanimation of isolated human and large mammalian heart-lung blocs. BMC Physiology 2016; 16 (1), art no 16

Goff RP, Quallich SG, Buechler RA, Bischof JC, Iaizzo PA Determination of cryothermal injury thresholds in tissues impacted by cardiac cryoablation. Cryobiology 2017, 75: 125-133.

Goforth C, Lisman P, Deuster P. The physiological impact of body armor cooling devices in hot environments: A systematic review. Military Medicine 2014; 179 (7): 724-734.

Gogoi UR, Bhowmik MK, Bhattacharjee D, Ghosh AK. Singular value-based characterization and analysis of thermal patches for early breast abnormality detection. Australasian Physical and Engineering Sciences in Medicine 2018; 41 (4): 861-879.

Goharrizi AY, Kwong R, Chopra R. Development of robust/predictive control strategies for image- guided ablative treatments using a minimally invasive ultrasound alicator. International Journal of Hyperthermia 2014; 2014; 30 (7) 438-446.

Golbabaei F, Zakerian SA, Fouladi Dehaghi B, Ibrahimi Ghavamabadi L, Gharagozlou F, Mirzaei Aliabadi M, Hematjo R. Heat stress and physical capacity: A case study of semi-profes-sional footballers. Iranian Journal of Public Health 2014; 43 (3): 355-361.

Gold JE, Hallman DM, Hellström F, Björklund M, Crenshaw AG, Mathiassen SE, Barbe MF, Ali S. Systematic review of quantitative imaging biomarkers for neck and shoulder musculoskeletal disorders. BMC Musculoskeletal Disorders 2017, 18 (1), art. no. 395.

Golda-Cepa M, Chytrosz P, Chorylek A, Kotarba A. One-step sonochemical fabrication and embedding of gentamicin nanoparticles into parylene C implant coating: towards controlled drug delivery. Nanomedicine: Nanotechnology Biology and Medicine 2018; 14 (3): 941-950.

Goldstein I, Goldstein S, Millheiser L. The impact of Fiera a women's personal care device on genital engorgement as measured by thermography: A proof-of-principle study. Menopause 2017, 24 (11): 1257-1263.

Goldstein SW, Gonzalez JR, Gagnon C, Goldstein I. Peripheral Female Genital Arousal as Assessed by Thermography Following Topical Genital Application of Alprostadil vs Placebo Arousal Gel: A Proof-of- Principle Study Without Visual Sexual Stimulation. Sexual Medicine 2016; 4 (3) e166-e175

Goldwood G, Diesburg S. The effect of cool water pack preparation on vaccine vial temperatures in refrigerators. Vaccine 2018; 36 (1): 128-133.

Golovashchenko RV, Zaetz NK, Ostryzhnyi YM, Plevako AS, Derkach VN. Precision temperature measurement unit for the low temperature dielectrometer. 9th International Kharkiv Symposium on Physics and Engineering of Microwaves Millimeter and Submillimeter Waves MSMW 2016, art no 7538104

Golshahi A, Bornfeld N, Weinitz S, Kellner U. Near-Infrared Autofluorescence in Bilateral Diffuse Uveal Melanocytic Proliferation Associated with Esophageal Carcinoma and Choroidal Metastasis. Retinal Cases and Brief Reports 2016; 10 (3) 254-258

Gomart SB, Allerton FJW, Gommeren K. Accuracy of different temperature reading techniques and associated stress response in hospitalized dogs. Journal of Veterinary Emergency and Critical Care 2014; 24 (3): 279-285.

Gomes CAFDP, Dibai-Filho AV, Pallotta RC, da Silva EAP, Marques ACDF, Marcos RL, de Carvalho PDTC. Effects of low-level laser therapy on the modulation of tissue temperature and hyperalgesia following a partial Achilles tendon injury in rats. Journal of Cosmetic and Laser Therapy 2017, 19 (7): 391-396.

Gomes RC, Guirro ECO, Gonçalves AC, Farina Junior JA, Murta Junior LO, Guirro RRJ. High-voltage electric stimulation of the donor site of skin grafts accelerates the healing process. A randomized blinded clinical trial. Burns 2018; 44 (3): 636-645.

Gomez C, Nelson S, Speirs J, Barnes S. Magnetic Intramedullary Lengthening Nails and MRI Compatibility. Journal of Pediatric Orthopaedics 2018; 38 (10): e584-e587.

Gomez CCS, Servidoni MF, Marson FAL, Canavezi PJ.C, Vinagre AM, Costa ET, Ribeiro AF, Ribeiro MAGO, Toro AADC, Pavan CR, Rondon MVSS, Lorena SLS, Vieria FU, Ribeiro JD. Pulsed direct and constant direct currents in the pilocarpine iontophoresis sweat chloride test BMC Pulmonary Medicine 2014; 14 (1), art. no. 198.

Gomez-Bellot MJ, Nortes PA, Sanchez-Blanco MJ, Ortuno MF. Sensitivity of thermal imaging and Infrared thermometry to detect water status changes in Euonymus japonica plants irrigated with saline reclaimed water. Biosystems Engineering 2015; 133: 21-32

Gomez-Lopez N, Romero R, Arenas-Hernandez M, Panaitescu B, Garcia-Flores V, Mial TN, Sahi A, Hassan SS. Intra-amniotic administration of lipopolysaccharide induces spontaneous preterm labor and birth in the absence of a body temperature change. Journal of Maternal-Fetal and Neonatal Medicine 2018; 31 (4): 439-446.

Goncalves-Souza T, Romero GQ, Cottenie K. Metacommunity versus biogeography: A case study of two groups of neotropical vegetation-dwelling arthropods. PLoS ONE 2014; 9 (12), art. no. e115137.

Gong JL, Liu JY, Wang F, Wang Y. inverse heat transfer approach for nondestructive estimation the size and depth of subsurface defects of CFRP composite using lock-in thermography. Infrared Physics & Technology 2015; 71: 439-447

Gong WL, Peng YY, He MC, Wang J. Thermal image and spectral characterization of roadway failure process in geologically 45 degrees inclined rocks. Tunnelling and Underground Space Technology 2015; 49: 156-173

Gong WL, Peng YY, Sun XM, He MC, Zhao SY, Chen HQ, Xie T. Enhancement of low-contrast thermograms for detecting the stressed tunnel in horizontally stratified rocks. International Journal of Rock Mechanics and Mining Sciences 2015; 74: 69-80

Gong Y, Capstick M, Tillmann T, Dasenbrock C, Samaras T, Kuster N. Desktop exposure system and dosimetry for small scale in vivo radio frequency exposure experiments. Bioelectromagnetics 2016; 37 (1) 49-61

Gonipeta B, Para R, He Y, Srkalovic I, Ortiz T, Kim E, Parvataneni S, Gangur V. Cardiac mMCP-4+ mast cell expansion and elevation of IL-6, and CCR1/3 and CXCR2 signaling chemokines in an adjuvant-free mouse model of tree nut allergy. (2015) Immunobiology 2016; 220 (5) 663-672

Gonnermann J, Maier A.-KB, Klein JP, Bertelmann E, Pleyer U, Klamann MKJ. Evaluation of ocular surface temperature in patients with pterygium. Current Eye Research 2014; 39 (4): 359- 364.

Gonzales BR, Hagin V, Guillot R, Placet V, Monnier-Benoit P, Groslambert A. Self-paced cycling performance and recovery under a hot and highly humid environment after cooling. Journal of Sports Medicine and Physical Fitness 2014; 54 (1) 43-52.

González FC, Villegas OO, Ramírez DE, Sánchez VG, Domínguez HO. Smart multi-level tool for remote patient monitoring based on a wireless sensor network and mobile augmented reality. Sensors (Basel Switzerland) 2014; 14 (9): 17212-17234.

González MM, Aguilar CH, Pacheco FAD, Cabrales LEB, Reyes JB, Nava JJG, Ambrosio PE, Domiguez DS, González VGS, Pupo AEB, Ciria HMC, Alemán EI, García FM, Rivas CB, Reina EC. Tissue damage temperature and pH induced by different electrode arrays on potato pieces (Solanum tuberosum L.). Frontiers in Oncology 2018; 8: art. no. 101.

Gonzalez WG, Miksovska J. Submillisecond conformational changes in proteins resolved by photothermal beam deflection. Journal of Visualized Experiments 2014; (84) Art. No. e50969.

Gonzalez-Parada A, Guzman-Cabrera R, Torres-Cisneros M, Guzman-Sepulveda JR. Comparative Analysis of Thermography Studies and Electrical Measurement of Partial Discharges in Underground Power Cables. International Journal of Thermophysics 2015; 36 (9): 2356-2369

Goodall TR, Bovik AC, Paulter NG. Tasking on natural statistics of infrared images. IEEE Transactions on Image Processing 2016; 25 (1), art no 7312989 65-79

Goodarzi-Ardakani V, Taeibi-Rahni M, Salimi MR, Ahmadi G. Computational simulation of temperature and velocity distribution in human upper respiratory airway during inhalation of hot air. Respiratory Physiology and Neurobiology 2016; 223 49-58

Göppner D, Nekwasil S, Jellestad A, Sachse A, Schönborn K-H, Gollnick H. Indocyanine green-assisted sentinel lymph node biopsy in melanoma using the “FOVIS“ system [Sentinel-Lymphknoten-Biopsie des Melanoms mittels Indocyaningrün und „FOVIS“-System]. JDDG - Journal of the German Society of Dermatology 2017, 15 (2): 169-178.

Gorbachev EV, Kirichenko AE, Sedykh GS, Volkov VI. The thermometry system of superconducting magnets test bench for the Nica accelerator complex. Physics of Particles and Nuclei Letters 2016; 13 (5)598-600

Gordon AC, Lewandowski RJ, Salem R, Day DE, Omary RA, Larson AC. Localized hyperthermia with iron oxide-doped yttrium microparticles: Steps toward image-guided thermoradiotherapy in liver cancer. Journal of Vascular and Interventional Radiology 2014; 25 (3) 397-404.

Gordon CJ, Johnstone AF, Aydin C, Phillips PM, Macphail RC, Kodavanti UP, Ledbetter AD, Jarema, KA. Episodic ozone exposure in adult and senescent Brown Norway rats: Acute and delayed effect on heart rate, core temperature and motor activity. Inhalation Toxicology 2014, 26 (7) 380-390.

Gordon CJ, Johnstone AF, Aydin C. Thermal stress and toxicity. Comprehensive Physiologyy 2014; 4 (3) 995-1016.

Gordon L, Paal P. Managing accidental hypothermia: Progress but still some way to go. Emergency Medicine Journal 2018; 35 (11): 657-658.

Gore SA, Satpute VV, Gholve SB, Bhusnure OG, Bhosale PH, Phutke PB. A systematic review on transdermal patches. International Journal of Pharmaceutical Sciences Review and Research 2017, 45(2) 36-47. Article Number: 08.

Goren M, Gat Y. Varicocele is the root cause of BPH: Destruction of the valves in the spermatic veins produces elevated pressure which diverts undiluted testosterone directly from the testes to the prostate. Andrologia 2018; 50 (5), art. no. e12992.

Görges M, West NC, Whyte SD. Using physiological monitoring data for performance feedback: an initiative using thermoregulation metrics [Utilisation des données de monitorage physiologique pour les rétroactions sur la performance: une initiative basée sur les mesures de la thermorégulation]. Canadian Journal of Anesthesia 2017, 64 (3): 245-251.

Gorjanc J, Morrison SA, Blagus R, Mekjavic IB. Cold Susceptibility of Digit Stumps Resulting from Amputation after Freezing Cold Injury in Elite Alpinists. High Altitude Medicine and Biology 2018; 19 (2): 185-192.

Gorman MP, Rincon SP, Pierce VM. Case 19-2014: A 19-year-old woman with headache fever stiff neck and mental-status changes. New England Journal of Medicine 2014; 370 (25) 2427- 2438.

Górska K, Szczerkowska-Dobosz A, Purzycka-Bohdan D, Stawczyk-Macieja M, Wierzba K, Nowicki RJ. Raynaud's phenomenon as an interdisciplinary problem [Objaw Raynauda jako problem interdyscyplinarny]. Przeglad Dermatologiczny 2017, 104 (5): 499-508.

Gosa MM, Dodrill P. Effect of Time and Temperature on Thickened Infant Formula. Nutrition in Clinical Practice 2017, 32 (2): 238-244.

Goswami E, Batra P, Khurana R, Dewan P. Comparison of Temporal Artery Thermometry with Axillary and Rectal Thermometry in Full Term Neonates. Indian Journal of Pediatrics 2017, 84 (3): 195-199.

Gousopoulos E, Karaman S, Proulx ST, Leu K, Buschle D, Detmar M. High-Fat Diet in the Absence of Obesity Does Not Aggravate Surgically Induced Lymphoedema in Mice. European Surgical Research 2017, 58 (3-4): 180-192.

Goutam S, Timmermans JM, Omar N, Van den Bossche P, Van Mierlo J. Comparative Study of Surface Temperature Behavior of Commercial Li-Ion Pouch Cells of Different Chemistries and Capacities by Infrared Thermography. Energies 2015; 8 (8): 8175-8192

Goyal M, Chaudhuri TK, Kuwajima K. Irreversible denaturation of maltodextrin glucosidase studied by differential scanning calorimetry circular dichroism and turbidity measurements. PLoS ONE 2014; 9 (12) Art. No. e115877.

Grabowski D, Cristalli C. Production line quality control using Infrared imaging. Infrared Physics & Technology 2015; 71: 416-423

Grady DJ, Gentile MA, Riggs JH, Cheifetz IM. Improved arterial blood oxygenation following intravenous infusion of cold supersaturated dissolved oxygen solution. Clinical Medicine Insights: Circulatory Respiratory and Pulmonary Medicine 2014; 8: 11-16.

Grahn DA, Cao VH, Nguyen CM, Liu MT, Heller HG. Work volume and strength training responses to resistive exercise improve with periodic heat extraction from the palm. Diabetes Technology and Therapeutics 2014; 16 (SUPPL. 1): S92-S93.

Grammatikos SA, Kordatos EZ, Matikas TE, Paipetis AS. Service and maintenance damage assessment of composite structures using various modes of Infrared thermography. In IOP Conference Series: Materials Science and Engineering 2015. 74 (1) p. 012006

Grant OM, Tronina L, Garcia-Plazaola JI, Esteban R, Pereira JS, Chaves MM. Resilience of a semi- deciduous shrub Cistus salvifolius to severe summer drought and heat stress. Functional Plant Biology 2015; 42 (2): 219-228

Granum E, Perez-Bueno ML, Calderon CE, Ramos C, de Vicente A, Cazorla FM, Baron M. Metabolic responses of avocado plants to stress induced by Rosellinia necatrix analysed by fluorescence and thermal imaging. European Journal of Plant Pathology 2015; 142 (3): 625-632

Graves C, Ely S, Idowu O, Newton C, Kim S. Direct Gallbladder Indocyanine Green Injection Fluorescence Cholangiography during Laparoscopic Cholecystectomy. Journal of Laparoendoscopic and Advanced Surgical Techniques 2017, 27 (10): 1069-1073.

Gravett M, Cepek J, Fenster A. An ultra-high field strength MR image-guided robotic needle delivery system for in-bore small animal interventions. Medical Physics 2017, 44 (11): 5544-5555.

Greaney JL, Stanhewicz AE, Kenney W L, Alexander LM. Muscle sympathetic nerve activity during cold stress and isometric exercise in healthy older adults. Journal of Applied Physiology 2015, 117 (6): 648-657.

Greason KL, Kim S, Suri RM, Wallace AS, Englum BR. Hypothermia and operative mortality during on- pump coronary artery bypass grafting. Journal of Thoracic and Cardiovascular Surgery 2014; 148 (6): 2712-2718.

Green LA, Parro JJ, Gabriel DA. Beneficial effects of serial contractions on muscle performance after a brief period of rest. European Journal of Applied Physiology 2014; 114 (8): 1657-1665.

Green RJ, Endersby S, Allen J, Adams J. Role of medical thermography in treatment of Frey's syndrome with botulinum toxin A. British Journal of Oral and Maxillofacial Surgery 2014; 52 (1) 90- 92.

Green RJ, Pentz A. Fever in children: How to minimise risk and provide appropriate therapy. South African Family Practice 2014; 56 (4): 212-215.

Greenberg S, Shear T, Murphy G. Extracranial Contamination of Near-Infrared Spectroscopy Devices. Anesthesia

and Analgesia 2017, 124 (1): 356-358.

Greene AC, Henderson IM, Gomez A, Paxton WF, VanDelinder V, Bachand GD. The role of membrane fluidization in the gel-assisted formation of giant polymersomes. PLoS ONE 2016; 11 (7), art no e0158729

Greinwald M, Varady PA, Augat P. Unicortical self-drilling external fixator pins reduce thermal effects during pin insertion. European Journal of Trauma and Emergency Surgery 2018; 44 (6): 939-946.

Grejs AM, Gjedsted J, Thygesen K, Lassen JF, Rasmussen BS, Jeppesen AN, Duez CHV, Søreide E, Kirkegaard H. The Extent of Myocardial Injury During Prolonged Targeted Temperature Management After Out-of-Hospital Cardiac Arrest. American Journal of Medicine 2017, 130 (1): 37-46.

Grélot L, Koulibaly F, Maugey N, Janvier F, Foissaud V, Aletti M, Savini H, Cotte J, Dampierre H, Granier H, Carmoi T, Sagui E. Moderate Thermal Strain in Healthcare Workers Wearing Personal Protective Equipment during Treatment and Care Activities in the Context of the 2014 Ebola Virus Disease Outbreak. Journal of Infectious Diseases 2016; 213 (9) 1462-1465

Grewal SS, Gorny KR, Favazza CP, Watson RE, Kaufmann TJ, Van Gompel JJ. Safety of Laser Interstitial Thermal Therapy in Patients with Pacemakers. Operative Neurosurgery 2018; 15 (5): E69-E72.

Grgac K, Li W, Huang A, Qin Q, van Zijl PCM. Transverse water relaxation in whole blood and erythrocytes at 3T, 7T, 9.4T, 11.7T and 16.4T; determination of intracellular hemoglobin and extracellular albumin relaxivities. Magnetic Resonance Imaging 2017, 38: 234-249.

Griesbach GS, Tio DL, Nair S, Hovda DA. Recovery of stress response coincides with responsiveness to voluntary exercise after traumatic brain injury. Journal of Neurotrauma 2014; 31 (7) 674-682.

Griffin GH, Ramanan V, Barry J, Wright GA. Toward in vivo quantification of induced RF currents on long thin conductors. Magnetic Resonance in Medicine 2018; 80 (5): 1922-1934.

Griffin M, Letson HL, Dobson GP. Optimization of the rodent model of polymicrobial sepsis. International Immunopharmacology 2014; 19 (2), p. 405.

Griffin PJ, Cosby T, Holt AP, Benson RS, Sangoro JR. Charge transport and structural dynamics in carboxylic-acid-based deep eutectic mixtures. Journal of Physical Chemistry B 2014; 118 (31): 9378-9385.

Griggs KE, Havenith G, Paulson TAW, J. Price M, Goosey-Tolfrey VL. Effects of cooling before and during simulated match play on thermoregulatory responses of athletes with tetraplegia. Journal of Science and Medicine in Sport 2017, 20 (9): 819-824.

Grinias JP, Keil DS, Jorgenson JW. Observation of enhanced heat dissipation in columns packed with superficially porous particles. Journal of Chromatography A 2014; 1371: 261-264.

Grinich E, Koon SM, Cascio MJ, Fett N. Subcutaneous panniculitis-like T-cell lymphoma responsive to combination therapy with methotrexate and corticosteroids. Dermatology Online Journal 2018; 24 (9), art. no. 9.

Groen J. Comments. Neuromodulation 2016; 19 (2), p 170

Groner ML, Gettinby G, Stormoen M, Revie CW, Cox R. Modelling the impact of temperature- induced life history plasticity and mate limitation on the epidemic potential of a marine ectoparasite. PLoS ONE 2014; 9 (2), art. no. e88465.

Groskreutz SR, Weber SG. Temperature-assisted on-column solute focusing: A general method to reduce precolumn dispersion in capillary high performance liquid chromatography. Journal of Chromatography A 2014; 1354: 65-74.

Gross RE, Willie JT, Drane DL. The Role of Stereotactic Laser Amygdalohippocampotomy in Mesial Temporal Lobe Epilepsy. Neurosurgery Clinics of North America 2016; 27 (1) 37-50

Grossbard BP, Loughin CA, Marino DJ, Marino LJ, Sackman J, Umbaugh SE, Solt PS, Afruz J, Leando P, Lesser ML, Akerman M. Medical infrared imaging (Thermography) of Type I thoracolumbar disk disease in chondrodystrophic dogs. Veterinary Surgery 2014; 43 (7) 869-876.

Grossestreuer AV, Gaieski DF, Donnino MW, Wiebe DJ, Abella BS. Magnitude of temperature elevation is associated with neurologic and survival outcomes in resuscitated cardiac arrest patients with postrewarming pyrexia. 2017, Journal of Critical Care 38: 78-83.

Grote R, Wetz AJ, Bräuer A, Menzel M. Prewarming according to the AWMF S3 guidelines on preventing inadvertant perioperative hypothermia 2014: Retrospective analysis of 7786 patients [Vorwärmung entsprechend der „S3 Leitlinie Vermeidung von unbeabsichtigter perioperativer Hypothermie 2014“: Retrospektive Analyse von 7786 Patienten]. Anaesthesist 2018; 67 (1): 27-33.

Grundstein AJ, Duzinski SV, Dolinak D, Null J, Iyer SS. Evaluating infant core temperature response in a hot car using a heat balance model. Forensic Science Medicine and Pathology 2014 (article in press, Epub 2014 Oct 21).

Grys S, Minkina W, Vokorokos L, Automated characterisation of subsurface defects by active IR, thermographic testing -Discussion of step heating duration and defect depth determination. Infrared Physics & Technology 2015; 68: 84-91

Gu J, Shen G. A focal positioning method used in the MR-guided focused ultrasound surgery system. (2015) Proceedings - 2015 8th International Conference on BioMedical Engineering and Informatics BMEI 2015, art no 7401523 323-327

Gu Y-Q, Fan T-X, Mou J-G, Yu W-B, Zhao G, Wang E. Experiment Research on Hot-Rolling Processing of Nonsmooth Pit Surface. Applied Bionics and Biomechanics 2016; 2016, art no 4915974

Guadarrama-Cetina J, Mongruel A, Medici M.-G, Baquero E, Parker AR, Milimouk-Melnytchuk I, González- Viñas W, Beysens D. Dew condensation on desert beetle skin. The European Physical Journal. E Soft matter 2014; 37 (11) 109.

Guan H, Zhao Z Zhou Q, He F, Yu M, Cai W, Yang X, Xu Z Hou H, Hu D. Limb cooling with targeted arterial infusion of cold fluid alleviates scald injury: An experimental rabbit study. International Journal of Clinical and Experimental Medicine 2014; 7 (9) 3013-3020.

Gücüyener İ. A novel design of heartbeat monitoring system for the motor vehicle. International Journal of Injury Control and Safety Promotion 2016; 23 (4) 395-399

Gudro I, Valeika V, Sirvaityte J. Short term preservation of hide using vacuum: Influence on properties of hide and of processed leather. PLoS ONE 2014; 9 (11), art. no. e112783.

Gueritee J, House JR, Redortier B, Tipton MJ. The determinants of thermal comfort in cool water. Scandinavian Journal of Medicine and Science in Sports (Article first published online: 2 Dec 2014)

Guerrero Sánchez F, Gómez Durán M, Pascual Pérez S, Díaz Gómez AL. Differential diagnosis of persistent fever without a focus [Diagnóstico diferencial de la fiebre infecciosa prolongada sin focalidad]. Medicine (Spain) 2018; 12 (53): 3157-3161.

Guerrero-Vargas NN, Salgado-Delgado R, Basualdo MDC, García J, Guzmán-Ruiz M, Carrero JC, Escobar C, Buijs RM. Reciprocal interaction between the suprachiasmatic nucleus and the immune system tunes down the inflammatory response to lipopolysaccharide. Journal of Neuroimmunology 2014; 273 (1-2) 22-30.

Guettari T, Istrate D, Boudy J, Benkelfat B-E, Fumel B, Daviet J-C Design and First Evaluation of a Sleep Characterization Monitoring System Using a Remote Contactless Sensor. IEEE Journal of Biomedical and Health Informatics 2017, 21(6)1511-1523.

Guilbert M, Roig B, Terryn C, Garnotel R, Jeannesson P, Sockalingum GD, Manfait M, Perraut F, Dinten JM, Koenig A, Piot O. Highlighting the impact of aging on type I collagen: Label-free investigation using confocal reflectance microscopy and diffuse reflectance spectroscopy in 3D matrix model. Oncotarget 2016; 7 (8) 8546-8555

Guillamón NM, Psikuta A, Rossi RM, Salvador JMC, Annaheim S. Global and local heat transfer analysis for bicycle helmets using thermal head manikins. International Journal of Industrial Ergonomics 2016; 53 157-166

Guillemaut C, Jardin A, Horacek J, Autricque A, Arnoux G, Boom J, Brezinsek S, Coenen JW, De La Luna E, Devaux S, Eich T, Giroud C, Harting D, Kirschner A, Lipschultz B, Matthews GF, Moulton D, O'Mullane M, Stamp M. Ion target impact energy during Type I edge localized modes in JET, ITER-like Wall. Plasma Physics and Controlled Fusion 2015; *57*(8), 085006.

Guillermet E, Alfa DA, Gbodja R, Jaillard P. Professional changes induced by a redesigned immunization supply chain in the Comé Health Zone Benin. Vaccine 2017, 35 (17): 2189-2194.

Gulabani M, Gurha P, Ahmad S, Dass P. Intra-operative post-induction hyperthermia possibly malignant hyperthermia: Anesthetic implications challenges and management. Journal of Anaesthesiology Clinical Pharmacology 2014; 30 (4): 555-557.

Gulizzi V, Rizzo P, Milazzo A. On the repeatability of the EMI for the Monitoring of Bonded Joints. In: Kundu T, eds, Proceedings of SPIE Health Monitoring of Structural and Biological Systems MAR 09-12 2015 San Diego CA, 2015, pp. 943827-943827-10.

Gulizzj V, Rizzo P, Milazzo A. On the Repeatability of Electromechanical Impedance for Monitoring of Bonded Joints. AIAA Journal 2015; 53 (11): 3479-3482

Gundogdu N, Cetin M. Chitosan-poly (lactide-co-glycolide) (CS-PLGA) nanoparticles containing metformin HCl: Preparation and in vitro evaluation. Pakistan Journal of Pharmaceutical Sciences 2014; 27 (6) 1923- 1929.

Gungor S, Aiyer R. Extrapyramidal signs occurring after sympathetic block for complex regional pain syndrome responding to diphenhydramine. Medicine (United States) 2018; 97 (26), art. no. e11301.

Gungor S, Rana B, Fields K, Bae JJ, Mount L, Buschiazzo V, Storm H. Changes in the skin conductance monitor as an end point for sympathetic nerve blocks. Pain Medicine (United States), 2017, 18 (11): 2187-2197.

Guo H, Liu X-L, Wang Y-L, Li J-Y, Lu W-Z Xian J-Z Zhang B-M, Li J. Protection of skin with subcutaneous administration of 5% dextrose in water during superficial radiofrequency ablation in a rabbit model.

Guo J, Shen G, Qu X, Chen Y. A study of thickness parameter effects in temperature measurement. (2015) Proceedings - 2015 8th International Conference on BioMedical Engineering and Informatics BMEI 2015, art no 7401525 333-337

Guo L, Niu G, Zheng X, Ge J, Liu W, Jia Q, Zhang P, Zhang H, Wang P. Single Near-Infrared Emissive Polymer Nanoparticles as Versatile Phototheranostics. Advanced Science 2017, 4 (10), art. no. 1700085.

Guo Q, Guo XL, Fan JL, Wu CW. Research on high-cycle fatigue behavior of fv520b steel based on intrinsic dissipation. Acta Metallurgica Sinica 2015; 51 (4): 400-406

Guo SF, Zhou YG, Zhang HX, Yan ZF, Wang WX, Sun K, Li YD. Thermographic analysis of the fatigue heating

process for AZ31B, magnesium alloy. Materials & Design 2015; 65: 1172-1180

Guo XW, Mao YX. Defect identification based on parameter estimation of histogram in ultrasonic IR thermography. Mechanical Systems and Signal Processing 2015; 58-59: 218-227

Guo XW, Vavilov V. Pulsed thermographic evaluation of disbonds in the insulation of solid rocket motors made of elastomers. Polymer Testing 2015; 45: 31-40

Guo XW. An analytical model and parametric analysis of ultrasound-excited Infrared thermography. Quantitative Infrared Thermography Journal 2015; 12 (2): 137-148

Guo Y, Hu J, Wang Y, Peng X, Min J, Wang J, Matthaiou E, Cheng Y, Sun K, Tong X, Fan Y, Zhang PJ, Kandalaft LE, Irving M, Coukos G, Li C. Tumour endothelial marker 1/endosialin-mediated targeting of human sarcoma. European Journal of Cancer 2018; 90: 111-121.

Guo Z, Li X. 2016 survey about temperature management during extracorporeal circulation in China. Perfusion (United Kingdom) 2018; 33 (3): 219-227.

Guo-wei Z, Guo-qing Z, Li-li H. Temperature development in steel members exposed to localized fire in large enclosure. Safety Science 2014; 62: 319-325.

Gupta R, W illiams A, Vetrivel M, Singh G. Stridor in children: Is airway always the cause? Journal of Pediatric Neurosciences 2014; 9 (3): 270-272.

Guschlbauer M, Maul AC, Yan X, Herff H, Annecke T, Sterner-Kock A, Bottiger BW, Schroeder DC. Zero- heat-flux thermometry for non-invasive measurement of core body temperature in pigs. PLoS ONE 2016; 11 (3), art no e0150759

Guth F, Bitencourt S, Bedinot C, Sinigaglia G, Tassinary JAF. Immediate effect and safety of HIFU single treatment for male subcutaneous fat reduction. Journal of Cosmetic Dermatology 2018; 17 (3): 385-389.

Gutierrez-Aguilar R, Kim D-H, Casimir M, Dai X-Q, Pfluger PT, Park J, Haller A, Donelan E, Park J, D'Alessio D, Woods SC, MacDonald PE, Seeley RJ. The role of the transcription factor ETV5 in insulin exocytosis. Diabetologia 2014; 57 (2) 383-391.

Gutiérrez-Vargas R, Ugalde-Ramírez JA, Rojas-Valverde D, Salas-Cabrera J, Rodríguez-Montero A, Gutiérrez-Vargas JC. Infrared thermography as an effective tool to detect damaged muscle areas after running a marathon [La termografía infrarroja como herramienta efectiva para detectar áreas músculares dañadas después de correr una maratón]. Revista Facultad de Medicina 2017, 65 (4): 601-607.

Gutowski M, Framery B, Boonstra MC, Garambois V, Quenet F, Dumas K, Scherninski F, Cailler F, Vahrmeijer AL, Pèlegrin A. SGM-101: An innovative near-infrared dye-antibody conjugate that targets CEA for fluorescence-guided surgery. Surgical Oncology 2017, 26 (2): 153-162.

Ha SM, Kwon OH, Oh YG, Kim YS, Lee SG, Won JC, Cho KS, Kim BG, Yoo Y. Thermally conductive polyamide 6/carbon filler composites based on a, hybrid filler system. Science And Technology Of Advanced Materials. 2015; 16(6) 065001

Habboub G, Sharma M, Barnett GH, Mohammadi AM. A novel combination of two minimally invasive surgical techniques in the management of refractory radiation necrosis: Technical note. Journal of Clinical Neuroscience 2017, 35: 117-121.

Hachey KJ, Gilmore DM, Armstrong KW, Harris SE, Hornick JL, Colson YL, Wee JO. Safety and feasibility of near-infrared image-guided lymphatic mapping of regional lymph nodes in esophageal cancer. Journal of Thoracic and Cardiovascular Surgery 2016; 152 (2) 546-554

Hack E, Fruehmann RK, Roos R, Feligiotti M, Schuetz P, Tyler JP, Dulieu-Barton JM. Flaw and damage assessment in torsionally loaded CFRP cylinders using experimental and numerical methods. Composite Structures 2015; 132: 109-121

Haddad DS, Brioschi ML, Baladi MG, Arita ES. A new evaluation of heat distribution on facial skin surface by infrared thermography. Dentomaxillofacial Radiology 2016; 45 (4), art no 20150264

Haddad DS, Brioschi ML, Vardasca R, Weber M, Crosato EM, Arita ES. Thermographic characterization of masticatory muscle regions in volunteers with and without myogenous temporomandibular disorder: Preliminary results. Dentomaxillofacial Radiology 2014; 43 (8), art. no. 20130440.

Haddad DS, M. Brioschi ML, Vardasca R, Arita ES. Study of the facial surface skin thermal distribution by infrared thermography: facial thermoanatomy (extended abstract). Thermology international 2015, 25(3) 137.

Hadrich B, Akremi I, Dammak M, Barkallah M, Fendri I, Abdelkafi S. Optimization of lipids' ultrasonic extraction and production from Chlorella sp. using response-surface methodology. Lipids in Health and Disease 2018; 17 (1), art. no. 87.

Haemmerich D. Non-invasive image-guided targeted drug delivery. The Lancet Oncology 2018; 19 (8): 1000-1001.

Hafner J, Buset C, Dziunycz P, Gräni N, Kaufmann F, Jaberg-Bentele N, Luder C, Mohanna MT, Stieger P, Weber B, Mayer DO, Läuchli S, Frauchiger AL. Complex regional pain syndrome (CRPS) [Komplexes regionales Schmerz syndrom (CRPS). Vormalig Morbus Sudeck]. Phlebologie 2014; 43 (6): 312-316.

Hagensen MK, Mortensen MB, Kjolby M, Stillits NL, Steffensen LB, Bentzon JF. Type 1 diabetes increases retention of low-density lipoprotein in the atherosclerosis-prone area of the murine aorta. Atherosclerosis 2017, 263: 7-14.

Haghighi E, Or D. Evaporation from Wavy Porous Surfaces into Turbulent Airflows. Transport in Porous Media 2015; 110 (2): 225-250

Haghighi E, Or D. Thermal signatures of turbulent airflows Interacting with evaporating thin porous surfaces. International Journal of Heat and Mass Transfer 2015; 87: 429-446

Hajare AA, More HN. Design of the lyophilization process of a doxorubicin formulation based on thermal properties. Indian Journal of Pharmaceutical Sciences 2017, 79(6) 907-913

Hakki SS, Tatar G, Dundar N, Demiralp B. The effect of different cleaning methods on the surface and temperature of failed titanium implants: an in vitro study. Lasers in Medical Science 2017, 32 (3): 563-571.

Halbertal D, Cuppens J, Shalom MB, Embon L, Shadmi N, Anahory Y, Naren HR, Sarkar J, Uri A, Ronen Y, Myasoedov Y, Levitov LS, Joselevich E, Geim AK, Zeldov E. Nanoscale thermal imaging of dissipation in quantum systems. Nature 2016; 539 (7629) 407-410

Halbfass P, Müller P, Nentwich K, Krug J, Roos M, Hamm K, Barth S, Szöllösi A, Mügge A, Schieffer B, Deneke T. Incidence of asymptomatic oesophageal lesions after atrial fibrillation ablation using an oesophageal temperature probe with insulated thermocouples: A comparative controlled study. Europace 2017, 19 (3): 385-391.

Hallahan DE, Freeman ML. Thoughts on the future of research teaching and testing in the biological sciences of radiation oncology. International Journal of Radiation Oncology Biology Physics 2014; 88 (1) 1- 2.

Halperin SA, Arribas JR, Rupp R, Andrews CP, Chu L, Das R, Simon JK, Onorato MT, Liu K, Martin J, Helmond FA. Six-Month Safety Data of Recombinant Vesicular Stomatitis Virus-Zaire Ebola Virus Envelope Glycoprotein Vaccine in a Phase 3 Double-Blind Placebo-Controlled Randomized Study in Healthy Adults. Journal of Infectious Diseases 2017, 215 (12): 1789-1798.

Ham Y, Golparvar-Fard M. Mapping actual thermal properties to building elements in gbXML-based BIM for reliable building energy performance modeling. Automation in Construction 2015; 49: 214-224

Ham Y, Golparvar-Fard M. Three-Dimensional Thermography-Based Method for Cost-Benefit Analysis of Energy Efficiency Building Envelope Retrofits. Journal of Computing in Civil Engineering 2015; 29 (4) B4014009

Hamaguchi S. The instrument for thermography. Japanese Journal of Anesthesiology 2014; 63 (7): 728- 736.

Hamdi AA, Fouad MM, Sayed MS, Hadhoud MM. Patterned fabric defect detection system using near infrared imaging. 2017 IEEE 8th International Conference on Intelligent Computing and Information Systems ICICIS 2017, 2018; pp. 111-117.

Hamill L, Ferris K, Kapande K, McConaghy L, Douglas I, McGovern V, Shields MD. Response to letter by Popov Todor regarding our paper: Exhaled breath temperature measurement and asthma control in children prescribed inhaled corticosteroids: A cross sectional study. Pediatric pulmonology 2016; 51 (1), p 93

Hamill L, Ferris K, Kapande K, McConaghy L, Douglas I, McGovern V, Shields MD. Exhaled breath temperature measurement and asthma control in children prescribed inhaled corticosteroids: A cross sectional study. Pediatric pulmonology 2016; 51 (1) 13-21

Hamilton CD, Lydersen C, Ims RA, Kovacs KM. Haul-out behaviour of the world's northernmost population of harbour seals (Phoca vitulina) throughout the year. PLoS ONE 2014; 9 (1), art. no. e86055.

Hamilton PK, Morgan NA, Connolly GM, Maxwell AP. Understanding acid-base disorders. Ulster Medical Journal 2017, 86 (3): 161-166.

Hammerer F, Garcia G, Charles P, Sourdon A, Achelle S, Teulade-Fichou M.-P, Maillard P. Glycoconjugated porphyrin dimers as robust ratiometric temperature sensors. Chemical Communications 2014; 50 (67): 9529-9532.

Hammond LE, Cuttell S, Nunley P, Meyler J. Anthropometric characteristics and sex influence magnitude of skin cooling following exposure to whole body cryotherapy. BioMed Research International 2014; Art. No. 628724.

Han F, Shi GL, Liang CW, Wang L, Li KY. A Simple and Efficient Method for Breast Cancer Diagnosis Based on Infrared Thermal Imaging. Cell Biochemistry and Biophysics 2015; 71 (1): 491-498

Han H, Wang J, Chen T, Yin L, Jin Q, Ji J. Enzyme-sensitive gemcitabine conjugated albumin nanoparticles as a versatile theranostic nanoplatform for pancreatic cancer treatment. Journal of Colloid and Interface Science 2017, 507: 217-224.

Han LY, Cheng GH, Zheng XS, Zhang RY, Han LY, Hao FQ, Sun X, Meng QL. A General Method of Infrared Image Processing. In; International Conference on Computer Science and Communication Engineering (CSCE) JUN 13-14 2015, Suzhou China 2015: 117-122

Han S, Choi J, Ko JS, Gwak M, Lee S-K, Kim G-S. Comparison of two fluid warming devices for maintaining body core temperature during living donor liver transplantation: Level 1 H-1000 vs. Fluid Management System 2000. Korean Journal of Anesthesiology 2014, 67(4), 264-269

Han S, Kim J, Won SM, Ma Y, Kang D, Xie Z, Lee K.-T, Chung HU, Banks A, Min S, Heo SY, Davies CR, Lee JW, Lee C.-H, Kim BH, Li K, Zhou Y, Wei C, Feng X, Huang Y, Rogers JA. Battery-free wireless sensors for full-body pressure and temperature mapping. Science Translational Medicine 2018; 10 (435), art. no.

eaan4950.

Han SB, Gwak MS, Choi SJ, Ko JS, Kim GS, Son HJ, Shin JC. Risk factors for inadvertent hypothermia during adult living-donor liver transplantation. Transplantation Proceedings 2014; 46 (3): 705-708.

Hanaoka K. Diagnostic and therapeutic devices for patients with chronic intractable pain: Preface and comments. Japanese Journal of Anesthesiology 2014; 63 (7): 726-727.

Handy SM, Chizhikov V, Yakes BJ, Paul SZ Deeds JR, Mossoba MM. Microarray chip development using infrared imaging for the identification of catfish species. Alied Spectroscopy 2014; 68 (12) 1365-1373.

Hani U, Shivakumar HG, Srivastava A, Rashmi NG, Shinde CG. Influence of diluents on release properties of curcumin-hydroxy propyl β cyclodextrin bioadhesive vaginal tablet. Current Drug Therapy 2014; 9 (2): 75-82.

Hankare PT. Breast abnormality based early diagnosis of breast cancer using non-invasive digital infrared thermal imaging. International Journal of Medical Engineering and Informatics 2018; 10 (4): 297-312.

Hankir MK, Kranz M, Keipert S, Weiner J, Andreasen SG, Kern M, Patt M, Klöting N, Heiker JT, Brust P, Hesse S, Jastroch M, Fenske WK. Dissociation between brown adipose tissue 18F-FDG uptake and thermogenesis in uncoupling protein 1-deficient mice. Journal of Nuclear Medicine 2017, 58 (7): 1100-1103.

Hansen MS, Wetterslev J, Pipper CB, Asghar MS, Dahl JB. Heat pain detection threshold is associated with the area of secondary hyperalgesia following brief thermal sensitization: A study of healthy male volunteers. Journal of Pain Research 2017, 10: 265-274.

Hanson CM, George AM, Sawadogo A, Schreiber B. Is freezing in the vaccine cold chain an ongoing issue? A literature review. Vaccine 2017, 35 (17): 2127-2133.

Hanssen MJW, Wierts R, Hoeks J, Gemmink A, Brans B, Mottaghy FM, Schrauwen P, van Marken Lichtenbelt WD. Glucose uptake in human brown adipose tissue is impaired upon fasting- induced insulin resistance. Diabetologia 2014; 58 (3): 586-595.

Hao C, Huang Z-H, Song S-W, Shi Y-Q, Cheng XW, Murohara T, Lu W, Su D-F, Duan J-L. Arterial baroreflex dysfunction impairs ischemia-induced angiogenesis. Journal of the American Heart Association 2014; 3 (3) Art. No. 000804.

Haque A, Faizi MSH, Rather JA, Khan MS Next generation NIR fluorophores for tumor imaging and fluorescence-guided surgery: A review- Bioorganic and Medicinal Chemistry 2017, 25(7) 2017-2034.

Hara M, Kuroda M, Ohmura Y, Matsuzaki H, Kobayashi T, Murakami J, Katashima K, Ashida M, Ohno S, Asaumi J-I. A new phantom and empirical formula for aarent diffusion coefficient measurement by a 3 Tesla magnetic resonance imaging scanner. Oncology Letters 2014; 8 (2) 819-824.

Hara Y, Shiraishi A, Sakane Y, Takezawa Y, Kamao T, Ohashi Y, Yasunaga S, Sugahara T. Effect of mandarin orange yogurt on allergic conjunctivitis induced by conjunctival allergen challenge. Investigative Ophthalmology and Visual Science 2017, 58 (7): 2922-2929.

Hara Y, Shiraishi A, Yamaguchi M, Kawasaki S, Uno T, Ohashi Y. Evaluation of allergic conjunctivitis by thermography. Ophthalmic Research 2014; 51 (3) 161-166.

Harada R, Furumoto S, Yoshikawa T, Ishikawa Y, Shibuya K, Okamura N, Ishiwata K, Iwata R, Yanai K. Synthesis and characterization of 18F-interleukin-8 using a cell-free translation system and 4-18F-fluoro-L- proline. Journal of Nuclear Medicine 2016; 57 (4) 634-639

Harada T, Iwakawa Y, Ikeda H, Ishizaki F, Aoi S, Nitta Y, Yoshida A, Tamura N, Iida T, Shiokawa M, Nitta K. Thermographic study on the preservability of heat effects of footbath with salt. Hiroshima Journal of Medical Sciences 2014; 63 (1-3): 1-5.

Harary M, Segar DJ, Huang KT, Tafel IJ, Valdes PA, Cosgrove GR. Focused ultrasound in neurosurgery: A historical perspective. Neurosurgical Focus 2018; 44 (2), art. no. E2.

Harden LM, Rummel C, Laburn HP, Damm J, Wiegand F, Poole S, Gerstberger R, Roth J. Critical role for peripherally-derived interleukin-10 in mediating the thermoregulatory manifestations of fever and hypothermia in severe forms of lipopolysaccharide-induced inflammation. Pflugers Archiv European Journal of Physiology 2014; 466 (7): 1451-1466.

Hardwicke J, Titley O. Thermographic Assessment of a Vascular Malformation of the Hand: A New Imaging Modality. Journal of Clinical Imaging Science 2016; 6 (1), art no 9

Hardwicke JT, Osmani O, Skillman JM. Detection of perforators using smartphone thermal imaging. Plastic and Reconstructive Surgery 2016; 137 (1) 39-41

Hardy LA, Chang C-H, Myers EM, Kennelly MJ, Fried NM. Computer simulations of thermal tissue remodeling during transvaginal and transurethral laser treatment of female stress urinary incontinence. Lasers in Surgery and Medicine 2017, 49 (2): 198-205.

Har-Even R, Stepensky D, Britzi M, Soback S, Chaim AB, Brandriss N, Goldman M, Berkovitch M, Kozer E. Plasma and cerebrospinal fluid concentrations of ibuprofen in pediatric patients and antipyretic effect: Pharmacokinetic-pharmacodynamic modeling analysis. Journal of Clinical Pharmacology 2014; 54 (9) 1023-1030.

Harhaus L, Neubrech F, Hirche C, Schilling T, Kohler H, Mayr A, Riesmeier A, Bickert B, Kneser U. Complex regional pain syndrome following distal fractures of the radius: Epidemiology pathophysiological models diagnostics and therapy [Komplexes regionales Schmerzsyndrom nach distaler Radiusfraktur: Aktuelle Epidemiologie pathophysiologische Modelle Diagnostik und Therapie]. Unfallchirurg 2016; 119 (9) 732-741

Haritonova A, Liu DL, Ebbini ES. in Vivo Application and Localization of Transcranial Focused Ultrasound Using Dual-Mode Ultrasound Arrays. IEEE Transactions on Ultrasonics Ferroelectrics and Frequency Control 2015; 62 (12): 2031-2042

Harrington JM, Young DJ, Essader AS, Sumner SJ, Levine KE. Analysis of human serum and whole blood for mineral content by ICP-MS and ICP-OES: Development of a mineralomics method. Biological Trace Element Research 2014; 160 (1): 132-142.

Harris BA, Andrews PJD. A lesson on induction of hypothermia and measurement of efficacy Critical Care 2014; 18 (1), art. no. 710.

Harris MN, Carey WA, Ellsworth MA, Haas LR, Hartman TK, Lang TR, Colby CE. Perceptions and practices of therapeutic hypothermia in American neonatal intensive care units. American Journal of Perinatology 2014; 31 (1) 15-20.

Harrison JR, Fishpool GM, Thornton AJ, Walkden NR. The appearance and propagation of filaments in the private flux region in Mega Amp Spherical Tokamak. Physics of Plasmas 2015; 22 (9) 092508

Harshaw C, Culligan JJ, Alberts JR. Sex differences in thermogenesis structure behavior and contact within huddles of infant mice. PLoS ONE 2014; 9 (1) Art. No. e87405.

Hart AG, Rolfe RN, Dandy S, Stubbs H, MacTavish D, MacTavish L, Goodenough AE. Can Handheld Thermal Imaging Technology Improve Detection of Poachers in African Bushveldt? PLOS One 2015; 10 (6) e0131584

Hartmann J, Gellermann J, Brandt T, Schmidt M, Pyatykh S, Hesser J, Ott O, Fietkau R, Bert C. Optimization of Single Voxel MR Spectroscopy Sequence Parameters and Data Analysis Methods for Thermometry in Deep Hyperthermia Treatments. Technology in Cancer Research and Treatment 2017, 16 (4): 470-481.

Hartwig V, Guiducci L, Marinelli M, Pistoia L, Tegrimi TM, Iervasi G, Quinones-Galvan A, L'Abbate A. Multimodal Imaging for the Detection of Brown Adipose Tissue Activation in Women: A Pilot Study Using NIRS and Infrared Thermography. Journal of Healthcare Engineering 2017, art. no. 5986452.

Harty PD, Lye JE, Ramanathan G, Butler DJ, Hall CJ, Stevenson AW, Johnston PN. Absolute x- ray dosimetry on a synchrotron medical beam line with a graphite calorimeter. Medical Physics 2014; 41 (5) Art. No. 052101.

Hasanzadeh M, Nahar AS, Hassanpour S, Shadjou N, Mokhtarzadeh A, Mohammadi J. Proline dehydrogenase-entrapped mesoporous magnetic silica nanomaterial for electrochemical biosensing of L-proline in biological fluids. Enzyme and Microbial Technology 2017, 105: 64-76

Hashimoto Y, Watanabe N, Yuasa T, Suzuki Y, Saisho H. Breast reconstruction with absorbable mesh sling: Dynamic infrared thermography of skin envelope. Gland Surgery 2017, 6 (1): 73-81.

Haslerud S, Naterstad IF, Bjordal JM, Lopes-Martins RAB, Magnussen LH, Leonardo PS, Marques RH, Joensen J. Achilles Tendon Penetration for Continuous 810 nm and Superpulsed 904 nm Lasers before and after Ice Application: An in Situ Study on Healthy Young Adults. Photomedicine and Laser Surgery 2017, 35 (10): 567-575.

Hattori Y, Falgout L, Lee W, Jung S-Y, Poon E, Lee JW, Na I, Geisler A, Sadhwani D, Zhang Y, Su Y,

Haugen O, Øvrebø, KK, Elvevoll B, Skutlaberg DH, Syre H, Husby P. Portal cytokine response and metabolic markers in the early stages of abdominal sepsis in pigs. European Surgical Research 2014; 52 (1-2) 21-31.

Hauser AK, Anderson KW, Hilt JZ. Peptide conjugated magnetic nanoparticles for magnetically mediated energy delivery to lung cancer cells. Nanomedicine 2016; 11 (14) 1769-1785

Hawley DP. United Kingdom survey of current management of juvenile localized scleroderma. Rheumatology (Oxford England) 2014; 53 (10): 1849-1854.

Hayashi K, Ito N, Ichikawa Y, Suzuki Y. Effect of postprandial thermogenesis on the cutaneous vasodilatory response during exercise. Applied Physiology Nutrition and Metabolism 2014; 39 (8): 920-926.

Hayashi M. What is an adequate esophageal preset temperature for sufficient ablation lesion formation while avoiding digestive-organ complications during catheter ablation of atrial fibrillation? Journal of Nippon Medical School 2014; 81 (3): 186-187.

Hayes K, Shepard A, Cesarec A, Likić, R. Cost minimisation analysis of thermometry in two different hospital systems. Postgraduate Medical Journal 2017, 93 (1104): 603-606.

Hayes M, Castle PC, Ross E.Z, Maxwell NS. The influence of hot humid and hot dry environments on intermittent-sprint exercise performance. International Journal of Sports Physiology and Performance 2014; 9 (3): 387-396.

Haymond MW, Redondo MJ, McKay S, Cummins MJ, Newswanger B, Kinzell J, Prestrelski S. Nonaqueous mini-dose glucagon for treatment of mild hypoglycemia in adults with type 1 diabetes: A dose-seeking study. Diabetes Care 2016; 39 (3) 465-468

Haynes M, Stang J, Moghaddam M. Real-time microwave imaging of differential temperature for thermal therapy monitoring. IEEE Transactions on Biomedical Engineering 2014; 61 (6) Art. No. 6746099, 1787-1797.

Hazari MS, Griggs J, Winsett DW, Haykal-Coates N, Ledbetter A, Costa DL, Farraj AK. A single exposure to

acrolein desensitizes baroreflex responsiveness and increases cardiac arrhythmias in normotensive and hypertensive rats. Cardiovascular Toxicology 2014; 14 (1): 52-63.

Hazenberg CEVB, Van Netten JJ, Van Baal SG, Bus SA. Assessment of signs of foot infection in diabetes patients using photographic foot imaging and infrared thermography. Diabetes Technology and Therapeutics 2014; 6 (6)370-377.

He J, Liu W, Huang Y-X. Simultaneous determination of glass transition temperatures of several polymers. PLoS ONE 2016; 11 (3), art no e0151454

He J, W ilson BC, Piao D, Weersink R. Diffuse optical tomography to monitor the photocoagulation front during interstitial photothermal therapy: Numerical simulations and measurements in tissue- simulating phantoms. Photonics and Lasers in Medicine 2014; 3 (3) 241-254.

He S, Xu J, Wu Y, Tian Y, Sun Q, Wen Z, Qu JY. Labeling single cell for in-vivo study of cell fate mapping and lineage tracing. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10497, art. no. 104970J.

He W, Frueh J, Hu N, Liu L, Gai M, He Q. Guidable thermophoretic janus micromotors containing gold nanocolorifiers for infrared laser assisted tissue welding. Advanced Science 2016; 3 (12), art no 1600206

He X, Xiao Q, Lu C, Wang Y, Zhang X, Zhao J, Zhang W, Zhang X, Deng Y. Uniaxially aligned electrospun all-cellulose nanocomposite nanofibers reinforced with cellulose nanocrystals: Scaffold for tissue engineering. Biomacromolecules 2014; 15 (2): 618-627.

He YZ, Yang RZ. Eddy Current Volume Heating Thermography and Phase Analysis for Imaging Characterization of Interface Delamination in CFRP. IEEE Transactions On Industrial Informatics 2015; 11 (6): 1287-1297

Heaton MJ, Sain SR, Greasby TA, Uejio CK, Hayden MH, Monaghan AJ, Boehnert J, Sampson K, Banerjee D, Nepal V, W ilhelmi OV. Characterizing urban vulnerability to heat stress using a spatially varying coefficient model Spatial and Spatio-temporal. Epidemiology 2014; 8: 23-33.

Hebden JN, Leaptrot D, Anttila A, Allen-Bridson K, Brooks JE, Gross C, Scalise E, Wright M-O. Health care-associated infections studies project: An American Journal of Infection Control and National Healthcare Safety Network data quality collaboration 2016 Case #1. American Journal of Infection Control 2016; 44 (7) 761-763

Heberle ABD, Ichisato SMT, Nohama P. Breast evaluation during lactation using thermography and pressure algometry. Acta Plista De Enfermagem. 2015; 28 (3): 256-263

Heeger C-H, Wissner E, Knöll M, Knoop B, Reissmann B, Mathew S, Sohns C, Lemes C, Maurer T, Santoro F, Riedl J, Inaba O, Fink T, Rottner L, Wohlmuth P, Goldmann B, Ouyang F, Kuck K-H, Metzner A. Three-year clinical outcome after 2nd-generation cryoballoon-based pulmonary vein isolation for the treatment of paroxysmal and persistent atrial fibrillation: A 2-Center Experience. Circulation Journal 2017, 81 (7): 974-980.

Hegedűs B. The Potential Role of Thermography in Determining the Efficacy of Stroke Rehabilitation. Journal of Stroke and Cerebrovascular Diseases 2018; 27 (2): 309-314.

Hegele PR, Mumford KG. Gas production and transport during bench-scale electrical resistance heating of water and trichloroethene. Journal of Contaminant Hydrology 2014; 165: 24-36.

Heger A, Pock K, Römisch J. Thawing of Pooled Solvent/Detergent-Treated Plasma octaplasLG ®: Validation Studies Using Different Thawing Devices. Transfusion Medicine and Hemotherapy 2017, 44 (2): 94-98.

Heideklang R, Shokouhj P. Multi-sensor image fusion at signal level for improved near-surface crack detection. NDT & E International 2015; 71: 16-22

Hein S, Petzold R, Schoenthaler M, Wetterauer U, Miernik A. Thermal effects of Ho: YAG laser lithotripsy: real-time evaluation in an in vitro model. World Journal of Urology 2018; 36 (9): 1469-1475.

Heljo PS, Schmidt C, Klengel R, Majumdar HS, Lupo D. Electrical and thermal analysis of frequency dependent filamentary switching in printed rectifying diodes. Organic Electronics 2015; 20: 69-75

Helou E, Grant M, Landry M, Wu X, Morrow JS, Malinis MF. Fatal case of cutaneous-sparing orolaryngeal zoster in a renal transplant recipient. Transplant Infectious Disease 2017, 19 (4), art. no. e12704.

Hembry N. Use of CTC assays as a diagnostic aid – some clinical experience (abstract). Thermology international 2015, 25(1) 19

Hempel M, Tomm JW, Stojetz B, Konig H, Strauss U, Elsaesser T. Kinetics of catastrophic optical damage in GaN-based diode lasers. Semiconductor Science and Technology 2015; 30 (7) 07200101

Henderson J. Comment. Neuromodulation 2014; 17 (3), p. 241.

Hendy IW, Michie L, Taylor BW. Habitat creation and biodiversity maintenance in mangrove forests: Teredinid bivalves as ecosystemengineers. Peer J 2014 (1), art. no. e591.

Heng X.-P, Li L, Huang S.-P, Chen Y, Lin M.-X, Zhuang H.-S, Yan Q.-F, Yang L.-Q, Chen L, Lin Q, Cheng X.-L, Chen M.-L, Chen Y.-C, Lan Y.-L, Wang Z.-T, Yao S.-H, Zhang Z.-S. [Effect of dangua recipe on glycolipid metabolism and VCAM-1 and its mRNA expression level in Apo E(-/-) mice with diabetes mellitus] Zhongguo Zhong xi yi jie he za zhi Zhongguo Zhongxiyi jiehe zazhi = Chinese journal of integrated traditional and Western medicine / Zhongguo Zhong xi yi jie he xue hui Zhongguo Zhong yi yan jiu yuan zhu ban 2014; 34 (9): 1086-1095.

Henning AL, Levitt DE, Vingren JL, McFarlin BK. Measurement of T-Cell telomere length using amplified-signal FISH staining and flow cytometry. Current Protocols in Cytometry 2017: 7.47.1-7.47.10.

Henriksen BS, Gardiner G, Garff K, Gupta I, Stagg BC, Zaugg B, Pettey JH, Barlow WR, Jr Olson RJ. Thermal

evaluation of two phacoemulsification systems. Canadian journal of ophthalmology 2016; 51 (1) 14-18

Henriksson P, Lu Q, Diczfalusy U, Freyschuss A. Immediate effect of passive smoking on microcirculatory flow. Microcirculation 2014; 21 (7) 587-592.

Herborn KA, Graves JL, Jerem P, Evans NP, Nager R, McCafferty DJ, McKeegan DEF. Skin temperature reveals the intensity of acute stress. Physiology & Behavior 2015; 152: 225-230

Herc ES, Manthei D, Riddell J. Fever in a traveler returning from Africa. JAMA - Journal of the American Medical Association 2017, 317 (13): 1370-1371.

Hercigonja RV, Vranješ-Djurić, SD, Mirković, MD, Marković, BM, Maksin DD, Marković, BN, Nastasović, AB. Technetium removal from the aqueous solution using zeolites A and Y containing transition metal ions Co^{2+} and Zn^{2+}. Journal of Radioanalytical and Nuclear Chemistry 2018; 317 (1): 215-225.

Heriansyah R, Abu-Bakar SAR, Nahhas A. Quantitative Defect Characterization for Passive Thermography Application. Research In Nondestructive Evaluation 2015; 26 (3): 133-153

Hermann A, Ried-Larsen M, Jensen AK, Holst R, Andersen LB, Overgaard S, Holsgaard-Larsen A. Low validity of the Sensewear Pro3 activity monitor compared to indirect calorimetry during simulated free living in patients with osteoarthritis of the hip. BMC Musculoskeletal Disorders 2014; 15 (1) Art. No.43

Hermanns H, Werdehausen R, Hollmann MW, Stevens MF. Assessment of skin temperature during regional anaesthesia—What the anaesthesiologist should know. Acta Anaesthesiologica Scandinavica 2018; 62 (9): 1280-1289.

Hernandez D, Kim KS, Michel E, Lee SY. Correction of B0 Drift Effects in Magnetic Resonance Thermometry using Magnetic Field Monitoring Technique. Concepts in Magnetic Resonance Part B: Magnetic Resonance Engineering 2016; 46B (2) 81-89

Hernandez-Contreras D, Peregrina-Barreto H, Rangel-Magdaleno J, Ramirez-Cortes J, Renero-Carrillo F. Automatic classification of thermal patterns in diabetic foot based on morphological pattern spectrum. Infrared Physics & Technology 2015, *73*, 149-157.

Hernandez-Valle S, Peters K. Numerical simulation of phase images and depth reconstruction in pulsed phase thermography. Measurement Science and Technology 2015; 26 (11) 115602

Herndon JM, Cholanians AB, Lizarraga LE, Lau SS, Monks TJ. Catechol-O-methyltransferase and 3,4-(±)-methylenedioxymethamphetamine toxicity. Toxicological Sciences 2014; 139 (1) Art. No. kfu035, 162-173.

Herrick AL, Murray A. The role of capillaroscopy and thermography in the assessment and management of Raynaud's phenomenon. Autoimmunity Reviews 2018; 17 (5): 465-472.

Herrick AL, Murray AK, Ruck A, Rouru J, Moore TL, Whiteside J, Hakulinen P, Wigley F, Snapir A. A double-blind randomized placebo-controlled crossover trial of the α2c-adrenoceptor antagonist orm-12741 for prevention of cold-induced vasospasm in patients with systemic sclerosis. Rheumatology (United Kingdom) 2014; 53 (5), art. no. ket421: 948-952.

Herrick AL. Evidence-based management of Raynaud's phenomenon. Therapeutic Advances in Musculoskeletal Disease 2017, 9 (12): 317-329.

Hersh DS, Kim AJ, Winkles JA, Eisenberg HM, Woodworth GF, Frenkel V. Emerging Applications of Therapeutic Ultrasound in Neuro-oncology: Moving beyond Tumor Ablation. Neurosurgery 2016; 79 (5) 643-654

Hess M, Vanoni D, Petrovic V, Kuester F. High-resolution thermal imaging methodology for non- destructive evaluation of historic structures. Infrared Physics & Technology 2015; 73: 219-225

Hester PY, AL-Ramamneh DS, Makagon MM, Cheng HW. Effect of partial comb and wattle trim on pullet behavior and thermoregulation. Poultry Science 2015; 94 (5): 860-866

Heussner N, Holl L, Nowak T, Beuth T, Spitzer MS, Stork W. Prediction of temperature and damage in an irradiated human eye. Utilization of a detailed computer model which includes a vectorial blood stream in the choroid. Computers in Biology and Medicine 2014; 51: 35-43.

Hew-Butler T, Hummel J, Rider B.C, Verbalis JG. Characterization of the effects of the vasopressin V2 receptor on sweating fluid balance and performance during exercise. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 307 (4): R366- R375.

Heyn CC, Bishop J, Duffin K, Lee W, Dazai J, Spring S, Nieman BJ, Sled JG. Magnetic resonance thermometry of flowing blood. NMR in Biomedicine 2017, 30 (11), art. no. e3772.

Hidalgo Salvador E, Álvarez González F, Salvador Luna A. Application of infrared thermography in legal medicine. Is it a valid test for an objective assessment of painful syndromes? Temporomandibular disorder [Aplicación de la termografía infrarroja en medicina legal. Prueba válida para la objetivación de los síndromes dolorosos? Disfunción temporomandibular]. Cuadernos de Medicina Forense 2014; 20 (2-3): 77-84.

Hidasi E, Diószeghy P, Káplár M, Mechler F, Bereczki D. Temperature sensitivity of some nerve conduction parameters in diabetic polyneuropathy Ideggyogyaszati Szemle 2014; 67 (5-6): 178- 186.

Hidayah MN, Liu C.Y, Joanna OSM. Ketamine and tramadol for the prevention of shivering during spinal anaesthesia. Clinica Terapeutica 2014; 165 (4): 193-198.

Higashino T, Nakagami G, Kadono T, Ogawa Y, Iizaka S, Koyanagi H, Sasaki S, Haga N, Sanada H. Combination of thermographic and ultrasonographic assessments for early detection of deep tissue injury. International Wound Journal 2014; 11 (5): 509-516.

Higgins II HW, Lee KC, Leffell DJ. Point of care cutaneous imaging technology in melanoma screening and mole maing. F1000Prime Reports 2014; 6, Art. No. 34.

Hill DL, Lindström J, McCafferty DJ, Nager RG. Female but not male zebra finches adjust heat output in response to increased incubation demand. Journal of Experimental Biology 2014; 217 (8): 1326-1332.

Hillson R. Diabetes and temperature. Practical Diabetes 2016; 33 (2) 45-46

Hilmo J, Naesheim T, Gilbert M. "Nobody is dead until warm and dead": Prolonged resuscitation is warranted in arrested hypothermic victims also in remote areas - A retrospective study from northern Norway. Resuscitation 2014; 85 (9): 1204-1211.

Hindasageri V, Kuntikana P, Vedula RP, Prabhu SV. An experimental and numerical investigation of heat transfer distribution of perforated plate burner flames impinging on a flat plate. International Journal of Thermal Sciences 2015; 94: 156-169

Hindasageri V, Vedula RP, Prabhu SV. Heat transfer distribution of swirling flame jet impinging on a flat plate using twisted tapes. International Journal of Heat and Mass Transfer 2015; 91: 1128-1139

Hine K, Hosono S, Kawabata K, Miyabayashi H, Kanno K, Shimizu M, Takahashi S. Nasopharynx is well-suited for core temperature measurement during hypothermia therapy. Pediatrics International 2017, 59 (1): 29-33.

Hirano J, Takamiya A, Yamagata B, Hotta S, Miyasaka Y, Pu S, Iwanami A, Uchida H, Mimura M. Frontal and temporal cortical functional recovery after electroconvulsive therapy for depression: A longitudinal functional near-infrared spectroscopy study. Journal of Psychiatric Research 91: 26-35.

Hirata H, Mizerska K, Dallacasagrande V, Rosenblatt MI. Estimating the osmolarities of tears during evaporation through the “eyes” of the corneal nerves. Investigative Ophthalmology and Visual Science 2017, 58 (1): 168-178.

Hirata K, Nishihara M, Oshima Y, Hirano S, Kitajima H. Application of transcutaneous carbon dioxide tension monitoring with low electrode temperatures in premature infants in the early postnatal period. American Journal of Perinatology 2014; 31 (5): 435-439.

Hirsch S, Ibrahim A, Krämer L, Escolano-Lozano F, Schlereth T, Birklein F. Bone Trauma Causes Massive but Reversible Changes in Spinal Circuitry. Journal of Pain 2017, 18 (4): 468-476.

Hirvonen JJ, Kaukoranta S-S. Comparison of FecalSwab and ESwab devices for storage andtransportation of diarrheagenic bacteria Journal of Clinical Microbiology 2014; 52 (7): 2334- 2339.

Ho KKY. Diet-induced thermogenesis: Fake friend or foe? Journal of Endocrinology 2018; 238 (3): R185-R191.

Ho VY, Wehmeier JM, Shah GK. Wide-field infrared imaging: A descriptive review of characteristics of retinoschisis retinal detachment and schisis detachments. Retina 2016; 36 (8) 1439-1445

Hoang K.B, Cassar IR, Grill WM, Turner DA Biomarkers and stimulation algorithms for adaptive brain stimulation. Frontiers in Neuroscience 2017, Article Number: 564.

Hoburg A, von Roth P, Roy-Ali S, Ode J.-E, Wulsten D, Jung TM, Gwinner C. Biomechanical performance of the Actifit® scaffold is significantly improved by selection of irrigation fluid. Archives of Orthopaedic and Trauma Surgery 2018; 138 (4): 537-542.

Hocherl N, Tautz J. Thermoregulation of individual paper wasps (Polistes dominula) plays an important role in nest defence and dominance battles. Science of Nature 2015; 102(5-6) 32

Hodges GJ, Del Pozzi AT. Noninvasive examination of endothelial sympathetic and myogenic contributions to regional differences in the human cutaneous microcirculation. Microvascular Research 2014; 93: 87-91.

Hoekstra PP. The evolution of analytics in breast thermology: The quest to identify signal from noise. Thermology International 2018; 28(2) 95.

Hofer IMJ, Hart AJ, Martín-Vega D, Hall MJR. Optimising crime scene temperature collection for forensic entomology casework. Forensic Science International 2017, 270: 129-138.

Hoffer OA, Ben-David MA, Katz E, Sholomov M, Kelson I, Gannot I. A portable thermal imaging device as a feedback system for breast cancer treatment. Progress in Biomedical Optics and Imaging - Proceedings of SPIE, 2018; 10488, art. no. 104880T.

Hoffmann A, Dumke C, Bernau M, Kremer P. Infrared thermography – new concepts for refinement and reduction in animal use for testing of biologicals (extended abstract). Thermology international 2015, 25(3) 108.

Hoffmann A, Dumke C, Cußler K. Concepts in thermography for refinement and reduction in animal use for testing of biologicals (extended abstract). Thermology international 2015, 25(1) 31

Hoffmann A, Dumke C, Hanschmann K.-MO, Wicker S. Local thermal reaction after influenza vaccination: Quantification by infrared imaging and biometric considerations. Vaccine 2018; 36 (20): 2783-2787.

Hoffmann A, Dumke C, Hanschmann K-M Thermal imaging – a biometric approach for evaluation of local side effects after vaccination (extended abstract). Thermology international 2015, 25(1) 20-21

Hoffmann N, Weidner F, Urban P, Meyer T, Schnabel C, Radev Y, Schackert G, Petersohn U, Koch E, Gumhold S, Steiner G, Kirsch M. Framework for 2D-3D image fusion of infrared thermography with preoperative MRI. Biomedizinische Technik 2017, 62(6) 599-607.

Hofmann T, Elbelt U, Ahnis A, Kobelt P, Rose M, Stengel A. Irisin levels are not affected by physical activity in patients with anorexia nervosa. Frontiers in Endocrinology 2014; 5 (JAN), art. no. Article 202.

Hofmeyr R, D'Alton C. Heat-related illness in the African wilderness. South African Medical Journal 2017, 107 (8): 664-668.

Hofmeyr R. Wilderness cold-exposure injuries: An African perspective. South African Medical Journal 2017, 107 (7): 566-570.

Hofstatter M, Raidl N, Sartory B, Supancic P. Nonlinear Lock-in Infrared Microscopy: A Complementary Investigation Technique for the Analysis of Functional Electroceramic Components. Microscopy and Microanalysis 2015; 21 (5): 1145-1152

Hofstetter LW, Yeo DTB, Dixon WT, Marinelli L, Foo TK. Referenced MR thermometry using three-echo phase-based fat water separation method. Magnetic Resonance Imaging 2018; 49: 86-93.

Holcomb KE, Tucker CB, Stull CL. Preference of domestic horses for shade in a hot sunny environment. Journal of animal science 2014; 92 (4): 1708-1717.

Hollmach J, Schnabel C, Hoffmann N, Radev Y, Sobottka S, Kirsch M, Schackert G, Koch E, Steiner G. Intraoperative imaging of cortical perfusion by time-resolved thermography using cold bolus approach. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9036, art. no. 903627.

Holloway RW, Ahmad S, Kendrick JE, Bigsby GE, Brudie LA, Ghurani GB, Stavitzski NM, Gise JL, Ingersoll SB, Pepe JW. A Prospective Cohort Study Comparing Colorimetric and Fluorescent Imaging for Sentinel Lymph Node Mapping in Endometrial Cancer. Annals of Surgical Oncology 2017, 24 (7): 1972-1979.

Holloway RW, Gupta S, Stavitzski NM, Zhu X, Takimoto EL, Gubbi A, Bigsby GE, Brudie LA, Kendrick JE, Ahmad S. Sentinel lymph node mapping with staging lymphadenectomy for patients with endometrial cancer increases the detection of metastasis. Gynecologic Oncology 2016; 141 (2) 206-210

Holm JK, Kellett JG, Jensen NH, Hansen SN, Jensen K, Brabrand M. Prognostic value of infrared thermography in an emergency department. European Journal of Emergency Medicine 2018; 25 (3): 204-208.

Holper L, Mitra S, Bale G, Robertson N, Tachtsidis I. Prediction of brain tissue temperature using near-infrared spectroscopy. Neurophotonics 2017, 4 (2), art. no. 021106.

Holtkamp M, Büntjen L, Schmitt FC. Translational view: Ablative methods in in vivo epilepsy models. Epilepsy Research 2018; 142: 176-178.

Honda S, Sidharta SL, Shishikura D, Takata K, Di Giovanni GA, Nguyen T, Janssan A, Kim SW, Andrews J, Psaltis PJ, Worthley MI, Nicholls SJ. High-density lipoprotein cholesterol associated with change in coronary plaque lipid burden assessed by near infrared spectroscopy. Atherosclerosis 2017, 265: 110-116.

Hong KH, Lee H, Forman EJ, Upham KM, Scott JR, RT. Examining the temperature of embryo culture in in-vitro fertilization: A randomized controlled trial comparing traditional core temperature (37°C) to a more physiologic cooler temperature (36°C). Fertility and Sterility 2014; 102 (3): 767- 773.

Hong S-M, Kim J-W, Knowles JC, Gong M-S. Facile preparation of antibacterial, highly elastic silvered polyurethane nanofiber fabrics using silver carbamate and their dermal wound healing properties. Journal of Biomaterials Applications 2017, 31(7) 1026-1038

Hong T, Koo C, Kim J, Lee M, Jeong K. A review on sustainable construction management strategies for monitoring diagnosing and retrofitting the building's dynamic energy performance: Focused on the operation and maintenance phase. Applied Energy 2015; 155: 671-707

Hong Y, Yoo S, Kim NH, Kim Y, Sohn S, Yoon S.-Y, Lee S. Feasibility of Navigable Percutaneous Disk Decompressor (L'DISQ-C) for Cervical Disk Herniation. Journal of Neurological Surgery Part A: Central European Neurosurgery 2018; 79 (3): 231-238.

Honorato dos Santos H, de Araújo Silva Y, Herculano dos Santos B, de Almeida Ferreira J. Thermographic analysis of the anaerobic exercise post-recovery by cold water immersion (extended abstract). Thermology international 2015, 25(3) 142.

Hoogstins CES, Tummers QRJG, Gaarenstroom KN, De Kroon CD, Trimbos JBMZ, Bosse T, Smit VTHBM, Vuyk J, Van De Velde CJH, Cohen AF, Low PS, Burggraaf J, Vahrmeijer AL. A novel tumor- specific agent for intraoperative near-infrared fluorescence imaging: A translational study in healthy volunteers and patients with ovarian cancer. Clinical Cancer Research 2016; 22 (12) 2929-2938

Hope K, Eglin C, Golden F, Tipton M. Sublingual glyceryl trinitrate and the peripheral thermal responses in normal and cold-sensitive individuals. Microvascular Research 2014; 91: 84-89.

Hopkins L, Khalid U. Comments on: Novel use of infrared thermal imaging to predict arteriovenous fistula patency and maturation. Journal of Vascular Access 2018; 19 (2), p. 214.

Hoppe C, Witt J-A, Helmstaedter C, Gasser T, Vatter H, Elger CE. Stereotactic laser thermocoagulation in epilepsy

surgery [Stereotaktische Laserthermokoagulation in der Epilepsiechirurgie]. Nervenarzt 2017, 88 (4): 397-407.

Horattas MC, Horattas IK, Vasiliou EM. Early uncomplicated appendicitis—who can we treat nonoperatively? American Surgeon 2018; 84 (2): 174-180.

Horie O, Shibata H, Okamoto C. Natsuaki M, Shibata M. Assessment of fever for infection control using thermography facial thermography in patients with fever (extended abstract). Thermology international 2015, 25(3) 135

Horie S. [Disorders caused by heat cold and abnormal pressure]. Nihon rinsho. Japanese journal of clinical medicine 2014; 72 (2): 223-235.

Horikoshi M, Inokuma S, Kijima Y, Kobuna M, Miura Y, Okada R, Kobayashi S. Thermal disparity between fingers after cold-water immersion of hands: A useful indicator of disturbed peripheral circulation in Raynaud phenomenon patients. Internal Medicine 2016; 55 (5) 461-466

Horn E-P, Bein B, Steinfath M, Ramaker K, Buchloh B, Höcker J. The incidence and prevention of hypothermia in newborn bonding after cesarean delivery: A randomized controlled trial. Anesthesia and Analgesia 2014; 118 (5): 997-1002.

Horn K, Beier O, Wiegand C, Laaouina A, Fink S, Pfuch A, Schimanski A, Grünler B, Hipler U-C. Screening test of a new pulsed plasma jet for medical application. Plasma Medicine 2017, 7(2) 133-145.

Hornfeck C, Geiss C, Rucker M, Grosse CU. Comparative Study of State of the Art Nondestructive Testing Methods with the Local Acoustic Resonance Spectroscopy to Detect Damages in GFRP. Journal of Nondestructive Evaluation 2015; 34 (2) 10

Horosz B, Malec-Milewska M. Methods to prevent intraoperative hypothermia. Anaesthesiology Intensive Therapy 2014; 46 (2): 96-100.

Horta R, Nascimento R, Vilas-Boas J, Sousa F, Orvalho V, Silva A, Amarante JM. Thermographic analysis of facially burned patients. Burns 2016; 42 (1) 236-238

Horvath TL, Stachenfeldd NS, Diano S. A temperature hypothesis of hypothalamus-driven obesity. Yale Journal of Biology and Medicine 2014; 87 (2): 149-158.

Hoseinpour F, Foroughi A, Nomanpour B, Nasab RS. Identification and differentiation of Campylobacter species by high-resolution melting curve analysis. Microbial Pathogenesis 2017, 108: 109-113.

Hoskinson C, Mccain S, Allender M.C. Comparison of body temperature readings between an implantable microchip and a cloacal probe in lorikeets (Trichoglossus haematodus sp.). Zoo Biology 2014; 33 (5): 452- 454.

Hosoi A, Yamaguchj Y, Ju Y, Sato Y, Kitayama T. Detection and quantitative evaluation of defects in glass fiber reinforced plastic laminates by microwaves. Composite Structures,5 2015; 128: 134-144

Hossain S, Mohammadi FA. Tumor parameter estimation considering the body geometry by thermography. Computers in Biology and Medicine 2016; 76 80-93

Hostler D, Franco V, Martin-Gill C, Roth RN. Recognition and treatment of exertional heat illness at a marathon race. Prehospital Emergency Care 2014; 18 (3): 456-459.

Hothersall B, Caplen G, Parker RMA, Nicol CJ, W aterman-Pearson AE, Weeks CA, Murrell JC. Thermal nociceptive threshold testing detects altered sensory processing in broiler chickens with spontaneous lameness. PLoS ONE 2014; 9 (5) Art. No. e97883.

Hou C, Wang H, Zhang Q, Li Y, Zhu M. Highly conductive flexible and compressible all-graphene passive electronic skin for sensing human touch. Advanced Materials 2014; 26 (29): 5018-5024.

Hou X, Zhou H, Wang L, Tang J, Chen C, Jiang G, Liu Y. Multifunctional near-infrared dye-magnetic nanoparticles for bioimaging and cancer therapy. Cancer Letters 2017, 390: 168-175.

House R, Holness L, Taraschuk I, Nisenbaum R. Infrared thermography in the hands and feet of hand-arm vibration syndrome (HAVS) cases and controls. International Journal of Industrial Ergonomics 2017, 62: 70-76.

Howard JD, Sarojini H, Wan R, Chien S. Rapid granulation tissue regeneration by intracellular ATP delivery - A comparison with Regranex. PLoS ONE 2014; 9 (3) Art. No. e91787.

Howell K, Adams M, Hartnell G, Smith R. Finger cooling during cold stress and surface area-to-volume ratio in healthy subjects, and patients with primary and secondary Raynaud's phenomenon (extended abstract). Thermology international 2015, 25(3) 122.

Howell K, Adams M, Smith R, Denton Ch. A simple model for finger cooling during the cold stress test: the relationship between temperature drop and surface area-to-volume ratio (extended abstract). Thermology international 2015, 25(2) 69-70.

Howell K, Soroko M, Dudek K, Jodkowska E. Thermographic evaluation of racehorse performance (extended abstract). Thermology international 2015, 25(3) 107.

Howell K, Soroko M, Dudek K. Influence of breed, age, gender, training intensity level and ambient temperature on back and forelimb temperature in racehorses (extended abstract). Thermology international 2015, 25(3) 108.

Howell K, Vardasca R, Ammer K. General Assembly of the European Association of Thermology in Madrid,

3thSeptember March, 2015. Thermology international 2015, 25(3) 216-217

Howell K. Infrared Imaging, Review of the book "Infrared Imaging: A casebook in clinical medicine" Edited by Francis Ring, Anna Jung and Janusz Zuber (IOP Publishing, Bristol, UK), Thermology international 2016, 26(1) 43

Howells EB. Measuring temperature. Anaesthesia and Intensive Care Medicine 2018; 19 (10): 563-567.

Hrabalek L, Sternbersky J, Adamus M. Risk of sympathectomy after anterior and lateral lumbar Interbody fusion procedures. Biomedical Papers-Olomouc 2015; 159 (2): 318-326

Hrycushko BA, Bing C, Futch C, Wodzak M, Stojadinovic S, Medin PM, Chopra R. Technical Note: System for evaluating local hypothermia as a radioprotector of the rectum in a small animal model. Medical Physics 2017, 44 (8): 3932-3938.

Hsiao WT, Lin LH, Chiang HJ, Ou KL, Cheng HY. Biomedical electrosurgery devices containing nanostructure for minimally invasive surgery: reduction of thermal iniury and acceleration of wound healing for liver cancer. Journal of Materials Science-Materials in Medicine 2015; 26 (2) 77

Hsiao Y-S, Deng CX. Calibration and Evaluation of Ultrasound Thermography Using Infrared Imaging. Ultrasound in Medicine and Biology 2016; 42 (2) 503-517

Hsieh C-H, Yang SS-D, Lin C-D, Chang S-J. Are prophylactic antibiotics necessary in patients with preoperative sterile urine undergoing ureterorenoscopic lithotripsy? BJU International 2014; 113 (2): 275-280.

Hsiu H, Hsu CL, Hu H-F, Hsiao F-C, Yang S-H. Complexity analysis of beat-to-beat skin-surface laser- Doppler signals in diabetic subjects Microvascular Research 2014; 93: 9-13.

Hsu DFC, Ilan E, Peterson WT, Uribe J, Lubberink M, Levin CS. Studies of a next-generation silicon-photomultiplier-based time-of-flight PET/CT system. Journal of Nuclear Medicine 2017, 58 (9): 1511-1518.

Hsu H-T, Chang S-J, Huang K-F, Tai P-A, Li T-C, Huang C-J. Correlation between lumbar lordosis and the treatment of chronic low back pain with pulsed radiofrequency applied to the L2 dorsal root ganglion. Formosan Journal of Surgery 2017, 50 (4): 125-130.

Hsu H-T, Chen M-J, Tseng T-P, Cheng L-H, Huang L-J, Yeh T-S. Kinetics for the distribution of acrylamide in french fries, fried oil and vapour during frying of potatoes. Food Chemistry 2016, 211, 669-678

Htun NM, Chen YC, Lim B, Schiller T, Maghzal GJ, Huang AL, Elgass KD, Rivera J, Schneider HG, Wood BR, Stocker R, Peter K. Near-infrared autofluorescence induced by intraplaque hemorrhage and heme degradation as marker for high-risk atherosclerotic plaques. Nature Communications 2017, 8(1) Article Number: 75

Hu B, Yu RQ. Micro-magnetic NDT for delamination defects in carbon fibre-reinforced plastic. INSIGHT 2015; 57 (2): 74-77

Hu D, Wang C, Tao F, Cui Q, Xu X, Shang W, Hu X. Whole genome wide expression profiles on germination of Verticillium dahliae microsclerotia. PLoS ONE 2014; 9 (6) Art. No. e100046.

Hu S, Lin X, Zhang Y, Huang R, Qu Y, Luo X, Zhou J. Preparation and application of alginate-Ca/attapulgite clay core/shell particle for the removal of uranium from aqueous solution. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (1): 307-319.

Hu T, Yuan X, Ye R, Zhou H, Lin J, Zhang C, Zhang H, Wei G, Dong M, Huang Y, Lim W, Liu Q, Lee HJ, Jin W. Brown adipose tissue activation by rutin ameliorates polycystic ovary syndrome in rat. Journal of Nutritional Biochemistry 2017, 47: 21-28.

Hu W, Guo B, Li W, Wang H, Wang H. Simulation of cesium desorption behavior of porous nickel. Journal of Radioanalytical and Nuclear Chemistry 2018; 317 (1): 277-285.

Huan J.-B, Chen L.-N, Han Z.-H, Dai W, Yuan D.-F, Zhou J.-H, Shi C.-H. Experimental study on water bath rewarming in rats with hypothermia by seawater immersion. Academic Journal of Second Military Medical University 2018; 39 (4) 443-449.

Huang AS, Li M, Yang D, Wang H, Wang N, Weinreb RN. Aqueous Angiography in Living Nonhuman Primates Shows Segmental Pulsatile and Dynamic Angiographic Aqueous Humor Outflow. Ophthalmology 2017, 124 (6): 793-803.

Huang AS, Penteado RC, Saha SK, Do JL, Ngai P, Hu Z, Weinreb RN. Fluorescein Aqueous Angiography in Live Normal Human Eyes. Journal of Glaucoma 2018; 27 (11): 957-964.

Huang C-W, Pan S-T, Zhou J-T, Chang C-Y. Enhanced temperature control method using ANFIS with FPGA. The Scientific World Journal 2014; art. no. 239261.

Huang GQ, Xiao JX, Qiu HW, Yang J. Cross-linking of soybean protein isolate-chitosan coacervate with transglutaminase utilizing capsanthin as the model core. Journal of Microencapsulation 2014; 31 (7): 708- 715.

Huang H-YS, Subramanian A. Editorial: Special section on spectroscopy scattering and imaging techniques for nanostructured materials. Journal of Nanotechnology in Engineering and Medicine 2014; 5 (2), art. no. 020201.

Huang S, Lim S.Y, Gupta A, Bag N, Wohland T Plasma membrane organization and dynamics is probe and cell line dependent. Biochimica et Biophysica Acta - Biomembranes 2017, 1859(9) 1483-1492.

Huang S-C, Kang J-W, Tsai H-W, Shan Y-S, Lin X-Z Lee G-B. Electromagnetic thermotherapy for deep organ ablation by using a needle array under a synchronized-coil system. IEEE Transactions on Biomedical Engineering

2014; 61 (11) Art. No. 6860281, 2733-2739.

Huang X-F, Yan Q-X, Gong P-F, Yu H, Zhong L-Y, Gong Q-F. Optimization of rice-washed water rinsing process technology for Atractylodis Macrocephalae Rhizoma by central composite design-response surface methodology. Chinese Traditional and Herbal Drugs 2017, 48 (1): 109-113.

Huang Y, Lipsman N, Schwartz ML, Krishna V, Sammartino F, Lozano AM, Hynynen K. Predicting lesion size by accumulated thermal dose in MR-guided focused ultrasound for essential tremor. Medical Physics 2018; 45 (10): 4704-4710.

Huang Y, Zhang B, Gao Y, Zhang J, Shi L. Baicalein-nicotinamide cocrystal with enhanced solubility dissolution and oral bioavailability. Journal of Pharmaceutical Sciences 2014; 103 (8): 2330-2337.

Huberman JS, Chivers ML. Examining gender specificity of sexual response with concurrent thermography and plethysmography. Psychophysiology 2015; 52 (10): 1382-1395

Huberman JS, Chivers ML. Using concurrent thermography and plethysmography to assess the, gender-specificity of women's and men's sexual reponses. Psychophysiology 2015; 52: S97-S97

Huberman JS, Dawson SJ, Chivers ML. Examining the time course of genital and subjective sexual responses in women and men with concurrent plethysmography and thermography. Biological Psychology 2017, 129: 359-369.

Hubig M, Muggenthaler H, Mall G. Conditional probability distribution (CPD) method in temperature-based death time estimation: Error propagation analysis. Forensic Science International 2014; 238: 53-58.

Hubig M, Muggenthaler H, Schenkl S, Mall G. Do multiple temperature measurements improve temperature-based death time estimation? The information degradation inequality. International Journal of Legal Medicine 2016; 130 (5) 1243-1251

Hübner F, Leithäuser C, Bazrafshan B, Siedow N, Vogl TJ. Validation of a mathematical model for laser-induced thermotherapy in liver tissue. Lasers in Medical Science 2017, 32 (6): 1399-1409.

Hudson TJ, Looi T, Pichardo S, Amaral J, Temple M, Drake JM, Waspe AC. Simulating thermal effects of MR-guided focused ultrasound in cortical bone and its surrounding tissue. Medical Physics 2018; 45 (2): 506-519.

Hue O, Le Jeannic P, Chamari K. A pilot study on how do elite surfski padllers manage their effort and hydration pattern in the heat. Biology of Sport 2014; 31 (4) 283-288.

Huebner GM, Hamilton I, Chalabi Z, Shipworth D, Oreszczyn T. Comparison of indoor temperatures of homes with recommended temperatures and effects of disability and age: An observational cross-sectional study. BMJ Open 2018; 8 (5), art. no. e021085.

Hughes A, Huang Y, Schwartz ML, Hynynen K. The reduction in treatment efficiency at high acoustic powers during MR-guided transcranial focused ultrasound thalamotomy for Essential Tremor. Medical Physics 2018; 45 (7): 2925-2936.

Hughes M, Murray A, Denton CP, Herrick AL. Should all digital ulcers be included in future clinical trials of systemic sclerosis-related digital vasculopathy? Medical Hypotheses 2018; 116: 101-104.

Hughes M, Wilkinson J, Moore T, Manning J, New P, Dinsdale G, Murray A, Herrick AL. Thermographic abnormalities are associated with future digital ulcers and death in patients with systemic sclerosis. Journal of Rheumatology 2016; 43 (8) 1519-1522

Hunt AP, Parker AW, Stewart IB. Heat strain and hydration status of surface mine blast crew workers. Journal of Occupational and Environmental Medicine 2014; 56 (4): 409-414.

Hunt HB, Donnelly E. Bone Quality Assessment Techniques: Geometric Compositional and Mechanical Characterization from Macroscale to Nanoscale. Clinical Reviews in Bone and Mineral Metabolism 2016; 14 (3) 133-149

Hunt S, Boyle C, Wells R. Comfort and performance of power line maintainers' gloves during electrical utility work in the cold. Work 2014; 47 (1): 111-121.

Hunter RHF, López-Gatius F, López-Albors O. Temperature gradients in vivo influence maturing male and female gametes in mammals: Evidence from the cow. Reproduction Fertility and Development 2017, 29 (12): 2301-2304.

Hurley-Sanders JL, Larsen RS, Troan B, Loomis M. Fungal Osteomyelitis In Two Bufflehead Ducklings (Bucephala Albeola). Journal of Zoo and Wildlife Medicine 2015; 46 (3): 613-616

Hurley-Sanders JL, Sladky KK, Nolan EC, Loomis MR. Use of cortical bone fenestration, togenous free skin graft, and, thermography for wound treatment and monitoring in a red wolf (canis, rufus gregoryi). Journal of Zoo and Wildlife Medicine 2015; 46 (3): 617-620

Hurwitz E, Hasan AN, Orji C. Soft biometric thermal face recognition using FWT and LDA feature extraction method with RBM DBN and FFNN classifier algorithms. 2017 4th International Conference on Image Information Processing ICIIP 2017, 2018; pp. 650-655.

Husain Rosyad MK, Pujiant N, Setyaningrum R, Rahman F, Saputra M. Evaluation of waste water treatment toward physical chemical and biological parameters in WWTP Basirih Banjarmasin Indonesia. Indian Journal of Public Health Research and Development 2017, 8 (4): 340-344.

Hussain I, Price GW, Farid AH. Inactivation of aleutian mink disease virus through high temperature exposure in vitro and under field-based composting conditions. Veterinary Microbiology 2014; 173 (1-2): 50-58.

Hussein NA, Shahein YE, El-Hakim AE, Abouelella AM, Guneidy RA, Hamed RR. Molecular cloning of Ra- sHSPI

a novel member of the HSP20 family from Rhipicephalus annulatus salivary glands. International Journal of Biological Macromolecules 2014; 67, 7-15.

Hussein O, Torbey M. Hyperpyrexia as the Presenting Symptom of Intracranial Hypotension. Neurocritical Care 2018; 28 (3): 395-399.

Hussmann B, Lendemans S, de Groot H, Rohrig R. Volume replacement with Ringer-lactate is detrimental in severe hemorrhagic shock but protective in moderate hemorrhagic shock: Studies in a rat model. Critical Care 2014; 18 (1) Art. No. R5.

Hutchison RL. Frostbite of the hand. Journal of Hand Surgery 2014; 39 (9): 1863-1868.

Hwang PYK, Lewis PM, Maller JJ. Use of intracranial and ocular thermography before and after arteriovenous malformation excision. Journal of Biomedical Optics 2014; 19 (11), art. no. 140494LR .

Hwang SH, Yoo H-S, Yoon MK, Park H-S. Detection of IgE binding component to infliximab in a patient with infliximab-induced anaphylaxis Annals of Allergy Asthma and Immunology 2014; 112 (4): 393-394.

Hynd PI, Czerwinski VH, Mcwhorter TJ. Is propensity to obesity associated with the diurnal pattern of core body temperature. International Journal of Obesity 2014; 38 (2): 231-235.

Hyuk Oh W. A case of moyamoya syndrome diagnosed by ophthalmic examination in a patient with moyamoya disease. Journal of Korean Ophthalmological Society 2018; 59 (1): 98-103.

Ibbara-Castanedo C, Maldague XP. Review of pulsed phase thermography. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20- 23 2015, Baltimore MD, 2015; pp. 94850T-94850T-10.

Ibos L, Monchau JP, Feuillet V, Candau Y.BE Meriaudeau F, Aubreton O. A comparative study of in-situ measurement methods of a building wall thermal resistance using Infrared thermography. Proceedings of SPIE 12th International Conference on Quality Control by Artificial Vision JUN 03-05, 2015, Le Creusot France, 2015; 9534

Ibrahim IT, Megalla SA, Khalifa OSM, El Salah Deen HM. Prophylactic vs. therapeutic magnesium sulfate for shivering during spinal anesthesia. Egyptian Journal of Anaesthesia 2014; 30 (1): 31- 37.

Ibrahim MM, Tawfique SAH, Mahdy MM. Liposomal diltiazem HCl as ocular drug delivery system for glaucoma. Drug Development and Industrial Pharmacy 2014; 40 (6) 765-773.

Iden T, Horn E-P, Bein B, Böhm R, Höcker J. Reply to: Zero-heat flux thermometry. European Journal of Anaesthesiology 2016; 33 (2) 141-143

IEEE International LLC- Polish Section. 2018 Applications of Electromagnetics in Modern Techniques and Medicine PTZE 2018.

Igaki M, Higashi T, Hamamoto S, Kodama S, Naito S, Tokuhara S. A study of the behavior and mechanism of thermal conduction in the skin under moist and dry heat conditions. Skin Research and Technology 2014; 20 (1) 43-49.

Ignatieva NY, Zakharkina OL, Masayshvili CV, Maximov SV, Bagratashvili VN, Lunin VV. The role of laser power and pullback velocity in the endovenous laser ablation efficacy: an experimental study. Lasers in Medical Science 2017, 32 (5): 1105-1110.

Ikeda A, Nakagawa H, Lambert H, Shah D.C, Fonck E, Yulzari A, Sharma T, Pitha JV, Lazzara R, Jackman W M. Relationship between catheter contact force and radiofrequency lesion size and incidence of steam pop in the beating canine heart: Electrogram amplitude impedance and electrode temperature are poor predictors of electrode-tissue contact force and lesion size. Circulation: Arrhythmia and Electrophysiology 2014; 7 (6): 1174-1180.

Ikeda M, Wakasaki R, Schenning KJ, Swide T, Lee JH, Bernie Miller M, Choi HS, Anderson S, Hutchens MP. Determination of renal function and injury using near-infrared fluorimetry in experimental cardiorenal syndrome. American Journal of Physiology - Renal Physiology 2017, 312 (4): F629-F639.

Ikkatai Y, Watanabe S. Eye surface temperature detects stress response in budgerigars (Melopsittacus undulatus). Neuroreport 2015; 26 (11): 642-646

Im J.-H, Park T.-G, Yu J.-H. Effects of the anion clothing on badminton players` body and shuttlecock speed. Indian Journal of Public Health Research and Development 2018; 9 (9): 813-817.

Imade K, Kageyama T, Koyama D, Watanabe Y, Nakamura K, Akiyama I. Measurement of sound pressure and temperature in tissue-mimicking material using an optical fiber Bragg grating sensor. Journal of Medical Ultrasonics 2016; 43 (4) 473-479

Imbery TE, Tampio AJ, Nicholas BD. Thermal Variations of Operative Microscopes in Otology. Otolaryngology - Head and Neck Surgery (United States) 2017, 157 (1): 113-116.

Inbal A, Teven CM, Chang DW. Latissimus dorsi flap with vascularized lymph node transfer for lymphedema treatment: Technique outcomes indications and review of literature. Journal of Surgical Oncology 2017, 115 (1): 72-77.

İnci D, Aydın R, Vatan Ö, Sevgi T, Yılmaz D, Zorlu Y, Yerli Y, Çoşut B, Demirkan E, Çinkılıç N. Synthesis and crystal structures of novel copper (II) complexes with glycine and substituted phenanthrolines: reactivity towards DNA/BSA and in vitro cytotoxic and antimicrobial evaluation. Journal of Biological Inorganic Chemistry 2017, 22(1) 61-85.

Ingegnoli F, Ughi N, Dinsdale G, Orenti A, Boracchi P, Allanore Y, Foeldvari I, Sulli A, Cutolo M, Smith V, Herrick AL, On behalf of the EULAR Study Group on Microcirculation in RheumaticDiseases Hij A, Sulli A, Nitsche A, Vacca A, Balbir-Gurman A, Abdessemed A, Vargas A, Valenzuela A, Makol A, Baranauskaite A, Derfalvi B, Serrano Benavente B, Sozeri B, Bica BE, Stamenkovic B, Mihai C, Chizzolini C, Abud Mendoza C, de la Puente C, von Muhlen C, Bertolazzi C, Pain C, Ickinger C, Ancuta C, Sunderkotter C, Kayser C, De Araujo DB, Launay D, Khanna D, Krasowska D, Veale D, Kaliterna DM, Rosato E, de Langhe E, Hachulla E, Naredo E, Loyo E, Alvarez Hernández E, Sztajnbok F, Boin F, Longo FJ, van den Hoogen F, Hernandez Molina G, Riemekasten G, Szucs G, Moroncini G, Fragoso Loyo H, Dobrev H, Janta I, Cracowski J-L, Pauling J, Akikusa J, Sotoca Fernàndez J, Khan Ajaz K, Solanki K, Wierzba K, Romanowska Próchnicka K, Rouster Stevens K, Belloli L, Lewandowski L, Santos L, Saketkoo LA, Ananyeva L, Beretta L, Michalska Jakubus M, Audisio MJ, Milchert M, Molina MJ, Moraes FMF, Terreri MT, Puszczewicz M, Barešić, M, Hufnagel M, Mamani MN, Gutierrez M, Curran M, Hughes M, Becker M, Inanç, M, Petraitis M, Juan Carlos N-G, Fathi N, Aktay Ayaz N, Distler O, Sander O, Ömer PN, García de la Peña Lefebvre P, Caramaschi P, Hasler P, Ostojic P, Bečvář, R, Rodríguez RST, Lima R, Hesselstrand R, Cimaz R, Irace R, Petty R, de Angelis R, Dobrota R, Payne-Poff S, Kubo S, Guiducci S, Popa S, Lambova S, Stebbings S, Rednic S, Yavuz S, Benseler S, Shevtsova T, Daikeler T, Schmeiser T, Frech T, Minier T, Müller Ladner U, Walker U, Riccieri V, Vilela V, Hermann W, Braun-Moscovici Y, Uziel Y, Thierry Z. An international survey on non-invasive techniques to assess the microcirculation in patients with Raynaud's phenomenon (SUNSHINE survey). Rheumatology International 2017, 37 (11): 1879-1890.

Inglese G, Clarelli F, Thin plate approximation in active Infrared thermography. Inverse Problems in Science and Engineering 2015; 23 (6): 1072-1084

Inkinen SI, Liukkonen J, Tiitu V, Virén T, Jurvelin JS, Töyräs J. Ultrasound Backscattering Is Anisotropic in Bovine Articular Cartilage. Ultrasound in Medicine and Biology 2014; Article in press

Inoue Y, Hayashi Y, Kangawa K, Suzuki Y, Murakami N, Nakahara K. Des-acyl ghrelin prevents heatstroke-like symptoms in rats exposed to high temperature and high humidity. Neuroscience Letters 2016; 615 28-32

Ioannou S, Morris P, Terry S, Baker M, Gallese V, Reddy V. Sympathy crying: Insights from infrared thermal imaging on a female sample. PLoS ONE 2016; 11 (10), art no e0162749

Ioannou S, Morris PH, Baker M, Reddy V, Gallese V. Seeing a blush on the visible and invisible spectrum: A functional thermal infrared imaging study. Frontiers in Human Neuroscience 2017, 11, art. no. 525.

Iosif L, Preoteasa CT, Murariu-Măgureanu C, Preoteasa E. Clinical study on thermography as modern investigation method for Candida-associated denture stomatitis. Romanian Journal of Morphology and Embryology 2016; 57 (1) 191-195

Iosob CV, Antonaci F, Rossi E, Costa A, Sances G, Dalla Volta G. Frontal thermography in healthy individuals and headache patients: reliability of the method. European Journal of Neurology 2015, 22 (S1) 649

Iqbal S, Khajinoori M, Mooney B. A case report of acalculous cholecystitis due to Salmonella paratyphi B Radiology Case Reports 2018; 13 (6): 1116-1118.

Irino T, Hiki N, Ohashi M, Nunobe S, Sano T, Yamaguchi T. The Hit and Away technique: optimal usage of the ultrasonic scalpel in laparoscopic gastrectomy. Surgical Endoscopy and Other Interventional Techniques 2016; 30 (1) 245-250

Irvin MA, Clayton DB, Harris DM. 59-Year-Old Man with Sore Throat and Fever. Mayo Clinic Proceedings 2017, 92 (7): e101-e104.

Isakov DV. Infrared detection of water ingress in a composite laminate crevice based on room temperature evaporation. International Journal of Heat and Mass Transfer 2015; 86: 39-42

Isei T. Indocyanine green fluorescence-navigated sentinel node navigation surgery (SNNS) for cutaneous malignant melanoma and extramammary paget's disease. ICG Fluorescence Imaging and Navigation Surgery 193-201

Isfort P, Witte H, Slabu I, Penzkofer T, Baumann M, Braunschweig T, Kennes LN, Kuhl CK, Schmitz-Rode T, Mahnken AH, Bruners P. Efficacy of magnetic thermoablation using SPIO in the treatment of osteoid osteoma in a bovine model compared to radiofrequency and microwave ablation. CardioVascular and Interventional Radiology 2014; 37 (4) 1053-1061.

Ishigaki M, Yasui Y, Puangchit P, Kawasaki S, Ozaki Y. In vivo monitoring of the growth of fertilized eggs of medaka fish (Oryzias latipes) by near-infrared spectroscopy and near-infrared imaging-a marked change in the relative content of weakly hydrogen-bonded water in egg yolk just before hatching.

Ishizaki T, Nagano H. Measurement of Three-Dimensional Anisotropic Thermal Diffusivities for Carbon Fiber-Reinforced Plastics Using Lock-in Thermography. International Journal of Thermophysics 2015; 36(1)0-11: 2577-2589

Iskenderian C, Gallagher A. Myofascial pain syndrome: A drug-free perspective. Medicine Today 2014; 15 (6): 63-67.

Ismail AQ, Venugopalan V. Neonatal phototherapy fluids and photorelaxation. Journal of Perinatal Medicine 2014; 42 (3): 405-406.

Ismail E, Capo A, Amerio P, Merla A. Functional-thermoregulatory model for the differential diagnosis of psoriatic

arthritis. BioMedical Engineering Online 2014; 13 (1), art. no. 162.

Ismail E, Orlando G, Pompa P, Gabrielli D, Di Donato L, Cardone D, Merla A. Time-domain analysis of scrotal thermoregulatory impairment in varicocele. Frontiers in Physiology 2014; 5 AUG art. no. Article 342.

Isobaev P, Bouferguene A, Wichuk KM, McCartney D. An enhanced compost temperature sampling framework: Case study of a covered aerated static pile. Waste Management 2014; 34 (7): 1117-1124.

Ito A, Ohta M, Kato Y, Inada S, Kato T, Nakata S, Yatabe Y, Goto M, Kaneda N, Kurita K, Nakanishi H, Yoshida K. A Real-Time Near-Infrared Fluorescence Imaging Method for the Detection of Oral Cancers in Mice Using an Indocyanine Green-Labeled Podoplanin Antibody. Technology in cancer research & treatment 2018; 17: 1533033818767936.

Ito K, Horiuchi T, Murata T, Hongo K. Analysis of clinically relevant mechanical and thermal characteristics of titanium foam spinal implants during drilling. Journal of Materials Science-Materials in Medicine 2015; 26 (9) 237

Ito M, Ono K, Hitomi S, Nodai T, Sago T, Yamaguchi K, Harano N, Gunjigake K, Hosokawa R, Kawamoto T, Inenaga K. Prostanoid-dependent spontaneous pain and PAR2-dependent mechanical allodynia following oral mucosal trauma: Involvement of TRPV1, TRPA1, and TRPV4. Molecular Pain 2017, 13.

Itokawa T, Okajima Y, Suzuki T, Kakisu K, Iwashita H, Murakami Y, Hori Y. Association between ocular surface temperature and tear film stability in soft contact lens wearers. Investigative Ophthalmology and Visual Science 2018; 59 (2): 771-775.

Ivanov IV, Afranas'eva RF, Losik TK. [Evaluation of active equipment protecting distal parts of hands and feet against cold]. Meditsina truda i promyshlennaia ekologiia (7): 39-44.

Ivanov Y, Kozlov AF, Galiullin RA, Tatur VY, Ziborov VS, Ivanova ND, Pleshakova TO, Vesnin SG, Goryanin I. Use of microwave radiometry to monitor thermal denaturation of albumin. Frontiers in Physiology 2018; 9:art. no. 956.

Ivanov YD, Kozlov AF, Galiullin RA, Tatu VY, Vesnin SG, Ziborov VS, Ivanova ND, Pleshakova TO. Monitoring of brightness temperature fluctuation of water in SHF range. Patologicheskaia fiziologiia i eksperimental'naia terapiia 2017, 61 (2): 101-107.

Ivanova I, Pittaway A. Principles of anaesthesia for term neonates: An updated practical guide. Anaesthesia and Intensive Care Medicine 2014; 15 (3): 103-106.

Ivins N. Evaluation of the mode of action of a new gel wound dressing. Wounds UK 2014; 10 (2): 86-95.

Iwai K, Tetsuhara K, Ogawa E, Kubota M. Hidden diagnosis behind viral infection: The danger of anchoring bias. BMJ Case Reports 2018, art. no. 226613.

Iwasa T, Matsuzaki T, Gereltsetseg G, Munkhzaya M, Tungalagsurv A, Murakami M, Yamasaki M, Yamamoto Y, Kuwahara A, Kato T, Yasui T, Irahara M. Site-specific changes in cytokine response to septic dose of lipopolysaccharide in ovariectomized female rats. Journal of Endocrinological Investigation 2014; 37 (8): 721-727.

Iwasa T, Matsuzaki T, Kinouchi R, Gereltsetseg G, Murakami M, Munkhzaya M, Altankhuu T, Kuwahara A, Yasui T, Irahara M. Changes in central and peripheral inflammatory responses to lipopolysaccharide in ovariectomized female rats. Cytokine 2014; 65 (1): 65-73.

Iwasaki A, Ito T, Kawakami H, Nishiwaki K, Numata T, Saito M, Tsuboi R. A case of cholinergic urticaria with localized hypohidrosis showing sweat gland eosinophilic infiltration. Allergology International 2017, 66 (3): 495-496.

Iwase S, Inukai Y, Nishimura N, Sato M, Sugenoya J. Hemifacial hyperhidrosis associated with ipsilateral/contralateral cervical disc herniation myelopathy. functional considerations on how compression pattern determine the laterality. Functional Neurology 2014; 29 (1): 67-73.

Iwase S, Kawahara Y, Nishimura N, Nishimura R, Miwa C, Kataoka Y, Kobayashi C, Suzuki T, Shigaraki M, Maeda Y, Takada H, W atanabe Y. A comparison of head-out mist bathing with or without facial fanning with head-out half-body low-water level bathing in humans-a pilot study. International Journal of Biometeorology 2014; 58 (5): 999-1005.

Iwata S, Tachtsidis I, Takashima S, Matsuishi T, Robertson NJ, Iwata O. Dual role of cerebral blood flow in regional brain temperature control in the healthy newborn infant. International Journal of Developmental Neuroscience 2014; 37: 1-7.

Jabalameli M, Radmanesh A. Comparing the efficacy of prophylactic intravenous dexamethasone and pethidine on postoperative shivering in elective cesarean section under spinal anaesthesia. Journal of Isfahan Medical School 2014; 32 (285): 678-689.

Jacquot CMC, Schellen L, Kingma BR, van Baak MA, Van Marken Lichtenbelt WD. Influence of thermophysiology on thermal behavior: The essentials of categorization. Physiology and Behavior 2014; 128: 180-187.

Jadin MS, Taib S, Ghazali KH. Finding region of Interest in the Infrared image of electrical installation. Infrared Physics & Technology 2015; 71: 329-338

Jafar MM, Reeves J, Ruthven MA, Dean CJ, MacDougall ND, Tucker AT, Miquel ME. Assessment of a carbon fibre MRI flatbed insert for radiotherapy treatment planning. British Journal of Radiology 2016; 89 (1062), art no 20160108

Jafari A, Bahreini RS, Yazdanian R. Empirical analytical and numerical approaches to failure analysis of a frictional power transmission composite roller. Engineering Failure Analysis 2015; 52: 61-74

Jäger M, Gruber N, Müri R, Mosimann UP, Nef T. Manipulations to reduce simulator-related transient adverse health effects during simulated driving. Medical and Biological Engineering and Computing 2014; 52 (7): 601-610.

Jain S. Sepsis: An Update on Current Practices in Diagnosis and Management. American Journal of the Medical Sciences 2018; 356 (3): 277-286.

Jalali A, Ayani M.-B, Baghban M. Simultaneous estimation of controllable parameters in a living tissue during thermal therapy. Journal of Thermal Biology 2014; 45: 37-42.

Jalil B, Salvetti O, Potì, L, Hartwig V, Marinelli M, L'Abbate A. Near infrared image processing to quantitate and visualize oxygen saturation during vascular occlusion. Computer Methods and Programs in Biomedicine 2016; 126 35-45

James CA, Richardson AJ, Watt PW, Maxwell NS. Reliability and validity of skin temperature measurement by telemetry thermistors and a thermal camera during exercise in the heat. Journal of Thermal Biology 2014; 45: 141-149.

James ML, Andersen ND, Swaminathan M, Phillips-Bute B, Hanna JM, Smigla GR, Barfield ME, Bhattacharya SD, W illiams JB, Gaca JG, Husain AM, Hughes GC. Predictors of electrocerebral inactivity with deep hypothermia. Journal of Thoracic and Cardiovascular Surgery 2014; 147 (3): 1002-1007.

Jamrozik W. Modified random walker segmentation method of welding arc thermograms for welding process diagnostics. International Journal of Materials & Product Technology 2015; 51 (3): 281-295

Janjic JM, Berlec A, Bagia C, Liu LS, Jeric I, Gach M, Janjic BM, Strukelj B. NIR and MR imaging supported hydrogel based delivery system for anti-TNF alpha probiotic therapy of IBD. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9723, art no 972309

Jankovic Velickovic L, Stefanovic V. Hypoxia and spermatogenesis. International Urology and Nephrology 2014; 46 (5) 887-894.

Janssens O, Schulz R, Slavkoviki, V, Stockman K, Loccufier M, Van de Walle R, Van Hoecke S. Thermal image based fault diagnosis for rotating machinery. Infrared Physics & Technology 2015; 73: 78-87

Januszewski A, Stebbing J. Hyperthermia in cancer: Is it coming of age? The Lancet Oncology 2014; 15 (6) 565-566.

Jaque D, Rosal BD, Rodríguez EM, Maestro LM, Haro-González P, Solé, JG. Fluorescent nanothermometers for intracellular thermal sensing. Nanomedicine 2014; 9 (7) 1047-1062.

Jarnalo M, Vardasca R, Mendes JG, Drummond M. Antero-cervical thermophysiological characterization of obstructive sleep apnea patients. Sleep and Breathing 2018; 22 (4): 1111-1116.

Jarosz A, Darocha T, Kosiński S, Ziętkiewicz M, Drwiła R. Extracorporeal membrane oxygenation in severe accidental hypothermia. Intensive Care Medicine 2014; 41 (1): 169-170.

Jarraya S, Jarraya M, Chtourou H, Souissi N. Diurnal variations on cognitive performances in handball goalkeepers. Biological Rhythm Research 2014; 45 (1): 93-101.

Jarraya S, Jarraya M, Chtourou H, Souissi N. Effect of time of day and partial sleep deprivation on the reaction time and the attentional capacities of the handball goalkeeper. Biological Rhythm Research 2014; 45 (2): 183-191.

Jarraya S, Jarraya M, Souissi N. Diurnal variations of cognitive performances in Tunisian children. Biological Rhythm Research 2014; 45 (1): 61-67.

Jasim SF, Baqer NN, Alraheem EA. Detection of phytochemical constituent in flowers of viola odorata by gas chromatography-mass spectrometry. Asian Journal of Pharmaceutical and Clinical Research 2018; 11 (5): 262-269.

Jaspers MEH, Carrière ME, Meij-de Vries A, Klaessens JHGM, van Zuijlen PPM. The FLIR ONE thermal imager for the assessment of burn wounds: Reliability and validity study. Burns 2017, 43 (7): 1516-1523.

Javed M, Baghaei-Yazdi N, Qin W, Amartey S. An improved agar medium for growth of Geobacillus thermoglucosidarius strains. Journal of Microbiological Methods 2017, 132: 116-118.

Jay O. Unravelling the true influences of fitness and sex on sweating during exercise Experimental Physiology 2014; 99 (10): 1265-1266.

Jayadeep S, Achuth V, Chakravarthi R A survey conducted on different methods for the detection of arthritis. Research Journal of Pharmaceutical, Biological and Chemical Sciences 2017, 8(3) 1577-1583.

Jayawardena S, Kellstein D. Antipyretic Efficacy and Safety of Ibuprofen Versus Acetaminophen Suspension in Febrile Children: Results of 2 Randomized Double-Blind Single-Dose Studies. Clinical Pediatrics 2017, 56 (12): 2017, 1120-1127.

Jedrzejewska-Szczerska M, Wrobel MS, Galla S, Popov AP, Bykov AV, Tuchin VV, Cenian A. Investigation of photothermolysis therapy of human skin diseases using optical phantoms. In: Dreischuh T, Gateva S, Serafetinides A, Proceedings of SPIE18th International School on Quantum Electronics (ISQE)

Jedrzejewski T, Piotrowski J, Wrotek S, Kozak W. Polysaccharide peptide induces a tumor necrosis factor- α-dependent drop of body temperature in rats. Journal of Thermal Biology 2014; 44 (1): 1-4. .

Jefferies S, Braithwaite I, Walker S, Weatherall M, Jennings L, Luck M, Barrett K, Siebers R, Blackmore T, Beasley

R, Perrin K. Randomized controlled trial of the effect of regular paracetamol on influenza infection. Respirology 2016; 21 (2) 370-377

Jelschen F, Zundel J, Weyland A. Case report - Hemodynamic variables of a deep hypothermic patient over the period of external rewarming [Kasuistik - Hämodynamik während nicht invasiver Wiedererwärmung bei schwerer akzidenteller Hypothermie]. Anasthesiologie Intensivmedizin Notfallmedizin Schmerztherapie 2014; 49 (9): 514-519.

Jeon MY, Jeong HC, Lee SW, Choi W, Park JH, Tak SJ, Choi DH, Yim J. Improving the quality of sleep with an optimal pillow: A randomized comparative study. Tohoku Journal of Experimental Medicine 2014; 233 (3): 183-188.

Jeon SG, Choi EJ, Lee PB, Lee YJ, Kim MS, Seo JH, Nahm FS. Do severity score and skin temperature asymmetry correlate with the subjective pain score in the patients with complex regional pain syndrome? Korean Journal of Pain 2014; 27 (4): 339-344.

Jeong IC, Yoon H, Kang H, Yeom H. Effects of skin surface temperature on photoplethysmograph. Journal of Healthcare Engineering 2014; 5 (4): 429-438.

Jeong K-Y, Seong J. Neonatal capsaicin treatment in rats affects TRPV1-related noxious heat sensation and circadian body temperature rhythm. Journal of the Neurological Sciences 2014; 341 (1-2): 58-63.

Jeong S-M, Yoo J-H, Fang Y, Choi B-H, Son J-S, Oh J-H. The effect of guided flapless implant procedure on heat generation from implant drilling. Journal of Cranio-Maxillofacial Surgery 2014; 42 (6) 725-729.

Jerbi T, Wuyts N, Cane MA, Faux PF, Draye X. High resolution imaging of maize (Zea mays) leaf temperature in the field: the key role of the regions of Interest. Functional Plant Biology 2015; 42 (9): 858- 864

Jerem P, Herborn K, McCafferty D, McKeegan, D., Nager, R. Thermal Imaging to Study Stress Non- invasively in Unrestrained Birds. J.Vis. Exp. 2015,105: e53184

Jewell K. Investigating the role of digital infrared thermal imaging in post-operative assessment following spinal surgery in horses. Thermology International 2018; 28(2) 65-66.

Jeyhani V, Vuorinen T, Mäntysalo M, Vehkaoja A. Comparison of simple algorithms for estimating respiration rate from electrical impedance pneumography signals in wearable devices. Health and Technology 2017, 7(1) 21-31.

Jezouin S, Iftikhar Z, Anthore A, Parmentier FD, Gennser U, Cavanna A, Ouerghi A, Levkivskyi IP, Idrisov E, Sukhorukov EV, Glazman LI, Pierre F. Controlling charge quantization with quantum fluctuations.

Jhun I, Fann N, Zanobetti A, Hubbell B. Effect modification of ozone-related mortality risks by temperature in 97 US cities. Environment International 2014; 73: 128-134.

Ji R-C. Lymph nodes and cancer metastasis: New perspectives on the role of intranodal lymphatic sinuses. International Journal of Molecular Sciences 2017, 18(1) Article Number: 51.

Ji Y, Hoffmann W, Pham M, Dunn AE, Han H, Özerdem C, Waiczies H, Rohloff M, Endemann B, Boyer C, Lim M, Niendorf T, Winter L. High peak and high average radiofrequency power transmit/receive switch for thermal magnetic resonance. Magnetic Resonance in Medicine 2018; 80 (5): 2246-2255.

Jia Z, Teng Y, Liu Y, Wang H, Li Y, Hou X. Influence of high-flow modified ultrafiltration on brain oxygenation and perfusion during surgery for children with ventricular septal defects: a pilot study. Perfusion (United Kingdom) 2018; 33 (3): 203-208.

Jian B-L, Chen C-L, Chu W-L, Huang M-W. The facial expression of schizophrenic patients applied with infrared thermal facial image sequence. BMC Psychiatry 2017, 17 (1), art. no. 229.

Jiang C, Cai H, Peng X, Zhang P, Wu X, Tian R. Targeted imaging of tumor-associated macrophages by cyanine 7-labeled mannose in xenograft tumors. Molecular Imaging 2017, 16. 1536012116689499

Jiang L, Xu H-H, Jiang Z-H, Yang S-H, Shi Q-L, Ma Z-C, Gao Y, Chen Z-W. Quality of realgar and its influencing factors based on toxicity. Zhongguo Zhongyao Zazhi 2017, 42 (24): 4782-4787.

Jiang LI, Liu HT, Chj JG, Qian LS, Pan F, Liu X. Design fabrication and testing of 17um pitch 640x480 uncooled infrared focal plane array detector. In: Gong H, Wu N, Ni Y, Chen W, Lu J, eds, Proceedings of SPIE Annual Conference of the Chinese-Society-for-Optical-Engineering on Applied Optics and Photonics China (AOPC), MAY 05-07 2015, Beijing China, 2015; pp. 96740W-96740W-6.

Jiao L, Yang Z, Wang J. Interaction of 1.319 μm laser with skin: An optical-thermal-damage model and experimental validation. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9230, art. no. 923012.

Jiao LZ, Wu WB, Zheng WG, Dong DM. The infrared thermal image-based monitoring process of peach decay under uncontrolled temperature conditions. Journal of Animal and Plant Sciences 2015; 25 (3): 202- 207

Jiao LZ, Zhao XD, Dong DM. Design for Temperature Measurement System Based on Smart Phone and Infrared Thermal Camera Core. In: Liu J, Wang Y, Xu H, eds, Proceedings of International Conference on intelligent Systems Research and Mechatronics Engineering (ISRME) APR 11-13, 2015, Zhengzhou China, 2015; 1336-1339

Jin CS, Overchuk M, Cui L, Wilson BC, Bristow RG, Chen J, Zheng G. Nanoparticle-Enabled Selective Destruction of Prostate Tumor Using MRI-Guided Focal Photothermal Therapy. Prostate 2016; 76 (13) 1169-1181

Jin SW, Choi YH, Lee DH. Utilization of rapid infusion system with cold saline in the induction of therapeutic

hypothermia. Journal of International Medical Research 2014; 42 (3): 744-749.

Jin X, Zhang M, Gou G, Ren J. Synthesis and Cell Imaging of a Near-Infrared Fluorescent Magnetic "cdHgTe-Dextran-Magnetic Layered Double Hydroxide-Fluorouracil" Composite. Journal of Pharmaceutical Sciences 2016; 105 (5) 1751-1761

Jo J, Kim H, Jerng UM. Improvements in Scrotal Thermoregulation in Patients with Varicoceles Treated by Using Traditional Korean Medicine: Two Case Reports. JAMS Journal of Acupuncture and Meridian Studies 2016; 9 (3) 156-160

Jo J, Kim H, Kang M, Lee J. The relationship between body mass index and scrotal temperature. Human Reproduction 2015; 30: 131-132

Jodkowska E, Dudek K, Soroko M. Temperature range analysis (T-max) on dorsal surface of sporting horses. Turkish Journal of Veterinary & Animal Sciences 2015; 39 (2): 229-232

Johansen A, McFadden LM. The neurochemical consequences of methamphetamine self-administration in male and female rats. Drug and Alcohol Dependence 2017, 178: 70-74.

Johansen FF, Hasseldam H, Smith MN, Rasmussen RS. Drug-induced hypothermia by 5HT1A agonists provide neuroprotection in experimental stroke: New perspectives for acute patient treatment. Journal of Stroke and Cerebrovascular Diseases 2014; 23 (10) 2879-2887.

John H. Klaessens JH, van der Veen AJ , Verdaasdonk RM. Non-contact thermal and multispectral imaging, a clinical diagnostic tool for monitoring tissue perfusion and oxygenation, applied in clinical trials (abstract). Thermology international 2015, 25(1) 30

John HE, Niumsawatt V, Rozen WM, Whitaker IS. Clinical applications of dynamic infrared thermography in plastic surgery: A systematic review. Gland Surgery 2016; 5 (2) 122-132

Johnson AP, Wallman JF. Infrared imaging as a non-invasive tool for documenting maggot mass temperatures. Australian Journal of Forensic Sciences 2014; 46 (1) 73-79.

Johnson JM, Minson CT, Kellogg JR, DL. Cutaneous vasodilator and vasoconstrictor mechanisms in temperature regulation. Comprehensive Physiologyy 2014; 4 (1) 33-89.

Johnson NR, Lynch JP, Jeffers AE. Heat transfer computed tomography techniques for damage detection in metallic structures. In: Lynch JP, Wang KW, Sohn H, eds, Proceedings of SPIE Conference on Sensors and Smart Structures Technologies for Civil Mechanical and Aerospace Systems MAR 09-12 2015, San Diego CA, 2015; pp. 943529-943529-14.

Johnson RS, Croager EJ, Kameron CB, Pratt IS, Vreugdenburg TD, Slevin T. Public health advocacy in action: The case of unproven breast cancer screening in Australia. Public Health Research and Practice 2016; 26 (4), art no e2641648

Johnson S, Popil R. Corrugated board bonding defect visualization and characterization. International Journal of Adhesion and Adhesives 2015; 59: 105-114

Joice GA, Rowe SP, Gorin MA, Pierorazio PM. Molecular Imaging for Evaluation of Viable Testicular Cancer Nodal Metastases. Current Urology Reports 2018; 19 (12), art. no. 110.

Jolesz F. Comment. Neuromodulation 2014; 17 (3) P 241.

Jolesz FA, McDannold NJ. Magnetic resonance-guided focused ultrasound. A new technology for clinical neurosciences. Neurologic Clinics 2014; 32 (1): 253-269.

Jonathan SV, Grissom WA. Volumetric MRI thermometry using a three-dimensional stack-of-stars echo-planar imaging pulse sequence. Magnetic Resonance in Medicine 2018; 79 (4): 2003-2013.

Jones B, Hassan I, Tsuyuki RT, Dos Santos MF, Russell AS, Yacyshyn E. Hot joints: myth or reality? A thermographic joint assessment of inflammatory arthritis patients. Clinical Rheumatology 2018; 37 (9): 2567-2571.

Jones D, Covins SF, Miller GE, Morrison KI, Clark AG, Calcott SD, Anderson AM, Lucas SJE, Imray CHE. Infrared Thermographic Analysis of Surface Temperature of the Hands During Exposure to Normobaric Hypoxia. High Altitude Medicine & Biology 2018; 19 (4): 388-393.

Jones H, Eijsvogels TMH, Nyakayiru J, Verheggen RJHM, Thompson A, Groothuis JT, Atkinson G, Hopman MTE, Thijssen DHJ. Within-subject correlations between evening-related changes in body temperature and melatonin in the spinal cord injured. Chronobiology International 2014; 31 (2) 157-165.

Jonkers ART, Sharkey KJ. The differential warming response of Britain's rivers (1982-2011). PLoS ONE 2016; 11 (11), art no 0166247

Jonsson K, Kjellgren A. Curing the sick and creating supermen - How relaxation in flotation tanks is advertised on the Internet. European Journal of Integrative Medicine 2014; 6 (5) 601-609.

Jordan J, Miro–Martinez P, Vargas B, Varela–Entrecanales M, Cuesta–Frau D. Statistical models for fever forecasting based on advanced body temperature monitoring. Journal of Critical Care 2017, 37: 136-140.

Joseph B, Khalil M, Pandit V, Kulvatunyou N, Zangbar B, Tang A, O'Keeffe T, Snyder K, Green DJ, Gries L, Friese RS, Rhee P. Hypothermia in organ donation: A friend or foe? Journal of Trauma and Acute Care Surgery 2014; 77 (4) 559-563.

Joseph RA, Derstine S, Killian M. Ideal Site for Skin Temperature Probe Placement on Infants in the NICU: A Review of Literature. Advances in Neonatal Care 2017, 17 (2): 114-122.

Joshi V, Manivannan N, Jarry Z, Carmichael J, Vahtel M, Zamora G, Calder C, Simon J, Burge M, Soliz P. Low cost thermal camera for use in preclinical detection of diabetic peripheral neuropathy in primary care setting. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10485, art. no. 104850U.

Joslin J, Fisher A, Wojcik S, Cooney DR. A prospective evaluation of the contribution of ambient temperatures and transport times on infrared thermometry readings of intravenous fluids utilized in EMS patients. International Journal of Emergency Medicine 2014; 7 (1) 4 P

Joustra SD, Thijs RD, Van Den Berg R, Van Dijk M, Pereira AM, Lammers GJ, Van Someren EJW, Romijn JA, Biermasz NR. Alterations in diurnal rhythmicity in patients treated for nonfunctioning pituitary macroadenoma: A controlled study and literature review. European Journal of Endocrinology 2014; 171 (2) 217-228.

Jovanović, D, Karkalić, R, Zeba S, Pavlović, M, Radaković, SS. Physiological tolerance to uncompensated heat stress in soldiers: Effects of various types of body cooling systems [Uticaj sistema za hlad{stroke}enje tela na toleranciju nekompenzovanog toplotnog stresa kod vojnika u uslovima nošenja nepropusne zaštitne odece]. Vojnosanitetski Pregled 2014; 71 (3) 259-264.

Jowett N, Wöllmer W, Reimer R, Zustin J, Schumacher U, Wiseman PW, Mlynarek AM, Böttcher A, Dalchow CV, Lörincz BB, Knecht R, Miller RJD. Bone ablation without thermal or acoustic mechanical injury via a novel picosecond infrared laser (PIRL). Otolaryngology - Head and Neck Surgery 2014; 150 (3) 385-393.

Ju J, Saul N, Kochan C, Putschew A, Pu Y, Yin L, Steinberg CEW. Cyanobacterial Xenobiotics as evaluated by a Caenorhabditis elegans Neurotoxicity screening test. International Journal of Environmental Research and Public Health 2014; 11 (5) 4589-4606.

Juan JS, Hu X-S, Issa M, Bisconti S, Kovelman I, Kileny P, Basura G. Tinnitus alters resting state functional connectivity (RSFC) in human auditory and non-auditory brain regions as measured by functional near-infrared spectroscopy (fNIRS). PLoS ONE 2017, 12(6) Article Number: e0179150.

Juang T, Stauffer PR, Craciunescu OA, Maccarini PF, Yuan Y, Das SK, Dewhirst MW, Inman BA, Vujaskovic Z. Thermal dosimetry characteristics of deep regional heating of non-muscle invasive bladder cancer. International Journal of Hyperthermia 2014; 2014; 30 (3) 176-183.

Jubeau M, Ru T, Perrey S, Temesi J, Wuyam B, Levy P, Verges S, Millet GY. Changes in voluntary activation assessed by transcranial magnetic stimulation during prolonged cycling exercise. PLoS ONE 2014; 9 (2) Art. No. e89157.

Juliff LE, Halson SL, Bonetti DL, Versey NG, Driller MW, Peiffer JJ. Influence of contrast shower and water immersion on recovery in elite netballers. Journal of Strength and Conditioning Research 2014; 28 (8) 2353-2358.

Jun I, Ahmad T, Bak S, Lee J-Y, Kim E., Lee J, Lee YB, Jeong H, Jeon H, Shin H. Spatially Assembled Bilayer Cell Sheets of Stem Cells and Endothelial Cells Using Thermosensitive Hydrogels for Therapeutic Angiogenesis. Advanced Healthcare Materials 2017, 6(9) Article Number: 1601340.

Junaid E, Walker A, Kausman J, Quinlan C. A rare cause of pyrexia in a transplant patient: Questions. Pediatric Nephrology 2017, 32 (3): 443-444.

Jung A, Mróz J, Żuber J, Kalicki B. Application of thermography in the diagnosis and treatment monitoring of the Complex Regional Pain Syndrome type I (CRPS I) (extended abstract). Thermology international 2015, 25(1) 26

Jung A, Trzyna M, Biernat J, Biernat M, Jaremek H, Gielerak G, Szczesniak A, Polak M. Infrared investigation of skin temperature range for thermo-optic layer to polyurethane foil with nanocomposites. Thermology International 2018; 28(2) 119-120.

Jung A. Twenty years activity of The Centre for Clinical Thermology of The Military Institute of Medicine in Warsaw, Poland (extended abstract). Thermology international 2015, 25(3) 109-110.

Jung HS, Lee DY, Park JS. Alternative surgical methods in patients with recurrent palmar hyperhidrosis and compensatory hyperhidrosis. Yonsei Medical Journal 2018; 59 (2): 345-348.

Jung K, Yun S.-H, Chung H. Physicochemical conditions for effective hydrogen isotope storage and delivery in a uranium bed. Journal of Radioanalytical and Nuclear Chemistry 2018; 316 (3): 947-953.

Jung KT, Kim SH, Lee HY, Jung JD, Yu BS, Lim KJ, So KY, Lee JY, An TH. Effect on thermoregulatory responses in patients undergoing a tympanoplasty in accordance to the anesthetic techniques during peep: A comparison between inhalation anesthesia with desflurane and TIVA. Korean Journal of Anesthesiology 2014; 67 (1) 32-37.

Jung NY, Chang JW. Magnetic resonance-guided focused ultrasound in neurosurgery: Taking lessons from the past to inform the future. Journal of Korean Medical Science 2018; 33 (44), art. no. e279.

Jung SH, Kim KY, W oo DK, Lee SS, Jung JH. Tb3+-triggered luminescence in a supramolecular gel and its use as a fluorescent chemoprobe for proteins containing alanine. Chemical Communications 2014; 50 (86) 13107-13110.

Jung YH, Lee BK, Lee DH, Lee SM, Cho YS, Jeung KW The association of body mass index with outcomes and targeted temperature management practice in cardiac arrest survivors. American Journal of Emergency Medicine 2017, 35(2) 268-273.

Jussila K, Rissanen S, Parkkola K, Anttonen Hannu. Evaluating cold wind and moisture protection of different coverings for prehospital maritime transportation-a thermal manikin and human study. Prehospital and disaster medicine 2014; 29 (6): 580-588.

Just M, Chalopin C, Unger M, Halama D, Neumuth T, Dietz A, Fischer M. Monitoring of microvascular free flaps following oropharyngeal reconstruction using infrared thermography: first clinical experiences.

Kaden T, Lammers K, Moller HJ. Power loss prognosis from thermographic images of PID affected silicon solar modules. Solar Energy Materials and Solar Cells 2015; 142: 24-28

Kaercher T, Dietz J, Jacobj C, Berz R, Schneider H. Diagnosis of X-Linked Hypohidrotic Ectodermal Dysplasia by Meibography and Infrared Thermography of the Eye. Current Eye Research 2015; 40 (9): 884-890

Käfer H, Kovac H, Oswald B, Stabentheiner A. Respiration and metabolism of the resting European paper wasp (Polistes dominulus). Journal of Comparative Physiology B-Biochemical Systemic and, Environmental Physiology 2015; 185 (6): 647-658

Kägebein U, Speck O, Wacker F, Hensen B. Motion Correction in Proton Resonance Frequency-based Thermometry in the Liver. Topics in Magnetic Resonance Imaging 2018; 27 (1): 53-61.

Kahn A-L, Kristensen D, Rao R. Extending supply chains and improving immunization coverage and equity through controlled temperature chain use of vaccines. Vaccine 2017, 35 (17): 2214-2216.

Kahramangil B, Dip F, Benmiloud F, Falco J, de La Fuente M, Verna S, Rosenthal R, Berber E. Detection of Parathyroid Autofluorescence Using Near-Infrared Imaging: A Multicenter Analysis of Concordance Between Different Surgeons. Annals of Surgical Oncology 2018; 25 (4): 957-962.

Kahyaoğlu F, Gökçimen A. Light microscopic determination of tissue. Eastern Journal of Medicine 2017, 22 (3)120-124.

Kajiwara N, Masaki C, Mukaibo T, Kondo Y, Nakamoto T, Hosokawa R. Soft Tissue Biological Response to Zirconia and Metal Implant Abutments Compared with Natural Tooth: Microcirculation Monitoring as a Novel Bioindicator. Implant Dentistry 2015; 24 (1): 37-41

Kakami A, Tachibana T Heat balance evaluation of double-base solid propellant combustion using thermography and laser heating on a burning surface. Aerospace Science and Technology 2015; 47: 86- 91

Kakeya H, Seki M, Izumikawa K, Kosai K, Morinaga Y, Kurihara S, Nakamura S, Imamura Y, Miyazaki T, Tsukamoto M, Yanagihara K, Tashiro T, Kohno S. Efficacy of combination therapy with oseltamivir phosphate and azithromycin for influenza: A multicenter open-label randomized study. PLoS ONE 2014; 9 (3), art. no. e91293.

Kakinuma Y, Noguchi T, Okazaki K, Oikawa S, Iketani M, Kurabayashi M, Furihata M, Sato T. Antimuscle atrophy effect of nicotine targets muscle satellite cells partly through an α7 nicotinic receptor in a murine hindlimb ischemia model. Translational Research 2014; 164 (1) 32-45.

Kakitsuba N, White MD. Effect of change in ambient temperature on core temperature during the daytime. International Journal of Biometeorology 2014; 58 (5): 901-907.

Kalevar A, Patel KH, Fu AD. Acute macular neuroretinopathy without near-infrared reflectance: An atypical case presentation. Retinal Cases and Brief Reports 2017, 11: S14-S17.

Kalil A.C, Branecki CE. Therapeutic hypothermia is cool but be aware of the infection heat Critical Care Medicine 2014; 42 (2): 445-446.

Kalimuthu S, Jeong JH, Oh JM, Ahn B-C Drug Discovery by molecular imaging and monitoring therapy response in lymphoma. International Journal of Molecular Sciences 2017, 18:8 Article Number: 1639.

Kalliainen LK, O'Brien VH. Current uses of botulinum toxin A as an adjunct to hand therapy interventions of hand conditions. Journal of Hand Therapy 2014; 27 (2) 85-95.

Kalra M, Bahrami M, Sparrey CJ. The effects of physiological thermoregulation on the efficacy of surface cooling for therapeutic hypothermia. Medical and Biological Engineering and Computing 2014; 53 (3): 205- 213.

Kalsi KK, Chiesa ST, Trangmar SJ, Ali L, Lotlikar MD, González-Alonso J Mechanisms for the control of local tissue blood flow during thermal interventions: influence of temperature-dependent ATP release from human blood and endothelial cells. Experimental Physiology 2017, 102(2) 228-244.

Kaltheuner L, Kaltheuner M, Heinemann L. Lipohypertrophic Skin Changes in Patients with Diabetes: Visualization by Infrared Images. Journal of Diabetes Science and Technology 2018; 12 (6): 1152-1158.

Kamalski DMA, Verdaasdonk RM, De Boorder T, Vincent R, Trabelzini F, Grolman W. Comparison of KTP Thulium and CO2 laser in stapedotomy using specialized visualization techniques: Thermal effects. European Archives of Oto-Rhino-Laryngology 2014, 271(6), 1477-1483.

Kamata Y, Minota S. Effects of phosphodiesterase type 5 inhibitors on Raynaud's phenomenon. Rheumatology International 2014; 34 (11): 1623-1626.

Kambiz S, van Neck JW, Cosgun SG, van Velzen MHN, Janssen JAMJL, Avazverdj N, Hovius SER, Walbeehm

ET. An Early Diagnostic Tool for Diabetic Peripheral Neuropathy in Rats. PLOS One,8 2015; 10 (5) e0126892

Kamimura K, Shinagawa-Kobayashi Y, Goto R, Ogawa K, Yokoo T, Sakamaki A, Abe S, Kamimura H, Suda T, Baba H, Tanaka T, Nozawa Y, Koyama N, Takamura M, Kawai H, Yamagiwa S, Aoyagi Y, Terai S. Effective prevention of sorafenib-induced hand–foot syndrome by dried-bonito broth. Cancer Management and Research 2018; 10: 805-813.

Kaminska E, Tarnacka M, Kolodziejczyk K, Dulski M, Zakowiecki D, Hawelek L, Adrjanowicz K, Zych M, Garbacz G, Kaminski K. Impact of low molecular weight excipient octaacetylmaltose on the liquid crystalline ordering and molecular dynamics in the supercooled liquid and glassy state of itraconazole. European Journal of Pharmaceutics and Biopharmaceutics 2014; 88 (3): 1094-1104.

Kaminska M, Kuberski S, Maniukiewicz W, Owczarz P, Komorowski P, Modrzejewska Z, Walkowiak B. Thermosensitive chitosan gels containing calcium glycerophosphate for bone cell culture. Journal of Bioactive and Compatible Polymers 2017, 32(2) 209-222.

Kamkaew A, Li F, Li Z, Burgess K. An agent for optical imaging of TrkC-expressing, breast cancer. MedChemComm 2017, 8(10) 1946-1952.

Kampouri E, Vaucher J. Electrocardiographic changes in hypothermia. New England Journal of Medicine 2018; 378 (5), p. 460.

Kanagasingam Y, Bhuiyan A, Abràmoff MD, Smith RT, Goldschmidt L, Wong T.Y. Progress on retinal image analysis for age related macular degeneration. Progress in Retinal and Eye Research 2014; 38: 20- 42.

Kanaji Y, Murai T, Yonetsu T, Usui E, Araki M, Matsuda J, Hoshino M, Yamaguchi M, Niida T, Hada M, Ichijyo S, Hamaya R, Kanno Y, Isobe M, Kakuta T. Effect of Elective Percutaneous Coronary Intervention on Hyperemic Absolute Coronary Blood Flow Volume and Microvascular Resistance. Circulation: Cardiovascular Interventions 2017; 10 (10), art. no. e005073.

Kanazawa T, Kitamura A, Nakagami G, Goto T, Miyagaki T, Hayashi A, Sasaki S, Mugita Y, Iizaka S, Sanada H. Lower temperature at the wound edge detected by thermography predicts undermining development in pressure ulcers: a pilot study. International Wound Journal 2016; 13 (4) 454-460

Kanegaye JT, Jones JM, Burns JC, Jain S, Sun X, Jimenez-Fernandez S, Berry E, Pancheri JM, Jaggi P, Ramilo O, Tremoulet AH. Axillary oral and rectal routes of temperature measurement during treatment of acute kawasaki disease. Pediatric Infectious Disease Journal 2016; 35 (1) 50-53

Kano Z, Onoyama S, Tsuji M, Tezuka J, Furuno K. Klebsiella pneumoniae-associated septic pulmonary emboli in a healthy child. Pediatrics International 2018; 60 (7): 663-665.

Kanwar JR, Kamalapuram SK, Krishnakumar S, Kanwar RK. Multimodal iron oxide (Fe3O4)-saturated lactoferrin nanocapsules as nanotheranostics for real-time imaging and breast cancer therapy of claudin- low triple-negative (ER-/PR-/HER2-). Nanomedicine 2016; 11 (3) 249-268

Kao HSR, Zhu L, Chao AA, Chen HY, Liu ICY, Zhang M. Calligraphy and meditation for stress reduction: An experimental comparison. Psychology Research and Behavior Management 7, 47- 52.

Kapek L, Cholewka A, Szlag M, Wojcieszek P, Kellas – Sleczka S, Slosarek K, Cholewka A. Differences in skin temperature before and after brachytherapy treatment on basal cell carcinoma. Thermology International 2018; 28 (Supplement) S24

Kapur S, Barbhaiya C, Deneke T, Michaud GF. Esophageal injury and atrioesophageal fistula caused by ablation for atrial fibrillation. Circulation 2017; 136 (13): 1247-1255.

Kapwata T, Gebreslasie MT, Mathee A, Wright CY. Current and potential future seasonal trends of indoor dwelling temperature and likely health risks in rural Southern Africa. International Journal of Environmental Research and Public Health 2018; 15 (5), art. no. 952.

Kara E, Çilesiz İ, Gülsoy M. Monitoring system for investigating the effect of temperature change on optical properties. Lasers in Medical Science 2018; 33 (8): 1763-1768.

Karaaslan O. Anthrax in pregnancy: Case report. Eastern Journal of Medicine 2018; 23 (3): 222-224.

Karaböce B, Durmuş, HO. Investigation of thermal effect in vitro liver and lung induced by a HIFU transducer [Karaciğer ve Akciğer de HIFU Dönüştürücüsü Tarafindan Oluşturulan Termal Etkisinin In vitro Ortamda Incelemesi]. (2015) 2015 Medical Technologies National Conference TIPTEKNO 2015, art no 7374550

Karaki W, Akyildiz A, Borca Tasciuc D-A, De S. Measurement of temperature dependent apparent specific heat capacity in electrosurgery. Studies in Health Technology and Informatics 2016; 220 171-174

Karakitsios I, Bobeica M, Saliev T, Rube M, Melzer A. Thermometry during MR-guided focused ultrasound in a preclinical model based on thiel embalmed tissue. Minimally Invasive Therapy and Allied Technologies 2014; 23 (2): 120-126.

Karakitsios I, Mihcin S, Saliev T, Melzer A. Feasibility study of pre-clinical Thiel embalmed human cadaver for MR-guided focused ultrasound of the spine. Minimally Invasive Therapy and Allied Technologies 2016; 25 (3) 154-161

Karam JA, Zmistowski B, Restrepo C, Hozack WJ, Parvizi J. Fewer postoperative fevers: An unexpected benefit of

multimodal pain management? Clinical Orthopaedics and Related Research 2014; 472 (5): 1489- 1495.

Karampelas I, Sloan AE. Laser-Induced Interstitial Thermotherapy of Gliomas. Progress in Neurological Surgery 2018; 32: 14-26.

Karesoja M, Karjalainen E, Hietala S, Tenhu H. Phase separation of aqueous poly(2- dimethylaminoethyl methacrylate-block-N-vinylcaprolactams). Journal of Physical Chemistry B 2014; 118 (36): 10776-10784.

Karthik Bommanan BK, Naseem S, Varma N. Hemophagocytic lymphohistiocytosis secondary to histoplasmosis. Blood Research 2017; 52 (2): 83-83.

Karthik V, Rao TR. SAR investigations on the exposure compliance of wearable wireless devices using infrared thermography. Bioelectromagnetics 2018; 39 (6): 451-459.

Kartoglu U, Milstien J. Tools and aroaches to ensure quality of vaccines throughout the cold chain. Expert Review of Vaccines 2014; 13 (7) 843-854.

Karwat P, Kujawska T, Lewin PA, Secomski W, Gambin B, Litniewski J. Determining temperature distribution in tissue in the focal plane of the high (>100 W/cm2) intensity focused ultrasound beam using phase shift of ultrasound echoes. Ultrasonics 2016; 65 211-219

Karwowski W. Thermographic assessment of invasive treatments with interruption of skin coatings in aesthetic medicine. Thermology International 2018; 28 (Supplement) S27

Kasatkin AA, Reshetnikov AP. Assesment method of irritating effects intravenous catheter using infrared thermography. (extended abstract) Thermology international 2014; 24(2) 64-65.

Kasatkin AA, Urakov AL Correlation between arterial blood gases indices and the temperature of fingers after cuff occlusion test in patients with acute blood loss. Thermology International 2018; 28(2) 123.

Kashiwagi S, Brauns T, Gelfand J, Poznansky MC. Laser vaccine adjuvants: History progress and potential. Human Vaccines and Immunotherapeutics 2014; 10 (7) 1892-1907.

Kashuba CM, Benson JD, Critser JK. Rationally optimized cryopreservation of multiple mouse embryonic stem cell lines: II-Mathematical prediction and experimental validation of optimal cryopreservation protocols Cryobiology 2014; 68 (2): 176-184.

Kasius KM, Riphagen JH, Verhagen W IM, Meulstee J. An easily applicable alternative method for warming cold limbs in nerve conduction studies. Neurophysiologie Clinique 2014; 44 (2): 219-226.

Kasprzyk T, Balamut K, Stanek A, Sieron K, Kaszuba M, Kopczynska E, Cholewka A, Morawiec T. The application of thermal imaging in third molar teeth surgical extraction. Thermology International 2018; 28 (Supplement) S27

Kasprzyk T, Balamut K, Stanek A, Sieron-Stoltny K, Kaszuba M, Kopczynska E, Cholewka A, Morawiec T. The application of thermal imaging in dentistry - a pilot study (abstract). Thermology international 2017; 27 (2) 74-75

Kasprzyk T, Mleczko B, Winiarz T, Stanek A, Cholewka A. The applications of active dynamic thermography in tissue-like system - searching for medical applications. Thermology International 2018; 28 (Supplement) S24

Kasprzyk T, Wojcik M, Sieron-Stoltny K, Stanek A, Cholewka A. Quantitative thermal evaluation of the influence of thermo-active baselayer tops on heat transfer between body and environment in sportsmen-pilot study (abstract). Thermology international 2017; 27 (2) 75

Kastler A, Alnassan H, Aubry S, Kastler B. Microwave thermal ablation of spinal metastatic bone tumors. Journal of Vascular and Interventional Radiology 2014; 25 (9) 1470-1475.

Kastler A, Krainik A, Sakhri L, Mousseau M, Kastler B. Feasibility of Real-Time Intraprocedural Temperature Control during Bone Metastasis Thermal Microwave Ablation: A Bicentric Retrospective Study. Journal of Vascular and Interventional Radiology 2017; 28 (3): 366-371.

Katunin A, Dragan K, Dziendzikowski M. Damage identification in aircraft composite structures: A case study using various non-destructive testing techniques. Composite Structures 2015; 127: 1-9

Kaufmann F, Krabatsch T. Using medical imaging for the detection of adverse events ("incidents") during the utilization of left ventricular assist devices in adult patients with advanced heart failure. Expert Review of Medical Devices 2016; 13 (5) 463-474

Kauppinen T, Panouillot PE, Siikanen S, Athanasakou E, Baltas P, Nikopoulos B. About Infrared scanning of photovoltaic solar plant. In: Hsieh SI, Zalameda JN, eds, eds, Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp. 948517-948517-14.

Kaur G, Banoth P, Yerram P, Misra M. A case of hypothermia on CRRT. Hemodialysis International 2017; 21: S57-S61.

Kaura V, Aboelsaod EM, Hopkins PM. Has malignant hyperthermia really disappeared with halothane? Comment on Br J Anaesth 2017; 119: i44–52. British Journal of Anaesthesia 2018; 121 (4): 980-981.

Kavitha M, Saritha V, Venkata KP, Obaidat MS. Wireless sensor enabled breast self-examination assistance to detect abnormality. CITS 2018 - 2018 International Conference on Computer Information and Telecommunication Systems 2018; art. no. 8440128.

Kaviya C, Sundaram M, Pandiselvi T. Study of color image enhancement for analysis of breast thermograms. 2016

International Conference on Computing Technologies and Intelligent Data Engineering ICCTIDE 2016, art no 7725346

Kavyasree B, Puviarasi R. Design of arduino based data logger system. Indian Journal of Public Health Research and Development 2017, 8 (4): 1214-1217.

Kawakita N, Takizawa H, Kondo K, Sakiyama S, Tangoku A. Indocyanine green fluorescence navigation thoracoscopic metastasectomy for pulmonary metastasis of hepatocellular carcinoma. Annals of Thoracic and Cardiovascular Surgery 2016; 22 (6) 367-369

Kawali A, Pichi F, Avadhani K, Invernizzi A, Hashimoto Y, Mahendradas P. Multimodal Imaging of the Normal Eye. Ocular Immunology and Inflammation 2017, 25 (5): 721-731.

Kawano H, Matsumoto Y, Satoh O, Arakawa S, Hayano M, Suyama H, Maemura K. Successful treatment of a ruptured spontaneous dissecting coronary artery pseudoaneurysm with a covered stent in a patient with cardiac Tamponade. Internal Medicine 2014; 53 (10): 1067-1070.

Kawasaki T, Ohori G, Chiba T, Tsukiyama K, Nakamura K. Picosecond pulsed infrared laser tuned to amide I band dissociates polyglutamine fibrils in cells. Lasers in Medical Science 2016; 31 (7) 1425-1431

Kawashima C, Matsuzawa Y, Akiyama E, Konishi M, Suzuki H, Hashiba K, Ebina T, Kosuge M, Hibi K, Tsukahara K, Iwahashi N, Maejima N, Sakamaki K, Umemura S, Kimura K, Tamura K. Prolonged fever after ST-segment elevation myocardial infarction and long-term cardiac outcomes. Journal of the American Heart Association2017, 6 (7), art. no. e005463.

Kay SC, Luke DG, Tamer HR. ASHP guidelines for the management of investigational drug products. American Journal of Health-System Pharmacy 2018; 75 (8): 561-573.

Kaya Ö, Gülsoy M. A non-contact temperature measurement system for controlling photothermal medical laser treatments. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9706, art no 97060K

Kaźmierski P, Kacperska MJ, Figlus M, Tomasik B. The formation of atherosclerotic plaque its destabilisation and diagnostics. Aktualnosci Neurologiczne 2014; 14 (1): 43-53.

Keating J, Tchou J, Okusanya O, Fisher C, Batiste R, Jiang J, Kennedy G, Nie S, Singhal S. Identification of breast cancer margins using intraoperative near-infrared imaging. Journal of Surgical Oncology 2016; 113 (5) 508-514

Keating JJ, Runge JJ, Singhal S, Nims S, Venegas O, Durham AC, Swain G, Nie S, Low PS, Holt DE. Intraoperative near-infrared fluorescence imaging targeting folate receptors identifies lung cancer in a large-animal model. Cancer 2017, 123 (6): 1051-1060.

Keen OS, Ferrer I, Michael Thurman E, Linden KG. Degradation pathways of lamotrigine under advanced treatment by direct UV photolysis hydroxyl radicals and ozone. Chemosphere 2014; 117 (1): 316-323.

Keenan E, Gethin G, Flynn L, Watterson D, O'Connor GM. Enhanced thermal imaging of wound tissue for better clinical decision making. Physiological Measurement 2017. 38 (6): 1104-1115.

Kelechi O, Benedict E, Nwolisa E, Ifeyinwa A, Seline O. Acceptance of temporal artery thermometry by Nigerian mothers: A comparison with the traditional methods. Pan African Medical Journal 2014; 19, art. no. 263.

Kellett J. How much of NEWS could be measured by a machine and would it work? Resuscitation 2014; 85 (9): e147.

Kemp J, Després O, Pebayle T, Dufour A. Age-related decline in thermal adaptation capacities: An evoked potentials study. Psychophysiology 2014; 51 (6): 539-545.

Kendrick SK, Zheng Q, Garbett NC, Brock GN. Application and interpretation of functional data analysis techniques to differential scanning calorimetry data from lupus patients. PLoS ONE 2017, 12:11 Article Number: e0186232.

Kenefick RW, Sollanek KJ, Charkoudian N, Sawka MN. Impact of skin temperature and hydration on plasma volume responses during exercise. Journal of Applied Physiology 2014; 117 (4): 413- 420.

Kennedy GT, Newton A, Predina J, Singhal S. Intraoperative near-infrared imaging of mesothelioma. Translational Lung Cancer Research 2017, 6 (3): 279-284.

Kenney MJ. Medullary regulation of visceral sympathetic nerve discharge at peak hyperthermia in aged F344 rats. Autonomic Neuroscience: Basic and Clinical 2014; 186 (C): 32-37.

Kenny GP, McGinn R. Pushing the limits of blood pressure control under severe heat stress. Focus on “active and passive heat stress similarly compromise tolerance to a simulated hemorrhagic challenge”. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 307 (7): R817- R818.

Kenny GP. Muscle temperature and sweating during exercise: A new link? Acta Physiologica 2014; 212 (1): 11-13.

Keo SA, Brachelet F, Breaban F, Defer D. Defect detection in CFRP by Infrared thermography with CO2 Laser excitation compared to conventional lock-in Infrared thermography. Composites Part B-Engineering 2015; 69: 1-5

Keramidas ME, Kölegård R, Eiken O, Mekjavic IB. Prolonged physical inactivity leads to a drop in toe skin temperature during local cold stress. Applied Physiology Nutrition and Metabolism 2014; 39 (3): 369-374.

Keramidas ME, Kolegard R, Mckiavic IB, Eiken O. Hand temperature responses to local cooling after a 10- day confinement to normobaric hypoxia with and without exercise. Scandinavian Journal of Medicine & Science in Sports 2015; 25 (5): 650-660

Keramidas ME, Kölegård R, Mekjavic IB, Eiken O. Acute effects of normobaric hypoxia on hand- temperature responses during and after local cold stress. High Altitude Medicine and Biology 2014; 15 (2): 183-191.

Keramidas ME, Kölegård R, Mekjavic IB, Eiken O. Hand temperature responses to local cooling after a 10- day confinement to normobaric hypoxia with and without exercise. Scandinavian Journal of Medicine and Science in Sports 2015 25(5), 650-660

Kermani S, Samadzadehaghdam N, EtehadTavakol M. Automatic color segmentation of breast Infrared images using a Gaussian mixture model. Optik 2015; 126(2)1: 3288-3294

Keserci B, Duc NM. The role of T1 perfusion-based classification in predicting the outcome of magnetic resonance-guided high-intensity focused ultrasound treatment of adenomyosis. International Journal of Hyperthermia 2018; 34 (3): 306-314.

Keserci B, Duc NM. Volumetric magnetic resonance-guided high-intensity focused ultrasound ablation of uterine fibroids through abdominal scars: The impact of a scar patch on therapeutic efficacy and adverse effects. Journal of Therapeutic Ultrasound 2017, 5(1) Article Number: 22.

Kessler A, Menéndez-Aguirre O, Hinrichs J, Stubenrauch C, Weiss J. αs-Casein-PE6400 mixtures: Surface properties miscibility and self-assembly. Colloids and Surfaces B: Biointerfaces 2014; 118, 49-56.

Key DJ. Comprehensive thermoregulation for the purpose of skin tightening using a novel radiofrequency treatment device: A preliminary report. Journal of Drugs in Dermatology 2014; 13 (2) 185-189.

Key DJ. Integration of thermal imaging with subsurface radiofrequency thermistor heating for the purpose of skin tightening and contour improvement: A retrospective review of clinical efficacy. Journal of Drugs in Dermatology 2014; 13 (12) 1485-1489.

Key DJ. Preliminary demonstration using localized skin temperature elevation as observed with thermal imaging as an indicator of fat-specific absorption during focused-field radiofrequency therapy. Journal of Drugs in Dermatology 2014; 13 (7): 864-866.

Khadka N, Zannou AL, Zunara F, Truong DQ, Dmochowski J, Bikson M. Minimal Heating at the Skin Surface During Transcranial Direct Current Stimulation. Neuromodulation 2018; 21 (4): 334-339.

Khaji Z, Sturesson P, Klintberg L, Hjort K, Thornell G. Manufacturing and characterization of a ceramic microcombustor with integrated oxygen storage and release element. Journal of Micromechanics and Microengineering 2015; 25 (10) 104006

Khan A, Nath A, Lal H, Krishnani N, Agarwal A. Vintage meets contemporary: Use of rigid TBNA in the era of real-time imaging-first report from India. Lung India 2018; 35 (3): 241-244.

Khan F, Bartoli I. Detection of Delamination in Concrete Slabs using Infrared Thermography and Impact Echo Techniques: A Comparative Experimental Study. In: Shull PJ, ed, Proceedings of SPIE Conference on Structural Health Monitoring and Inspection of Advanced Materials Aerospace and Civil Infrastructure, MAR 09-12 2015, San Diego CA, 2015; pp, 94370I-94370I-11.

Khan F, Bolhassani M, Kontsos A, Hamid A, Bartoli I. Modeling and experimental implementation of Infrared thermography on concrete masonry structures. Infrared Physics & Technology 2015; 69: 228-237

Khan F, Rajaram S, Vanniamparambil PA, Bolhassani M, Hamid A, Kontsos A, Bartoli I. Multi-sensing NDT for damage assessment of concrete masonry walls. Structural Control & Health Monitoring 2015; 22 (3): 449-462

Khan F, Vaillancourt C. Cardiopulmonary resuscitation. CMAJ 2017, 189(1) E25.

Khan HAA, Akram W. The effect of temperature on the toxicity of insecticides against musca domestica L: Implications for the effective management of Diarrhea. PLoS ONE 2014; 9 (4), art. no. e95636.

Khan U, Falconi C. An accurate and computationally efficient model for membrane-type circular- symmetric micro-hotplates. Sensors (Basel Switzerland) 2014; 14 (4): 7374-7393.

Khan WH, Mohsenin V, D'Ambrosio CM. Sleep in asthma. Clinics in Chest Medicine 2014; 35 (3): 483-493.

Khandaker M, Vaughan MB, Morris TL, White JJ, Meng Z. Effect of additive particles on mechanical thermal and cell functioning properties of poly(methyl methacrylate) cement. International Journal of Nanomedicine 2014; 9 (1): 2699-2712.

Khanevski AN, Naess H, Thomassen L, Waje-Andreassen U, Nacu A, Kvistad CE. Elevated body temperature in ischemic stroke associated with neurological improvement. Acta Neurologica Scandinavica 2017, 136 (5): 414-418.

Khemani E. Real-time physiologic monitoring and physician feedback: Are we ready? [Le monitorage physiologique en temps réel et les rétroactions au médecin: sommes-nous prêts?]. Canadian Journal of Anesthesia2017, 64 (3): 239-241.

Khoshakhlagh A, Gunapala SD. Infrared imaging: A potential powerful tool for neuroimaging and neurodiagnostics. Neurophotonics 2017, 4 (1), art. no. 011014.

Khoshnevis S, Craik NK, Diller KR. Cold-induced vasoconstriction may persist long after cooling ends: an evaluation of multiple cryotherapy units. Knee Surgery Sports Traumatology Arthroscopy 2014; 23 (9): 2475-2483.

Khoshnevis S, Nordhauser JE, Craik NK, Diller KR. Quantitative evaluation of the thermal heterogeneity on the surface of cryotherapy cooling pads. Journal of Biomechanical Engineering 2014; 136 (7), art. no.074503.

Khushboo M, Naik K, Vasanthi Menezes A, Naha A, Koteshwara KB, Girish Pai K. Formulation and evaluation of irbesartan nanosuspension for dissolution enhancement. Research Journal of Pharmacy and Technology 2017, 10 (9): 3043-3048.

Kiefel D, Stoessel R, Grosse C. Quantitative Impact Characterization of Aeronautical CFRP Materials with Non-Destructive Testing Methods. In: Chimenti DE, Bond LI, eds, AIP Conference Proceedings 41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE) JUL 20-25, 2014, Boise ID, 2015; 1650: 591-598

Kiessling A-H, Guo FW, Gökdemir Y, Thudt M, Reyher C, Scherer M, Beiras-Fernandez A, Moritz A. The influence of selective pulmonary perfusion on the inflammatory response and clinical outcome of patients with chronic obstructive pulmonary disease undergoing cardiopulmonary bypass. Interactive Cardiovascular and Thoracic Surgery 2014; 18 (6): 732-739.

Kiguchi M, Funane T. Algorithm for removing scalp signals from functional near-infrared spectroscopy signals in real time using multidistance optodes. Journal of Biomedical Optics 2014; 19 (11), art. no. 110505.

Kilic G. Using advanced NDT for historic buildings: Towards an integrated multidisciplinary health assessment strategy. Journal of Cultural Heritage 2015; 16 (4): 526-535

Killeen AL, Walters JL. Remote Temperature Monitoring in Diabetic Foot Ulcer Detection. Wounds: A Compendium of Clinical Research and Practice 2018; 30 (4): E44-E48.

Killey C, Cleary S, Orr J, Frisbee JC, Jackson D, Twynstra J. The contribution of muscarinic-receptor-mediated responses to epineurial vascular diameter at the sciatic nerve. Canadian Journal of Physiology and Pharmacology 2018; 96 (8): 855-858.

Kilmer SL. Prototype CoolCup cryolipolysis applicator with over 40% reduced treatment time demonstrates equivalent safety and efficacy with greater patient preference. Lasers in Surgery and Medicine 2017, 49 (1): 63-68.

Kim D-W, Chung S-K, Na Y. Numerical study on the air conditioning characteristics of the human nasal cavity. Computers in Biology and Medicine 2017, 86: 18-30.

Kim DW, Zhang HY, Lee HK. The correlation between tympanic membrance temperature and specific region of face temperature with statistical correction. Thermology International 2018; 28(2) 53-56.

Kim F, Maynard C, Nichol G. Prehospital therapeutic hypothermia in patients with out-of-hospital cardiac arrest – Reply. JAMA - Journal of the American Medical Association 2014; 311 (21): 2233- 2234.

Kim F, Nichol G, Maynard C, Hallstrom A, Kudenchuk PJ, Rea T, Copass MK, Carlbom D, Deem S, Longstreth JR, WT, Olsufka M, Cobb LA. Effect of prehospital induction of mild hypothermia on survival and neurological status among adults with cardiac arrest a randomized clinical trial. JAMA - Journal of the American Medical Association 2014; 311 (1): 45-52.

Kim G, Kim MH, Lee SM, Choi SJ, Shin YH, Jeong HJ. Effect of pre-warmed intravenous fluids on perioperative hypothermia and shivering after ambulatory surgery under monitored anesthesia care. Journal of Anesthesia 2014; 28 (6): 880-885.

Kim HY, Lee KC, Lee MJ, Kim M-N, Kim J-S, Lee WS, Lee JH. Comparison of the efficacy of a forced-air warming system and circulating-water mattress on core temperature and post- anesthesia shivering in elderly patients undergoing total knee arthroplasty under spinal anesthesia. Korean Journal of Anesthesiology 2014; 66 (5): 352-357.

Kim J, Lee M, Shim HJ, Ghaffari R, Cho HR, Son D, Jung YH, Soh M, Choi C, Jung S, Chu K, Jeon D, Lee S.-T, Kim JH, Choi SH, Hyeon T, Kim D.-H. Stretchable silicon nanoribbon electronics for skin prosthesis. Nature Communications 2014; 5, art. no. 5747.

Kim J, Mohamed MAA, Zagorovsky K, Chan WCW. State of diagnosing infectious pathogens using colloidal nanomaterials. Biomaterials 2017, 146: 97-114.

Kim J-H, Powell JB, Roberge RJ, Shepherd A, Coca A. Evaluation of protective ensemble thermal characteristics through sweating hot plate sweating thermal manikin and human tests. Journal of Occupational and Environmental Hygiene 2014; 11 (4): 259-267.

Kim J-H, Roberge RJ, Powell JB. Effect of wearing an N95 respirator on infrared tympanic membrane temperature measurements. Journal of Clinical Monitoring and Computing 2014; 5 p. Article in Press.

Kim JS, Kim HJ, Hong S-M, Park SH, Lee JS, Kim AY, Ha HK Post-ischemic bowel stricture: CT features in eight cases. Korean Journal of Radiology 2017, 18(6) 936-945.

Kim J-Y, Hwang H, Oh S, Kim Y.-S, Kim U-J, Choi JW. Investigation of structural modification and thermal characteristics of lignin after heat treatment. International Journal of Biological Macromolecules 2014; 66: 57-65.

Kim MS, Hu HH, Aggabao PC, Geffner ME, Gilsanz V. Presence of brown adipose tissue in an adolescent with severe primary hypothyroidism. Journal of Clinical Endocrinology and Metabolism 2014; 99 (9): E1686-E1690.

Kim MS, Kim SH, Jang SI, Lee SY. Infective endocarditis caused by neisseria cinerea in a 7-year-old girl who had undergone surgical pulmonary valve replacement. EWHA Medical Journal 2017, 40(4) 171-174.

Kim S, Jeong S. Effects of temperature-dependent optical properties on the fluence rate and temperature of biological tissue during low-level laser therapy. Lasers in Medical Science 2014; 29 (2): 637-644.

Kim S.-S, Agblevor FA. Thermogravimetric analysis and fast pyrolysis of Milkweed. Bioresource Technology 2014; 169: 367-373.

Kim S-B. Laser acupuncture improves skin color deformation by cupping: A pilot study. Acupuncture and Electro-Therapeutics Research 2017, 41 (3-4): 155-169.

Kim SH, Choi SS, Lee MK, Kin JE. Complex regional pain syndrome caused by lumbar herniated intervertebral disc disease. Pain Physician 2016; 19 (6) E901-E904

Kim SH, Choi YH, Cheon J-E, Shin S.-M, Cho H.-H, Lee SM, You SK, Kim WS, Kim I-O. Transient flow response after femoral artery catheterization for diagnostic neuroangiography in infants and children: Doppler US assessment of the ipsilateral femoral artery. Pediatric Radiology 2014; 45 (1): 86-93.

Kim SW, Song H. Multimodal Imaging in Klippel-Trénaunay-Weber Syndrome: Clinical Photography Computed Tomoangiography Infrared Thermography and 99mTc-Phytate Lymphoscintigraphy. Clinical nuclear medicine 2017, 42 (12): 976-977.

Kim T, Ahn S, Leigh S-B. Energy consumption analysis of a residential building with phase change materials under various cooling and heating conditions. Indoor and Built Environment 2014; 23 (5): 730- 741.

Kim T.-H, Kong S.-H, Park J.-H, Son Y.-G, Huh Y.-J, Suh Y.-S, Lee H.-J, Yang H.-K. Assessment of the completeness of lymph node dissection using near-infrared imaging with indocyanine green in laparoscopic gastrectomy for gastric cancer. Journal of Gastric Cancer 2018; 18 (2): 161-171.

Kim Y, Audigier C, Ziegle J, Friebe M, Boctor EM. Ultrasound thermal monitoring with an external ultrasound source for customized bipolar RF ablation shapes. International Journal of Computer Assisted Radiology and Surgery 2018; 13 (6): 815-826.

Kim Y, Kim S. An electro-conductive plane heating element for rapid thermal lysis of bacterial cells. Journal of Microbiological Methods 2018; 153: 99-103.

Kim Y.-S, Park MJ, Keserci B, Nurmilaukas K, Kohler MO, Rhim H, Lim HK. Uterine fibroids: Postsonication temperature decay rate enables prediction of therapeutic responses to MR imaging-guided high-Intensity focused ultrasound ablation. Radiology 2014; 270 (2): 589-600.

Kim YG, Kweon EJ, Chang WS, Jung HH, Chang JW. Magnetic Resonance-Guided High Intensity Focused Ultrasound for Treating Movement Disorders. Progress in Neurological Surgery 2018; 33: 120-134.

Kim Y-H, Son S-R, Sarkar SK, Lee B-T. The effects of dimethyl 3,3′-dithiobispropionimidate di- hydrochloride cross-linking of collagen and gelatin coating on porous spherical biphasic calcium phosphate granules. Journal of Biomaterials Applications 2014; 29 (3): 386-398.

Kim Y-S, Kim B-G, Rhim H, Bae D-S, Lee J-W, Kim T-J, Choi CH, Lee Y-Y, Lim HK. Uterine fibroids: Semiquantitative perfusion MR imaging parameters associated with the intraprocedural and immediate postprocedural treatment efficiencies of MR imaging-guided high-intensity focused ultrasound ablation. Radiology 2014; 273 (2) 462-471.

Kimber JA, Kazarian SG. Spectroscopic imaging of biomaterials and biological systems with FTIR microscopy or with quantum cascade lasers. Analytical and Bioanalytical Chemistry 2017, 409(25) 5813-5820.

King HH, Cayce CT, Herrin J. Thermography Examination of Abdominal Area Skin Temperatures in Individuals With and Without Focal-Onset Epilepsy. Explore: The Journal of Science and Healing 2017, 13 (1): 46-52.

King RSP, Hallett PM, Foster D. NIR-NIR fluorescence: A new genre of fingermark visualisation techniques. Forensic Science International 2016; 262 e28-e33

Kinger S, Kumar R, Sharma A. Prediction based proactive thermal virtual machine scheduling in green clouds. The Scientific W orld Journal 2014; 2014, art. no. 208983.

Kingsberg SA, Althof S, Simon JA, Bradford A, Bitzer J, Carvalho J, Flynn KE, Nappi RE, Reese JB, Rezaee RL, Schover L, Shifrin JL. Female Sexual Dysfunction—Medical and Psychological Treatments Committee 14. Journal of Sexual Medicine 2017, 14 (12): 1463-1491.

Kinose Y, Azuchi F, Uehara Y, Kanomata T, Kobayashi A, Yamaguchi M, Izuta T. Modeling of stomatal conductance to estimate stomatal ozone uptake by Fagus crenata Quercus serrata Quercus mongolica var. crispula and Betula platyphylla. Environmental Pollution 2014; 194: 235- 245.

Kinoshita H, Akahori T, Nakamura E, Okawa H, Kawahito S, Kitahata H, Fujiwara Y. Tissue oxygenation index reflects changes in forearm blood flow after brief ischemia. Journal of Medical Investigation 2017, 64(3-4) 228-232.

Kinoshita H, Nakamichi K, Lim C.-K, Takayama-Ito M, Wang L, Iizuka I, Kurane I, Saijo M. A loop-mediated isothermal amplification assay for the detection and quantification of JC polyomavirus in cerebrospinal fluid: A diagnostic and clinical management tool and technique for progressive multifocal leukoencephalopathy. Virology Journal 2018; 15 (1), art. no. 136.

Kinoshita M, Okamoto T, Sano S, Mitsui H, Takeichi T, Sugiura K, Akiyama M, Shimada S, Kawamura T. Deficiency of the interleukin-36 receptor antagonist dramatically improved by secukinumab. Journal of Dermatology 2018; 45 (10): e280-e281.

Kinoshita T, Abe R-T, Hineno A, Tsunekawa K, Nakane S, Ikeda S-I. Peripheral sympathetic nerve dysfunction in adolescent Japanese girls following immunization with the human papillomavirus vaccine. Internal Medicine 2014; 53 (19) 2185-2200.

Kırkan B, Aycik GA. Solid phase extraction using silica gel modified with azo-dyes derivative for preconcentration and separation of Th(IV) ions from aqueous solutions. Journal of Radioanalytical and Nuclear Chemistry 2016; 308 (1) 81-91

Kirkham S, Lam S, Nester C, Hashmi F. The effect of hydration on the risk of friction blister formation on the heel of the foot. Skin Research and Technology 2014; 20 (2): 246-253.

Kirubha ASP, Anburajan M, Venkataraman B, Menaka M. Comparison of PET-CT and thermography with breast biopsy in evaluation of breast cancer: A case study. Infrared Physics & Technology 2015; 73: 115- 125

Kitney DG, Jabr RI, Vahabi B, Fry CH. Mild external heating and reduction in spontaneous contractions of the bladder. BJU International 2017, 120 (5): 724-730.

Kiyan W, Ito A, Nakagawa Y, Mukai S, Mori K, Arai T, Uchino E, Okuno Y, Kuroki H Relationships Between Quantitative Pulse-Echo Ultrasound Parameters from the Superficial Zone of the Human Articular Cartilage and Changes in Surface Roughness, Collagen Content or Collagen Orientation Caused by Early Degeneration. Ultrasound in Medicine and Biology 2017, 43(8) 1703-1715.

Klaessens J, van der Veen A, Verdaasdonk R. Thermal Imaging, a clinical diagnostic tool for non-contact monitoring of tissue perfusion, applied in clinical trials (extended abstract). Thermology international 2015, 25(3) 117.

Klaessens JH, Van Den Born M, Van Der Veen A, Sikkens-Van De Kraats J, Van Den Dungen FA, Verdaasdonk RM. Development of a baby friendly non-contact method for measuring vital signs: First results of clinical measurements in an open incubator at a neonatal intensive care unit. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 8935, art. no. 89351P.

Klahr AC, Nadeau CA, Colbourne F. Temperature Control in Rodent Neuroprotection Studies: Methods and Challenges. Therapeutic Hypothermia and Temperature Management 2017, 7 (1): 42-49.

Klamann MKI, Maier AKB, Gonnermann J, Klein JP, Ruokonen P, Pleyer U. Thermography: A New Option to Monitor Filtering Bleb Function? Journal of Glaucoma 2015; 24 (4): 272-277

Klawonn AM, Fritz M, Nilsson A, Bonaventura J, Shionoya K, Mirrasekhian E, Karlsson U, Jaarola M, Granseth B, Blomqvist A, Michaelides M, Engblom D. Motivational valence is determined by striatal melanocortin 4 receptors. Journal of Clinical Investigation 2018; 128 (7): 3160-3170.

Kleessen S, Klie S, Nikoloski Z. Concurrent Conditional clustering of multiple Networks: CoCoNets. PLoS ONE 2014; 9 (8), art. no. e103637.

Klein BA, Stiegler M, Klein A, Tautz J. Mapping sleeping bees within their nest: Spatial and temporal analysis of worker honey bee sleep. PLoS ONE 2014; 9 (7), art. no. e102316.

Klomp WWJ, Brandon Bravo Bruinsma GJ, Van 'T Hof AWJ, Grandjean JG, Nierich AP. A Protocol for Diagnosis and Management of Aortic Atherosclerosis in Cardiac Surgery Patients. International Journal of Vascular Medicine 2017, Article Number: 1874395.

Klugsberger B, Schreiner M, Rothe A, Haas D, Oppelt P, Shamiyeh A. Warmed humidified carbon dioxide insufflation versus standard carbon dioxide in laparoscopic cholecystectomy: A double- blinded randomized controlled trial. Surgical Endoscopy and Other Interventional Techniques 2014; 28 (9): 2656-2660.

Klute GK, Huff E, Ledoux WR. Does activity affect residual limb skin temperatures? Clinical Orthopaedics and Related Research 2014; 472 (10): 3062-3067.

Kluwe B, Macdonald A, Allen J, Petrova N, Edmonds M, Ainarkar S, Plassmann P, Bevans J, Ring F, Simpson R, Rogers L, Machin G, Whittam A, McMillan J. Can diabetic foot ulcers be prevented by thermography? Thermology International 2018; 28(2) 79.

Kluwe B, Plassmann P. Mobile Medical Infrared Imaging Devices on Embedded Computing Platforms (extended abstract). Thermology international 2015, 25(3) 97

Kluwe B. Technical Challenges in Infrared Foot Screening (extended abstract). Thermology international 2016, 26 (Supplement) S15

Klyushin NM, Stogov MV, Grebenyuk LA, Sudnitsyn AS, Kireeva EA. Comparative analysis of pathophysiological signs of osteomyelitis of neurogenic and trophic and posttraumatic etiology. Novosti Khirurgii 2017, 25 (4): 382-388.

Knapp J, Schneider A, Nees C, Bruckner T, Böttiger BW, Popp E. Effects of adenosine monophosphate on induction of therapeutic hypothermia and neuronal damage after cardiopulmonary resuscitation in rats. Resuscitation 2014; 85 (9): 1291-1297.

Knavel EM, Green CM, Gendron-Fitzpatrick A, Brace CL, Laeseke PF. Combination Therapies: Quantifying the Effects of Transarterial Embolization on Microwave Ablation Zones. Journal of Vascular and Interventional Radiology 2018; 29 (7): 1050-1056.

Knecht S, Sticherling C, Reichlin T, Mühl A, PavloviĆ, N, Schaer B, Osswald S, Kühne M. Reliability of luminal oesophageal temperature monitoring during radiofrequency ablation of atrial fibrillation: Insights from probe visualization and oesophageal reconstruction using magnetic resonance imaging. Europace 2017, 19 (7): 1123-1131.

Kneepkens E, Heijman E, Keupp J, Weiss S, Nicolay K, Grüll H. Interleaved Mapping of Temperature and Longitudinal Relaxation Rate to Monitor Drug Delivery during Magnetic Resonance-Guided High-Intensity Focused Ultrasound-Induced Hyperthermia. Investigative Radiology 2017, 52 (10): 620-630.

Knez W, Girard O, Racinais S, Walsh A, Gaoua N, Grantham J. Does living and working in a hot environment induce clinically relevant changes in immune function and voluntary force production capacity? Industrial Health 2014; 52 (3) 235-239.

Knobel-Dail RB, Holditch-Davis D, Sloane R, Guenther BD, Katz LM Body temperature in premature infants during the first week of life: Exploration using infrared thermal imaging. Journal of Thermal Biology 2017, 69: 118-123.

Knupp DC, Naveira-Cotta CP, Renfer A, Tiwari MK, Cotta RM, Poulikakos D. Analysis of coniugated heat transfer in micro-heat exchangers via integral transforms and non-intrusive optical techniques. International Journal of Numerical Methods For Heat & Fluid Flow 2015; 25 (6): 1444-1462

Knuttel FM, van den Bosch MAAJ. Magnetic resonance-guided high intensity focused ultrasound ablation of breast cancer. Advances in Experimental Medicine and Biology 2016; 880 65-81

Knysh P, Korkolis YP. Determination of the fraction of plastic work converted into heat in metals. Mechanics of Materials 2015; 86: 71-80

Ko EJ, No YA, Park KY, Li K, Seo SJ, Hong CK. The clinical significance of infrared thermography for the prediction of postherpetic neuralgia in acute herpes zoster patients. Skin Research and Technology 2016; 22 (1) 108-114

Ko LN, Raff AB, Garza-Mayers AC, Dobry AS, Ortega-Martinez A, Anderson RR, Kroshinsky D. Skin Surface Temperatures Measured by Thermal Imaging Aid in the Diagnosis of Cellulitis. Journal of Investigative Dermatology 2018; 138 (3): 520-526.

Kobayashi A, Watanabe S, Tsuruga K, Ito E, Tanaka H. Post-acute ischemic change and colon stricture in hemolytic uremic syndrome. Pediatrics International 2017, 59 (4): 498-499.

Kobayashi M. Skin vasomotor hemiparesis followed by overactivity: characteristic thermography findings in a patient with Horner syndrome due to spinal cord infarction. Clinical Autonomic Research 2016; 26 (2) 153-156

Kobayashi M. The effectiveness of thermography as an assessment tool for flap engraftment in a dog. (extended abstract). Thermology international 2015, 25(3) 132-134

Kobayashi T, Ito T, Kobayashi Y, Mitsuhashi Y, Tsuboi R. Two cases of acquired idiopathic generalized anhidrosis successfully treated by steroid pulse therapy. Journal of Dermatology 2014; 41 (5): 444-445.

Kobayashj C, Ogasawara N, Yamada H, Yamada S, Kikuchj T., TI Evaluation of angle dependence in spectral emissivity of ceramic tiles measured by FT-IR. XXXVII, APR 20-23 2015, Baltimore MD, 2015; pp. 948508-948508-9.

Kocan M, Pitts RA, Arnoux G, Balboa I, de Vries PC, Dejarnac R, Furno I, Goldston RI, Gribov Y, Horacek J, Komm M, Labit B, LaBombard B, Lasnier CI, Mitteau R, Nespoli F, Pace D, Panek R, Stangeby PC, Terry JL, Tsuj C, Vondracek P, Impact of a narrow limiter SOL heat flux channel on the ITER first wall panel shaping. Nuclear Fusion 2015; 55 (3) 033019

Kochanek P, Kitagawa RS, Batchelor P, Thoresen M. Central Nervous System Injury and Temperature Management. Therapeutic Hypothermia and Temperature Management 2016; 6 (3) 112-115

Köcher J, Knappe V, Schwagmeier M. Internal structuring of silica glass fibers: Requirements for scattered light applicators for the usability in medicine. Photonics and Lasers in Medicine 2016; 5 (1) 57-67

Koenig J, Jarczok MN, Ellis RJ, Bach C, Thayer JF, Hillecke TK. Two-Week Test-Retest Stability of the Cold Pressor Task Procedure at two different Temperatures as a Measure of Pain Threshold and Tolerance. Pain Practice 2014; 14 (3): E126-E135.

Koenraads SPC, de Boorder T, Grolman W, Kamalski DMA. A 1,470 nm diode laser in stapedotomy: Mechanical thermal and acoustic effects. Lasers in Surgery and Medicine 2017, 49 (6): 619-624.

Kofler M, Valls-Solé, J, Vasko P, Boček V, Štetkárová, I. Influence of limb temperature on cutaneous silent periods. Clinical Neurophysiology 2014; 125 (9): 1826-1833.

Koh NCY, Sim KS, Hoe TM. Investigation of factors affecting backside hotspot localization in Infrared lock- in thermography. Journal of Micro-Nanolithography MEMS and MOEMS 2015; 14 (3) 035501

Koirala D, Punnoose JA, Shrestha P, Mao H. Yoctoliter thermometry for single-molecule investigations: A generic bead-on-a-tip temperature-control module. Angewandte Chemie - International Edition 2014; 53 (13) 3470-3474.

Kok HP, Korshuize- van Straten L, Bakker A, de Kroon- Oldenhof R, Geijsen ED, Stalpers JAA, Crezee J. Online Adaptive Hyperthermia Treatment Planning During Locoregional Heating to Suppress Treatment-Limiting Hot Spots. International Journal of Radiation Oncology Biology Physics 2017, 99 (4): 1039-1047.

Kok HP, Wust P, Stauffer PR, Bardati F, van Rhoon GC, Crezee J. Current state of the art of regional hyperthermia treatment planning: a review. Radiation Oncology 2015; 10:196

Kok M, Mihl C, Mingels AA, Kietselaer BL, Mühlenbruch G, Seehofnerova A, W ildberger JE, Das M. Influence of contrast media viscosity and temperature on injection pressure in computed tomographic angiography: A phantom study. Investigative Radiology 2014; 49 (4): 217-223.

Köksal AO, Özdemir O, Yilmaz AA, Şahin Ş, Acar M, Özkan B, Yildirim FT, Hür Ö, Yilmaz S, Koçak M. Mother approaches to children with fever. Gazi Medical Journal 2014; 25 (2): 63-69.

Kolacz S, Moderhak M, Jankau J. New perspective on the in vivo use of cold stress dynamic thermography in integumental reconstruction with the use of skin-muscle flaps. Journal of Surgical Research 2017, 212: 68-76.

Kolanthai E, Abinaya Sindu P, Thanigai Arul K, Sarath Chandra V, Manikandan E, Narayana Kalkura S. Agarose encapsulated mesoporous carbonated hydroxyapatite nanocomposites powder for drug delivery. Journal of Photochemistry and Photobiology B: Biology 2017, 166: 220-231.

Kolosovas-Machuca ES, Martínez-Jiménez MA, Ramírez-Garcíaluna JL, González FJ, Pozos-Guillen AJ, Campos-Lara NP, Pierdant-Perez M. Pain measurement through temperature changes in children undergoing dental extractions. Pain Research and Management 2016; 2016, art no 4372617

Komaiko J, McClements DJ. Optimization of isothermal low-energy nanoemulsion formation: Hydrocarbon oil non-ionic surfactant and water systems. Journal of Colloid and Interface Science 2014; 425: 59-66.

Komatsu M, Ishihara T, Manabe S, Kuwano K, Oki M, Yanagi H, Ozawa H, Takagi A. A case of overwhelming postsplenectomy infection caused by Streptococcus pneumoniae with fulminant purpura. Tokai Journal of Experimental and Clinical Medicine 2017, 42 (3): 130-132.

Komljenovic D, Wiessler M, Waldeck W, Ehemann V, Pipkorn R, Schrenk H-H, Debus J, Braun K. NIR- cyanine dye linker: A promising candidate for isochronic fluorescence imaging in molecular cancer diagnostics and therapy monitoring. Theranostics 2016; 6 (1) 131-141

Kondo T, Uehara T, Ikegami A, Ikusaka M. Paroxysmal burning pain caused by erythromelalgia. The Lancet 2014; 383 (9929), p. 1692.

Kong S-H, Haouchine N, Soares R, Klymchenko A, Andreiuk B, Marques B, Shabat G, Piechaud T, Diana M, Cotin S, Marescaux J. Robust augmented reality registration method for localization of solid organs' tumors using CT-derived virtual biomechanical model and fluorescent fiducials. Surgical Endoscopy and Other Interventional Techniques 2017, 31 (7): 2863-2871.

Konieczka K, Schoetzau A, Koch S, Hauenstein D, Flammer J. Cornea thermography: Optimal evaluation of the outcome and the resulting reproducibility. Translational Vision Science and Technology 2018; 7 (3), art. no. 14.

Konstantopoulos S, Tonejc M, Maier A, Schledjewski R. Exploiting temperature measurements for cure monitoring of FRP, composites Applications with thermocouples and Infrared thermography. Journal of Reinforced Plastics and Composites 2015; 34 (12): 1015-1026

Koolen PGL, Li Z, Roussakis E, Paul MA, Ibrahim AMS, Matyal R, Huang T, Evans CL, Lin SJ. Oxygen-Sensing Paint-On Bandage: Calibration of a Novel Approach in Tissue Perfusion Assessment. Plastic and Reconstructive Surgery 2017, 140 (1): 89-96.

Koopmann M, Shea J, Kholmovski E, de Bever J, Minalga E, Holbrook M, Merrill R, Rock Hadley J, Owan T, Salama ME, Marrouche NF, Payne A. Renal sympathetic denervation using MR-guided high-intensity focused ultrasound in a porcine model. Journal of Therapeutic Ultrasound 2016; 4 (1), art no 3

Kopechek JA, Park E-J, Zhang Y-Z Vykhodtseva NI, McDannold NJ, Porter TM. Cavitation- enhanced MR- guided focused ultrasound ablation of rabbit tumors in vivo using phase shift nanoemulsions. Physics in Medicine and Biology 2014; 59 (13) 3465-3481.

Koprowski R, Wilczyński S, Martowska K, Gołuch D, Wrocławska-Warchala E. Dedicated tool to assess the impact of a rhetorical task on human body temperature. International Journal of Psychophysiology 2017, 120: 69-77.

Koprowski R. Quantitative assessment of the impact of biomedical image acquisition on the results obtained from image analysis and processing. BioMedical Engineering Online 2014; 13 (1), art. no. 93.

Koranne K, Basu-Ray I, Parikh V, Pollet M, Wang S, Mathuria N, Lakkireddy D, Cheng J. Esophageal temperature monitoring during radiofrequency ablation of atrial fibrillation a meta-analysis. Journal of Atrial Fibrillation 2017, 9:4.

Korb AS, Shellock FG, Cohen MS, Bystritsky A. Low-intensity focused ultrasound pulsation device used during magnetic resonance imaging: Evaluation of magnetic resonance imaging-related heating at 3 Tesla/128 MHz. Neuromodulation 2014; 17 (3): 236-241.

Kordatos EZ, Exarchos DA, Mpalaskas AC, Matikas TE. Monitoring the fracture behavior of metal matrix composites by combined NDE methodologies. In: Peters KI, ed, Proceedings of SPIE Conference on Smart Sensor Phenomena Technology Networks and Systems integration, MAR 09-10, 2015, San Diego CA, 2015; pp. 943603-943603-10.

Korogi Y, Naganawa S. Emerging neuroradiological topics in journals from related societies. Japanese Journal of Radiology 2017, 35 (1).

Koruth JS, Iwasawa J, Enomoto Y, Bar-Tal M, Ultchin Y, Sigal A, Mizrahi L, Berger A, Hazan O, Dukkipati SR, Reddy VY. Chamber-Specific Radiofrequency Lesion Dimension Estimation Using Novel Catheter-Based Tissue Interface Temperature Sensing: A Preclinical Assessment. JACC: Clinical Electrophysiology 2017, 3 (10): 1092-1102.

Kos S, Blagus T, Cemazar M, Filipic G, Sersa G, Cvelbar U. Safety aspects of atmospheric pressure helium plasma jet operation on skin: In vivo study on mouse skin. PLoS ONE 2017, 12 (4), art. no. e0174966.

Koshti AM. Infrared contrast data analysis method for quantitative measurement and monitoring in flash Infrared thermography. In: Shull PJ, ed, Proceedings of SPIE Conference on Structural Health Monitoring and inspection of Advanced Materials Aerospace and Civil Infrastructure, MAR 09-12, 2015, San Diego CA, 2015; pp. 94370X-94370X-15.

Koskensalo K, Raiko J, Saari T, Saunavaara V, Eskola O, Nuutila P, Saunavaara J, Parkkola R, Virtanen KA. Human brown adipose tissue temperature and fat fraction are related to its metabolic activity. Journal of Clinical Endocrinology and Metabolism 2017, 102 (4): 1200-1207.

Kosonogov V, De Zorzi L, Honoré J, Martínez-Velázquez ES, Nandrino J-L, Martinez-Selva JM, Sequeira H. Facial thermal variations: A new marker of emotional arousal. PLoS ONE 2017, 12(9) Article Number: e0183592.

Kostina A, Plekhov O. The Entropy of an Armco Iron under Irreversible Deformation. Entropy 2015; 17 (1): 264-276

Kostiv U, Patsula V, Noculak A, Podhorodecki A, Větvička D, Poučková P, Sedláková Z, Horák D. Phthalocyanine-Conjugated Upconversion $NaYF_4$:Yb^{3+}/Er^{3+}@SiO_2 Nanospheres for NIR-Triggered Photodynamic Therapy in a Tumor Mouse Model. ChemMedChem 2017, 12(24) 2066-2073.

Kosturakis AK, He Z Li Y, Boyette-Davis JA, Shah N, Thomas SK, Zhang H, Vichaya EG, Wang XS, Wendelschafer-Crabb G, Kennedy WR, Simone DA, Cleeland CS, Dougherty PM. Subclinical peripheral neuropathy in patients with multiple myeloma before chemotherapy is correlated with decreased fingertip innervation density. Journal of Clinical Oncology 2014; 32 (28) 3156-3162.

Kotel'nikov GP, Kim ID, Chernov AP, Shitikov DS. Minimally invasive surgical treatment of patients with early "classic" percutaneous rupture of the Achilles tendon. Genij Ortopedii 2017, 23 (3): 302-306.

Kothapalli SVVN, Altman MB, Zhu L, Partanen A, Cheng G, Gach HM, Straube W, Zoberi I, Hallahan DE, Chen H. Evaluation and selection of anatomic sites for magnetic resonance imaging-guided mild hyperthermia therapy: a healthy volunteer study. International Journal of Hyperthermia 2018; 34 (8): 1381-1389.

Kothawala A, Baskaran D, Arunachalam K, Thittai AK. A time domain method to monitor temperature in microwave hyperthermia using ultrasound attenuation. Proceedings - International Symposium on Biomedical Imaging 2018; pp. 1496-1499.

Kottkamp H, Moser F, Rieger A, Schreiber D, Pönisch C, Trofin M. Global multielectrode contact mapping plus ablation with a single catheter: Preclinical and preliminary experience in humans with atrial fibrillation. Journal of Cardiovascular Electrophysiology 2017, 28 (11): 1247-1256.

Kouis D, Vassilakaki E, Vraimaki E, Cheilakou E, Saint AC, Sakkopoulos E, Viennas E, Pikoulis EV, Nodarakis N, Achilleopoulos N, Zervos S, Giannakopoulos G, Kyriaki-Manessi D, Tsakalidis A, Koui M. Standardizing NDT& E Techniques and Conservation Metadata for Cultural Artifacts. In: Garoufallou E, Hartley RJ, Gaitanou P, eds, Metadata and Semantics Research. Springer International Publishing, 2015. S. 439-450.

Koukiou G, Anastassopoulos V. Drunk person identification using local difference patterns. IST 2016 - 2016 IEEE International Conference on Imaging Systems and Techniques Proceedings art no 7738259 401-405

Koukiou G, Anastassopoulos V. Drunk Person Screening using Eye Thermal Signatures. Journal of Forensic Sciences 2016; 61 (1) 259-264

Koukiou G, Anastassopoulos V. Fusion using neural networks for intoxication identification. IWBF 2018 - Proceedings: 2018 6th International Workshop on Biometrics and Forensics 2018; pp. 1-5.

Koukiou G, Anastassopoulos V. Intoxicated person discrimination using infrared signature of facial blood vessels. Australian Journal of Forensic Sciences 2016; 48 (3) 326-338

Kouloulias V, Nikolakopoulou A, Karanasiou I, Antypas C, Armpilia C, Uzunoglou N. Documentation of a new intracavitary applicator for transrectal hyperthermia designed for prostate cancer cases: A phantom study. Journal of Medical Physics 2018; 43 (2): 141-145.

Kounalakis SN, Keramidas ME, Amon M, Eiken O, Mekjavic IB. A 10-day confinement to normobaric hypoxia impairs toe, but not finger temperature response during local cold stress. Journal of Thermal Biology 2017, 64: 109-115.

Koyama T, Sugihara-Sek M, Sasajima T, Kikuchi S. Venular valves and retrograde perfusion. Advances in Experimental Medicine and Biology 2014; 812: 317-323.

Koyano G, Jinno T, Koga D, Hoshino C, Muneta T, Okawa A. Is Closed Suction Drainage Effective in Early Recovery of Hip Joint Function? Comparative Evaluation in One-Stage Bilateral Total Hip Arthroplasty. Journal of Arthroplasty 2015; 30 (1): 74-78

Kozheshkurt VA, Katrich VA. Determining the depth of the temperature anomalies in biological tissue. 2016 8th International Conference on Ultrawideband and Ultrashort Impulse Signals UWBUSIS 2016, art no 7724180 171-174

Kozhevnikova IS, Pankov MN, Gribanov AV, Startseva LF, Ermoshina NA. The use of infrared thermography in modern medicine (literature review). Human Ecology (Russian Federation) 2017, (2): 39-46.

Kozin ED, Lehmann A, Carter M, Hight E, Cohen M, Nakajima HH, Lee DJ. Thermal effects of endoscopy in a human temporal bone model: Implications for endoscopic ear surgery. Laryngoscope 2014; 124 (8): E332-E339.

Kozlov AV, Sonkin VD, Yakushkin AV. Method to Estimate Activity of Subcutaneous Thermogenic Structures on Exposure to Stimuli of Different Modalities. Human Physiology 2017, 43 (6): 719-728.

Kozlov SS, Chasovskaya TE, Semenova MG, Palmina NP. Effects of low concentrations of synthetic antioxidant phenosan potassium salt on the thermoinduced structural transitions in the protein component of plasma membranes. Doklady Biochemistry and Biophysics 2014; 459 (1) 190-193.

Kraai TL, Loch RB, Shellock FG. Assessment of MRI safety issues for stainless steel sutures used for microtia reconstruction. Journal of Plastic Reconstructive and Aesthetic Surgery 2018; 71 (10): 1469-1475.

Krankenhagen R, Worzewski T, Maierhofer C. Cooling-down of thermal thick probes after flash excitation - A measure for the real energy density? Infrared Physics & Technology 2015; 72: 258-265

Krap T, Meurs J, Boertjes J, Duijst W. Technical note: unsafe rectal temperature measurements due to delayed warming of the thermocouple by using a condom An issue concerning the estimation of the postmortem interval by using Henßge's nomogram. International Journal of Legal Medicine 2016; 130 (2) 447-456

Krasilnikova SV, Tush EV, Babaev SY, Khaletskaya AI, Popov KS, Novozhilov AA, Abubakirov TE, Eliseeva TI, Ignatov SK, Shakhov AV, Kubysheva NI, Solovyev VD Endonasal infrared thermometry for the diagnosis of allergic inflammation of the nasal mucosa in patients with bronchial asthma. Sovremennye Tehnologii v Medicine 2017, 9(4) 201-207.

Kräuchi K, Konieczka K, Roescheisen-W eich C, Gomer B, Hauenstein D, Schoetzau A, Fraenkl S, Flammer J. Diurnal and menstrual cycles in body temperature are regulated differently: A 28-dayambulatory study in healthy women with thermal discomfort of cold extremities and controls. Chronobiology International 2014; 31 (1) 102-113.

Kraus H, Soltamov VA, Fuchs F, Simin D, Sperlich A, Baranov PG, Astakhov GV, Dyakonov V. Magnetic field and temperature sensing with atomic-scale spin defects in silicon carbide. Scientific Reports 2014; 4, art. no. 5303.

Krauss H, Zeugner T, Zaeh MF., TI Thermographic Process Monitoring in Powderbed Based Additive Manufacturing. In: Chimenti DE, Bond LI, eds AIP Conference Proceedings CT 41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE), JUL 20-25, 2014, Boise ID, 2015; 1650: 177-183

Krawczyk A. The usage of thermovision in examination of electromagnetic structures (extended abstract). Thermology international 2014; 24(2) 65-66.

Krawczyk B, Schaefer G, Wozniak M. A hybrid cost-sensitive ensemble for imbalanced breast thermogram classification. Artificial Intelligence In Medicine, 2015; 65 (3): 219-227

Krefer AG, Lie MMI, Borba GB, Gamba HR, Lavarda MD, Abreu de Souza M. A method for generating 3D thermal models with decoupled acquisition. Computer Methods and Programs in Biomedicine 2017, 151: 79-90.

Kreuter A, Krieg T, Worm M, Wenzel J, Moinzadeh P, Kuhn A, Aberer E, Scharffetter-Kochanek K, Horneff G, Reil E, Weberschock T, Hunzelmann N. German guidelines for the diagnosis and therapy of localized scleroderma. JDDG - Journal of the German Society of Dermatology 2016; 14 (2) 199-216

Krewerth D, Lippmann T, Weidner A, Biermann H Application of full-surface view in situ thermography measurements during ultrasonic fatigue of cast steel G42CrMo4. International Journal of Fatigue 2015; 80: 459-467

Krishna V, Sammartino F, Rezai A. A review of the current therapy challenges and future directions of transcranial focused ultrasound technology advances in diagnosis and treatment. JAMA Neurology 2018; 75 (2): 246-254.

Krishnan SR, Ray TR, Ayer AB, Ma Y, Gutruf P, Lee K, Lee JY, Wei C, Feng X, Ng B, Abecassis ZA, Murthy N, Stankiewicz I, Freudman J, Stillman J, Kim N, Young G, Goudeseune C, Ciraldo J, Tate M, Huang Y, Potts M, Rogers JA. Epidermal electronics for noninvasive wireless quantitative assessment of ventricular shunt function in patients with hydrocephalus. Science Translational Medicine 2018; 10 (465), art. no. aat8437.

Krivoschekov SG, Lushnikov ON. The Functional State of Athletes Addicted to Exercises during Exercise Deprivation. Human Physiology 2017, 43 (6): 678-685.

Kruglova A, Ahlgren P, Korhonen N, Rantanen P, Mikola A, Vahala R. Biodegradation of ibuprofen diclofenac and carbamazepine in nitrifying activated sludge under 12°C temperature conditions. Science of the Total Environment 2014; 499 (1): 394-401.

Krupatkin AI. [Oscillatory processes in microlymphatic bed of human skin]. Fiziologiia cheloveka 2014; 40 (1): 62-67.

Krupatkin AI. Oscillatory processes in lymph microcirculation in the human skin. Human Physiology 2014; 40 (1): 52-57.

Krupatkin AI. The role of sensory peptidergic nerve fibers and neurogenic inflammation in the development of posttraumatic complex regional pain syndrome. Zhurnal Nevrologii i Psihiatrii imeni SS. Korsakova 2014; 2014 (5): 12-16.

Kshettry VR, Jiang X, Chotai S, Ammirati M. Optic nerve surface temperature during intradural anterior clinoidectomy: A comparison between high-speed diamond burr and ultrasonic bone curette. Neurosurgical Review 2014; 37 (3): 453-458.

Kuang M, Li Z, Wang Z, Jing X, Liu C, Zhu Q, Ling Z. Combustion and NOx emission characteristics with respect to staged-air damper opening in a 600 MWe down-fired pulverized- coal furnace under deep-air- staging conditions. Environmental Science and Technology 2014; 48 (1): 837-844.

Kubota H, Kuwabara K, Hamada Y. Prediction of mean skin temperature for use as a heat strain scale by introducing an equation for sweating efficiency. International Journal of Biometeorology 2014; 58 (7): 1593- 1603.

Kubota H, Kuwabara K, Hamada Y. The development and initial validation of a virtual dripping sweat rate and a clothing wetness ratio for use in predictive heat strain models. International Journal of Biometeorology 2014; 58 (6): 1339-1353.

Kühle H-J. Biofeedback therapy for primary headaches. A simple and effective procedure for primary medical care [Biofeedback in der Behandlung primärer Kopfschmerzen: Ein einfaches und wirksames Verfahren für die Praxis]. Tagliche Praxis 2014; 55 (1): 109-115.

Kuht J, Farmery AD. Body temperature and its regulation. Anaesthesia and Intensive Care Medicine 2014; 15 (6): 273-278.

Kujawska T, Secomski W, Kruglenko E, Krawczyk K, Nowicki A. Determination of tissue thermal conductivity by measuring and modeling temperature rise induced in tissue by pulsed focused ultrasound. PLoS ONE 2014; 9 (4), art. no. e94929.

Kukkonen TM. What Is the Best Method of Measuring the Physiology of Female Sexual Arousal? Current Sexual Health Reports: 1-8. Article in Press.

Kuliga K.Z, Mcdonald EF, Gush R, Michel C, Chipperfield AJ, Clough GF. Dynamics of Microvascular Blood Flow and Oxygenation Measured Simultaneously in Human Skin. Microcirculation 2014; 21 (6): 562- 573.

Kulikov AG, Voronina DD, Morozov AE, Zajceva TN, Ustinova KI. New approach for evaluating the effectiveness of whole-body magnetic field therapy in the rehabilitation of patients with lumbar discectomy. Journal of Back and Musculoskeletal Rehabilitation 2018; 31 (6): 1065-1073.

Kulikov DA, Glazkov AA, Kovaleva YA, Balashova NV, Kulikov AV. Prospects of Laser Doppler flowmetry application in assessment of skin microcirculation in diabetes. Diabetes Mellitus 2017, 20 (4): 279-285.

Kumana C. Minimising the costs of temperature monitoring in hospitals. Postgraduate Medical Journal 2017, 93 (1104), p. 580.

Kumana CR, Cheung BMY, Chan LS. Airport screening for Ebola: Current thermal scanning procedures are unreliable. BMJ (Online) 2014; 349, art. no. g6571.

Kumar A, Hancke GP. A Zigbee-Based Animal Health Monitoring System. IEEE Sensors Journal 2015; 15 (1): 610-617

Kumar MM, Goldberg AD, Kashiouris M, Keenan LR, Rabinstein AA, Afessa B, Johnson LD, Atkinson JLD, Nayagam V. Transpulmonary hypothermia: A novel method of rapid brain cooling through augmented heat extraction from the lungs. Resuscitation 2014; 85 (10): 1405-1410.

Kumar P, Jaiwal R, Pundir CS An improved amperometric creatinine biosensor based on nanoparticles of creatininase, creatinase and sarcosine oxidase. Analytical Biochemistry 2017, 537: 41-49.

Kumar R, Griffin M, Adigbli G, Kalavrezos N, Butler PEM. Lipotransfer for radiation-induced skin fibrosis. British Journal of Surgery 2016; 103 (8) 950-961

Kumar S, Sharma D, Kumer R, Kumar R. Electrostatic effects control the stability and iron release kinetics of ovotransferrin. Journal of Biological Inorganic Chemistry 2014; 19 (6) 1009-1024.

Kumar V, Singh S. Multimodal imaging of choroidal nodules in neurofibromatosis type-1. Indian Journal of Ophthalmology 2018; 66 (4): 586-588.

Kumar VS, Webster M. Mapping thermal Flow under the skin. Clinical Chemistry 2017, 63 (5): 1051-1053.

Kundu P, Chattopadhyay N. Interaction of a bioactive pyrazole derivative with calf thymus DNA: Deciphering the mode of binding by multi-spectroscopic and molecular docking investigations. Journal of Photochemistry and Photobiology B: Biology 2017, 173: 485-492.

Kupka K, Tomut M, Simon P, Hubert C, Romanenko A, Lommel B, Trautmann C. Intense heavy ion beam-induced temperature effects in carbon-based stripper foils. Journal of Radioanalytical and Nuclear Chemistry 2015; 305 (3): 875-882

Kurath-Koller S, Litscher G, Gross A, Freidl T, Koestenberger M, Urlesberger B, Raith W. Changes of Locoregional Skin Temperature in Neonates Undergoing Laser Needle Acupuncture at the Acupuncture Point Large intestine 4. Evidence-Based Complementary and Alternative Medicine 2015, 571857

Kurazumi Y, Ishii J, Kondo E, Fukagawa K, Bolashikov ZD, Sakoi T, Tsuchikawa T, Matsubara N, Horikoshi T. The influence of outdoor thermal environment on young Japanese females. International

Kuroda H, Yoshida T, Arimura T, Mizuno T, Sakakura N, Sakao Y. Novel development of Spectra-A using indocyanine green for segmental boundary visibility in thoracoscopic segmentectomy. Journal of Surgical Research 2018; 227: 228-233.

Kuroda K. MR techniques for guiding high-intensity focused ultrasound (HIFU) treatments. Journal of

Magnetic Resonance Imaging 2018; 47 (2): 316-331.

Kuroda K. Noninvasive temperature monitoring. Hyperthermic Oncology from Bench to Bedside 397-420

Kuroda T, Sugimoto A, Ishigaki S, Murakami H, Kawamura M. A case of primary erythromelalgia successfully treated with high-dose intravenous immunoglobulin therapy. Brain and Nerve 2014; 66 (2): 185-189.

Kuroki C, Godai K, Hasegawa-Moriyama M, Kuniyoshi T, Matsunaga A, Kanmura Y, Kuwaki T. Perfusion index as a possible predictor for postanesthetic shivering. Journal of Anesthesia 2014; 28 (1): 19-25.

Kurup AN, Schmit GD, Morris JM, Atwell TD, Schmitz JJ, Weisbrod AJ, Woodrum DA, Eiken PW, Callstrom MR. Avoiding Complications in Bone and Soft Tissue Ablation. CardioVascular and Interventional Radiology 2017, 40 (2): 166-176.

Kuwada-Kusunose T, Kusunose A, Wakami M, Takebayashi C, Goto H, Aida M, Sakai T, Nakao K, Nogami K, Inagaki M, Hayakawa K, Suzuki K, Sakae T. Evaluation of irradiation effects of near-infrared free-electron-laser of silver alloy for dental application. Lasers in Medical Science 2017, 32 (6): 1349-1355.

Kvistad CE, Thomassen L, Waje-Andreassen U, Logallo N, Naess H. Body temperature and major neurological improvement in tPA-treated stroke patients. Acta Neurologica Scandinavica 2014; 129 (5): 325-329.

Kwasniewska A, Ruminski J, Szankin M, Czuszynski K. Pose-Invariant Face Detection by Replacing Deep Neurons with Capsules for Thermal Imagery in Telemedicine. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8512381: 778-781.

Kwon OI, Chauhan M, Kim HJ, Jeong W .C, Wi H, Oh TI, W oo EJ. Fast conductivity imaging in magnetic resonance electrical impedance tomography (MREIT) for RF ablation monitoring. International Journal of Hyperthermia 2014; 30 (7): 447-455.

Kwon T-R, Kim JH, Joon S, Mun SK, Kim CW, Kim BJ. Assessment of equivalence of adipose tissue treatment with a noncontact field RF system delivering 200 W for 30 min and 300 W for 20 min: An in vivo porcine study. Laser Therapy 2017, 26 (1): 39-52.

Kyotani M, Kenzaka T, Nishio R, Akita H. RS3PE syndrome developing during the course of probable toxic shock syndrome: A case report. BMC Infectious Diseases 2018; 18 (1), art. no. 174.

Kyriacos U, Jelsma J, Jordan S. Record review to explore the adequacy of post-operative vital signs monitoring using a local modified early warning score (mews) chart to evaluate outcomes. PLoS ONE 2014; 9 (1), art. no. e87320.

La Merrill M, Karey E, Moshier E, Lindtner C, La Frano MR, Newman JW, Buettner C. Perinatal exposure of mice to the pesticide DDT impairs energy expenditure and metabolism in adult female offspring. PLoS One 2014; 9 (7) Art. No. e103337.

Labergue A, Gradeck M, Lemoine F. Comparative study of the cooling of a hot temperature surface using sprays and liquid jets. International Journal of Heat and Mass Transfer 2015; 81: 889-900

Ladurner R, Sommerey S, Arabi NA, Hallfeldt KKJ, Stepp H, Gallwas JKS. Intraoperative near-infrared autofluorescence imaging of parathyroid glands. Surgical Endoscopy and Other Interventional Techniques 2017, 31 (8): 3140-3145.

Lagman C, Chung LK, Pelargos PE, Ung N, Bui TT, Lee SJ, Voth BL, Yang I. Laser neurosurgery: A systematic analysis of magnetic resonance-guided laser interstitial thermal therapies. Journal of Clinical Neuroscience 2017, 36: 20-26.

Lagore RL, Roberts BR, Possanzini C, Saylor C, Fallone BG, De Zanche N. A system for automated noise parameter measurements on MR preamplifiers and alication to high B0 fields. NMR in Biomedicine 2014; 27 (8) 926-938.

Laguela S, Diaz-Vilarino L, Roca D, Lorenzo H. Aerial thermography from low-cost UAV for the generation of thermographic digital terrain models. Opto-Electronics Review 2015; 23 (1): 76-82

Lahiri BB, Bagavathiappan S, Sebastian LT, Philip J, Jayakumar T. Effect of non-magnetic inclusions in magnetic specimens on defect detection sensitivity using active Infrared thermography. Infrared Physics & Technology 2015; 68: 52-60

Lahiri BB, Bagavathiappan S, Soumya C, Jayakumar T, Philip J. Infrared thermography based studies on mobile phone induced heating. Infrared Physics & Technology 2015; 71: 242-251

Lahiri BB, Haneef TK, Bagavathiappan S, Kulasegaran N, Mukhopadhyay CK, Jayakumar T, Philip J. Infrared thermography-based studies on hydrotesting of stainless steel pressure vessels. Insight 2015; 57 (7): 406-413

Lahlali R, Kumar S, Wang L, Forseille L, Sylvain N, Korbas M, Muir D, Swerhone G, Lawrence JR, Fobert PR, Peng G, Karunakaran C. Cell wall biomolecular composition plays a potential role in the host type II resistance to Fusarium head blight in wheat. Frontiers in Microbiology 2016; 7 (JUN), art no 910

Lai C-H, Leung T-K, Peng C-W, Chang K-H, Lai M-J, Lai W-F, Chen S-C. Effects of far-infrared irradiation on myofascial neck pain: A randomized double-blind placebo-controlled pilot study. Journal of Alternative and Complementary Medicine 2014; 20 (2): 123-129.

Lai WWL, Lee KK, Poon CS. Validation of size estimation of debonds in external wall's composite finishes via

passive Infrared thermography and a gradient algorithm. Construction and Building Materials 2015; 87: 113-124

Laila Fadhillah UD, Nur Afikah ZA, Safiee NEN, Asnida AW, Mohammed Rafiq AK, Ramlee MH. Development of a low-cost wearable breast cancer detection device. 2nd International Conference on BioSignal Analysis Processing and Systems ICBAPS 2018, art. no. 8527419: 41-46.

Laino L, Di Carlo A. Possible application of telethermography in the non-invasive study of the “Canceration Field” (extended abstract). Thermology international 2015, 25(3) 135-136

Laino L. Skin cancerization field and video-thermography - a new evaluation method? (abstract). Thermology international 2015, 25(1) 29-30

Laitano O, Van Steenbergen D, Mattingly AJ, Garcia CK, Robinson GP, Murray KO, Clanton TL, Nunamaker EA. Xiphoid surface temperature predicts mortality in a murine model of septic shock. Shock 2018; 50 (2): 226-232.

Lakkireddy D, Natale A. Humanity, Service, Kindness, Innovation and Science has no Boundaries and . Journal of Atrial Fibrillation 2017, 9:4.

Lalanne N, Krapez JC, Le Niliot C, Briottet X, Pierro J, Labarre L. Development and validation of a numerical tool for simulating the surface temperature field and the Infrared radiance rendering in an urban scene. Quantitative Infrared Thermography Journal 2015; 12 (2): 196-218

Lam MK, Bakker CJG, Moonen CTW, Viergever MA, Bartels LW. Short and long time MR signal behavior of randomly distributed water and fat—numerical simulations. NMR in Biomedicine 2016; 29 (11) 1634-1643

Lam MK, Oerlemans C, Froeling M, Deckers R, Rijbroek ADB-V, Viergever MA, WMoonen CT, Bos C, Bartels LW. DCE-MRI and IVIM-MRI of rabbit Vx2 tumors treated with MR-HIFU-induced mild hyperthermia. Journal of Therapeutic Ultrasound 2016; 4 (1), art no 9

Lamarche DT, Meade RD, D'Souza AW, Flouris AD, Hardcastle SG, Sigal RJ, Boulay P, Kenny GP. The recommended Threshold Limit Values for heat exposure fail to maintain body core temperature within safe limits in older working adults. Journal of Occupational and Environmental Hygiene 2017, 14 (9): 703-711.

Lambe C, Poisson C, Talbotec C, Goulet O. Strategies to Reduce Catheter-Related Bloodstream Infections in Pediatric Patients Receiving Home Parenteral Nutrition: The Efficacy of Taurolidine-Citrate Prophylactic-Locking. Journal of Parenteral and Enteral Nutrition 2018; 42 (6): 1017-1025.

Lampe R, Kawelke S, Mitternacht J, Turova V, Blumenstein T, Alves-Pinto A. Thermograpic study of upper extremities in patients with cerebral palsy. Opto-Electronics Review 2015; 23 (1): 60-65

Lan G, Li G. Design of adaptive objective lens for ultrabroad near infrared imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9713, art no 971314

Lan Q, Sun H, Robertson J, Deng X, Jin R. Non-invasive assessment of liver quality in transplantation based on thermal imaging analysis. Computer Methods and Programs in Biomedicine 2018; 164: 31-47.

Lancaster P, Brettle D, Carmichael F, Clerehugh V. In-vitro thermal maps to characterize human dental enamel and dentin. Frontiers in Physiology 2017, 8 art. no. 461.

Landau Z, Klonoff D, Nayberg I, Feldman D, Levit SB, Lender D, Mosenzon O, Raz I, Wainstein J. Improved pharmacokinetic and pharmacodynamic profiles of insulin analogues using InsuPatch a local heating device. Diabetes/Metabolism Research and Reviews 2014; 30 (8): 686-692.

Landmann G, Dumat W, Egloff N, Gantenbein AR, Matter S, Pirotta R, Sándor PS, Schleinzer W, Seifert B, Sprott H, Stockinger L, Riederer F. Bilateral Sensory Changes and High Burden of Disease in Patients with Chronic Pain and Unilateral Nondermatomal Somatosensory Deficits: A Quantitative Sensory Testing and Clinical Study. Clinical Journal of Pain 2017, 33 (8): 746-755.

Landry S, Goncalves MK, Kukkonen TM. Assessing differences in physiologic subjective response toward male and female orientated sexually explicit videos in heterosexual individuals. Canadian Journal of Human Sexuality 2016; 25 (3) 208-215

Lane KJ, Stokes EC, Seto KC, Thanikachalam S, Thanikachalam M, Bell ML. Associations between greenness impervious surface area and nighttime lights on biomarkers of vascular aging in Chennai India. Environmental Health Perspectives 2017, 125 (8).

Lang W, Gardner AD, Mariappan S, Klein C, Raffel M. Boundary-layer transition on a rotor blade measured by temperature-sensitive paint thermal imaging and image derotation. Experiments In Fluids 2015; 56 (6) AR 118

Langemo DK, Spahn JG. A Reliability Study Using a Long-Wave Infrared Thermography Device to Identify Relative Tissue Temperature Variations of the Body Surface and Underlying Tissue. Advances in Skin and Wound Care 2017, 30 (3): 109-119.

Langer F, Fietz J. Ways to measure body temperature in the field. Journal of Thermal Biology 2014; 42 (1): 46-51.

Langer J, Penna-Martinez M, Bon D, Herrmann E, Wallasch M, Badenhoop K. Insufficient Vitamin D Response to Solar Radiation in German Patients with Type 2 Diabetes or Gestational Diabetes. Hormone and Metabolic Research 2016; 48 (8) 503-508

Längin M, Panelli A, Reichart B, Kind A, Brenner P, Mayr T, Abicht J.-M. Perioperative Telemetric Monitoring in Pig-to-Baboon Heterotopic Thoracic Cardiac Xenotransplantation. Annals of Transplantation 2018; 23: 491-499.

Lanisa N, Chai HY, Ng SC, Liew YM, Mohamad Salim MI, Lai KW. Texture similarity analysis of breast abnormalities in infrared thermal image. Journal of Medical Imaging and Health Informatics 2017, 7 (8): 1830-1836.

Lanzinger S, Hampel R, Breitner S, Rückerl R, Kraus U, Cyrys J, Geruschkat U, Peters A, Schneider A. Short-term effects of air temperature on blood pressure and pulse pressure in potentially susceptible individuals. International Journal of Hygiene and Environmental Health 2014; 217 (7): 775-784.

Lapcharoensuk R, Nakawajana N. Identification of syrup type using fourier transform-near infrared spectroscopy with multivariate classification methods. Journal of Innovative Optical Health Sciences 2018; 11 (2), art. no. 1750019.

Lapostolle F, Couvreur J, Koch FX, Savary D, Alhéritière A, Galinski M, Sebbah J-L, Tazarourte K, Adnet F. Hypothermia in trauma victims at first arrival of ambulance personnel: An observational study with assessment of risk factors. Scandinavian Journal of Trauma Resuscitation and Emergency Medicine 2017, 25 (1), art. no. 43.

Laptook AR, Bell EF, Shankaran S, Boghossian NS, Wyckoff MH, Kandefer S, Walsh M, Saha S, Higgins R, Polin RA, Keszler M, Vohr BR, Hensman AM, Vieira E, Little E, Fanaroff AA, Hibbs AM, Newman NS, Siner BS, Truog WE, Pallotto EK, Kilbride HW, Gauldin C, Holmes A, Johnson K, Schibler K, Kallapur SG, Grisby C, Alexander B, Fischer EE, Jackson L, Kirker K, Jennings J, Wuertz S, Muthig G, Donovan EF, Hessling J, Mersmann MW, Mincey HL, Cotten CM, Goldberg RN, Finkle J, Fisher KA, Auten KJ, Laughon MM, Bose CL, Bernhardt J, Clark C, Stoll BJ, Carlton DP, Hale EC, Loggins Y, Bottcher DI, Archer SW, Wright LL, McClure EM, Poindexter BB, Sokol GM, Herron DE, Lemons JA, Appel DD, Miller LC, Sanchez PJ, Nelin LD, Jadcherla SR, Luzader P, Parikh NA, Nist MD, Fuller J, Gutentag J, Jones ME, McGregor S, Rodgers E, Ulloa JA, Wolfe T, Das A, Wallace D, Poole WK, Zaterka-Baxter KM, Crawford M, Gabrio J, O'Donnell Auman J, Huitema CP, Hastings BK, Van Meurs KP, Stevenson DK, Ball MB, Proud MS, Carlo WA, Ambalavanan N, Collins MV, Cosby SS, Devaskar U, Garg M, Chanlaw T, Geller R, Colaizy TT, Ellsbury DL, Brumbaugh JE, Johnson KJ, Campbell DB, Walker JR, Watterberg KL, Ohls RK, Lacy CB, Beauman SS, Hartenberger C, Schmidt B, Kirpalani H, Cook N, DeMauro SB, Chaudhary AS, Abbasi S, Mancini T, Cucinotta D, D'Angio CT, Guillet R, Lakshminrusimha S, Phelps DL, Reynolds AM, Hunn J, Jensen R, Wadkins HIM, Guilford S, Williams A, Sacilowski M, Reubens L, Burnell E, Rowan M, Wynn K, Maffett D, Brion LP, Vasil DM, Chen L, Torres LE, Salhab WA, Madison S, Hensley G, Miller NA, Guzman A, Kennedy KA, Tyson JE, Arldt-McAlister J, Garcia C, Martin K, McDavid GE, Wright SL, Akpa EG, Cluff PA, Lis AE, Franco CI, Pappas A, Barks J, Bara R, Handel S, Muran G, White DF, Christensen M, Wiggins SA. Admission Temperature and Associated Mortality and Morbidity among Moderately and Extremely Preterm Infants. Journal of Pediatrics 2018; 192: 53-59.e2.

Larach MG, Brandom BW, Allen G.C, Gronert GA, Lehman EB. Malignant hyperthermia deaths related to inadequate temperature monitoring 2007-2012: A report from the north American malignant hyperthermia registry of the malignant hyperthermia association of the United States. Anesthesia and Analgesia 2014; 119 (6): 1359-1366.

Lares-Jiménez LF, Borquez-Román MA, Lares-García C, Otero-Ruiz A, Gonzalez-Galaviz JR, Ibarra-Gámez JC, Lares-Villa F. Potentially pathogenic genera of free-living amoebae coexisting in a thermal spring. Experimental Parasitology 2018; 195: 54-58.

Larner J, Matar H, Goldman VS, Chilcott RP. Development of a cumulative irritation model for incontinence-associated dermatitis. Archives of Dermatological Research 2014; 10 p. Article in Press.

Larner J, Matar H, Goldman VS, Chilcott RP. P, Development of a cumulative irritation model for incontinence-associated dermatitis. Archives of Dermatological Research 2015; 307 (1): 39-48

Larose J, Boulay P, Wright-Beatty HE, Sigal RJ, Hardcastle S, Kenny GP. Age-related differences in heat loss capacity occur under both dry and humid heat stress conditions. Journal of Applied Physiology 2014; 117 (1): 69-79.

Larralde M, Abad ME, Luna PC, Hoffner MV. Capillary malformation-arteriovenous malformation: A clinical review of 45 patients International Journal of Dermatology 2014; 53 (4): 458-461.

Larrañaga A, Fernández J, Vega A, Etxeberria A, Ronchel C, Adrio JL, Sarasua JR. Crystallization and its effect on the mechanical properties of a medium chain length polyhydroxyalkanoate. Journal of the Mechanical Behavior of Biomedical Materials 2014; 39: 87-94.

Larsen B, Netto K, Aisbett B. Task-specific effects of modular body armor. Military Medicine 2014; 179 (4): 428-434.

Larson PS, Vadivelu S, Azmi-Ghadimi H, Nichols A, Fauerbach L, Johnson HB. Neurosurgical laser ablation and MR thermometry: Risks of multisite workflow pattern. Journal of Healthcare Risk Management: The Journal of the American Society for Healthcare Risk Management 2017, 36 (4): 7-18.

Lasanen R, Julkunen P, Airaksinen O, Töyräs J. Menthol concentration in topical cold gel does not have significant effect on skin cooling. Skin Research and Technology 2016; 22 (1) 40-45

Lasanen R, Malo MKH, Airaksinen O, Karhu J, Töyräs J, Julkunen P. Infrared thermography reveals effect of

working posture on skin temperature in office workers. International Journal of Occupational Safety and Ergonomics 2018; 24 (3): 457-463.

Lasanen R, Piippo-Savolainen E, Remes-Pakarinen T, Kroger L, Heikkila A, Julkunen P, Karhu J, Toyras J. Thermal imaging in screening of joint inflammation and rheumatoid arthritis in children. Physiological Measurement 2015; 36 (2): 273-282

Lascarrou JB, Le Gouge A, Dimet J, Lacherade J.C, Martin-Lefèvre L, Fiancette M, Vinatier I, Lebert C, Bachoumas K, Yehia A, Lagarrigue MH, Colin G, Reignier J. Neuromuscular blockade during therapeutic hypothermia after cardiac arrest: Observational study of neurological and infectious outcomes.

Lashkari AE, Firouzmand M. Early breast cancer detection in thermogram images using AdaBoost classifier and fuzzy C-Means clustering algorithm. Middle East Journal of Cancer 2016; 7 (3) 113-124

Laskar AA, Alam MF, Younus H. In vitro activity and stability of pure human salivary aldehyde dehydrogenase. International Journal of Biological Macromolecules 2017, 96: 798-806.

Lasobras J. Infrared sensor-based temperature control for domestic induction cooktops. Sensors (Basel Switzerland) 2014; 14 (3): 5278-5295.

Lassnig E, Dinkhauser P, Maurer E, Eber B. Life-threatening heat stroke presenting with ST elevations: A report of consecutive cases during the heat wave in Austria in July 2013. Wiener Klinische Wochenschrift 2014; 126 (15-16): 491-494.

Lathlean JA, Seuront L, McQuaid CD, Ng TPT, Zardi GI, Nicastro KR. Cheating the locals: Invasive mussels steal and benefit from the cooling effect of indigenous mussels. PLoS ONE 2016; 11 (3), art no e0152556

Lathlean JA. Not all space is created equal: Distribution of free space and its influence on heat- stress and the limpet Patelloida latistrigata. Journal of Thermal Biology 2014; 46: 16-23.

Lau A, Lowlaavar N, Cooke EM, West N, German A, Morse DJ, Görges M, Merchant RN. Effect of preoperative warming on intraoperative hypothermia: a randomized-controlled trial [Effet du réchauffement préopératoire sur l'hypothermie peropératoire: essai randomisé contrôlé]. Canadian Journal of Anesthesia 2018; 65 (9): 1029-1040.

Lau C, Gaudino M, Iannacone EM, Gambardella I, Munjal M, Ohmes LB, Degner BC, Girardi LN. Retrograde Cerebral Perfusion Is Effective for Prolonged Circulatory Arrest in Arch Aneurysm Repair. Annals of Thoracic Surgery 2018; 105 (2): 491-497.

Lau P, Tuong ZK, Wang SC, Fitzsimmons RL, Goode JM, Thomas GP, Cowin GJ, Pearen MA, Mardon K, Stow JL, Muscat GEO. Ror alpha deficiency and decreased adiposity are associated with induction of thermogenic gene expression in subcutaneous white adipose and brown adipose tissue. American Journal of Physiology-Endocrinology and Metabolism 2015; 308 (2): E159-E171

Launey Y, Larmet R, Nesseler N, Malledant Y, Palpacuer C, Seguin P. The Accuracy of Temperature Measurements Provided by the Edwards Lifesciences Pulmonary Artery Catheter. Anesthesia and Analgesia 2016; 122 (5) 1480-1483

Launey Y, Nesseler N, Le Cousin A, Feuillet F, Garlantezec R, Mallédant Y, Seguin P. Effect of a fever control protocol-based strategy on ventilator-associated pneumonia in severely brain-injured patients. Critical Care 2014; 18 (1), art. no. 689.

Laurie M, Sadli M, Failleau G, Vlahovic L, Fuetterer M, Lapetite J-M, Fourrez S, Rondinella VV. New fixed- point mini-cell to investigate thermocouple drift in a high-temperature environment under neutron irradiation. (2015) 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465536

Laveau B, Abhari RS, Crawford ME, Lutum E. High Resolution Heat Transfer Measurements on the Stator Endwall of an Axial Turbine. Journal of Turbomachinery-Transactions of The ASME 2015; 137 (4) 041005

Lavesson T, Källén K, Olofsson P. Fetal and maternal temperatures during labor and delivery: a prospective descriptive study. Journal of Maternal-Fetal and Neonatal Medicine 2018; 31 (12): 1533-1541.

Law J, Morris DE, Izzi-Engbeaya C, Salem V, Coello C, Robinson L, Jayasinghe M, Scott R, Gunn R, Rabiner E, Tan T, Dhillo WS, Bloom S, Budge H, Symonds ME. Thermal imaging is a noninvasive alternative to PET/CT for measurement of brown adipose tissue activity in humans. Journal of Nuclear Medicine 2018; 59 (3): 516-522.

Lawley JS, Oliver SJ, Mullins PG, Macdonald JH, Moore JP. Prolonged (9 h) poikilocapnic hypoxia (12% O2) augments cutaneous thermal hyperaemia in healthy humans. Experimental Physiology 2014; 99 (6): 909-920.

Lawson JR. Using thermography responsibly. CMAJ 2017, 189 (27), p. E917.

Laycock B, Arcos-Hernandez MV, Langford A, Pratt S, Werker A, Halley PJ, Lant PA. Crystallisation and fractionation of selected polyhydroxyalkanoates produced from mixed cultures. New Biotechnology 2014; 31 (4): 345-356.

Lazar HL. Intraoperative thermographic imaging—A potential "solution" to Del Nido cardioplegia. Journal of Cardiac Surgery 2017, 32 (12), p. 816.

Lázár Z, Bikov A, Martinovszky F, Gálffy G, Losonczy G, Horváth I. Exhaled breath temperature in patients with stable and exacerbated COPD. Journal of Breath Research 2014; 8 (4), art. no. 046002.

Lazo-Porras M, Bernabe-Ortiz A, Sacksteder KA, Gilman RH, Malaga G, Armstrong DG, Miranda JJ. Implementation of foot thermometry plus mHealth to prevent diabetic foot ulcers: Study protocol for a randomized controlled trial. Trials 2016; 17 (1), art no 206

Le Cam JB, Samaca Martinez JR, Balandraud X, Toussaint E, Caillard J. Thermomechanical Analysis of the Singular Behavior of Rubber: Entropic Elasticity Reinforcement by Fillers Strain-induced Crystallization and the Mullins Effect. Experimental Mechanics 2015; 55 (4): 771-782

Le Fur-Bonnabesse A, Bodéré C, Hélou C, Chevalier V, Goulet J-P. Dental pain induced by an ambient thermal differential: Pathophysiological hypothesis. Journal of Pain Research 2017, 10: 2845-2851.

Le QT, Vilar R, Bertrand C. Influence of external cooling on the femtosecond laser ablation of dentin. Lasers in Medical Science 2017, 32 (9): 1943-1951.

Leandro FZ, Martins J, Fontes AM, Tedesco AC Evaluation of theranostic nanocarriers for near-infrared imaging and photodynamic therapy on human prostate cancer cells. Colloids and Surfaces B: Biointerfaces 2017, 154: 341-349.

Leblanc R. Beyond descriptive neurology: Broca cerebral hemodynamics and cortical function. Journal of the History of the Neurosciences 2018; 27 (1): 36-55.

Leccese F, Cagnetti M, Calogero A, Trinca D, di Pasquale S, Giarnetti S, Cozzella L. A new acquisition and imaging system for environmental measurements: an experience on the Italian cultural heritage. Sensors (Basel Switzerland) 2014; 14 (5): 9290-9312.

Lechner-Greite SM, Hehn N, Werner B, Zadicario E, Tarasek M, Yeo D. Minimizing eddy currents induced in the ground plane of a large phased-array ultrasound applicator for echo-planar imaging-based MR thermometry. Journal of Therapeutic Ultrasound 2016; 4 (1), art no 4

Ledezma GA, Bunker RS. The Optimal Distribution of Pin Fins for Blade Tip Cap Underside Cooling. Journal of Turbomachinery-Transactions of The ASME 2015; 137 (1) 011002

Lee ACW. Diagnosing infections from the peripheral blood smear. Hong Kong Journal of Paediatrics 2018; 23 (1): 25-28.

Lee CH, Cone DC. The timing of therapeutic hypothermia initiation Academic Emergency Medicine 2014; 21 (4): 462-464.

Lee E, Lee B-J, Ha J, Shin H-J, Chung J-O. Efficacy of fermented green tea on peripheral skin temperature: a randomized and placebo-controlled clinical study. Journal of Cosmetic Dermatology 2016, *15*(3), 226-230.

Lee H, Petrofsky J, Shah N, Awali A, Shah K, Alotaibi M, Yim J. Higher sweating rate and skin blood flow during the luteal phase of the menstrual cycle. Tohoku Journal of Experimental Medicine 2014; 234 (2): 117-122.

Lee I. Advances in surgical approaches in glioblastoma (GBM). Chinese Clinical Oncology 2017, 6:4 Article Number: 42.

Lee J, Jung JH, Kim WW, Moon SH, Jeong J.-H, Park J.-Y, Jeong JY, Lee H, Sohn I.-B, Kim CH, Park HY. Comparison of laser ablation using multidirectional and forward-firing fibers in breast cancer. Minimally Invasive Therapy and Allied Technologies 2018; 27 (5): 292-299.

Lee J, Lim H, Son K.-G, Ko S. Optimal nasopharyngeal temperature probe placement. Anesthesia and Analgesia 2014; 119 (4): 875-879.

Lee J-B, Kim T-W, Min Y-K, Yang H-M. Long distance runners present upregulated sweating responses than sedentary counterparts. PLoS ONE 2014; 9 (4), art. no. e93976.

Lee JB, Seo HS, Shin YO. Effect of intensive and repetitive heat exposure on the sudomotor activity. Chinese Journal of Physiology 2017, 60 (5): 301-306.

Lee JB, Shin YO. Beneficial effect of Oligonol supplementation on sweating response under heat stress in humans. Food and Function 2014; 5 (10): 2516-2520.

Lee JF, Christmas KM, Machin DR, McLean BD, Coyle EF. Warm Skin Alters Cardiovascular Responses to Cycling after Preheating and Precooling. Medicine and Science in Sports and Exercise 2014, Article in Press.

Lee JKW, Koh ACH, Koh SXT, Liu GJX, Nio AQX, Fan PWP. Neck cooling and cognitive performance following exercise-induced hyperthermia. European Journal of Applied Physiology 2014; 114 (2): 375-384.

Lee JYK, Cho SS, Zeh R, Pierce JT, Martinez-Lage M, Adappa ND, Palmer JN, Newman JG, Learned KO, White C, Kharlip J, Snyder P, Low PS, Singhal S, Grady MS. Folate receptor overexpression can be visualized in real time during pituitary adenoma endoscopic transsphenoidal surgery with near-infrared imaging. Journal of Neurosurgery 2018; 129 (2): 390-403.

Lee KM, Choung H.-K, Kim M, Oh S, Kim SH. Positional Change of Optic Nerve Head Vasculature during Axial Elongation as Evidence of Lamina Cribrosa Shifting: Boramae Myopia Cohort Study Report 2. Ophthalmology 2018; 125 (8): 1224-1233.

Lee M-E, Park JH, Chung JW. Adsorption of Pb(II) and Cu(II) by ginkgo-leaf-derived biochar produced under various carbonization temperatures and times. International Journal of Environmental Research and Public Health

2017, 14 (12), art. no. 1528.

Lee MJ, Voss SC, Franklin D, Dadour IR. Preliminary investigation of aircraft mounted thermal imaging to locate decomposing remains via the heat produced by larval aggregations. Forensic Science International 2018; 289: 175-185.

Lee P, W erner CD, Kebebew E, Celi FS. Functional thermogenic beige adipogenesis is inducible in human neck fat. International Journal of Obesity 2014; 38 (2) 170-176.

Lee RC, Darling CL, Staninec M, Ragadio A, Fried D Activity assessment of root caries lesions with thermal and near-IR imaging methods. Journal of Biophotonics 2017, 10(3) 433-445.

Lee RC, Darling CL. Assessment of remineralized dentin lesions with thermal and near-infrared reflectance imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9692, art no 96920B

Lee S, Jang J. Distillation behavior of cadmium for U recovery from liquid cadmium cathode in pyroprocessing. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (1): 491-498.

Lee S, Lim HJ, Sohn H, Yun W, Song E. TI Autonomous Mobile Inspection System for Detecting Hidden Voids in LNG, Carrier Triplex Bonding Layers. In: Chang FK, Kopsaftopoulos F, eds, Structural Health Monitoring 2015: System Reliability For Verification, and Implementation, Vols. 1 and 2, 2015: 554-561

Lee S-L, Lu Y-H. Modeling of bioheat equation for skin and a preliminary study on a noninvasive diagnostic method for skin burn wounds. Burns 2014; 40 (5) 930-939.

Lee SY, Cheng JL, Gehrs KM, Folk JC, Sohn EH, Russell SR, Guo Z, Abràmoff MD, Han IC. Choroidal features of acute macular neuroretinopathy via optical coherence tomography angiography and correlation with serial multimodal imaging. JAMA Ophthalmology 2017, 135 (11): 1177-1183.

Lee YS, Paeng SH, Farhadi HF, Lee WH, Kim ST, Lee KS. The Effectiveness of Infrared Thermography in Patients with Whiplash iniury. Journal of Korean Neurosurgical Society 2015; 57 (4): 283-288

Lega M, Ferrara C, Persechino G, Bishop P. Remote sensing in environmental police investigations: Aerial platforms and an innovative alication of thermography to detect several illegal activities. Environmental Monitoring and Assessment 2014; 186 (12) 8291-8301.

Legrand FD, Bertucci WM, Arfaoui A. Relationships between facial temperature changes end-exercise affect and during-exercise changes in affect: A preliminary study. European Journal of Sport Science 2015; 15 (2): 161-166

Lei J, Booth DT. Temperature field activity and post-feeding metabolic response in the Asian house gecko Hemidactylus frenatus. Journal of Thermal Biology 2014; 45, 175-180.

Leijon-Sundqvist K, Lehto N, Juntti U, Karp K, Andersson S, Tegner Y. Thermal response after cold-water provocation of hands in healthy young men. Thermology international 2015, 25(2) 48-53

Leijon-Sundqvist K, Lehto N, Juntti U, Karp K. Cold-water provocation of hands: an evaluation of different provocations (extended abstract). Thermology international 2015, 25(3) 122-123.

Leijon-Sundqvist K, Lehto N, Juntti U, Linné A, Karp K, Andersson S, Tegner Y. Thermal response after cold-water provocation of hands of healthy young men: A test-re-test investigation (extended abstract). Thermology international 2015, 25(1) 28

Leijon-Sundqvist K, Tegner Y, Juntti U, Karp K, Lehto N. Hand skin temperature - Are there warm and cold rewarming patterns after cold stress test? Thermology International 2016; 26 (3) 81-87

Leijon-Sundqvist K, Tegner Y, Olsson F, Karp K, Lehto N. Relation between dorsal and palmar hand skin temperatures during a cold stress test. Journal of Thermal Biology 2017, 66: 87-92.

Leite GPMF, das Neves LMS, Silva CA, Guirro RRJ, de Souza TR, de Souza AK, Garcia SB, Guirro ECO. Photobiomodulation laser and pulsed electrical field increase the viability of the musculocutaneous flap in diabetic rats. Lasers in Medical Science 2017, 32 (3): 641-648.

Lemon DJ, Partridge R. Is weather related to the number of assaults seen at emergency departments? Injury 2017, 48 (11): 2438-2442.

Lenasi H. Physical exercise and skin microcirculation. Periodicum Biologorum 2014; 116 (1): 21- 28.

Leng D, Chen H, Li G, Guo M, Zhu Z, Xu L, Wang Y. Development and comparison of intramuscularly long-acting paliperidone palmitate nanosuspensions with different particle size. International Journal of Pharmaceutics 2014; 472 (1-2): 380-385.

Lennon P, Atuhaire B, Yavari S, Sampath V, Mvundura M, Ramanathan N, Robertson J. Root cause analysis underscores the importance of understanding addressing and communicating cold chain equipment failures to improve equipment performance. Vaccine 2017, 35 (17): 2198-2202.

Lenzuni P, Capone P, Freda D, Del Gaudio M. Is driving in a hot vehicle safe? International Journal of Hyperthermia 2014; 30 (4): 250-257.

Leo M, Pedersen MF, Rajappan K, Ginks M, Bashir Y, Betts TR. Premature termination of radiofrequency delivery during pulmonary vein isolation due to oesophageal temperature alerts: Impact on acute and chronic pulmonary vein reconnection. Europace 2017, 19 (6): 954-960.

Leon J, Perpina X, Sacristan J, Vellvehj M, Baldj A, Jorda X. Functional and Consumption Analysis of integrated Circuits Supplied by inductive Power Transfer by Powering Modulation and Lock-in Infrared Imaging. IEEE Transactions On Industrial Electronics 2015; 62 (12): 7774-7785

Leon J, Perpina X, Vellvehj M, Jorda X, Godignon P. Local non invasive study of SiC diodes with abnormal electrical behavior. 44th European Solid-State Device Research Conference (ESSDERC), SEP 22-26, 2014, Venice Italy, 2015; 113: 35-41

Leong W, Sun PY, Edmands S. Latitudinal Clines in Temperature and Salinity Tolerance in Tidepool Copepods. Journal of Heredity 2018; 109 (1): 71-77.

Lerkvaleekul B, Jaovisidha S, Sungkarat W, Chitrapazt N, Fuangfa P, Ruangchaijatuporn T, Vilaiyuk S. The comparisons between thermography and ultrasonography with physical examination for wrist joint assessment in juvenile idiopathic arthritis. Physiological Measurement 2017, 38 (5): 691-700.

Leschowski M, Dreier T, Schulz C. An automated thermophoretic soot sampling device for laboratory-scale high-pressure flames. Review of Scientific Instruments 2014; 85 (4), art. no. 045103.

Lesellier E, Fougere L. Kinetic behaviour in supercritical fluid chromatography with modified mobile phase for 5µm particle size. Part II: Effect of outlet pressure changes. Journal of Chromatography A 2014; 1373: 190-196.

Leshnower BG, Kilgo PD, Chen EP. Total arch replacement using moderate hypothermic circulatory arrest and unilateral selective antegrade cerebral perfusion. Journal of Thoracic and Cardiovascular Surgery 2014; 147 (5): 1488-1492.

Lesovoy VN, Polyakov NN, Andonieva NM. A multidisciplinary approach to the correction of uremic syndrome in a patient with kidney angiomyolipoma. New Armenian Medical Journal 2017, 11(2) 6-9.

Letushko VN, Nizovtsev MI, Sterlyagov AN. Research into thermal operating modes of a street luminaire with light, emitting diodes using the IR thermography method. Light & Engineering 2015; 23 (1): 65-70

Levchenko A, Lukoyanova O, Borovik T, Levchenko M, Sevostianov D, Sadchikov P. The novel technique of microwave heating of infant formulas and human milk with direct temperature monitoring. Journal of Biological Regulators and Homeostatic Agents 2017, 31 (2): 353-357.

Levels K, de Koning J, Broekhuijzen I, Zwaan T, Foster C, Daanen H. Effects of radiant heat exposure on pacing pattern during a 15-km cycling time trial- Journal of Sports Sciences 2014, 32 (9), 845-852.

Levels K, de Koning JJ, Mol E, Foster C, Daanen HAM. The effect of pre-warming on performance during simulated firefighting exercise. Applied Ergonomics 2014; 45 (6) 1504-1509.

Levi A, Amitai DB, Lapidoth M. A novel transcutaneous non-focused ultrasound energy delivering device is able to induce subcutaneous adipose tissue destruction in an animal model. Lasers in Surgery and Medicine 2017, 49 (1): 110-121.

Levy AS, Grant RT, Rothaus KO. Radiofrequency Physics for Minimally Invasive Aesthetic Surgery. Clinics in Plastic Surgery 2016; 43 (3) 551-556

Lewalter T, Weiss C, Mewis C, Jung W, Haverkamp W, Proff J, Bauer W, on behalf of the AURUM 8 study investigators. An optimized approach for right atrial flutter ablation: a post hoc analysis of the AURUM 8 study. Journal of Interventional Cardiac Electrophysiology 2017, 48 (2): 159-166.

Leyva-Gómez G, Lima E, Krötzsch G, Pacheco-Marín R, Rodríguez-Fuentes N, Quintanar- Guerrero D, Krötzsch E. Physicochemical and functional characterization of the collagen- polyvinylpyrrolidone copolymer. Journal of Physical Chemistry B 2014; 118 (31) 9272-9283.

Li B, Cui X, Zhao L, Wang L, Xie G, Deng N. Pressure and Gas Flow Distribution Inside the Filter of a Non-Filter Ventilated Lit Cigarette During Puffing. Beitrage zur Tabakforschung International/ Contributions to Tobacco Research 2017, 27 (6): 113-124.

Li B, Wang X, Chen L, Zhou Y, Dang W, Chang J, Wu C. Ultrathin Cu-TCPP MOF nanosheets: A new theragnostic nanoplatform with magnetic resonance/near-infrared thermal imaging for synergistic phototherapy of cancers. Theranostics 2018; 8 (15): 4086-4096.

Li B, Ye L, Li E, Shou DH, Li Z, Chang L. Gapped smoothing algorithm applied to defect identification using pulsed thermography. Nondestructive Testing and Evaluation 2015; 30 (2): 171-195

Li B, Zhao L, Yu C, Liu C, Jing Y, Pang H, Wang B, McAdam KG. Effect of machine smoking intensity and filter ventilation level on gas-phase temperature distribution inside a burning cigarette. Beitrage zur Tabakforschung International/ Contributions to Tobacco Research 2014; 26 (4) 191-203.

Li B, Zhao L, Yu C, Liu C, Jing Y, Pang H, Wang B, McAdam KG. Effect of machine smoking intensity and filter ventilation level on gas-phase temperature distribution inside a burning

Li C, Narayan RK, Wang P, Hartings JA. Regional temperature and quantitative cerebral blood flow responses to cortical spreading depolarization in the rat. Journal of Cerebral Blood Flow and Metabolism 2017, 37 (5): 1634-1640.

Li DG, Dewan AK, Xia FD, Khosravi H, Joyce C, Mostaghimi A. The ALT-70 predictive model outperforms thermal imaging for the diagnosis of lower extremity cellulitis: A prospective evaluation. Journal of the American Academy of Dermatology 2018; 79 (6): 1076-1080.e1.

Li G, Li H, Duan X, Zhou Q, Zhou J, Oldham KR, Wang TD. Visualizing Epithelial Expression in Vertical and Horizontal Planes with Dual Axes Confocal Endomicroscope Using Compact Distal Scanner. IEEE Transactions on Medical Imaging 2017, 36(7) 1482-1490.

Li G, Pang L, Li F, Zeng J, Sun J. Preparation of resistant sweet potato starch by steam explosion technology using response surface methodology. Tropical Journal of Pharmaceutical Research 2017, 16 (5): 1121-1127.

Li H, Hrniak P. An experimentally validated model for microchannel heat exchanger incorporating lubricant effect. International Journal of Refrigeration-Revue Internationale Du Froid 2015; 59: 259-268

Li H, Yao Q, Fan J, Du J, Wang J, Peng X. A two-photon NIR-to-NIR fluorescent probe for imaging hydrogen peroxide in living cells. Biosensors and Bioelectronics 2017, 94: 536-543.

Li HJ. Investigation on choosing technical parameters for pulse thermography. In: Du X, Fan D, Le J, Lu Y, Yao J, Bao W, Wang L, eds; Proceedings of SPIE 2nd International Seminar on High-Power Laser Interaction with Matter and Application / International Seminar on Space Surveillance Technology/2nd Symposium on Combustion Diagnostics, OCT 19-24, 2014, Suzhou China, 2015; pp 95220J-95220J-8.

Li HX, Chen F, Hu H. Simultaneous measurements of droplet size flying velocity and transient temperature of in-flight droplets by using a molecular tagging technique. Experiments In Fluids 2015; 56 (10)194

Li HZ, Hrniak P. Quantification of liquid refrigerant distribution in parallel flow microchannel heat exchanger using Infrared thermography. Applied Thermal Engineering 2015; 78: 410-418

Li J, Lin J, Yang Y, Xu J, Fei Q. 3-Dimensional printing guide template assisted percutaneous vertebroplasty: Technical note. Journal of Clinical Neuroscience 2018; 52: 159-164.

Li J, Yao H, Lei Y, Ye Y. Establishment of a human intrapleural hyperthermic perfusion model and analysis of pleural malignancy treatment depth. Respiratory Medicine 2018; 138: 144-149.

Li J, Zu X, Liang G, Zhang K, Liu Y, Li K, Luo Z, Cai K. Octopod PtCu nanoframe for dual-modal imaging-guided synergistic photothermal radiotherapy. Theranostics 2018; 8 (4): 1042-1058.

Li K, Zhao K, Shi L, Wen L, Yang H, Cheng J, Wang X, Su H. Daily temperature change in relation to the risk of childhood bacillary dysentery among different age groups and sexes in a temperate city in China. Public Health 2016; 131 20-26

Li L, Latourte F, Muracciole JM, Waltz L, Sabatier L, Wattrisse B. Calorimetric analysis of coarse-grained polycrystalline aluminum by IRT, and DIC. Quantitative Infrared Thermography Journal 2015; 12 (1): 80-97

Li Q, Kang X, Shi D, Liu Q. Determination of Melamine in Soybean Meal by Near-Infrared Imaging and Chemometrics. Analytical Letters 2016; 49 (10) 1564-1577

Li Q, Zhang L-N, Tao X-M, Ding X. Review of Flexible Temperature Sensing Networks for Wearable Physiological Monitoring. Advanced Healthcare Materials 2017, 6(12) Article Number: 1601371.

Li S, Li Y, Lu Q, Zhu J, Yao Y, Bao S. Integrated drying and incineration of wet sewage sludge in combined bubbling and circulating fluidized bed units. Waste Management 2014; 34 (12) 2561- 2566.

Li S-W, Liu C, Gu Y-Q. Preliminary study on novel targeted anti-tumor drug aminoglucose based- Doxorubicin. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9230, Art. No. 923019.

Li T, Liu L, W ei X, Zhang H, Fang P. Comparison of the food waste degradation rate and microbial community in the matrix between two biodegradation agents in a food waste disposer. Waste Management 2014; 34 (12) 2641-2646.

Li T, Yang Z Liu X, Kang Y, Wang M. Hand-foot-and-mouth disease epidemiological status and relationship with meteorological variables in Guangzhou southern China 2008-2012 [Situação epidemiológica e a relação com variáveis meteorológicas da HFMD em Guangzhou sul da China 2008-2012]. Revista do Instituto de Medicina Tropical de Sao Paulo 2014; 56 (6) 533-539.

Li W, Chen Q, Wu J. Double threshold ultrasonic distance measurement technique and its alication. Review of Scientific Instruments 2014; 85 (4) Art. No. 044905.

Li W, Graham AD, Selvin S, Lin MC. Ocular Surface Cooling Corresponds to Tear Film Thinning and Breakup. Optometry and Vision Science 2015; 92 (9): E248-E256

Li X, Chen M, Maharjan S, Cui J, Lu L, Gong X. Evaluating Surgical Delay Using Infrared Thermography in an Island Pedicled Perforator Flap Rat Model. Journal of Reconstructive Microsurgery 2017, 33 (7): 518-525.

Li X, Gao X, Ren Z Cao Y, Wang J, Liang G. A spatial and temporal analysis of Japanese encephalitis in mainland China 1963-1975: A period without Japanese encephalitis vaccination. PLoS ONE 2014; 9 (6) Art. No. e99183.

Li X, Ghoshal G, Lavarello RJ, Oelze ML. Exploring potential mechanisms responsible for observed changes of ultrasonic backscattered energy with temperature variations. Medical Physics 2014; 41 (5) Art. No. 052901.

Li X-H, Li M-Z Lee WS, Ehsani R, Mishra AR. Visible-NIR spectral feature of citrus greening disease. Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis 2014; 34 (6) 1553-1559.

Li X-L, Zhu L-Y, Song G-Y, Jia L-J, Yang S-L, Hu L-Y. Umbilical cord mesenchymal stem cell transplantation for treatment of diabetic lower limb vascular disease. Chinese Journal of Tissue Engineering Research 2014; 18 (23) 3670-3675.

Li Y, Fahimi B. Thermal analysis of multiple-antenna-excited breast model for breast cancer detection. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590885 1058-1061

Li Y, Li Y, Zhang X, Xu X, Zhang Z, Hu C, He Y, Gu Z. Supramolecular PEGylated dendritic systems as pH/redox dual-responsive theranostic nanoplatforms for platinum drug delivery and NIR imaging.

Li Y, Wang Z, Li X, Gong W, Xie X, Yang Y, Zhong W, Zheng A. In Vitro Evaluation of Absorption Characteristics of Peramivir for Oral Delivery. European Journal of Drug Metabolism and Pharmacokinetics 2017, 42 (5): 757-765.

Li Y-W, Langdon S, Pieschl R, Strong T, Wright RN, Rohrbach K, Lelas S, Lodge NJ. Monoamine reuptake site occupancy of sibutramine: Relationship to antidepressant-like and thermogenic effects in rats.

Li Z, Chen H, Zhou F, Li H, Chen WR. Interstitial photoacoustic technique and computational simulation for temperature distribution and tissue optical properties in interstitial laser photothermal interaction. Journal of Innovative Optical Health Sciences 2018; 11 (1), art. no. 1750011.

Li Z, Fan X, Liu J, Hu Y, Yang Y, Li Z, Sun Y, Chen C, Yu M. Mesoporous silica-coated bismuth nanohybrids as a new platform for photoacoustic/computed tomography imaging and synergistic chemophotothermal therapy. Nanomedicine 2018; 13 (18): 2283-2300.

Liakat M, Khonsari MM. M, Entropic characterization of metal fatigue with stress concentration. International Journal of Fatigue 2015; 70: 223-234

Liang Q, Ju Y, Chen Y, Wang W, Li J, Zhang L, Xu H, Wood RW, Schwarz EM, Boyce BF, Wang Y, Xing L. Lymphatic endothelial cells efferent to inflamed joints produce iNOS and inhibit lymphatic vessel contraction and drainage in TNF-induced arthritis in mice. Arthritis Research and Therapy 2016; 18 (1), art no 62

Liang X, Shang W, Chi C, Zeng C, Wang K, Fang C, Chen Q, Liu H, Fan Y, Tian J. Dye-conjugated single- walled carbon nanotubes induce photothermal therapy under the guidance of near-infrared imaging. Cancer Letters 2016, 383(2), 243-249

Lianghui Z, Maomao Z, Yonghong H. Blood oxygen content detection with dual-wavelength near-infrared imaging. Chinese Journal of Biomedical Engineering 2016; 35 (4) 419-427

Lichtenberg M, Brodersen KE, Kühl M. Radiative energy budgets of phototrophic surface-associated microbial communities and their photosynthetic efficiency under diffuse and collimated light. Frontiers in Microbiology 2017, 8: art. no. 452.

Lichtinger R, Hormann P, Stelzl D, Hinterholz R. The effects of heat input on adjacent paths during Automated Fibre Placement. Composites Part A-Applied Science and Manufacturing 2015; 68: 387-397

Lider MC, Yurtseven H. α-β Transition in Quartz: Temperature and Pressure Dependence of the Thermodynamic Quantities for β-Quartz and β-Cristobalite as Piezoelectric Materials Autoimmunity Highlights 2014; 5 (4) 2014; 9 p.

Liebisch F, Kirchgessner N, Schneider D, Walter A, Hund A. Remote aerial phenotyping of maize traits with a mobile multi-sensor approach. Plant Methods 2015; 11, 9

Liley H.G, Mildenhall L, Morley P.Australian and New Zealand Committee on Resuscitation Neonatal Resuscitation guidelines 2016. Journal of Paediatrics and Child Health 2017, 53(7) 621-627.

Lilley E, Armstrong R, Clark N, Gray P, Hawkins P, Mason K, Lopez-Salesansky N, Stark AK, Jackson SK, Thiemermann C, Nandi M. Refinement of animal models of sepsis and septic shock. Shock 2015; 43 (4): 304-316

Lim D, Lee S, Lee SB, Park T. Pneumoperitoneum by Inguinal Laceration after Traffic Accident. Journal of Emergency Medicine 2017, 53 (3): e37-e39.

Lim H, Kim B, Kim D-C, Lee S-K, Ko S. A comparison of the temperature difference according to the placement of a nasopharyngeal temperature probe. Korean Journal of Anesthesiology 2016; 69 (4) 357-361

Lim H, Lee JH, Son K.-K, Han Y-J, Ko S. A method for optimal depth of the nasopharyngeal temperature probe: The philtrum to tragus distance. Korean Journal of Anesthesiology 2014; 66 (3): 195-198.

Lim MJ, Kwon SR, Jung K-H, Joo K, Park S-G, Park W. Digital thermography of the fingers and toes in Raynaud's phenomenon. Journal of Korean Medical Science 2014; 29 (4): 502-506.

Lim W, Sohn H, Ko Y, Park M, Kim B, Jo D, Jung JS, Yang SH, Kim J, Kim OJ, Kim D, Moon YL, Min J-J, Hyun H. Real-time in vivo imaging of metastatic bone tumors with a targeted near-infrared fluorophore. Oncotarget 2017, 8 (39): 65770-65777.

Lima A, Takala J. Clinical significance of monitoring perfusion in non-vital organs. Intensive Care Medicine 2014; 40 (7): 1052-1054.

Lima A, van Genderen ME, van Bommel J, Klijn E, Jansem T, Bakker J. Nitroglycerin reverts clinical manifestations of poor peripheral perfusion in patients with circulatory shock. Critical Care 2014; 18 (3), art. no. R126.

Lima A. Circulatory shock and peripheral circulatory failure: A historical perspective. Netherlands Journal of Critical Care 2014; 18 (6): 14-18.

Lima CKF, Silva RM, Lacerda RB, Santos BLR, Silva RV, Amaral LS, Quintas LEM, Fraga CAM, Barreiro EJ, Guimaraes MZP, Miranda ALP. LASSBio-1135: A dual TRPV1 antagonist and anti- TNF-alpha compound orally effective in models of inflammatory and neuropathic pain. PLoS ONE 2014; 9 (6), art. no. e99510.

Lima PMA, Santiago HP, Szawka RE, Coimbra CC. Central blockade of nitric oxide transmission impairs exercise-induced neuronal activation in the PVN and reduces physical performance. Brain Research Bulletin 2014; 108, 80-87.

Lima RPS, Brioschi ML, Jacobsen Teixeira M, Neves EB. Análise Termográfica de Corpo Inteiro: indicações para investigação de dores crônicas e diagnóstico complementar de disfunções secundárias. Pan American Journal of Medical Thermology 2015; 2(2) 70-77

Limbri H, Gunawan C, Thomas T, Smith A, Scott J, Rosche B. Coal-packed methane biofilter for mitigation of green house gas emissions from coal mine ventilation air. PLoS ONE 2014; 9 (4) Art. No. e94641.

Limthongthang R, Muennoi P, Phoojaroenchanachai R, Vathana T, Wongtrakul S, Songcharoen P. Effectiveness and safety of home-based muscle electrical stimulator in brachial plexus injury patients. Journal of the Medical Association of Thailand 2014; 97: S56-S61.

Lin C-L, Chang H-L, Lin C-Y, Chen K-T. Seasonal patterns of Japanese encephalitis and associated meteorological factors in Taiwan. International Journal of Environmental Research and Public Health 2017, 14 (11), art. no. 1317.

Lin H, Chen M, Tian F, Tikkanen J, Ding L, Andrew Cheung HY, Nakajima D, Wang Z, Mariscal A, Hwang D, Cypel M, Keshavjee S, Liu M. α1-Anti-trypsin improves function of porcine donor lungs during ex-vivo lung perfusion. Journal of Heart and Lung Transplantation 2018; 37 (5): 656-666.

Lin H-F, Wu C-Y, Wu M-C, Chou T-H, Lin G-S, Yen Z-S, Chen S-C. Hypothermia decreases postoperative intra-abdominal adhesion formation. American Journal of Surgery 2014; 208 (3): 419-424.

Lin M-W, Chen J-S. Image-guided techniques for localizing pulmonary nodules in thoracoscopic surgery. Journal of Thoracic Disease 2016; 8 S749-S755

Lin PH, Echeverria A, Poi MJ. Infrared thermography in the diagnosis and management of vasculitis. Journal of Vascular Surgery Cases and Innovative Techniques 2017, 3 (3): 112-114.

Lin PH, Saines M. Assessment of lower extremity ischemia using smartphone thermographic imaging. Journal of Vascular Surgery Cases and Innovative Techniques 2017, 3 (4): 205-208.

Lin Y, Song W. Progress of monitoring methods and preventions of disorder of blood supplying of expanded flaps. Zhongguo xiu fu chong jian wai ke za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese Journal of Reparative and Reconstructive Surgery 32 (1): 118-124.

Lin YG, Gigliotti M, Lafarie-Frenot MC, Baj JB. Effect of carbon nanotubes on the thermoelectric properties of CFRP, laminate for aircraft applications. Journal of Reinforced Plastics and Composites, 2015; 34 (2): 173-184

Lin YG, Gigliotti M, Lafarie-Frenot MC, Baj JB. Effect of carbon nanotubes on the thermoelectric properties of CFRP, laminate for aircraft applications. Journal of Reinforced Plastics and Composites, 2015; 34 (2): 173-184

Lin Z, Xu L, Zhang F. Based on ARM wireless intelligent control system for vital-sign monitoring. Proceedings - 2017 IEEE 8th International Conference on Awareness Science and Technology iCAST 2017, 2018; pp. 481-485.

Linan CR, Conde JM, de Hita PR, Galvez FP. Application of Non-Destructive Techniques in the inspection of Wooden Structures of Protected Buildings: The Case of Nuestra Senora de los Dolores Church (Isla Cristina Huelva). International Journal of Architectural Heritage 2015; 9(3): 324-340

Lindsay ID, Valle S, Ward J, Stevens G, Farries M, Huot L, Brooks C, Moselund PM, Vinella RM, Abdalla M, De Gaspari D, Von Wurtemberg RM, Smuk S, Martijn H, Nallala J, Stone N, Barta C, Hasal R, Moller U, Bang O, Sujecki S, Seddon A. Towards supercontinuum-driven hyperspectral microscopy in the mid- infrared. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9703, art no 970304

Ling JHL, Tay AAO. A New Analytical Method for Calculating Maximum Junction Temperature of Packaged Devices incorporating the Temperature Distribution at the Base of the Substrate. Journal of Electronic Packaging 2015; 137 (1) 014502

Linghu W, Sun Y, Yang H, Chang K, Ma J, Huang Y, Dong W, Alsaedi A, Hayat T. Sorption of U(VI) on magnetic sepiolite investigated by batch and XANES techniques. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 1825-1832.

Linkov G, Hanifi A, Yousefi F, Tint D, Bolla S, Marchetti N, Soliman AMS, Pleshko N. Compositional Assessment of Human Tracheal Cartilage by Infrared Spectroscopy. Otolaryngology - Head and Neck Surgery (United States), 2018; 158 (4): 688-694.

Linseman ME, Palmer MS, Sprenger HM, Spriet LL. Maintaining hydration with a carbohydrate– electrolyte solution improves performance thermoregulation and fatigue during an ice hockey scrimmage. Applied Physiology Nutrition and Metabolism 2014; 39 (11): 1214-1221.

Linte CA, Camp JJ, Rettmann ME, Haemmerich D, Aktas MK, Huang DT, Packer DL, Holmes DIR. Lesion modeling characterization and visualization for image-guided cardiac ablation therapy monitoring. Journal of Medical Imaging 2018; 5 (2), art. no. 021218.

Lioce EEAN, Novello M, Durando G, Bistolfi A, Actis MV, Massazza G, Magnetto C, Guiot C. Therapeutic Ultrasound in Physical Medicine and Rehabilitation: Characterization and Assessment of Its Physical Effects on Joint-Mimicking Phantoms. Ultrasound in Medicine and Biology 2014; 40 (11): 2743-2748.

Lipsman N, Mainprize TG, Schwartz ML, Hynynen K, Lozano AM. Intracranial Alications of Magnetic Resonance-guided Focused Ultrasound. Neurotherapeutics 2014; 11 (3) 593-605.

Lisle T, Bouvet C, Hongkarnianakul N, Pastor ML, Rivallant S, Margueres P. Measure of fracture toughness of compressive fiber failure in composite structures using Infrared thermography. Composites Science and Technology 2015; 112: 22-33

Lisle T, Bouvet C, Pastor ML, Rouault T, Margueres P. Damage of woven composite under tensile and shear stress using Infrared thermography and micrographic cuts. Journal of Materials Science 2015; 50(1)8: 6154-6170

Lis-Święty A, Janicka I, Skrzypek-Salamon A, Brzezińska-Wcisło L. A systematic review of tools for determining activity of localized scleroderma in paediatric and adult patients. Journal of the European Academy of Dermatology and Venereology 2017, 31 (1): 30-37.

Lis-Święty A, Miziołek B, Ranosz-Janicka I, Bierzyńska-Macyszyn G, Brzezińska-Wcisło L. Thermal imaging and dermoscopy for detecting inflammation in frontal fibrosing alopecia. Journal of Cosmetic Dermatology 2018; 17 (2): 268-273.

Listos P, Gryzinska M, Batkowska J, Grela M, Jakubczak A. Algorithm for establishing the time of death of a dog based on temperature measurements in selected sites of the body during the early post-mortem period. Forensic Science International 2018; 289: 124-129.

Liszka G, Englisz B, Knefel G, Kawecki M, Nowak M, Stanek A, Sieron-Stolny K, Cholewka A. Evaluation of hyperbaric oxygen therapy effects in ulceration of cruras studied by thermal imaging and planimetry- preliminary results (extended abstract). Thermology international 2016, 26 (Supplement) S16

Litscher G. No there is no conclusive scientific evidence for visualization of meridians at the moment. Journal of Alternative and Complementary Medicine 2014; 20 (3): 215-216.

Litti G, Khoshdel S, Audenaert A, Braet J. Hygrothermal performance evaluation of traditional brick masonry in historic buildings. Energy and Buildings 2015; 105: 393-411

Liu A, Yan X, Kan L. Clinical assessment of chronic prostatitis based on infrared imaging technology. Zhonghua nan ke xue = National journal of andrology 2016; 22 (1) 22-27

Liu B, Guo XM, Qj GJ, Zhang DS. Quality evaluation of rubber-to-metal bonded structures based on shearography. Science China-Physics Mechanics & Astronomy 2015; 58 (7) 074202

Liu B, Tang X, Liu W, Wang L. Review on human core body temperature measurement method. Chinese Journal of Biomedical Engineering 2017, 36 (5): 608-614.

Liu C, van Netten JJ, van Baal JG, Bus SA, van der Heijden F. Automatic detection of diabetic foot complications with Infrared thermography by asymmetric analysis. Journal of Biomedical Optics 2015; 20 (2)026003

Liu C, You Y, Zhao R, Sun D, Zhang P, Jiang J, Zhu A, Liu W. Biosurfactant production from Pseudomonas taiwanensis L1011 and its application in accelerating the chemical and biological decolorization of azo dyes. Ecotoxicology and Environmental Safety 2017, 145: 8-15.

Liu CY, Elias KM, Howitt BE, Lee JA, Feltmate CM. Sentinel lymph node mapping reduces practice pattern variations in surgical staging for endometrial adenocarcinoma: A before and after study. Gynecologic Oncology 2017, 145 (2): 248-255.

Liu D, Zhao B, Ou X, Zheng H, Ma A, He W, Wang S, Zhou Y, Xia H, Zheng Y, Hou P, He G, Zhao Y. A novel isothermal amplification-based method to detect Mycobacterium tuberculosis complex. Journal of Microbiological Methods 2018; 145: 59-65.

Liu G, Qin Q, Chan KWY, Li Y, Bulte JW M, Mcmahon MT, Van Zijl PCM, Gilad AA. Non-invasive temperature maing using temperature-responsive water saturation shift referencing (T-W ASSR) MRI. NMR in Biomedicine 2014; 27 (3) 320-331.

Liu G, Zhang S, Xie Z. A novel infrared and visible face fusion recognition method based on non-subsampled contourlet transform. Proceedings - 2017 10th International Congress on Image and Signal Processing BioMedical Engineering and Informatics CISP-BMEI 2017, 2018; pp. 1-5.

Liu H, Chen B, Li S, Yao J. Dose-dependent neuroprotection of delta-opioid peptide [D-Ala2, D- Leu5] enkephalin on spinal cord ischemia-reperfusion injury by regional perfusion into the abdominal aorta in rabbits. Journal of Vascular Surgery 2016, 63(4), 1074-108

Liu H, Yang J, Wang L, Xu Y, Zhang S, Lv J, Ran C, Li Y. Targeting β-amyloid plaques and oligomers: Development of near-IR fluorescence imaging probes. Future Medicinal Chemistry 2017, 9(2) 179-198.

Liu J, Ren WW, Tian GY, Gao B, Wang YZ, Zhang JS, Shaw B, Yin AJ, King-Alale NO. Nondestructive Evaluation of Early Contact Fatigue Using Eddy Current Pulsed Thermography. IEEE Sensors Journal 2015; 15 (8): 4409-4419

Liu J, Zhang X, Rong R, Liu J, Zhu Y, Wang X. Relationship of therapeutic effect of uterine fibroids with different intraprocedural thermal parameters during MR-guided high-intensity focused ultrasound ablation. Chinese Journal of Interventional Imaging and Therapy 2018; 15 (5): 268-272.

Liu JY, Gong JL, Qin L, Guo B, Wang Y. Three-Dimensional Visualization of Subsurface Defect Using Lock-in Thermography. International Journal of Thermophysics 2015; 36(5-6): 1226-1235

Liu JY, Gong JL, Qin L, Wang Y. Study on Lock-in Thermography Defect Detectability for Carbon-Fiber-Reinforced Polymer (CFRP) Sheet with Subsurface Defects. International Journal of Thermophysics 2015; 36(5-6): 1259-1265

Liu JY, Heidarinejad M, Gracik S, Srebric J, Yu NY. An indirect validation of convective heat transfer coefficients (CHTCs) for external building surfaces in an actual urban environment. Building Simulation 2015; 8 (3): 337-352

Liu JY, Liu Y, Wang F, Wang Y. Study on probability of detection (POD) determination using lock-in thermography for nondestructive inspection (NDI) of CFRP composite materials. Infrared Physics & Technology 2015; 71: 448-456

Liu JY, Tang QJ, Wang Y, Gong JL, Qin L. Investigation on Coating Uniformity of High-Temperature Alloy with SiC, Thermal Barrier Coating Using Pulsed Infrared Thermographic Technique. International Journal of Thermophysics 2015; 36(5-6): 1252-1258

Liu L, Wu C-F. Distinct effects of Abelson kinase mutations on myocytes and neurons in dissociated Drosophila embryonic cultures: Mimicking of high temperature. PLoS ONE 2014; 9 (1) Art. No. e86438.

Liu M, He D, Yang T, Liu W, Mao L, Zhu Y, Wu J, Luo G, Deng J. An efficient antimicrobial depot for infectious site-targeted chemo-photothermal therapy. Journal of Nanobiotechnology 2018; 16 (1), art. no. 23.

Liu P, Chalak LF, Krishnamurthy LC, Mir I, Peng S-L, Huang H, Lu H. T1 and T2 values of human neonatal blood at 3 Tesla: Dependence on hematocrit oxygenation and temperature. Magnetic Resonance in Medicine 2016; 75 (4) 1730-1735

Liu P, Di S, Jin J, Bai L. Enhancement display of veins distribution based on binocular vision and image fusion technology. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9268, art. no. 92681E.

Liu P, Wang R, Kang X, Cui B, Yu B. Effects of ultrasonic treatment on amylose-lipid complex formation and properties of sweet potato starch-based films. Ultrasonics Sonochemistry 2018; 44: 215-222.

Liu S, Doughty A, West C, Tang Z, Zhou F, Chen WR. Determination of temperature distribution in tissue for interstitial cancer photothermal therapy. International Journal of Hyperthermia 2018; 34 (6): 756-763.

Liu S, Ren R, Liu M, Lv Y, Li B, Li C. MR imaging-guided percutaneous cryotherapy for lung tumors: Initial experience. Journal of Vascular and Interventional Radiology 2014; 25 (9) 1456- 1462.

Liu T, Jung H, Liu J, Droettboom M, Tam J. Noninvasive near infrared autofluorescence imaging of retinal pigment epithelial cells in the human retina using adaptive optics. Biomedical Optics Express 2017, 8(10) 4348-4360.

Liu T, Sin ML.Y, Pyne JD, Gau V, Liao J.C, Wong PK. Electrokinetic stringency control in self- assembled monolayer-based biosensors for multiplex urinary tract infection diagnosis. Nanomedicine: Nanotechnology Biology and Medicine 2014; 10 (1): 159-166.

Liu T, Zhang W, Yan SZ. A novel image enhancement algorithm based on stationary wavelet transform for Infrared thermography to the de-bonding defect in solid rocket motors. Mechanical Systems and Signal Processing 2015; 62-63: 366-380

Liu X, Dong S, An M, Bai L, Luan J. Quantitative assessment of facial paralysis using infrared thermal imaging. (2015) Proceedings - 2015 8th International Conference on BioMedical Engineering and Informatics BMEI 2015, art no 7401482 106-110

Liu X, Hong K-S. Detection of primary RGB colors projected on a screen using fNIRS. Journal of Innovative Optical Health Sciences 2017, 10 (3), art. no. 1750006.

Liu X, Jia W, Huang S, Sun G. A case of pulmonary cryptococcosis with large pericardial effusion diagnosed using cervical lymph node biopsy. Clinical Respiratory Journal 2018; 12 (2): 820-823.

Liu X, Kruger P, Maibach H, Colditz PB, Roberts MS. Using skin for drug delivery and diagnosis in the critically ill. Advanced Drug Delivery Reviews 2014; 77, 40-49.

Liu X-L, Hong W-X, Liu J.-M. Objective assessment of facial paralysis using infrared thermography and formal concept analysis. Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis 2014; 34 (4): 932-936.

Liu Y, Herman BA, Soneson JE, Harris GR. Thermal safety simulations of transient temperature rise during acoustic radiation force-based ultrasound elastography. Ultrasound in Medicine and Biology 2014;40 (5) 1001-1014.

Liu Y, Jiang L, Song Y, Zhao Y, Zhang Y, Wang D. Estimation of minimum miscibility pressure (MMP) of CO2 and liquid n-alkane systems using an improved MRI technique. Magnetic Resonance Imaging 2016; 34 (2) 97-104

Liu Y, W ei G, Yang W, Wang C, Huang R. [Anterior lumbar interbody fusion with self-locked cage for treatment of central type lumbar intervertebral disc protrusion and recessive lumbar segmental instability]. Zhongguo xiu fu chong jian wai ke za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese journal of reparative and reconstructive surgery 2014; 28 (1): 69-73.

Liu Y, Xu Y, Qiao H, Ke X, Wu Z, Sun T, Wu C. Online monitoring for strychnos nux-vomica parching in sands and chemical compositional analysis by ultra performance liquid chromatography - linear trap quadrupole-orbitrap-mass spectrometry. Tropical Journal of Pharmaceutical Research 2014; 13 (10): 1675-1680.

Liu YL, Tang QJ, Bu CW, Mej C, Wang PS, Zang JS. Pulsed Infrared thermography processing and defects edge detection using FCA and ACA. Infrared Physics & Technology 2015; 72: 90-94

Liu Y-R, Huang R-Q, Xiao B-K, Yang J-Y, Dong J-X. 1H NMR metabolic profiling analysis offers evaluation of Nilestriol treatment in ovariectomised rats. Molecular and Cellular Endocrinology 2014; 387 (1-2) 19-34.

Liu Z.-Y, Zhao W.-W, Wu J.-Y, Wu X, Chen X.-Q, Zan K. Determination of three pair of triterpenoid isomers in leaf of Ilex hainanensis by HPLC-ELSD. Zhongguo Zhongyao Zazhi 2018; 43 (8): 1662-1666.

Liu ZY, Li FD, Xia P, Baj S, Gu YX, Yu D, Zeng SM. Mechanisms for Goss-grains induced crack deflection and enhanced fatigue crack propagation resistance in fatigue stage II of an AA2524 alloy. Materials Science and Engineering A-Structural Materials Properties, Microstructure and Processing 2015; 625: 271- 277

Lizaranzu M, Lario A, Chiminelli A, Amenabar I. Non-destructive testing of composite materials by means of active thermography-based tools. Infrared Physics & Technology 2015; 71: 113-120

Lloyd J, Cheyne J. The origins of the vaccine cold chain and a glimpse of the future. Vaccine 2017, 35 (17): 2115-2120.

Lloyd-Jones JL, Purohit RC, Boyle M, Shepherd C. Use of Thermography for Functional Evaluation of Stallion Scrotum and Testes. Journal of Equine Veterinary Science 2015; 35 (6): 488-494

Lo C, Ormond G, McDougall R, Sheppard SJ, Davidson AJ. Effect of magnetic resonance imaging on core body temperature in anaesthetised children. Anaesthesia and Intensive Care 2014; 42 (3): 333-339.

Loboda EL, Agafontsev MV, Fateev VN, Reyno VV. Application of thermography in experimental studies of plasma jets. In: Matvienko GG, Romanovskij OA, eds. Proceedings of SPIE 21st International Symposium On Atmospheric and Ocean Optics -Atmospheric Physics, JUN 22-26 2015, Tomsk Russia, 2015; pp.96802J-96802J-6

Loboda EL, Matvienko OV, Vavilov VP, Reyno VV. Infrared thermographic evaluation of flame turbulence scale. Infrared Physics & Technology 2015; 72: 1-7

Log T. Modeling skin injury from hot rice porridge spills. International Journal of Environmental Research and Public Health 2018; 15 (4), art. no. 808.

Lohman RF, Ozturk CN, Ozturk C, Jayaprakash V, Djohan R. An analysis of current techniques used for intraoperative flap evaluation. Annals of Plastic Surgery. Article in Press. [2015, 75(6):679-685]

Łokaj M, Czapla N, Falkowski A, Prowans P. The use of thermography in early detection of tissue perfusion disorders in rats. Wideochirurgia I Inne Techniki Maloinwazyjne 2014; 9 (3): 329-336.

Lomperski S, Gerardj C, PoInter WD. Fiber optic distributed temperature sensor mapping of a jet-mixing flow field. Experiments in Fluids 2015; 56 (3) 55

Lonardi C, Scollo A, Normando S, Brscic M, Gottardo F. Can novel methods be useful for pain assessment of castrated piglets? Animal 2015; 9 (5): 871-877

Longato E, Garrido M, Saccardo D, Guevara CM, Mani AR, Bolognesi M, Amodio P, Facchinetti A, Sparacino G, Montagnese S Expected accuracy of proximal and distal temperature estimated by wireless sensors, in relation to their number and position on the skin. PLoS ONE 2017, 12(6) Article Number: e0180315.

Longo GA, Mancin S, Righetti G, Zilio C. HFC32 vaporisation inside a Brazed Plate Heat Exchanger (BPHE): Experimental measurements and IR thermography analysis. International Journal of Refrigeration-Revue Internationale Du Froid 2015; 57: 77-86

Lopera C, Worsley PR, Bader DL, Fenlon D. Investigating the Short-Term Effects of Manual Lymphatic Drainage and Compression Garment Therapies on Lymphatic Function Using Near-Infrared Imaging. Lymphatic Research and Biology 2017, 15 (3): 235-240.

Lopes LT, Biancardi V, Vieira EB, Leite-Panissi C, Bícego KC, Gargaglioni LH. Participation of the dorsal periaqueductal grey matter in the hypoxic ventilatory response in unanaesthetized rats. Acta Physiologica 2014; 211 (3) 528-537.

Lopez F, Sfarra S, Ibarra-Castanedo C, Ambrosini D, Maldague XPV. Role of the masonry in paintings during a seismic event analyzed by infrared vision. In: Pezzati L, Targowski P, eds, Proceedings of SPIE Conference on Optics for Arts Architecture and Archaeology V, JUN 24-25 2015, Munich Germany, 2015; pp. 95270G-95270G-13.

Lopez F, Sfarra S, Ibarra-Castanedo C, Paoletti D, Maldague X. Integration of infrared and optical imaging techniques for the nondestructive inspection of aeronautic parts. In Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, Baltimore MD, 2015; pp. 948506-948506-8.

Lopez JE, Vinet-Oliphant H Wilder HK, Brooks CP, Grasperge BJ, Morgan TW, Stuckey KJ, Embers, ME. Real-time monitoring of disease progression in rhesus macaques infected with borrelia turicatae by tick bite. Journal of Infectious Diseases 2015, 210 (10): 1639-1648.

López L, Laguela S, Picon I, & González-Aguilera, D. Automatic analysis and classification of the roof surfaces for the installation of solar panels using a multi-data source and multi-sensor aerial platform. The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences 2015, 40(5) 171-178.

Lopez Labrousse MI, Frumovitz M, Guadalupe Patrono M, Ramirez PT. Sentinel lymph node mapping in minimally invasive surgery: Role of imaging with color-segmented fluorescence (CSF). Gynecologic Oncology 2017, 146 (3): 676-677.

López M, Martinez-Farre X, Casas O, Quilez M, Polo J, Lopez O, Hornero G, Pinilla MR, Rovira C, Ramos PM, Borges B, Marques H, Girão PS. Intelligent composting assisted by a wireless sensing network Waste Management 2014; 34 (4): 738-746.

Lopez MB, Del-Blanco CR, Garcia N. Detecting exercise-induced fatigue using thermal imaging and deep learning. Proceedings of the 7th International Conference on Image Processing Theory Tools and Applications IPTA 2017, 2018; pp. 1-6.

López-Arnau R, Martínez-Clemente J, Pubill D, Escubedo E, Camarasa J. Serotonergic impairment and memory deficits in adolescent rats after binge exposure of methylone. Journal of Psychopharmacology 2014; 28 (11) 1053-1063.

López-Coto I, Mas JL, Vargas A, Bolívar JP. Studying radon exhalation rates variability from phosphogypsum piles in the SW of Spain. Journal of Hazardous Materials 2014; 280: 464-471.

López-Fernández L, Lagüela S, González-Aguilera D, Lorenzo H. Thermographic and mobile indoor mapping for the computation of energy losses in buildings. Indoor and Built Environment 2017, 26 (6): 771-784.

Lopez-Fernandez L, Laguela S, Picon I, Gonzalez-Aguilera D. Large Scale Automatic Analysis and Classification of Roof Surfaces for the installation of Solar Panels Using a Multi-Sensor Aerial Platform. Remote Sensing 2015; 7 (9): 11226-11248

Lopresto V, Pinto R, Cavagnaro M. Experimental characterisation of the thermal lesion induced by microwave ablation. International Journal of Hyperthermia 2014; 2014; 30 (2) 110-118.

Lopresto V, Strigari L, Farina L, Minosse S, Pinto R, D'Alessio D, Cassano B, Cavagnaro M. CT-based investigation of the contraction of ex vivo tissue undergoing microwave thermal ablation. Physics in Medicine and Biology 2018; 63 (5), art. no. 055019.

Lorber G, Glamore M, Doshi M, Jorda M, Morillo-Burgos G, Leveillee RJ. Long-term oncologic outcomes following radiofrequency ablation with real-time temperature monitoring for T1a renal cell cancer. Urologic Oncology: Seminars and Original Investigations 2014; 32 (7) 1017-1023.

Lorenzato C, Oerlemans C, Cernicanu A, Ries M, Denis de Senneville B, Moonen C, Bos C. Rapid dynamic R1/R2*/temperature assessment: A method with potential for monitoring drug delivery. NMR in Biomedicine 2014; 27 (11) 1267-1274.

Loš -Rycharska E, Sterkowicz A, Zieliñska-Duda H, Ligarzewska L, Czerwionka-Szaflarska MA. Methods of assessing child's fever [Sposoby oceny przez rodziców ciepłł oty ciałł a dzieci]. Pediatria Polska 2014; 89 (6): 415-422.

Łoś-Rycharska E, Sterkowicz A, Czerwionka-Szaflarska M. Physical methods of lowering high body temperature in feverish children - The analysis of parental management on the basis of questionnaire research. [Niefarmakologiczne metody obniżania ciepłoty ciała u dzieci gorączkujących - analiza postępowania rodziców na podstawie badania ankietowego]. Pediatria Polska 2016; 91 (2) 122-127.

Lotan A, Lifschytz T, Slonimsky A, Broner EC, Greenbaum L, Abedat S, Fellig Y, Cohen H, Lory O, Goelman G, Lerer B. Neural mechanisms underlying stress resilience in Ahi1 knockout mice: Relevance to neuropsychiatric disorders. Molecular Psychiatry 2014; 19 (2) 243-252.

Lotgering FK. 30+ years of exercise in pregnancy. Advances in Experimental Medicine and Biology 2014; 814: 109-116.

Louis Y, Pernet-Coudrier B, Varrault G. Implications of effluent organic matter and its hydrophilic fraction on zinc (II) complexation in rivers under strong urban pressure: Aromaticity as an inaccurate indicator of DOM-metal binding. Science of the Total Environment 2014; 490, 830-837.

Low SA, Robbins W, Tawfik VL. Complex management of a patient with refractory primary erythromelalgia lacking a SCN9A mutation. Journal of Pain Research 2017, 10: 973-977.

Lozano N, Andrade NA, Deng D, Torrents A, Rice CP, McConnell LL, Ramirez M, Millner PD. Fate of microconstituents in biosolids composted in an aerated silage bag Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering 2014; 49 (6): 720-730.

Łoziński T, Filipowska J, Gurynowicz G, Gabriel I, Czekierdowski A. Non-invasive therapeutic use of High-Intensity Focused Ultrasound (HIFU) with 3 Tesla magnetic resonance imaging in women with symptomatic uterine fibroids. Ginekologia Polska 2017, 88 (9): 497-503.

Lu C, Wu X, Wen H, Gao H, Wang C, Yang B, Liang Z, Gao C, Li X. Primary myelofibrosis but not autoimmune myelofibrosis accompanied by Sjögren's syndrome and primary biliary cirrhosis in a patient with trisomy 8 mosaic: A case report and literature review. Clinical and Experimental Rheumatology 2018; 36: S234-S236.

Lu J, Liu L, Zhu J, Guo X. Factors influencing the quality of standardized treatment for patients with post-cardiac arrest syndrome. Korean Circulation Journal 2017, 47 (4): 455-461.

Lu XN, Shj TL, Wang SY, Li LY, Su L, Liao G. Intelligent diagnosis of the solder bumps defects using fuzzy C-means algorithm with the weighted coefficients. Science China-Technological Sciences 2015; 58 (10): 1689-1695

Lu Z, Percie Du Sert N, Chan SW, Yeung C-K, Lin G, Yew DTW, Andrews PLR, Rudd JA. Differential hypoglycaemic anorectic autonomic and emetic effects of the glucagon-like peptide receptor agonist exendin-4, in the conscious telemetered ferret. Journal of Translational Medicine 2014; 12 (1) Art. No. 327.

Lucia U, Grazzini G, Montrucchio B, Grisolia G, Borchiellini R, Gervino G, Castagnoli C, Ponzetto A, Silvagno F.

Constructal thermodynamics combined with Infrared experiments to evaluate temperature differences in cells. Scientific Reports 2015; 5: 11587

Lueerss B, Langehanenberg P. Thickness and air gap measurement of assembled IR objectives. In: Harding KG, Yoshizawa T, Zhang S, eds, Proceedings of SPIE Conference on Dimensional Optical Metrology and inspection for Practical Applications IV, APR 20-21 2015, Baltimore MD, 2015; pp. 96480D- 96480D-10.

Lueerss B, Langehanenberg P. Thickness and air gap measurement of assembled IR objectives. In: Huckridge DA; Ebert R; Gruneisen MT; Dusek M; Rarity JG, eds, Proceedings of SPIE Conference on Electro-Optical and Infrared Systems - Technology and Applications XII and Quantum Information Science and Technology, SEP 22-23, 2015 Toulouse, France, 2015, Vol. 9648: Article Number: 96480D

Luehr M, Bachet J, Mohra F.-W, Etza CD. Modern temperature management in aortic arch surgery: The dilemma of moderate hypothermia. European Journal of Cardio-thoracic Surgery 2014; 45 (1), art. no. ezt154: 27-39.

Luehr M, Etz CD. Moderate-to-mild hypothermia may not be sufficient to protect the spinal cord during aortic arch surgery. European Journal of Cardio-thoracic Surgery 2014; 45 (4), art. no. ezt349, p. 767.

Luers JC, Petry-Schmelzer JN, Hein WG, Gostian A-O, Hüttenbrink K-B, Beutner D. Fragmentation of salivary stones with a 980nm diode laser. Auris Nasus Larynx 2014; 41 (1): 76- 80.

Lui B, Cuddy JS, Hailes WS, Ruby BC. Seasonal heat acclimatization in wildland firefighters. Journal of Thermal Biology 2014; 45: 134-140.

Luk A, Nouizi F, Erkol H, Unlu M.B, Gulsen G Ex vivo validation of photo-magnetic imaging. Optics letters 2017, 42(20) 4171-4174.

Luk AT, Nouizi F, Marks M, Kart T, Gulsen G. Monitoring gold nanoparticle distribution with high resolution using photo-magnetic imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9706, art no 97060M

Lumb AB, McLure HA. AAGBI recommendations for standards of monitoring during anaesthesia and recovery 2015 - A further example of 'aggregation of marginal gains'. Anaesthesia 2016; 71 (1) 3-6

Lundgren K, Kuklane K, Venugopal V. Occupational heat stress and associated productivity loss estimation using the PHS model (ISO 7933): A case study from workplaces in Chennai India. Global Health Action 2014; 7 (1), art. no. 25283.

Lundgren P, Henriksson O, Kuklane K, Holmér I, Naredi P, Björnstig U. Validity and reliability of the Cold Discomfort Scale: A subjective judgement scale for the assessment of patient thermal state in a cold environment. Journal of Clinical Monitoring and Computing 2014; 28 (3) 287-291.

Lundgren-Kownacki K, Martínez N, Johansson B, Psikuta A, Annaheim S, Kuklane K. Human responses in heat – comparison of the Predicted Heat Strain and the Fiala multi-node model for a case of intermittent work. Journal of Thermal Biology 2017, 70: 45-52.

Lunney M, Tonelli B, Lewis R, Wiebe N, Thomas C, MacRae J, Tonelli M. A comparison of temporal artery thermometers with internal blood monitors to measure body temperature during hemodialysis. BMC Nephrology 2018; 19 (1), art. no. 137.

Lunt H, Tipton M. Differences in conductive foot cooling: a comparison between males and females. European Journal of Applied Physiology 2014; 114 (12): 2635-2644.

Luo J, Clarin B-M, Borissov IM, Siemers BM. Are torpid bats immune to anthropogenic noise? Journal of Experimental Biology 2014, *217*(7), 1072-1078.

Luo XJ, Li J, Zhou CW. Preclinical application of MR and fluorescent dual-modality imaging combined with photothermal therapy in HER-2 positive breast cancer. Zhonghua zhong liu za zhi [Chinese Journal of Oncology] 2018; 40 (8): 587-593.

Lusk CH, Clearwater MJ. Leaf temperatures of divaricate and broadleaved tree species during a frost in a North Island lowland forest remnant New Zealand. New Zealand Journal of Botany 2015; 53 (4): 202-209

Lutaif NA, Palazzo JR, R, Gontijo JAR. Early detection of metabolic and energy disorders by thermal time series stochastic complexity analysis. Brazilian Journal of Medical and Biological Research 2014; 47 (1) 70-79.

Lutjeboer T, Van Netten JJ, Postema K, Hijmans JM. Validity and feasibility of a temperature sensor for measuring use and non-use of orthopaedic footwear. Journal of Rehabilitation Medicine 2018; 50 (10): 920-926.

Lutz EA, Reed RJ, Turner D, Littau SR. Occupational heat strain in a hot underground metal mine. Journal of Occupational and Environmental Medicine 2014; 56 (4): 388-396.

Luyen H, Gao F, Hagness SC, Behdad N. Microwave ablation at 10.0 GHz achieves comparable ablation zones to 1.9 GHz in Ex vivo bovine liver. IEEE Transactions on Biomedical Engineering 2014; 61 (6) Art. No. 6714413, 1702-1710.

Luzzi R, Belcaro G, Dugall M. Idiopathic benign transient neck pain: Effects of a Pycnogenol® thin patch. Minerva Ortopedica e Traumatologica 2016; 67 (3) 131-136

Lyon PC, Gray MD, Mannaris C, Folkes LK, Stratford M, Campo L, Chung DYF, Scott S, Anderson M, Goldin R, Carlisle R, Wu F, Middleton MR, Gleeson FV, Coussios CC. Safety and feasibility of ultrasound-triggered targeted drug delivery of doxorubicin from thermosensitive liposomes in liver tumours (TARDOX): a single-centre open-label phase 1 trial. The Lancet Oncology 2018; 19 (8): 1027-1039.

Lyon PC, Griffiths LF, Lee J, Chung D, Carlisle R, Wu F, Middleton MR, Gleeson FV, Coussios CC. Clinical trial protocol for TARDOX: A phase I study to investigate the feasibility of targeted release of lyso-thermosensitive liposomal doxorubicin (ThermoDox®) using focused ultrasound in patients with liver tumours. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 28.

Lyu X, Guo Z, Li Y, Fan R, Song Y. Identification of a novel nonsense mutation in SH2D1A in a patient with X-linked lymphoproliferative syndrome type 1: A case report. BMC Medical Genetics 2018; 19 (1), art. no. 60.

Ma BQ, Zhou ZG, Zhao HX, Zhang DM, Liu WP. Characterisation of inclusions and disbonds in honeycomb composites using non-contact non-destructive testing techniques. Insight 2015; 57 (9): 499-507

Ma C-M, Chen X, Cvetkovic D, Chen L. An in-vivo investigation of the therapeutic effect of pulsed focused ultrasound on tumor growth. Medical Physics 2014; 41 (12), art. no. 122901.

Ma J, Wu X, Li J, Wang Z, Wang Y Prognostic value of early response assessment using (18F) FDG-PET in patients with advanced non-small cell lung cancer treated with tyrosine-kinase inhibitors. Journal of Investigative Medicine 2017, 65(5) 935-941.

Ma Y, Liu X, Ma Q, Liu Y. Near-infrared nanoparticles based on indocyanine green-conjugated albumin: A versatile platform for imaging-guided synergistic tumor chemo-phototherapy with temperature-responsive drug release. OncoTargets and Therapy 2018; 11: 8517-8528.

Mabry N, Seracino R, Peters K. Pulse Phase Thermography inspection of Bond Defects in Environmentally Conditioned FRP-to-Concrete Specimens. In: Chang FK, Kopsaftopoulos F, eds, Structural Health Monitoring 2015: System Reliability For Verification, and Implementation, Vols. 1 and 2, 2015: 424-431

Mabry NI, Peters KI, Seracino R. Seracino Rudolf. Depth Detection of Bond Defects in Multilayered Externally Bonded CFRP-to-Concrete Using Pulse Phase Thermography. Journal of Composites For Construction 2015; 19 (6) 04015002

Macarios TD, Barbosa JR. Infrared thermal imaging analysis of a 1-kW variable capacity compressor frequency inverter. Journal of The Brazilian Society of Mechanical Sciences and Engineering 2015; 37 (1): 275-284

Macchi EG, Tosi D, Braschi G, Gallati M, Cigada A, Busca G, Lewis E. Optical fiber sensors- based temperature distribution measurement in ex vivo radiofrequency ablation with submillimeter resolution. Journal of Biomedical Optics 2014; 19 (11) Art. No. 117004.

Macdonald A, Petrova N, Ainarkar S, Allen J, Lomas C, Tang W, Plassmann P, Whittam A, Bevans J, Ring F, Kluwe B, Simpson R, Rogers L, Machin G, Edmonds M. Between visit variability of thermal imaging of feet in people attending podiatric clinics with diabetic neuropathy at high risk of developing foot ulcers. Thermology International 2018; 28(2) 80-81.

Macdonald A, Petrova N, Ainarkar S, Allen J, Plassmann P, Whittam A, Bevans J, Ring F, Kluwe B, Simpson R, Rogers L, Machin G, Edmonds M. Thermal symmetry of healthy feet: A precursor to a thermal study of diabetic feet prior to skin breakdown. Physiological Measurement 2017, 38 (1): 33-44.

MacDonald L, Hazi A, Paolini AG, Kent S. Calorie restriction dose-dependently abates lipopolysaccharide- induced fever sickness behavior and circulating interleukin-6 while increasing corticosterone. Brain Behavior and Immunity 2014; 40, 18-26.

Mach J, Van Havel T, Gadwood J, Biegner A. Intrathecal opioid-induced hypothermia following subarachnoid block with morphine injection for elective cesarean delivery: A case report. AANA Journal 2016; 84 (1) 23-26

Machado GAS. Identifying breast health risks and monitoring early intervention and treatment using MammoVision (abstract). Thermology international 2015, 25(1) 23-24

Machado MAC, Silva JAF, Brioschi ML, Allemann N. Using thermography for an obstruction of the lower lacrimal system. Arquivos Brasileiros de Oftalmologia 2016; 79 (1) 46-47

Machado VS, De Souza Bicalho ML, De Souza Meira JR, EB, Rossi R, Ribeiro BL, Lima S, Santos T, Kussler A, Foditsch C, Ganda EK, Oikonomou G, Cheong SH, Gilbert RO, Bicalho RC. Subcutaneous immunization with inactivated bacterial components and purified protein of Escherichia coli Fusobacterium necrophorumand Trueperella pyogenes prevents puerperal metritis in holstein dairy cows. PLoS ONE 2014; 9 (3) Art. No. e91734.

Machin G, Simpson R. Contemporary medical thermometry. Thermology International 2018; 28(2) 48.

Machin G, Whittam A, Ainarkar S, Allen J, Bevans J, Edmonds M, Kluwe B, Macdonald A, Petrova N, Plassmann P, Ring F, Rogers L, Simpson R. A medical thermal imaging device for the prevention of diabetic foot ulceration. Physiological Measurement 2017, 38 (3): 420-430.

Machura W, Rustecki B, Klimkiewicz J, Mozanski M, Jung A, Kalicki B. Infrared evaluation of efficacy of thoracic paravertebral block - preliminary study (extended abstract). Thermology international 2015, 25(2) 70-72.

Macias D, Stips A, Garcia-Gorriz E. Application of the singular spectrum analysis technique to study the recent hiatus on the global surface temperature record. PLoS ONE 2014; 9 (9), art. no. e107222.

MacKowiak PA, Morgan DJ. Feel the heat: A short history of body temperature. BMJ (Online), 2017, 359, art. no. j5697.

MacRae BA, Annaheim S, Spengler CM, Rossi RM. Skin temperature measurement using contact thermometry: A systematic review of setup variables and their effects on measured values. Frontiers in

Physiology 2018; 9:art. no. 29.

MacRae BA, Laing RM, W ilson CA, Niven BE. Layering garments during rest and exercise in the cold (8°C): Wearer responses and comparability with selected fabric properties. Ergonomics 2014; 57 (2): 271- 281.

Macrae BA, Rossi RM, Psikuta A, Spengler CM, Annaheim S. Contact skin temperature measurements and associated effects of obstructing local sweat evaporation during mild exercise-induced heat stress. Physiological Measurement 2018; 39 (7), art. no. 075003.

Madankan R, Stefan W, Fahrenholtz SJ, Maclellan CJ, Hazle JD, Stafford RJ, Weinberg JS, Rao G, Fuentes D. Accelerated magnetic resonance thermometry in the presence of uncertainties. Physics in Medicine and Biology 2017, 62 (1): 214-245.

Madder RD, Khan M, Husaini M, Chi M, Dionne S, Vanoosterhout S, Borgman A, Collins JS, Jacoby M. Combined near-infrared spectroscopy and intravascular ultrasound imaging of pre-existing coronary artery stents: Can near-infrared spectroscopy reliably detect neoatherosclerosis? Circulation: Cardiovascular Imaging 2016; 9 (1), art no e003576

Mader S, Brimberg L, Soltys JN, Bennett JL, Diamond B. Mutations of recombinant aquaporin-4 antibody in the Fc domain can impair complement-dependent cellular cytotoxicity and transplacental transport. Frontiers in Immunology 2018; 9: art. no. 1599.

Madhu H, Kakileti ST, Venkataramani K, Jabbireddy S. Extraction of medically interpretable features for classification of malignancy in breast thermography. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590886 1062- 1065

Maeda Y, Kumagai H, Lacson R, Figueroa MS, Yamashina T, Ohkura T, Baloloy AV. A phreatic explosion model inferred from a very long period seismic event at Mayon Volcano Philippines. Journal of Geophysical Research-Solid Earth 2015; 120 (1): 226-242 ()

Maerz T, Fleischer M, Newton MD, Davidson A, Salisbury M, Altman P, Kurdziel MD, Anderson K, Bedi A, Baker KC. Acute mobilization and migration of bone marrow-derived stem cells following anterior cruciate ligament rupture. Osteoarthritis and Cartilage 2017, 25 (8): 1335-1344.

Magalhaes C, Vardasca R, Mendes J. Recent use of medical infrared thermography in skin neoplasms. Skin Research and Technology 2018; 24 (4): 587-591.

Magalhaes MF, Dibaj AV, Guirro ECD, Girasol CE, de Oliveira AK, Dias FRC, Guirro RRDJ. Evolution of Skin Temperature after the Application of Compressive Forces on Tendon Muscle and Myofascial Trigger Point. PLOS One 2015; 10 (6) e0129034

Magaña IB, Adhikari P, Yendluri RB, Goodrich GP, Schwartz JA, O'Neal DP. The use of real-time optical feedback to improve outcomes. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 8955, Art. No. 89550R.

Magdassi S, Bar-David S, Friedman-Levi Y, Zigmond E, Varol C, Lahat G, Klausner J, Eyal S, Nizri E. Intraoperative Localization of Rectal Tumors Using Liposomal Indocyanine Green. Surgical Innovation 2017, 24 (2): 139-144.

magnetic molecularly imprinted polymer for the selective extraction and trace detection of lamotrigine in urine and plasma samples. Journal of Separation Science 2014; 37 (13) 1610-1616.

Magota C, Sawatari H, Ando S-I, Nishizaka MK, Tanaka K, Horikoshi K, Hoashi I, Hashiguchi N, Ohkusa T, Chishaki A. Seasonal ambient changes influence inpatient falls. Age and Ageing 2017, 46 (3), art. no. afw254: 513-517.

Mahajan MP, Gholap AH. A study of interrelationship between severity of knee joint pain perceived with reference to changes in climate. International Journal of Research in Ayurveda and Pharmacy 2017, 8 (Supplement 1) 51-56.

Mahe G, Liedl DA, McCarter C, Shepherd R, Gloviczki P, McPhail IR, Rooke TW, Wennberg PW. Digital obstructive arterial disease can be detected by laser Doppler measurements with high sensitivity and specificity. Journal of Vascular Surgery 2014; 59 (4): 1051-1057E1.

Maher P, Utarnachitt R, Louzon MJ, Gary R, Sen N, Hess JR. Logistical Concerns for Prehospital Blood Product Use by Air Medical Services. Air Medical Journal 2017, 36 (5): 263-267.

Mahjoubi E, Amanlou H, Mirzaei-Alamouti HR, Aghaziarati N, Yazdi MH, Noori GR, Yuan K, Baumgard LH. The effect of cyclical and mild heat stress on productivity and metabolism in Afshari lambs. Journal of animal science 2014; 92 (3): 1007-1014.

Mahmoudi K, Bouras A, Bozec D, Ivkov R, Hadjipanayis C. Magnetic hyperthermia therapy for the treatment of glioblastoma: a review of the therapy's history efficacy and application in humans. International Journal of Hyperthermia 2018; 34 (8): 1316-1328.

Mahmoudzadeh E, Montazeri MA, Zekri M, Sadri S. Extended hidden Markov model for optimized segmentation of breast thermography images. Infrared Physics & Technology 2015; 72: 19-28

Mahn F, Hüllemann P, Wasner G, Baron R, Binder A. Topical high-concentration menthol: Reproducibility of a human surrogate pain model. European Journal of Pain (United Kingdom) 2014; 18 (9) 1248-1258.

Maida V, Cheung JTW. Looking beyond the cell in cellulitis. Advances in Skin and Wound Care 2017, 30 (5): 209-

212.

Maidhof R, Rafiuddin A, Chowdhury F, Jacobsen T, Chahine NO. Timing of mesenchymal stem cell delivery impacts the fate and therapeutic potential in intervertebral disc repair. Journal of Orthopaedic Research 2017, 35 (1): 32-40.

Maierhofer C, Rollig M, Steinfurth H, Meinhardt J, Arnold T. Inspection of safety relevant delaminations of facade elements using active thermography. Bautechnik 2015; 92 (10): 677-682

Maillot O, Leduc N, Atallah V, Escarmant P, Petit A, Belhomme S, Sargos P, Vinh-Hung V. Evaluation of acute skin toxicity of breast radiotherapy using thermography: Results of a prospective single-centre trial [Thermographie et incidence de la radiodermite chez 64 patientes atteintes de cancer mammaire traité par irradiation au CHU de Martinique: résultats d'une étude observationnelle monocentrique prospective]. Cancer/Radiotherapie 2018; 22 (3): 205-210.

Mainiero MB, Lourenco A, Mahoney MC, Newell MS, Bailey L, Barke LD, D'Orsi C, Harvey JA, Hayes MK, Huynh PT, Jokich PM, Lee S-J, Lehman CD, Mankoff DA, Nepute JA, Patel SB, Reynolds HE, Sutherland ML, Haffty BG. ACR Appropriateness Criteria Breast Cancer Screening. Journal of the American College of Radiology 2016; 13 (11) R45-R49

Mair P, Brugger H, Mair B, Moroder L, Ruttmann E. Is extracorporeal rewarming indicated in avalanche victims with unwitnessed hypothermic cardiorespiratory arrest? High Altitude Medicine and Biology 2014; 15 (4): 500-503.

Maiti R. PMV model is insufficient to capture subjective thermal response from Indians. International Journal of Industrial Ergonomics 2015, 44 (3): 349-361.

Majewsky V, Scherr C, Schneider C, Arlt SP, Baumgartner S. Reproducibility of the effects of homeopathically potentised Argentum nitricum on the growth of Lemna gibba L. in a randomised and blinded bioassay. Homeopathy 2017, 106 (3): 145-154.

Majumdar P, Das K, Nath N, Bhowmik MK. Detection of inflammation from temperature profile using arthritis knee joint datasets. Proceedings - 2018 IEEE International Conference on Healthcare Informatics ICHI 2018, art. no. 8419410: 409-411.

Mäkinen M-T, Pesonen A, Jousela I, Päivärinta J, Poikajärvi S, Albäck A, Salminen U-S, Pesonen E. Novel Zero-Heat-Flux Deep Body Temperature Measurement in Lower Extremity Vascular and Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia 2016; 30 (4) 973-978

Makrariya A, Adlakha N. Quantitative study of thermal disturbances due to nonuniformly perfused tumors in peripheral regions of women's breast. Cancer Informatics 2017, 16.

Malaescu I, Fannin PC, Marin CN, Lazic D. The concept of ferrofluid preheating in the treatment of cancer by magnetic hyperthermia of tissues. Medical Hypotheses 2018; 110: 76-79.

Małecki R, Gacka M, Boratyńska M, Dumas I, Jabłecki J, Chełmoński A, Dumas ŻF, Adamiec R, Klinger M. Assessment of vascular function of hand allografts. Annals of Transplantation 2014; 19 (1): 621-628.

Małecki R, Gacka M, Fiodorenko-Dumas Ż, Dumas I, Kwiatkowski J, Adamiec R, Kuliszkiewicz-Janus M. Peripheral circulatory disorders in essential thrombocythemia. Microvascular Research 2018; 116: 15-19.

Maletzki J, Adzikah S, Rüegger C, Bassler D. Admission hypo- and hyperthermia are associated with increased mortality and morbidity in very preterm infants. Acta Paediatrica International Journal of Paediatrics 2017, 106 (3), p. 519.

Maley MJ, Eglin CM, House JR, Tipton MJ. The effect of ethnicity on the vascular responses to cold exposure of the extremities. European Journal of Applied Physiology 2014; 114 (11): 2369- 2379.

Malik FT, Thomas RA, Clement RM, Gethin DT, Krawszik W, Parker AR. Infrared study of dew harvesting cacti spines. Thermology international 2015, 25(1) 7-13

Malpas G, Taylor JA, Cumin D, Merry AF, Mitchell SJ. The incidence of hyperthermia during craniotomy. Anaesthesia and Intensive Care 2018; 46 (4): 368-373.

Malskat WSJ, Stokbroekx MAL, Van Der Geld CW M, Nijsten TE.C, Van Den Bos RR. Temperature profiles of 980- and 1,470-nm endovenous laser ablation endovenous radiofrequency ablation and endovenous steam ablation. Lasers in Medical Science 2014; 29 (2): 423-429.

Manard BT, Matonic J, Montoya D, Jump R, Castro A, Xu N. Assessment of the excitation temperatures and Mg II:I line ratios of the direct current (DC) arc source for the analysis of radioactive materials. Journal of Radioanalytical and Nuclear Chemistry 2017, 312 (2): 385-393.

Mandal S, Mandal A. Separation of no-carrier-added 99mTcO4 - From 99Mo-99mTc equilibrium mixture by PEG based aqueous biphasic separation technique using sodium/potassium salts of citric and tartaric acid. Journal of Radioanalytical and Nuclear Chemistry 2014; 299 (3): 1225- 1230.

Mani G, Danasekaran R, Annadurai K. Controlled temperature chain: Reaching the unreached in resource-limited settings. Bangladesh Journal of Medical Science 2017, 16 (3): 477-479.

Maniar N, Bach AJE, Stewart IB, Costello JT. The effect of using different regions of Interest on local and mean skin temperature. Journal of Thermal Biology 2015; 49-50: 33-38

Maniewska J, Szczeš niak-Si Ga B, Poła A, Sroda-Pomianek K, Malinka W, Michalak K. The interaction of new

piroxicam analogues with lipid bilayers - A calorimetric and fluorescence spectroscopic study. Acta Poloniae Pharmaceutica - Drug Research 2014; 71 (6) 1004-1012.

Mannucci S, Tambalo S, Conti G, Ghin L, Milanese A, Carboncino A, Nicolato E, Marinozzi MR, Benati D, Bassi R, Marzola P, Sbarbati A. Magnetosomes Extracted from Magnetospirillum gryphiswaldense as Theranostic Agents in an Experimental Model of Glioblastoma. Contrast Media and Molecular Imaging 2018, art. no. 2198703.

Manoogian S, Lee AK, Widmaier JC. The Effect of Insertion Technique on Temperatures for Standard and Self-Drilling External Fixation Pins. Journal of Orthopaedic Trauma 2017, 31 (8): e247-e251.

Mao D, Liu J, Ji S, Wang T, Hu Y, Zheng D, Yang R, Kong D, Ding D Amplification of near-infrared fluorescence in semiconducting polymer nanoprobe for grasping the behaviors of systemically administered endothelial cells in ischemia treatment. Biomaterials 2017, 143: 109-119

Mao Z-H, Wu Y-C, Zhang X-X, Gao H, Yin J-H. Comparative study on identification of healthy and osteoarthritic articular cartilages by fourier transform infrared imaging and chemometrics methods. Journal of Innovative Optical Health Sciences 2017, 10 (3), art. no. 1650054.

Mao Z-H, Wu Y-C, Zhang X-X, Gao H, Yin J-H. Comparative study on identification of healthy and osteoarthritic articular cartilages by fourier transform infrared imaging and chemometrics methods. Journal of Innovative Optical Health Sciences Article in Press

Maraie NK, Alhamdany AT, Radhi AA. Efficacy of combination solid dispersion technology on dissolution performance of nalidixic acid and cefdinir. Asian Journal of Pharmaceutical and Clinical Research 2017, 10 (4): 394-401.

Marchetti M, Boucher V, Dumoulin J, Colomb M. Retrieving visibility distance in fog combining infrared thermography Principal Components Analysis and Partial Least-Square regression. Infrared Physics & Technology 2015; 71: 289-297

Marcondes GD, Nobrega FS, Pedron BG, Cortopassi SRG, Hagen SCF, De Zoppa ALD. Use of Non- invasive Imaging Methods for Evaluation of Bone Regeneration in Bone Defects induced Experimentally in III/IV Metacarpus of Sheep. Acta Scientiae Veterinariae 2015; 43; 1319

Margarit JM, Vergara G, Villamayor V, Gutierrez-Alvarez R, Fernandez-Montojo C, Teres L, Serra-Graells F. A 2 kfps Sub-mu W/Pix Uncooled-PbSe Digital Imager with 10 Bit DR, Adjustment and FPN Correction for High-Speed and Low-Cost MWIR, Applications. IEEE Journal of Solid-State Circuits 2015; 50 (10): 2394-2405

Margarit SC, Vasian HN, Balla E, Vesa S, Ionescu DC. The influence of total intravenous anaesthesia and isoflurane anaesthesia on plasma interleukin-6 and interleukin-10 concentrations after colorectal surgery for cancer A randomised controlled trial. European Journal of Anaesthesiology 2014; 31 (12) 678-684.

Marianovic E, Howell K. Thermal camera performance at six sites (extended abstract). Thermology international 2016, 26 (Supplement) S10

Marinetti S, Rossetti A, Ferrari F, Minetto S. Air curtain temperature measurement in an open refrigerated display cabinet by IR thermography. Quantitative Infrared Thermography Journal 2015; 12 (1): 53-63

Marins JCB, De Andrade Fernandes A, Moreira DG, Silva FS, Costa CMA, Pimenta EM, Sillero- Quintana M. Thermographic profile of soccer players' lower limbs. Revista Andaluza de Medicina del Deporte 2014; 7 (1): 1-6.

Marins JCB, Fernandes AA, Cano SP, Moreira DG, da Silva FS, Costa CMA, Fernandez-Cuevas I, Sillero-Quintana M. Thermal body patterns for healthy Brazilian adults (male and female). Journal of Thermal Biology 2014; 42 (1) 1-8.

Marins JCB, Formenti D, Costa CMA, Fernandes AD, Sillero-Quintana M. Circadian and gender differences in skin temperature in militaries by thermography. Infrared Physics & Technology 2015; 71: 322-328

Marjanovic E, Howell K. Thermal camera performance at six sites- the valids study experience (abstract). Thermology international 2016, 26(2) 63-64

Marjanovic EJ, Britton J, Howell KJ, Murray AK. Quality assurance for a multi-centre thermography study. Thermology International 28 (1): 7-13.

Markota A, Košir AS, Balažič, P, Živko I, Sinkovič, A. A Novel Esophageal Heat Transfer Device for Temperature Management in an Adult Patient with Severe Meningitis. Journal of Emergency Medicine 2017, 52 (1): e27-e28.

Marković, A, Lazić, Z, Mišić, T, Šćepanović, M, Todorović, A, Thakare K, Janjić, B, Vlahović, Z, Glišić, M. Effect of surgical drill guide and irrigans temperature on thermal bone changes during drilling implant sites - Thermographic analysis on bovine ribs [Uticaj hirurškog stenta i temperature irigansa na termičke promene u kosti tokom preparacije ležišta implantata - Termografska analiza na goveđim rebrima]. Vojnosanitetski Pregled 2016; 73 (8) 744-750

Marquez-Curtis LA, Sultani AB, McGann LE, Elliott JAW. Beyond membrane integrity: Assessing the functionality of human umbilical vein endothelial cells after cryopreservation. Cryobiology 2016; 72 (3) 183- 190

Marroquin BB, Wolf TG, Schurger D, Willershausen B. Thermoplastic Properties of Endodontic Gutta- percha: A Thermographic in Vitro Study. Journal of Endodontics 2015; 41 (1): 79-82

Marschner JA, Schäfer H, Holderied A, Anders H-J. Optimizing mouse surgery with online rectal temperature

monitoring and preoperative heat supply Effects on post-ischemic acute kidney injury. PLoS ONE 2016; 11 (2), art no e0149489

Marsh AG, Pasqualone AA. DNA methylation and temperature stress in an Antarctic polychaete Spiophanes tcherniai. Frontiers in Physiology 2014; Art. No. 00173.

Martin ED, Lassiter RL, Hatley RM, Walters KC. Histoplasmosis presenting as a mediastinal mass. Journal of Pediatric Surgery Case Reports 2018; 31: 43-45.

Martin JW, Patel RM, Okhunov Z, Vyas A, Vajgrt D, Clayman RV. Multipoint thermal sensors associated with improved oncologic outcomes following cryoablation. Journal of Endourology 2017, 31 (4): 355-360.

Martinelli A, Bakry A, D'Ilario L, Francolini I, Piozzi A, Taresco V. Release behavior and antibiofilm activity of usnic acid-loaded carboxylated poly(l-lactide) microparticles. European Journal of Pharmaceutics and Biopharmaceutics 2014;88 (2) 415-423.

Martínez YN, Cavello I, Cavalitto S, Illanes A, Castro GR. Studies on PVA pectin cryogels containing crosslinked enzyme aggregates of keratinase. Colloids and Surfaces B: Biointerfaces 2014; 117, 284-289.

Martini G, Fadanelli G, Agazzi A, Vittadello F, Meneghel A, Zulian F. Disease course and long-term outcome of juvenile localized scleroderma: Experience from a single pediatric rheumatology Centre and literature review. Autoimmunity Reviews 2018; 17 (7): 727-734.

Martini M, Perez-Marcos D, Sanchez-Vives MV. Modulation of pain threshold by virtual body ownership. European Journal of Pain (United Kingdom) 2014; 18 (7): 1040-1048.

Marui S, Misawa A, Tanaka Y, Nagashima K. Assessment of axillary temperature for the evaluation of normal body temperature of healthy young adults at rest in a thermoneutral environment. Journal of Physiological Anthropology 2017, 36 (1), p. 18.

Maruthachalam BV, El-Sayed A, Liu J, Sutherland AR, Hill W, Alam MK, Pastushok L, Fonge H, Barreto K, Geyer CR. A Single-Framework Synthetic Antibody Library Containing a Combination of Canonical and Variable Complementarity-Determining Regions. ChemBioChem 2017, 18(22) 2247-2259

Maruvada S, Liu Y, Soneson JE, Herman BA, Harris GR. A closer look at ultrasonic attenuation and heating in a tissue-mimicking material. Physics in Medicine and Biology 2018; 63 (24), art. no. 245008.

Marx M, Butts Pauly K. Improved MRI thermometry with multiple-echo spirals. Magnetic Resonance in Medicine 2016; 76 (3) 747-756

Marx M, Ghanouni P, Butts Pauly K. Specialized volumetric thermometry for improved guidance of MRgFUS in brain. Magnetic Resonance in Medicine 2017, 78 (2): 508-517.

Marx M, Ghanouni P, Butts Pauly K. Specialized volumetric thermometry for improved guidance of MRgFUS in brain. Magnetic Resonance in Medicine Article in Press

Marzec M, Koprowski R, Wrobel Z, Kleszcz A, Wilczynski S. Automatic method for detection of characteristic areas in thermal face images. Multimedia Tools and Applications 2015; 74 (12): 4351-4368

Masci M, Wang M, Imbert L, Barnes AM, Spevak L, Lukashova L, Huang Y, Ma Y, Marini JC, Jacobsen CM, Warman ML, Boskey AL. Bone mineral properties in growing Col1a2+/G610C mice an animal model of osteogenesis imperfecta. Bone 2016; 87 120-129

Maseroli E, Scavello I, Vignozzi L. Cardiometabolic Risk and Female Sexuality—Part II. Understanding (and Overcoming) Gender Differences: The Key Role of an Adequate Methodological Approach. Sexual Medicine Reviews 2018; 6 (4): 525-534.

Mason TM, Boubekri A, Lalau J, Patterson A, Hartranft SR, Sutton SK. Equivalence Study of Two Temperature-Measurement Methods in Febrile Adult Patients with Cancer. Oncology Nursing Forum 2017, 44(2) E82-E87.

Masoodi I. Splenic tuberculosis: Report of two cases and literature review. British Journal of Medical Practitioners 2017, 10(1) Article Number: a1001.

Massad IM, Dumour EA, Abeeleh MA, Al-Smady M. Anesthetic management of simultaneous coronary artery bypass grafting with cardiopulmonary bypass and extended thymectomy in a patient with myasthenia gravis. Jordan Medical Journal 2014; 48 (3) 171-180.

Masuda S, Hosoda S. Effective design of profiling float network for oceanic heat-content monitoring. The Scientific World Journal 2014; 2014, art. no. 340518.

Matos F, Neves EB, Norte M, Rosa C, Reis VM, Vilaca-Alves J. The use of thermal imaging to monitoring skin temperature during cryotherapy: A systematic review. Infrared Physics & Technology 2015; 73: 194- 203

Matos JR, McSwain JR, Wolf BJ, Doty JW, Wilson SH. Examination of intra-operative core temperature in joint arthroplasty: a single-institution prospective observational study. International Orthopaedics 2018; 42 (11): 2513-2519.

Matsui T, Yoshida Y, Yanagihara M, Suenaga H. Hypothermia at 35°C reduces the time- dependent microglial production of pro-inflammatory and anti-inflammatory factors that mediate neuronal cell death. Neurocritical Care 2014; 20 (2): 301-310.

Matsui Y, Murayama R, Tanabe H, Oe M, Motoo Y, Wagatsuma T, Michibuchi M, Kinoshita S, Sakai K, Konya C, Sugama J, Sanada H Evaluation of the Predictive Validity of Thermography in Identifying Extravasation with Intravenous Chemotherapy Infusions, Journal of Infusion Nursing 2017, 40(6) 367-374.

Matsumoto S, Shimodozono M, Etoh S, Noma T, Uema T, Ikeda K, Miyara K, Tanaka N, Kawahira K. Anti- spastic effects of footbaths in post-stroke patients: A proof-of-principle study. Complementary Therapies in Medicine 2014; 22 (6): 1001-1009.

Matsumoto Y, Nakano J, Oga S, Kataoka H, Honda Y, Sakamoto J, Okita M. The Non-Thermal Effects of Pulsed Ultrasound Irradiation on the Development of Disuse Muscle Atrophy in Rat Gastrocnemius Muscle. Ultrasound in Medicine and Biology 2014;40 (7) 1578-1586.

Matte GS, Sandora TJ, Howe RJ, Regan WL, Potter-Bynoe G, Neal JR, del Nido PJ. A novel wall water system for cardiopulmonary bypass may reduce the risk of aerosolized infection. Journal of Thoracic and Cardiovascular Surgery 2018; 156 (1): 318-324.

Matteoli S, Favuzza E, Mazzantini L, Aragona P, Cappelli S, Corvi A, Mencucci R. Ocular surface temperature in patients with evaporative and aqueous-deficient dry eyes: A thermographic approach. Physiological Measurement 2017, 38 (8): 1503-1512.

Matthes M, Pillich DT, El Refaee E, Schroeder HWS, Müller J.-U. Heat Generation During Bony Decompression of Lumbar Spinal Stenosis Using a High-Speed Diamond Drill with or without Automated Irrigation and an Ultrasonic Bone-Cutting Knife: A Single-Blinded Prospective Randomized Controlled Study. World Neurosurgery 2018; 111: e72-e81.

Matthews B, Wilkinson M, McEwen P, Hazratwala K, Doma K, Manoharan V, Bahho Z, McEwen S. In Vivo Arthroscopic Temperatures: A Comparison Between 2 Types of Radiofrequency Ablation Systems in Arthroscopic Anterior Cruciate Ligament Reconstruction—A Randomized Controlled Trial. Arthroscopy - Journal of Arthroscopic and Related Surgery 2017, 33 (1): 165-172.

Matuszewich L, Carter S, Anderson EM, Friedman RD, McFadden LM. Persistent behavioral and neurochemical sensitization to an acute injection of methamphetamine following unpredictable stress. Behavioural Brain Research 2014; 272, 308-313.

Maurer F, Lorenz DJ, Pielsticker G, Volk T, Sessler DI, Baumbach JI, Kreuer S. Adherence of volatile propofol to various types of plastic tubing. Journal of Breath Research 2017, 11 (1), art. no. 016009.

Mayo I, Arts T, El-Habib A, Parres B. Two-Dimensional Heat Transfer Distribution of a Rotating Ribbed Channel at Different Reynolds Numbers. Journal of Turbomachinery-Transactions of The ASME 2015; 137 (3) 031002

Mazouni C, Koual M, De Leeuw F, Conversano A, Leymarie N, Rimareix F, Alkhashnam H, Laplace-Builhé, C, Abbaci M. Prospective evaluation of the limitations of near-infrared imaging in detecting axillary sentinel lymph nodes in primary breast cancer. Breast Journal 2018; 24 (6): 1006-1009.

Mazubert A, Taylor C, Aubin J, Poux M. Key role of temperature monitoring in interpretation of microwave effect on transesterification and esterification reactions for biodiesel production. Bioresource Technology 2014; 161: 270-279.

Mazurek P, Wagner J, Morawski RZ. Use of kinematic and mel-cepstrum-related features for fall detection based on data from infrared depth sensors. Biomedical Signal Processing and Control 2018; 40: 102-110.

Mazur-Milecka M, Ruminski J. The Analysis of Temperature Changes of the Saliva Traces Left on the fur during Laboratory Rats Soial Contacts. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8512743: 2607-2610.

McCartney M. Margaret McCartney: Alarm overload makes a difficult job harder. BMJ (Online) 2017, 358, art. no. j3593.

McDaniel D, Fritz K, Machovcova A, Bernardy J. A focused monopolar radiofrequency causes apoptosis: A porcine model. Journal of Drugs in Dermatology 2014; 13 (11) 1336-1340.

McDonnell AC, Eiken O, Mekjavic PJ, Mekjavic IB. Circadian rhythm of peripheral perfusion during 10-day hypoxic confinement and bed rest. European Journal of Applied Physiology 2014; 114 (10): 2093-2104.

McDougall MP, Cheshkov S, Rispoli J, Malloy C, Dimitrov I, Wright SM. Quadrature transmit coil for breast imaging at 7 tesla using forced current excitation for improved homogeneity. Journal of Magnetic Resonance Imaging 2014; 40 (5) 1165-1173.

McGarr GW, Hartley GL, Cheung SS. Neither short-term sprint nor endurance training enhances thermal response to exercise in a hot environment. Journal of Occupational and Environmental Hygiene 2014; 11 (1): 47-53.

McGarr GW, Hodges GJ, Cheung SS. Between-day reliability of local thermal hyperemia in the forearm and index finger using single-point laser Doppler flowmetry. Microcirculation 2017, 24 (8), art. no. e12395.

McGee MP, Morykwas M, Campbell D, Hoge K, Argenta L. Interstitial-matrix edema in burns: Mechanistic insights from subatmospheric pressure treatment in vivo. Wound Repair and Regeneration 2014; 22 (1) 96- 102.

McGinn R, Kenny GP. Autonomic dysfunction associated with Type 1 diabetes: a role for fitness? Clinical Autonomic Research 2014; 24 (6): 249-251.

Mchill AW, Smith BJ, Wright KP. Effects of caffeine on skin and core temperatures alertness and recovery sleep during circadian misalignment. Journal of Biological Rhythms 2014; 29 (2): 131- 143.

Mcintosh GB, Colantonio A. Practical identification of moisture sources in building assemblies using Infrared thermography. In Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp. 948507-948507-11.

McKenney SE, Otero HJ, Fricke ST. Lead Apron Inspection Using Infrared Light: A Model Validation Study. Journal of the American College of Radiology 2018; 15 (2): 313-318.

McLaughlin JP, Paris JJ, Mintzopoulos D, Hymel KA, Kim JK, Cirino TJ, Gillis TE, Eans SO, Vitaliano GD, Medina JM, Krapf RC, Stacy HM, Kaufman MJ. Conditional Human Immunodeficiency Virus Transactivator of Transcription Protein Expression Induces Depression-like Effects and Oxidative Stress. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging 2017, 2 (7): 599-609.

McManus C, Bianchini E, Paim TD, de Lima FG, Neto JB, Castanheira M, Esteves GIF, Cardoso CC, Dalcin VC. Infrared Thermography to Evaluate Heat Tolerance in Different Genetic Groups of Lambs. Sensors 2015; 15 (7): 17258-17273

McMonnies CW. An Amplifying Cascade of Contact Lens-Related End-of-Day Hyperaemia and Dryness Symptoms. Current Eye Research 2018; 43 (7): 839-847.

McNamara G, Difilippantonio M, Ried T, Bieber FR. Microscopy and image analysis. Current Protocols in Human Genetics 2017: 4.4.1-4.4.89.

McNamara PJ, Engelberts D, Finelli M, Adeli K, Kavanagh BP. Vasopressin improves survival compared with epinephrine in a neonatal piglet model of asphyxial cardiac arrest. Pediatric Research 2014; 75 (6) 738-748.

Meade RD, Kenny GP. Are All Heat Loads Created Equal? Medicine and Science in Sports and Exercise 2017, 49 (9): 1796-1804.

Meade RD, Poirier MP, Flouris AD, Hardcastle SG, Kenny GP. Do the threshold limit values for work in hot conditions adequately protect workers? Medicine and Science in Sports and Exercise 2016; 48 (6) 1187- 1196

Meckler AN, Ziegler M, Millán MI, Breitenbach SFM, Bernasconi SM. Long-term performance of the Kiel carbonate device with a new correction scheme for clumped isotope measurements. Rapid Communications in Mass Spectrometry 2014; 28 (15): 1705-1715.

Medarova Z, Balcioglu M, Yigit MV. Controlling RNA expression in cancer using iron oxide nanoparticles detectable by MRI and in vivo optical imaging. Methods in Molecular Biology 2016; 1372 163-179

Medicine 2014; 85 (12): 1170-1176.

Mediouni M, Schlatterer DR, Khoury A, Von Bergen T, Shetty SH, Arora M, Dhond A, Vaughan N, Volosnikov A. Optimal parameters to avoid thermal necrosis during bone drilling: A finite element analysis. Journal of Orthopaedic Research 2017, 35 (11): 2386-2391.

Medyanik IA, Volovik MG, Dydykin AV, Yashin KS, Kulakova KV, Bugrov SN, Karyakin NN. Intraoperational thermal control of perifocal edema in photodynamic therapy of malignant brain tumors. Sovremennye Tehnologii v Medicine 2016; 8 (3) 82-89

Mehdy MM, Ng PY, Shair EF, Saleh NIM, Gomes C. Artificial neural networks in image processing for early detection of breast cancer. Computational and Mathematical Methods in Medicine 2017, Article Number: 2610628.

Mehmood N, Hariz A, Fitridge R, Voelcker NH. Applications of modern sensors and wireless technology in effective wound management. Journal of Biomedical Materials Research - Part B Applied Biomaterials 2014; 102 (4): 885-895.

Mehta A, Rao JR, Fathima NN. Can green solvents be alternatives for thermal stabilization of collagen? International Journal of Biological Macromolecules 2014; 69: 361-368.

Mehta B, Khandekar S. Local experimental heat transfer of single-phase pulsating laminar flow in a square mini-channel. International Journal of Thermal Sciences 2015; 91: 157-166

Mehta OH, Barclay KL. Perioperative hypothermia in patients undergoing major colorectal surgery. 2014; ANZ Journal of Surgery 84 (7-8) 550-555.

Meir M, Bishara A, Mann A, Udi S, Portnoy E, Shmuel M, Eyal S. Effects of valproic acid on the placental barrier in the pregnant mouse: Optical imaging and transporter expression studies. Epilepsia 2016; 57 (6) e108-e112

Meldrum RJ, Millar P, Strahlendorf P. The cooling profile of hot-cooked mussels stored in domestic insulated coolers amongst food vendors in Prince Edward Island Canada. International Journal of Environmental Health Research 2014; 24 (2): 120-124.

Mele L, Konings S, Dona P, Evertz F, Mitterbauer C, Faber P, Schampers R, Jinschek JR. A MEMS-based heating holder for the direct imaging of simultaneous in-situ heating and biasing experiments in scanning/transmission electron microscopes. Microscopy Research and Technique 2016; 79 (4) 239-250

Melgosa S. Toe spacers to increase skin temperature (extended abstract). Thermology international 2015, 25(3) 119-120.

Mellier F, Morana A, Cheymol G, Destouches C, Di Salvo J, Girard S, Laffont G, Marin E. Irradiation campaign in the EOLE critical facility of fiber optic Bragg gratings dedicated to the online temperature measurement in zero power research reactors. (2015) 2015 4th International Conference on Advancements in Nuclear Instrumentation

Measurement Methods and their Applications ANIMMA 2015, art no 7465570

Mellish JA, Hindle A, Skinner J, Horning M. Heat loss in air of an Antarctic marine mammal the Weddell seal. Journal of Comparative Physiology B-Biochemical Systemic and, Environmental Physiology 2015; 185 (1): 143-152

Melnyk SI, Melnik SS. An algorithmic method of solving inverse problems of reconstruction of the macrostructure scattering media. 9th International Kharkiv Symposium on Physics and Engineering of Microwaves Millimeter and Submillimeter Waves MSMW 2016, art no 7538177

Memarian N, Blain-Moraes S, Chau T. Towards a physiological signal-based access solution for a non- verbal adolescent with severe and multiple disabilities. Developmental Neurorehabilitation 2014; 17 (4): 270-277.

Mendelsohn R, Selevany I, Moore DJ, Mack Correa MC, Mao G, Walters RM, Flach CR. Kinetic evidence suggests spinodal phase separation in stratum corneum models by IR spectroscopy. Journal of Physical Chemistry B 2014; 118 (16) 4378-4387.

Mendes R, Sousa N, Almeida A, Vilaca-Alves J, Reis VM, Neves EB. Thermography: a technique for assessing the risk of developing diabetic foot disorders. Postgraduate Medical Journal 2015; 91(1)079: 538-538

Mendez-Rial R, Souto-Lopez A, Rodriguez-Garcia J, Rodriguez-Araujo J, Garcia-Diaz A. A high-speed MWIR uncooled multi-aperture snapshot spectral imager for IR surveillance and monitoring. IST 2016 - 2016 IEEE International Conference on Imaging Systems and Techniques Proceedings art no 7738224 206-210

Mendioroz A, Castelo A, Celorrio R, Salazar A. Defect Characterization from Lock-in Vibrothermography Data. International Journal of Thermophysics 2015; 36(5-6): 1208-1216

Mendioroz A, Celorrio R, Salazar A. Characterization of rectangular vertical cracks using burst vibrothermography. Review of Scientific Instruments 2015; 86 (6) 064903

Mendt S, Maggioni MA, Nordine M, Steinach M, Opatz O, Belavý, D, Felsenberg D, Koch J, Shang P, Gunga H-C, Stahn A. Circadian rhythms in bed rest: Monitoring core body temperature via heat-flux approach is superior to skin surface temperature. Chronobiology International 2017, 34 (5): 666-676.

Mendy M, Caboux E, Sylla BS, Dillner J, Chinquee J, Wild C. Infrastructure and facilities for human biobanking in low-and middle-income countries: A situation analysis. Pathobiology 2014; 81, 252-260.

Menegassi SRO, Barcelos JOJ, Dias EA, Koetz C, Pereira GR, Peripolli V, McManus C, Canozzj MEA, Lopes FG. Scrotal Infrared digital thermography as a predictor of seasonal effects on sperm traits in Braford bulls. International Journal of Biometeorology 2015; 59(3): 357-364

Menegassi SRO, Pereira GR, Dias EA, Rocha MK, Carvalho HR, Koetz C, Jr Oberst ER, Barcellos JOJ. Infrared thermography as a noninvasive method to assess scrotal insulation on sperm production in beef bulls. Andrologia 2018; 50 (3), art. no. e12904.

Meneghetti G, Ricotta M, Atzori B. Experimental evaluation of fatigue damage in two-stage loading tests based on the energy dissipation. Proceedings of The Institution of Mechanical Engineers Part C-Journal of, Mechanical Engineering Science 2015; 229 (7): 1280-1291

Menezes A, Gomes MG, Flores-Colen I. In-situ assessment of physical performance and degradation analysis of rendering walls. Construction and Building Materials 2015, 75, 283-292.

Meng Q, Heuzey M.-C, Carreau PJ. Hierarchical structure and physicochemical properties of plasticized chitosan. Biomacromolecules 2014; 15 (4): 1216-1224.

Meng Q, Wenjin C, Yuehong B, Yueqiao X, Ning W. An interpretation of an evidence-based guideline from the American Neuro-critical Care Society about the implementation of targeted temperature management. Zhonghua Wei Zhong Bing Ji Jiu Yi Xue 2018; 30 (6): 518-523.

Menikou G, Damianou C. Acoustic and thermal characterization of agar based phantoms used for evaluating focused ultrasound exposures. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 14.

Menikou G, Yiannakou M, Yiallouras C, Ioannides C, Damianou C. MRI-compatible breast/rib phantom for evaluating ultrasonic thermal exposures. International Journal of Medical Robotics and Computer Assisted Surgery 2018; 14 (1), art. no. e1849.

Menon M, Abaza R, Sood A, Ahlawat R, Ghani KR, Jeong W, Kher V, Kumar RK, Bhandari M. Robotic kidney transplantation with regional hypothermia: Evolution of a novel procedure utilizing the IDEAL guidelines (IDEAL phase 0 and 1). European Urology 2014; 65 (5): 1001-1009.

Menon M, Sood A, Bhandari M, Kher V, Ghosh P, Abaza R, Jeong W, Ghani KR, Kumar RK, Modi P, Ahlawat R. Robotic kidney transplantation with regional hypothermia: A step-by-step description of the vattikuti urology institute-medanta technique (IDEAL phase 2a). European Urology 2014; 65 (5) 991-1000.

Menzel A, Siewert C, Gasse H, Seifert H, Hoeltig D, Hennig-Pauka I. Infrared Thermography of the Pig Thorax: An Assessment of Selected Regions of Interest by Computed Tomographical and Anatomical Parameters. Anatomia Histologia Embryologia 2015; 44 (2): 107-117

Meola C, Boccardi S, Carlomagno GM, Boffa ND, Monaco E, Ricci F. Nondestructive evaluation of carbon fibre reinforced composites with Infrared thermography and ultrasonics. Composite Structures 2015; 134: 845-853

Meola C, Boccardi S, Carlomagno GM. Measurements of very small temperature variations with LWIR QWIP, Infrared camera. Infrared Physics & Technology 2015; 72: 195-203

Mercer J, Sjøberg T, .de Weerd L. Pre-, intra- and postoperative use of dynamic infrared thermography (DIRT) in breast reconstruction using a fascio-cutaneous pedicled perforator flap (extended abstract). Thermology international 2015, 25(3) 103-104

Mercer JB, Chaudhry MA, Sjøberg T, Weum S, De Weerd A. Perfusion patterns of periumbilical and lateral row perforators of the lower abdomen evaluated with dynamic infrared thermography (DIRT) and indocyanine green (ICG) fluorescence angiography-A pilot study. Thermology International 2018; 28(2) 92.

Mercer JB, Høiland II, de Weerd L. The effect of oral uptake of nicotine on skin blood perfusion of the face and hands in snus us-ers as determined by thermography (abstract). Thermology international 2015, 25(1) 29

Mercer JB, Sillero M. Provocation tests. Thermology International 28 (1): 20-21.

Mercer JB, Weerdt L. Passively induced mild hyperthermia- a novel approach to the thermographic evaluation of the circulatory status of the hands (abstract). Thermology international 2017; 27 (2) 71.

Mercer JB. Principles of thermal physiology & skin blood perfusion. Thermology International 28 (1), p. 17.

Merckel LG, Knuttel FM, Deckers R, van Dalen T, Schubert G, Peters NHGM, Weits T, van Diest PJ, Mali WPTM, Vaessen PHHB, van Gorp JMHH, Moonen CTW, Bartels LW, van den Bosch MAAJ. First clinical experience with a dedicated MRI-guided high-intensity focused ultrasound system for breast cancer ablation. European Radiology 2016; 26 (11) 4037-4046

Mercuri F, Cicero C, Orazj N, Paoloni S, Marinelli M, Zammit U. Infrared Thermography Applied to the Study of Cultural Heritage. International Journal of Thermophysics 2015; 36(5-6): 1189-1194

Mergler S, Valtink M, Takayoshi S, Okada Y, Miyajima M, Saika S, Reinach PS. Temperature- sensitive transient receptor potential channels in corneal tissue layers and cells. Ophthalmic Research 2014; 52 (3): 151-159.

Merino ML, Belmonte J, Rosas J, Acosta MC, Belmonte C, Gallar J. Corneal Infrared thermography and tear meniscus height in dry eye syndrome. Investigative Ophthalmology & Visual Science 2015; 56 (7) 315

Merla A, Cardone D, Pinti P, Di Donato L. “IRI – ImagePro©: A software tool for advanced processing of thermal IR imaging data (extended abstract). Thermology international 2015, 25(3) 98

Mesko NW, Lawrenz JM, Joyce MJ, Ilaslan H, Winalski CS. Minimally invasive techniques for pain palliation in extraspinal bone metastases: A review of magnetic resonance imaging-guided focused ultrasound (MRgFUS) and series conclusion. Current Orthopaedic Practice 2017, 28 (2): 213-219.

Messina G, Viggiano A, Chieffi S, Viggiano E, Tafuri D, De Luca V, Messina A, Monda M. Neuroleptic drugs affect sympathetic and thermogenic reactions to orexin A. African Journal of Psychiatry (South Africa) 2014; 17 (6), art. no. 1000172.

Meston CM, Stanton AM. Comprehensive Assessment of Women's Sexual Arousal Requires Both Objective and Subjective Measurement. Journal of Sexual Medicine 2018; 15 (4): 423-425.

Metzner M, Glas A, Sauter-Louis C, Petzl W, Zerbe H. Infrared thermography of the udder of cows after experimentally induced mastitis with Escherichia coli (abstract). Thermology international 2015, 25(1) 31- 32

Metzner M, Sauter-Louis C, Seemueller A, Petzl W, Klee W. Infrared thermography of the udder surface of dairy cattle: Characteristics methods and correlation with rectal temperature. Veterinary Journal 2014; 199 (1) 57-62.

Metzner M, Sauter-Louis C, Seemueller A, Petzl W, Zerbe H. Infrared thermography of the udder after experimentally induced Escherichia coli mastitis in cows. Veterinary Journal 2015; 204 (3): 360-362

Meusy A, Peyron P-A, Molinari N, Colomb S, Rondepierre L, Couderc P, Contiero J, Guillote M, Boumelita L, Lossois M, Baccino E. Preliminary study of the accuracy and the systematic bias of two infrared thermometers for early postmortem interval estimation: Can commercially available infrared thermometers be used to determine the time of death? [Étude préliminaire de l'exactitude et du biais systématique de deux thermomètres infrarouges pour l'estimation du délai post-mortem précoce: peut-on utiliser les thermomètres infrarouges commercialisés pour déterminer l'heure du décès?]. Revue de Medecine Legale 2017, 8 (3): 97-104.

Miccio J, Parikh S, Marinaro X, Prasad A, McClain S, Singer AJ, Clark RAF. Forward-looking infrared imaging predicts ultimate burn depth in a porcine vertical injury progression model. Burns 2016; 42 (2) 397-404

Michaelis KA, Zhu X, Burfeind KG, Krasnow SM, Levasseur PR, Morgan TK, Marks DL. Establishment and characterization of a novel murine model of pancreatic cancer cachexia. Journal of Cachexia Sarcopenia and Muscle 2017, 8 (5): 824-838.

Michard F, Sessler DI. Ward monitoring 3.0. British Journal of Anaesthesia 2018; 121 (5): 999-1001.

Michelerio A, Derlino F, Brazzelli V, Vassallo C. Secondary erythromelalgia: A tryptophan dietary supplement-induced case associated with elevated 5-hydroxyindoleacetic acid (5HIAA) urinary levels. International Journal of Dermatology 2018; 57 (1): 83-85.

Michelotto PV, Kozemjakin DA, Granatto De Oliveira EA. Thermography and saddle fitting. Veterinary Record 2016; 178 (7) 173-174

Micolon F, Courtois X, Aumeunier MH, Chenevois JP, Larroque S. Mechanical design and thermo- hydraulic simulation of the Infrared thermography diagnostic of the WEST tokamak. Fusion Engineering and Design 2015; 96-97: 865-868

Midttun M, Azad BBS, Broholm R, Jensen LT, Svarer C, Jensen PE. Heat-washout measurements compared to distal blood pressure and perfusion in orthopaedic patients with foot ulcers. Clinical Physiology and Functional Imaging 2017, 37 (1): 79-83.

Mieras ME, Heesch MWS, Slivka DR. Physiological and psychological responses to outdoor vs. laboratory cycling. Journal of Strength and Conditioning Research 2014; 28 (8): 2324-2329.

Mierzejewska EJ, Estrada-Peña A, Alsarraf M, Kowalec M, Bajer A. Mapping of Dermacentor reticulatus expansion in Poland in 2012-2014. Ticks and Tick-borne Diseases 2016; 7 (1) 94-106

Migout F, Brunetiere N, Tournerie B. Study of the fluid film vaporization in the Interface of a mechanical face seal. Tribology International 2015; 92: 84-95

Migowski A, Azevedo E Silva G, Dias MBK, Diz MPE, Sant'Ana DR, Nadanovsky P. Guidelines for early detection of breast cancer in Brazil. II – New national recommendations main evidence and controversies [Diretrizes para detecção precoce do câncer de mama no Brasil. II – Novas recomendações nacionais principais evidências e controvérsias] [Directrices para la detección precoz del cáncer de mama en Brasil. II – Nuevas recomendaciones nacionales principales evidencias y controversias]. Cadernos de Saude Publica 2018; 34 (6), art. no. e00074817.

Mihalik JP, Sumrall AZ, Yeargin SW, Guskiewicz KM, King KB, Trulock SC, Shields EW. Environmental and physiological factors affect football head impact biomechanics. Medicine and Science in Sports and Exercise 2017, 49 (10): 2093-2101.

Mihaljevic AL, Schirren R, Ozër M, Ottl S, Grün S, Michalski CW, Erkan M, Jäger C, Reiser-Erkan C, Kehl V, Schuster T, Roder J, Clauer U, Orlitsch C, Hoffmann TF, Lange R, Harzenetter T, Steiner P, Michalski M, Henkel K, Stadler J, Pistorius GA, Jahn A, Obermaier R, Unger R, Strunk R, Willeke F, Vogelsang H, Halve B, Dietl K.-H, Hilgenstock H, Meyer A, Krämling H.-J, Wagner M, Schoenberg MH, Zeller F, Schmidt J, Friess H, Kleeff J. Multicenter double-blinded randomized controlled trial of standard abdominal wound edge protection with surgical dressings versus coverage with a sterile circular polyethylene drape for prevention of surgical site infections A CHIR-net trial (BaFO; NCT01181206). Annals of Surgery 2014; 260 (5): 730-737.

Mikhail AS, Negussie AH, Graham C, Mathew M, Wood BJ, Partanen A. Evaluation of a tissue-mimicking thermochromic phantom for radiofrequency ablation. Medical Physics 2016; 43 (7) 4304-4311

Milanic M, Muc BT, Jezersek M, Lukac M. Experimental and numerical assessment of hyperthermic laser lipolysis with 1,064 nm Nd: YAG laser on a porcine fatty tissue model. Lasers in Surgery and Medicine 2018; 50 (2): 125-136.

Milardovi A, Tomuli KL, Verbi A, Raspor SF, Košuljandi Romi IŠ, Ahel IB. Premature twins with acute renal injury – it is not always what it seems to be: case report. Paediatria Croatica 2017, 61 (4): 183-186.

Miller JP. Comments. Operative Neurosurgery 2017, 13 (1): 21-22.

Miller KC, Hughes LE, Long BC, Adams WM, Casa DJ. Validity of core temperature measurements at 3 rectal depths during rest exercise cold-water immersion and recovery. Journal of Athletic Training 2017, 52 (4): 332-338.

Millesi M, Wolfsberger S. Magnetic Resonance-Guided Laser Ablation: A Viable Treatment Alternative for Recurrent Meningioma? World Neurosurgery 2017, 99: 779-781.

Mills JL. Commentary: Is Deep Vein Arterialization for Limb-Threatening Ischemia Effective? A Novel Percutaneous Technique May Lead to an Answer. Journal of Endovascular Therapy 2017, 24 (5): 627-628.

Milmo S. Europe leads the way in continuous manufacturing. Pharmaceutical Technology Europe 2017, 29(11) 8-9.

Miloro P, Martin E, Shaw A. Temperature elevation measured in a tissue-mimicking phantom for transvaginal ultrasound at clinical settings. Ultrasound 2017, 25 (1): 6-15.

Milosevic M, Jankovic D, Milenkovic A, Stojanov D. Early diagnosis and detection of breast cancer. Technology and Health Care 2018; 26 (4): 729-759.

Milosevic M, Jankovic D, Peulic A. Comparative analysis of breast cancer detection in mammograms and thermograms. Biomedical Engineering-Biomedizinische Technik 2015; 60 (1): 49-56

Mineo S, Pappalardo G, Rapisarda F, Cubito A, Di Maria G. Structural seismic and Infrared thermography surveys for the study of an unstable rock slope in the Peloritani Chain (NE Sicily). Engineering Geology 2015; 195: 225-235

Minett GM, Duffield R, Billaut F, Cannon J, Portus MR, Marino FE. Cold-water immersion decreases cerebral oxygenation but improves recovery after intermittent-sprint exercise in the heat. Scandinavian Journal of Medicine and Science in Sports 2014; 24 (4): 656-666.

Minja FJ, Bhimani A, Wydra E. New techniques in MRI - Fluidattenuated inversion recovery (FLAIR) imaging diffusion tensor imaging (DTI), and MRI-guided laser-induced thermotherapy (LITT) for brain lesions. International Anesthesiology Clinics 2016; 54 (1) 94-108

Minniti CP, Delaney K-MH, Gorbach AM, Xu D, Lee C.-CR, Malik N, Koroulakis A, Antalek M, Maivelett J, Peters-

Lawrence M, Novelli EM, Lanzkron SM, Axelrod K.C, Kato GJ. Vasculopathy inflammation and blood flow in leg ulcers of patients with sickle cell anemia. American Journal of Hematology 2014; 89 (1): 1- 6.

Minniti CP, Gorbach AM, Xu D, Hon YY, Delaney K-M, Seidel M, Malik N, Peters-Lawrence M, Cantilena C, Nichols JS, Mendelsohn L, Conrey A, Grimes G, Kato GJ. Topical sodium nitrite for chronic leg ulcers in patients with sickle cell anaemia: A phase 1 dose-fi nding safety and tolerability trial. The Lancet Haematology 2014; 1 (3) e95-e103.

Minton J, Janney C, Akbarzadeh R, Focke C, Subramanian A, Smith T, McKinney J, Liu J, Schmitz J, James PF, Yousefi A-M. Solvent-free polymer/bioceramic scaffolds for bone tissue engineering: Fabrication analysis and cell growth. Journal of Biomaterials Science Polymer Edition 2014; 25 (16): 1856- 1874.

Mintz GS. Vulnerable Plaque Detection: When OCT Is Not Enough. JACC: Cardiovascular Imaging 2016; 9 (2) 173-175

Mireles J, Ridwan S, Morton PA, Hinojos A, Wicker RB. Analysis and correction of defects within parts fabricated using powder bed fusion technology. Surface Topography-Metrology and Properties 2015; 3 (3) 034002

Mirigian LS, Makareeva E, Leikin S. Pulse-chase analysis of procollagen biosynthesis by azidohomoalanine labeling. Connective Tissue Research 2014; 55 (5-6) 403-410.

Mirzaei PA, Carmeliet J. Influence of the underneath cavity on buoyant-forced cooling of the integrated photovoltaic panels in building roof: a thermography study. Progress in Photovoltaics 2015; 23 (1): 19-29

Mishra S, Joshi S, Mallika C, Pandey NK. Physicochemical properties of PUREX solvent on hydrolytic and chemical treatment. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 2301-2308.

Mishra S, Norton JJS, Lee Y, Lee D.S, Agee N, Chen Y, Chun Y, Yeo W-H Soft, conformal bioelectronics for a wireless human-wheelchair interface. Biosensors and Bioelectronics 2017, 91: 796-803.

Misic B, Pieters BE, Schweitzer U, Gerber A, Rau U. Defect Diagnostics of Scribing Failures and Cu-Rich Debris in Cu(inGa)Se-2 Thin-Film Solar Modules with Electroluminescence and Thermography. IEEE Journal of Photovoltaics 2015; 5 (4): 1179-1187

Misic B, Pieters BE, Schweitzer U, Gerber A, Rau U. Thermography and electroluminescence imaging of scribing failures in Cu(inGa)Se-2 thin film solar modules. Physica Status Solis Science 2015; 212 (12): 2877-2888

Missios S, Bekelis K, Barnett GH. Renaissance of laser Interstitial thermal ablation. Neurosurgical Focus 2015; 38 (3) E13

Mitchell D, Fahrenholtz S, MacLellan C, Bastos D, Rao G, Prabhu S, Weinberg J, Hazle J, Stafford J, Fuentes D. A heterogeneous tissue model for treatment planning for magnetic resonance-guided laser interstitial thermal therapy. International Journal of Hyperthermia 2018; 34 (7): 943-952.

Mitchell JB, Rogers MM, Basset JT, Hubing KA. Fatigue during high-Intensity endurance exercise: The interaction between metabolic factors and thermal stress. Journal of Strength and Conditioning Research 2014; 28 (7) 1906-1914.

Mittal S, Steinberg JS. The last shot for "one shot" pulmonary vein isolation with radiofrequency energy? Journal of Cardiovascular Electrophysiology 2014; 25 (4) 346-348.

Miura M, Makita S, Yasuno Y, Tsukahara R, Usui Y, Rao NA, Ikuno Y, Uematsu S, Agawa T, Iwasaki T, Goto H. Polarization-sensitive optical coherence tomographic documentation of choroidal melanin loss in chronic vogt-koyanagi-harada disease. Investigative Ophthalmology and Visual Science 2017, 58 (11): 4467-4476.

Miura Y, Takehara K, Nakagamj G, Amemiya A, Kanazawa T, Kimura N, Kishj C, Koyano Y, Tamaj N, Nakamura T, Kawashima M, Tsunemj Y, Sanada H. Screening for tinea unguium by thermography in older adults with subungual hyperkeratosis. Geriatrics & Gerontology International 2015; 15 (8): 991-996

Mixa V, Kaplanová, V. Body temperature in the anaesthetised child [Tělesná teplota dítěte v pruběhu anestezie]. Anesteziologie a Intenzivni Medicina 2016; 27 (5) 320-326

Miyazaki S, Nakamura H, Taniguchi H, Hachiya H, Takagi T, Igarashi M, Kajiyama T, Watanabe T, Niida T, Hirao K, Iesaka Y. Gastric hypomotility after second-generation cryoballoon ablation—Unrecognized silent nerve injury after cryoballoon ablation. Heart Rhythm 2017, 14 (5): 670-677.

Mizuno H, Fukumura A, Fukahori M, Sakata S, Yamashita W, Takase N, Yajima K, Katayose T, Abe- Sakama K, Kusano Y, Shimbo M, Kanai T. Alication of a radiophotoluminescent glass dosimeter to nonreference condition dosimetry in the postal dose audit system. Medical Physics 2014; 41 (11) Art. No. 112104.

Modena D, Baragona M, Bošnački D, Breuer BJT, Elevelt A, Maessen RTH, Hilbers PAJ, Ten Eikelder HMM. Modeling the interference between shear and longitudinal waves under high intensity focused ultrasound propagation in bone. Physics in Medicine and Biology 2018; 63 (23), art. no. 235024.

Moehrke M. Special developed and patented anatomy screening and interpretation software in clinical practice with help from fully automated robot (abstract). Thermology international 2015, 25(1) 19

Moen V, Brudin L, Rundgren M, Irestedt L. Osmolality and respiratory regulation in humans: Respiratory compensation for hyperchloremic metabolic acidosis is absent after infusion of hypertonic saline in healthy volunteers. Anesthesia and Analgesia 2014; 119 (4) 956-964.

Moeti M, Nandy R, Berkley S, Davis S, Levine O. No product no program: The critical role of supply chains in closing the immunization gap. Vaccine 2017, 35 (17): 2101-2102.

Mogensen CB, Vilhelmsen MB, Jepsen J, Boye LK, Persson MH, Skyum F. Ear measurement of temperature is only useful for screening for fever in an adult emergency department 11 Medical and Health Sciences 1103 Clinical Sciences. BMC Emergency Medicine 2018; 18 (1), art. no. 51.

Mogensen CB, Wittenhoff L, Fruerhøj G, Hansen S. Forehead or ear temperature measurement cannot replace rectal measurements except for screening purposes. BMC Pediatrics 2018; 18 (1), art. no. 15.

Moghadam P. 3D medical thermography device. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, Baltimore MD, 2015; 94851J-94851J-8.

Mohajeri-Tehrani MR, Nasiripoor F, Torkaman G, Hedayati M, Annabestani Z. Effect of low- intensity direct current on expression of vascular endothelial growth factor and nitric oxide in diabetic foot ulcers. Journal of Rehabilitation Research and Development 2014; 51 (5) 815-824.

Mohamed AA, Disele TL, Ahmad I, Mohd S. Determination of Impact Damage Severity Level in Sheet Molding Compound Composite Material Using Thermography Method -A Preliminary Study. In: Mohamed AA, Idris FM, Hamzah K, Hasan AB, eds AIP Conference ProceedingsCT Nuclear Science Technology and Engineering Conference (NuSTEC) CY NOV 11-13, 2014, Univ Teknologi Malaysia Campus Skudaj Malaysia, 2015; AR 040008

Mohamed IO. Enzymatic Synthesis of Cocoa Butter Equivalent from Olive Oil and Palmitic-Stearic Fatty Acid Mixture. Applied Biochemistry and Biotechnology 2014, 175 (2) 757-769.

Mohammadi AM, Schroeder JL. Laser interstitial thermal therapy in treatment of brain tumors-the NeuroBlate System. Expert Review of Medical Devices 2014; 11 (2) 109-119.

Mohammadi Z, Rabbani M. Bacterial bioprinting on a flexible substrate for fabrication of a colorimetric temperature indicator by using a commercial inkjet printer. Journal of Medical Signals and Sensors 2018; 8 (3): 170-174.

Mohammed JA, Balma-Mena A, Chakkittakandiyil A, Matea F, Pope E. Infrared thermography to assess proliferation and involution of infantile hemangiomas: A prospective cohort study. JAMA Dermatology 2014; 150 (9): 964-969.

Mohammed M, Madden CJ, Burchiel KJ, Morrison SF. Preoptic area cooling increases the sympathetic outflow to brown adipose tissue and brown adipose tissue thermogenesis. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2018; 315 (4): R609-R618.

Mohammed M, Ootsuka Y, Blessing W. Brown adipose tissue thermogenesis contributes to emotional hyperthermia in a resident rat suddenly confronted with an intruder rat. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 306 (6): R394- R400.

Mohan AT, Saint-Cyr M. Advances in imaging technologies for planning breast reconstruction. Gland Surgery 2016; 5 (2) 242-254

Mohanraj K, Balaji N, Chithrakkannan R IoT based patient monitoring system using raspberry pi 3 and Lab view. Pakistan Journal of Biotechnology 2017, 14(3) 337-343.

Mohanty S. Outcomes of atrio-esophageal fistula following catheter ablation of atrial fibrillation treated with surgical repair versus esophageal stenting. Journal of Cardiovascular Electrophysiology 2014; 25 (9), p.E6.

Möhlhenrich SC, Abouridouane M, Heussen N, Hölzle F, Klocke F, Modabber A. Thermal evaluation by infrared measurement of implant site preparation between single and gradual drilling in artificial bone blocks of different densities. International Journal of Oral and Maxillofacial Surgery 2016; 45 (11) 1478- 1484

Möhlhenrich SC, Abouridouane M, Heussen N, Modabber A, Klocke F, Hölzle F. Influence of bone density and implant drill diameter on the resulting axial force and temperature development in implant burs and artificial bone: an in vitro study. Oral and Maxillofacial Surgery 2016; 20 (2) 135-142

Mohlhenrich SC, Modabber A, Steiner T, Mitchell DA, Holzle F. Heat generation and drill wear during dental implant site preparation: systematic review. British Journal of Oral & Maxillofacial Surgery 2015; 53 (8): 679-689

Mohr W. Letter to the Editor regarding the article "evaluation of complete Freund's adjuvant- induced arthritis in a Wistar rat model" [Leserbrief zum Beitrag ”Beurteilung der durch Complete- Freund-Adjuvans induzierten Arthritis bei einem Wistar-Ratten-Modell"] Zeitschrift für Rheumatologie 2014; 73 (3): 285-286.

Mokha JS, Davidovics ZH. Improved Delivery of Fat from Human Breast Milk via Continuous Tube Feeding. Journal of Parenteral and Enteral Nutrition 2017, 41 (6): 1000-1006.

Moles R. It's time to change the way we moni temperature in children. Australian Journal of Pharmacy 2017, 98(1167) 32.

Molgat-Seon Y, Daboval T, Chou S, Jay O. Assessing neonatal heat balance and physiological strain in newborn infants nursed under radiant warmers in intensive care with fentanyl sedation. European Journal of Applied Physiology 2014; 114 (12): 2539-2549.

Molina WR, Silva IN, da Silva RD, Gustafson D, Sehrt D, Kim FJ. Influence of Saline on Temperature Profile of

Laser Lithotripsy Activation. Journal of Endourology 2015; 29 (2): 235-239

Molinari F, Rimini D, Liboni W, Acharya UR, Franzini M, Pandolfi S, Ricevuti G, Vaiano F, Valdenassi L, Simonetti V Cerebrovascular pattern improved by ozone autohemotherapy: an entropy-based study on multiple sclerosis patients. Medical and Biological Engineering and Computing 2017, 55(8) 1163-1175.

Moliné, A, Fernández-Gómez J, Moya-Pérez E, Puertollano M, Gálvez-García G, Iborra O, Gómez-Milán E. Skin temperature reveals empathy in moral dilemmas: An experimental thermal infrared imaging study. Thermology International 28 (4): 197-206.

Moliné, A, Gálvez-García G, Fernández-Gómez J, De la Fuente J, Iborra O, Tornay F, Mata Martín JL, Puertollano M, Gómez Milán E. The Pinocchio effect and the Cold Stress Test: Lies and thermography. Psychophysiology 2017, 54 (11): 1621-1631.

Moll PJW, Kushwaha P, Nandi N, Schmidt B, Mackenzie AP. Evidence for hydrodynamic electron flow in PdCoO2. Science 2016; 351 (6277) 1061-1064

Moncada J, Clark CB, Holden J, Hook EW, III, Gaydos CA, Schachter J. Stability studies on dry swabs and wet mailed swabs for detection of chlamydia trachomatis and neisseria gonorrhoeae in aptima assays. Journal of Clinical Microbiology 2017, 55 (3): 971-977.

Mondal SB, Gao S, Zhu N, Habimana-Griffin LM, Akers WJ, Liang R, Gruev V, Margenthaler J, Achilefu S. Optical See-Through Cancer Vision Goggles Enable Direct Patient Visualization and Real-Time Fluorescence-Guided Oncologic Surgery. Annals of Surgical Oncology 2017, 24 (7): 1897-1903.

Mongelluzzo J, Tu B, Grimes B, Ziyeh S, Fortman J, Neilson J, Rodriguez RM. Correlation of physical exam findings with fever in patients with skin and soft tissue infections. Western Journal of Emergency Medicine 2017, 18 (3): 398-402.

Monk B. Comment on Pyrexia of unknown origin. Clinical Medicine Journal of the Royal College of Physicians of London 2018; 18 (4), p. 351.

Monnard CR, Fares E-J, Calonne J, Miles-Chan JL, Montani J-P, Durrer D, Schutz Y, Dulloo AG. Issues in continuous 24-h core body temperature monitoring in humans using an ingestible capsule telemetric sensor. Frontiers in Endocrinology 2017, 8: Article Number: 130.

Montanholi YR, Lim M, Macdonald A, Smith BA, Goldhawk C, Schwartzkopf-Genswein K, Miller SP. Technological environmental and biological factors: referent variance values for Infrared imaging of the bovine. Journal of Animal Science and Biotechnology 2 2015; 6: AR 27

Montanholi YR. Using Infrared radiation to detect local inflammation in cattle. Veterinary Record 2015; 176(1)2: 306-307

Montanini R, Scimone T, De Caro S, Testa A. Full-frame Infrared thermal imaging of power electronics devices by means of multiple time-delayed measurements. Quantitative Infrared Thermography Journal 2015; 12(2): 149-161.

Monte GLS, Tadei WP, Farias TM. Ecoepidemiology and biology of eratyrus mucronatus stål 1859 (Hemiptera: Reduviidae: Triatominae), a sylvatic vector of chagas disease in the brazilian amazon Revista da Sociedade Brasileira de Medicina Tropical 2014; 47 (6): 723-727.

Montero R, Victores JG, Martinez S, Jardon A, Balaguer C. Past present and future of robotic tunnel inspection. Automation In Construction 2015; 59: 99-112

Montesano J, Fawaz Z, Bougherara H. Non-destructive assessment of the fatigue strength and damage progression of satin woven fiber reinforced polymer matrix composites. Composites Part B-Engineering 2015; 71: 122-130

Mony PK, Thankachan P, Bhat S, Rao S, Washington M, Antony S, Thomas A, Nagarajarao SC, Rao H, Amrutur B. Remote biomonitoring of temperatures in mothers and newborns: Design development and testing of a wearable sensor device in a tertiary-care hospital in southern India. BMJ Innovations 2018; 4 (2): 60-67.

Moon JY, Choi JK, Shin JY, Chon SW, Dev S. A brief report on a technical description of ultrasound-guided lumbar sympathetic block. Korean Journal of Pain 2017, 30 (1): 66-70.

Moon S-M, Kwon S-Y, Lim J-H. Minimization of temperature ranges between the top and bottom of an air flow controlling device through hybrid control in a plant factory Scientific World Journal 2014; 2014, art. no. 801590.

Mooney R, Schena E, Saccomandi P, Zhumkhawala A, Aboody K, Berlin JM. Gold nanorod-mediated near-infrared laser ablation: in vivo experiments on mice and theoretical analysis at different settings. International Journal of Hyperthermia 2017, 33 (2): 150-159.

Mooranian A, Negrulj R, Chen-Tan N, Al-Sallami HS, Fang Z, Mukkur T, Mikov M, Golocorbin-Kon S, Fakhoury M, Arfuso F, Al-Salami H. Novel artificial cell microencapsulation of a complex gliclazide- deoxycholic bile acid formulation: A characterization study. Drug Design Development and Therapy 2014; 8: 1003-1012.

Moore JA, Rambally S. Fusobacterium nucleatum Bacteremia Presenting with Portal Vein Thrombosis: An Abdominal Lemierre Syndrome? American Journal of Medicine 2017, 130 (6): e255-e256.

Moradi M, Basu S, Shankar MR. In situ measurement of deformation mechanics and its spatio-temporal scaling behavior in equal channel angular pressing. Journal of Materials Research 2015; 30(6): 798-810

Moradi M, Sivoththaman S. MEMS Multisensor intelligent Damage Detection for Wind Turbines. IEEE Sensors Journal 2015; 15(3): 1437-1444

Morales CA, Palacio J, Rodríguez G, Camargo YC. Zosteriform cutaneous leishmaniasis due to Leishmania (Viannia) panamensis and Leishmania (Viannia) braziliensis: report of three cases. Biomédica : Revista del Instituto Nacional de Salud 2014; 34 (3): 340-344.

Moramarco A, Giustini S, Nofroni I, Mallone F, Miraglia E, Iacovino C, Calvieri S, Lambiase A. Near-infrared imaging: an in vivo non-invasive diagnostic tool in neurofibromatosis type 1. Graefe's Archive for Clinical and Experimental Ophthalmology 2018; 256 (2): 307-311.

Moran ZR, Parker AG. Near infrared imaging as a method of studying tsetse fly (Diptera: Glossinidae) pupal development. Journal of Insect Science 2016; 16 (1), art no 33266

Mordon S. A commentary on the role of skin temperature on the effectiveness of ALA-PDT in Dermatology, Photodiagnosis and photodynamic therapy 2014; 11 (3): 416-419.

Morega AM, SĂndoiu AM, Morega M. On the thermography mapping of anatomic media with capillaries and larger vessels blood flow. (2015) 2015 E-Health and Bioengineering Conference EHB 2015, art no 7391512

Moreira DC, Telles MCD, Nunes LCS, Sphaier LA. Analysis of improved-lumped models for property estimation from, temperature field data using a fin model. Journal of Porous Media 2015; 18(1)0: 985-996

Moreira DC, Telles MCO, Sphaier LA, Nunes LCS. Infrared thermography for estimating the thermal conductivity augmentation of polymeric nanocomposites. High Temperatures-High Pressures 2015; 44(1): 3-23

Moreira DG, Costello JT, Brito CJ, Adamczyk JG, Ammer K, Bach AJE. Costa CMA, Eglin, C, Fernandes AA, Fernández-Cuevas I, Ferreira JJA, Formenti D, Fournet D, Havenith G, Howell K, Jung A, Kenny GP, Kolosovas-Machuca ES, Maley MJ, Merla A, Pascoe D, Priego-Quesada JI, Schwartz RG, Seixas ARD, Selfe J, Vainer BG, Sillero-Quintan M. Thermographic imaging in sports and exercise medicine: A Delphi study and consensus statement on the measurement of human skin temperature. J Thermal Biol 2017; 69; 155-162

Moreira DG, Costello JT, Brito CJ, Sillero-Quintana M. A checklist for measuring skin temperature with infrared thermography in sports and exercise medicine. Thermology international 2017; 27 (4) 136-138

Moreira DG, Sillero-Quintana M. The Delphi protocol applied to the consensus document “Thermographic imaging in sports and exercise medicine (TISEM)(abstract). Thermology international 2017; 27 (2) 75

Morello R, De Capua C, Leccese F, Lay-Ekuakille A. Infrared Passive Thermography to Identify and Assess Inflammatory Diseases. MeMeA 2018 - 2018 IEEE International Symposium on Medical Measurements and Applications Proceedings 2018; art. no. 8438688.

Moreno J, Quintanilla JG, Molina-Morúa R, García-Torrent MJ, Angulo-Hernández MJ, Curiel- Llamazares C, Ramiro-Bargueño J, González P, Caamaño AJ, Pérez-Castellano N, Rojo-Álvarez JL, Macaya C, Pérez-Villacastín J. Morphological and thermodynamic comparison of the lesions created by 4 open- irrigated catheters in 2 experimental models. Journal of Cardiovascular Electrophysiology 2014; 25 (12) 1391-1399.

Moreton R, Lorenzo E, Narvarte L. Experimental observations on hot-spots and derived acceptance/rejection criteria. Solar Energy 2015; 118: 28-40

Morgado M, Talaia M, Teixeira L. A new simplified model for evaluating thermal environment and thermal sensation: An approach to avoid occupational disorders. International Journal of Industrial Ergonomics 2017, 60: 3-13.

Morgan BJ, Adrian R, Bates ML, Dopp JM, Dempsey JA. Quantifying hypoxia-induced chemoreceptor sensitivity in the awake rodent. Journal of Applied Physiology 2014; 117 (7): 816- 824

Morgan TW, van den Bekerom DCM, De Temmerman G. Interaction of a tin-based capillary porous structure with ITER/DEMO, relevant plasma conditions. Journal of Nuclear Materials 2015; 463: 1256- 1259

Mori M, Drobnic B, Jurievcic B, Novak L. Numerical Modeling of Heat Transfer and Flow Phenomena in an Axial Rotating Rotor Cascade. Numerical Heat Transfer Part A-Applications 2015; 67(1)0: 1053-1074

Mori N, Ohya H, Oba K, Shiraishii J. Epithelioid cell granuloma in the bone marrow secondary to Epstein-Barr virus infection. The Lancet Infectious Diseases 2017, 17 (4), p. 460.

Morikawa J. Superimpose methods for uncooled Infrared camera applied to the micro-scale thermal characterization of composite materials. In Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, Baltimore MD, 2015; 94850Z- 94850Z-6.

Morino K, Honma Y, Kumei S, Watanabe T, Kume K, Yoshikawa I, Harada M. Recombinant thrombomodulin used to successfully treat cronkhite-canada syndrome with disseminated intravascular coagulation due to sepsis in a compromised patient. Internal Medicine 2018; 57 (21): 3079-3085.

Morioka I, Izumi Y, Inoue M, Okada K, Sakaguchi K, Miyai N. Effect of stone Spa bathing and hot- spring bathing on pulse wave velocity in healthy late middle-aged females. Nihon eiseigaku zasshi. Japanese journal of hygiene 2014; 69 (2): 146-152.

Morris NB, Bain AR, Cramer MN, Jay O. Evidence that transient changes in sudomotor output with cold and warm fluid ingestion are independently modulated by abdominal but not oral thermoreceptors Journal of Applied Physiology 2014; 116 (8): 1088-1095.

Morrison SA, Cheung S, Cotter JD. Importance of airflow for physiologic and ergogenic effects of precooling. Journal of Athletic Training 2014; 49 (5) 632-639.

Morrison SA, Cheung SS, Cotter JD. Bovine colostrum training status and gastrointestinal permeability during exercise in the heat: A placebo-controlled double-blind study. Applied Physiology Nutrition and Metabolism 2014; 39 (9): 1070-1082.

Morrison SA, Gorianc J, Eiken O, Mekiavic IB. Finger and Toe Temperature Responses to Cold After Freezing Cold iniury in Elite Alpinists. Wilderness & Environmental Medicine 2015; 26(3): 295-304

Morrison SA, Gorjanc J, Mekjavic IB. Mount everest and makalu cold injury amputation: 40 years on. High Altitude Medicine and Biology 2014; 15 (1): 78-83.

Morrison SF, Madden CJ, Tupone D. Central neural regulation of brown adipose tissue thermogenesis and energy expenditure. Cell Metabolism 2014; 19 (5): 741-756.

Morsali S.F, Movasseghi G, Kiaee MM, Ghorbanloo M, Mohaghegh MR, Morsali A, Morsali M. Clonidine versus Tramadol for postanesthetic shivering: A randomized clinical trial study. Biomedical Research and Therapy 2017, 4(10) 1716-1732.

Mortola JP, Kim J, Lorzadeh A, Leurer C. Thermographic analysis of the radiant heat of chicken and duck eggs in relation to the embryo's oxygen consumption. Journal of Thermal Biology 2015; 48: 77-84

Moser T, Bulubas L, Sabih J, Conway N, Wildschutz N, Sollmann N, Meyer B, Ringel F, Krieg SM. Resection of Navigated Transcranial Magnetic Stimulation-Positive Prerolandic Motor Areas Causes Permanent Impairment of Motor Function. Neurosurgery 2017, 81 (1): 99-109.

Mosquera SA, Verma S. Analysis of the change in peak corneal temperature during excimer laser ablation in porcine eyes. Journal of Biomedical Optics 2015; 20(7) 078001

Motegi S.-I, Sekiguchi A, Ishibuchi H, Yasuda M, Ishikawa O. Eosinophilic peripheral arteritis: peripheral arterial occlusion with eosinophilia. European Journal of Dermatology 2018; 28 (1): 97-99.

Motegi S-I, Yamada K, Toki S, Uchiyama A, Kubota Y, Nakamura T, Ishikawa O. Beneficial effect of botulinum toxin A on Raynaud's phenomenon in Japanese patients with systemic sclerosis: A prospective case series study. Journal of Dermatology 2016; 43 (1) 56-62

Motoyama H, Chen FS, Hijiya K, Kondo T, Ohata K, Takahashj M, Yamada T, Sato M, Aoyama A, Date H. Novel thermographic detection of regional malperfusion caused by a thrombosis during ex vivo lung perfusion. Interactive Cardiovascular and Thoracic Surgery 2015; 20(2): 242-247

Mouchawar G, Sison S, Chen S, Min X, Chen J, Nyenhuis J, Gutfinger D, Williamson R. Modeling of MRI- induced heating in pacemaker patients during 15T MRI scans. Computing in Cardiology 2016; 42, art no 7411024 769-772

Mougenot C, Moonen C. Magnetic Resonance-guided high intensity focused ultrasound in the presence of biopsy markers. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 25.

Mougenot C, Pichardo S, Engler S, Waspe A, Colas EC, Drake JM. A rapid magnetic resonance acoustic radiation force imaging sequence for ultrasonic refocusing. Physics in Medicine and Biology 2016; 61 (15), art no 5724 5724-5740

Mouhat M, Mercer J, Stangvaltaite L, Örtengren U. Light-curing units used in dentistry: factors associated with heat development-potential risk for patients. Clinical Oral Investigations 2017, 21(5) 1687-1696.

Mouhat M, Mercer JB, Ortengren U. Temperature distribution on natural teeth subjected to light curing with different LED curing devices - preliminary results. (abstract). Thermology international 2015, 25(2) 70.

Mourad MM, Reay M, Muiesan P, Mirza DF, Perera MTPR. Patient with liver dysfunction while maintained on veno-venous extracorporeal membrane oxygenation should not be overlooked as a potential donor.

Moustafa AR, Berthel B, Fouvry S, Charkaluk E. Experimental study of the stress gradient effect under fretting loading by full field measurement techniques. Wear 2015; 330: 160-169

Mowla A, Du B.W, Taimre T, Bertling K, Soyer HP, Rakić AD. Confocal laser feedback tomography for skin cancer detection. Biomedical Optics Express 2017, 8(9) 4037-4048.

Moy AJ, Tunnell JW. Combinatorial immunotherapy and nanoparticle mediated hyperthermia. Advanced Drug Delivery Reviews 2017, 114: 175-183.

Moy JK, Kuhn JL, Szabo-Pardi TA, Pradhan G, Price TJ. eIF4E phosphorylation regulates ongoing pain independently of inflammation and hyperalgesic priming in the mouse CFA model. Neurobiology of Pain 2018; 4: 45-50.

Moyen NE, Mündel T, du Bois AM, Ciccone AB, Morton RH, Judelson DA. Increasing humidity affects thermoregulation during low-intensity exercise in women. Aviation Space and Environmental Medicine 2014; 85 (9): 905-911.

Moyer GR, Díaz-Ferguson E, Hill JE, Shea C. Assessing environmental DNA detection in controlled lentic systems. PLoS ONE 2014; 9 (7), art. no. e103767.

Mozanski M, Rustecki B, Kalicki B, Jung A. Evaluation of paravertebral blocks for mastectomy in an high risk patient by means of infrared imaging - a case report (extended abstract). Thermology international 2014; 24(2) 59-

60.

Mróz J, Kalicki B, Leśniewski P, Lipińska-Opałka A, Sadecka M, Zuber J, Krawczyk A, Jung A. Application of thermography in the diagnosis of the algodystrophic syndrome type I in 42-year-old patient [Zastosowanie termografii w diagnostyce wielomiejscowego zespolu odruchowego typu I u 42-letniego chorego]. Pediatria i Medycyna Rodzinna 2014; 10 (1): 78-82.

Mróz J, Kalicki B, Lipinska-Opalka A, Krawczyk A, Jung A, Zuber J, Zaganczyk B. Application of thermography in the diagnosis and treatment monitoring of the Complex Regional Pain Syndrome type I (extended abstract). Thermology international 2014; 24(2) 62.

Mu L, Peng Z, Zang H, Yang K, Liu Y, Li G, Wang S, Cheng L, Guo J. Operating microscope with near infrared imaging function for indocyanine green lymphography in prevention of lymphedema with lymphaticovenous anastomosis immediately after mastectomy and axillary dissection. Microsurgery 2017, 37 (4): 354-355.

Mueller S, Mueller J. Reply to: “Is room temperature susceptometry really an accurate method to assess hepatocellular iron?”. Journal of Hepatology 2017, 67 (6): 1346-1348.

Mufti A, Somayaji R, Coutts P, Sibbald RG. Infrared Skin Thermometry: Validating and Comparing Techniques to Detect Periwound Skin Infection. Advances in Skin and Wound Care 2018; 31 (1): 607-611.

Mukherjee A, Castanares M, Hedayati M, Wabler M, Trock B, Kulkarni P, Rodriguez R, Getzenberg RH, Deweese TL, Ivkov R, Lupold SE. Monitoring nanoparticle-mediated cellular hyperthermia with a high- sensitivity biosensor. Nanomedicine 2014; 9 (18) 2729-2743.

Mullany LC, van Boetzelaer EW, Gutman JR, Steinhardt LC, Ngoy P, Barbera Lainez Y, Wittcoff A, Harvey SA, Ho LS. Universal versus conditional day 3 follow-up for children with non-severe unclassified fever at the community level in the Democratic Republic of the Congo: A cluster-randomized community-based non-inferiority trial. PLoS Medicine 2018; 15 (4), art. no. e1002552.

Muller BG, Van Den Bos W, Pinto PA, De La Rosette JJ. Imaging modalities in focal therapy: Patient selection treatment guidance and follow-up. Current Opinion in Urology 2014; 24 (3) 218- 224.

Müller I, König S, Gutschwager B, Hollandt J. Metrology for quantitative thermography at PTB. Thermology International 2018; 28(2) 44-45.

Müller J, Hartmann J, Bert C. Infrared camera-based thermometry for quality assurance of superficial hyperthermia applicators. Physics in Medicine and Biology 2016; 61 (7) 2646-2664

Muller MD, Seo Y, Kim C-H, Ryan EJ, Pollock BS, Burns KJ, Glickman EL. Cold habituation does not improve manual dexterity during rest and exercise in 5 °C International Journal of Biometeorology 2014; 58 (3): 383-394.

Muller SH, Van Den Brekel MM, Hilgers FJ. Letter to the editor regarding: The effect of cloth stoma covers on tracheal climate of laryngectomy patients. Head and Neck 2016; 38 (2) 330-331

Mullington CJ, Low DA, Strutton PH, Malhotra S. Body temperature cutaneous heat loss and skin blood flow during epidural anaesthesia for emergency caesarean section. Anaesthesia 2018; 73 (12): 1500-1506.

Mumford KA, Rayner JL, Snape I, Stevens GW. Hydraulic performance of a permeable reactive barrier at Casey Station Antarctica. Chemosphere 2014; 117 (1): 223-231.

Mumingjiang Y, Zhou XD, He RX. Value of knee skin temperature measured by infrared thermography and soluble intercellular adhesion molecule-1 in the diagnosis of peri-prosthetic knee infection in chinese individuals following total knee arthroplasty. Chinese Medical Journal 2014; 127 (17): 3105-3109.

Munday J, Osborne S, Yates P, Sturgess D, Jones L, Gosden E. Preoperative Warming Versus no Preoperative Warming for Maintenance of Normothermia in Women Receiving Intrathecal Morphine for Cesarean Delivery: A Single-Blinded Randomized Controlled Trial. Anesthesia and Analgesia 2018; 126 (1): 183-189.

Mündel T, Carter JM, Wilkinson DM, Jones DA. A comparison of rectal oesophageal and gastro- intestinal tract temperatures during moderate-intensity cycling in temperate and hot conditions. Clinical Physiology and Functional Imaging 2016, 36(1), 11-16.

Munetsugu T, Fujimoto T, Oshima Y, Sano K, Murota H, Satoh T, Iwase S, Asahina M, Nakazato Y, Yokozeki H. Revised guideline for the diagnosis and treatment of acquired idiopathic generalized anhidrosis in Japan. Journal of Dermatology 2017, 44 (4): 394-400.

Munier SM, Hargreaves EL, Patel NV, Danish SF. Effects of variable power on tissue ablation dynamics during magnetic resonance-guided laser-induced thermal therapy with the Visualase system. International Journal of Hyperthermia 2018; 34 (6): 764-772.

Muniz PR, Magalhaes RD, Cani SPN, Donadel CB. Non-contact measurement of angle of view between the inspected surface and the thermal imager. Infrared Physics & Technology 2015; 72: 77-83

Munk MR, Jampol LM, Souza EC, De Andrade GC, Esmaili DD, Sarraf D, Fawzi AA. New associations of classic acute macular neuroretinopathy. British Journal of Ophthalmology 2016; 100 (3) 389-394

Munshi R, Qadri SM, Zhang Q, Rubio I.C, del Pino P, Pralle A Magnetothermal genetic deep brain stimulation of motor behaviors in awake, freely moving mice. eLife 2017, 6; Article Number: e27069.

Muntean MV, Strilciuc S, Ardelean F, Pestean C, Lacatus R, Badea AF, Georgescu A. Using dynamic Infrared thermography to optimize color Doppler ultrasound mapping of cutaneous perforators, Medical Ultrasonography 2015; 17(4): 503-508

Muramatsu M, Harada Y, Suzuki T, Niino H. Infrared stress measurements of thermal damage to laser- processed carbon fiber reinforced plastics. Composites Part A-Applied Science and Manufacturing 2015; 68: 242-250

Muramatsu M, Nakasumj S, Harada Y, Suzuki T. Application of the inverse Heat Conduction Analysis to the Evaluation of Defects in Carbonfiber-Reinforced Plastics. Mechanics of Composite Materials 2015; 50(6): 695-704

Murbach M, Neufeld E, Capstick M, Kainz W, Brunner DO, Samaras T, Pruessmann KP, Kuster N. Thermal tissue damage model analyzed for different whole-body SAR and scan durations for standard MR body coils. Magnetic Resonance in Medicine 2014; 71 (1): 421-431.

Murbach M, Neufeld E, Christopoulou M, Achermann P, Kuster N. Modeling of EEG electrode artifacts and thermal riles in human radiofrequency exposure studies. Bioelectromagnetics 2014; 35 (4) 273-283.

Murphy DJ, Desjardins D, Dereuddre-Bosquet N, Brochard P, Perrot L, Pruvost A, Grand RL, Lagatie O, Vanhooren L, Feyaerts M, van Roey J, Malcolm RK. Pre-clinical development of a combination microbicide vaginal ring containing dapivirine and darunavir. Journal of Antimicrobial Chemotherapy 2014; 69 (9), art. no. dku160: 2477-2488.

Murray AK, Moore TL, Manning JB, Dinsdale G, Wilkinson J, Bhushan M, Griffiths CEM, Herrick A. Non- invasive imaging of localised scleroderma for assessment of skin blood flow and structure. Acta Dermato-Venereologica 2016; 96 (5) 641-644

Murray AK, Moore TL, Wragg E, Ennis H, Vail A, Dinsdale G, Muir L, Griffiths CEM, Herrick AL. Pilot study assessing pathophysiology and healing of digital ulcers in patients with systemic sclerosis using laser Doppler imaging and thermography. Clinical and Experimental Rheumatology 2016; 34 100-105

Murray B, Anderson DT, Wescott DJ, Moorhead R, Anderson MF. Survey and Insights into Unmanned Aerial-Vehicle-Based Detection and Documentation of Clandestine Graves and Human Remains. Human Biology 2018; 90 (1): 45-61.

Murray JL, Hu P, Shafer DA. Seven novel probe systems for real-time PCR provide absolute single-base discrimination higher signaling and generic components. Journal of Molecular Diagnostics 2014; 16 (6) 627-638.

Murthy R, Rangappa S, Repka MA, Vanaja K, Shivakumar HN, Murthy SN. Infrared thermal measurement method to evaluate the skin cooling effect of topical products and the impact of microstructure of creams. Journal of Drug Delivery Science and Technology 2017, 39: 296-299.

Musikatavorn K, Saoraya J, Tarapan T. Gas Gangrene of Malignant Mixed Mullerian Tumor of Ovary Caused by Clostridium perfringens. Journal of Emergency Medicine V54 (6): e133-e135.

Musk GC, Murdoch FR, Tuke J, Kemp MW, Dixon MJ, Taylor PM. Thermal and mechanical nociceptive threshold testing in pregnant sheep. Veterinary Anaesthesia and Analgesia 2014; 41 (3): 305-311.

Mustafa S. Effect of pregnancy on cooling tone and rhythmic contractions of the rat urinary bladder. International Urology and Nephrology 2018; 50 (5): 833-838.

Mutagi H, Guru R, Kapur S. Complex regional pain syndrome (CRPS) - A brief review. Indian Journal of Rheumatology 2014; 9 (S2): S26-S32.

Muzaffar K, Giri LI, Chatterjee K, Tuli S, Koul S. Fault detection of antenna arrays using Infrared thermography. Infrared Physics & Technology 2015; 71: 464-468

Muzaffar K, Tuli S, Koul S. Beam width estimation of microwave antennas using lock-in Infrared thermography. Infrared Physics & Technology 2015; 72: 244-248

Myerson RJ, Moros EG, Diederich CJ, Haemmerich D, Hurwitz MD, Hsu I-CJ, McGough RJ, Nau WH, Straube W L, Turner PF, Vujaskovic Z Stauffer PR. Components of a hyperthermia clinic: Recommendations for staffing equipment and treatment monitoring. International Journal of Hyperthermia 2014; 2014; 30 (1) 1-5.

Myerson RJ. Incorporating detailed biology in hyperthermia treatment planning: a necessary condition for progress. International Journal of Hyperthermia 2017, 33 (3): 364-365.

Myles IA, Reckhow JD, Williams KW, Sastalla I, Frank KM, Datta SK. A method for culturing Gram- negative skin microbiota. BMC Microbiology 2016; 16 (1), art no 60

Myoung H-S, Lee K-J. A unique electrical thermal stimulation system comparable to moxibustion of subcutaneous tissue. Evidence-based Complementary and Alternative Medicine 2014; 2014, art. no. 518313,

Myshentsev PN, Sushkov SA, Katorkin SE, Demidov SI. Diagnostics of lower limbs lymphedema. Flebologiya 2017, 11 (4): 228-236.

Nabeel Y, Ali O. Out in the cold: The hypothermic heart response. BMJ Case Reports 2014; bcr2014207358.

Naczynski DJ, Stafford JH, Türkcan S, Jenkins C, Koh AL, Sun C, Xing L. Rare-Earth-Doped Nanoparticles for Short-Wave Infrared Fluorescence Bioimaging and Molecular Targeting of αVβ3-Expressing Tumors. Molecular Imaging 2018; 17: 1-9.

Nadeau M, Micheau P, Robert R, Avoine O, Tissier R, Germim PS, Vandamme J, Praud J.-P, Walti H. Core body temperature control by total liquid ventilation using a virtual lung temperature sensor. IEEE Transactions on Biomedical Engineering 2014; 61 (12), art. no. 6840979: 2859- 2868.

Nadeau P, El-Damak D, Glettig D, Kong YL, Mo S, Cleveland C, Booth L, Roxhed N, Langer R, Chandrakasan AP, Traverso G. Prolonged energy harvesting for ingestible devices. Nature Biomedical Engineering 2017, 1 (3), art. no. 0022.

Nadhman A, Nazir S, Ihsanullah Khan M, Arooj S, Bakhtiar M, Shahnaz G, Yasinzai M. PEGylated silver doped zinc oxide nanoparticles as novel photosensitizers for photodynamic therapy against Leishmania. Free Radical Biology and Medicine 2014; 77, 230-238.

Nadolski GJ, Hunt SJ, Weber CN, Mohammed M, Pulido S, Noji M, Chisholm A, Gade TPF. Near-Infrared Fluorescence Imaging of Matrix Metalloproteinase 2 Activity as a Biomarker of Vascular Remodeling in Hemodialysis Access. Journal of Vascular and Interventional Radiology 2018; 29 (9): 1268-1275.e1.

Naess A, Mo R, Nilssen SS, Eide GE, Sjursen H. Infections in patients hospitalized for fever as related to duration and other predictors at admittance. Infection 2014; 42 (3): 485-492.

Naganathan AN, Muñoz V. Thermodynamics of downhill folding: Multi-probe analysis of PDD a protein that folds over a marginal free energy barrier. Journal of Physical Chemistry 2014; B 118 (30) 8982-8994.

Nagarajan S, Narayanaswamy R, Balasubramaniam V. Study on the kinetics of thermomechanical response accompanying plastic instability in mild steel. Mechanics of Materials 2015; 80: 27-36

Nagarajan VK, Yu B. Monitoring of tissue optical properties during thermal coagulation of ex vivo tissues. Lasers in Surgery and Medicine 2016; 48 (7) 686-694

Nagaso M, Moysan J, Benjeddou S, Massacret N, Ploix MA, Komatitsch D, Lhuillier C. Ultrasonic thermometry simulation in a random fluctuating medium: Evidence of the acoustic signature of a one- percent temperature difference. Ultrasonics 2016; 68 61-70

Nagel L, Krall KE, Jahne B. Comparative heat and gas exchange measurements in the Heidelberg Aeolotron a large annular wind-wave tank. Ocean Science 2015; 11(1): 111-120

Nagesetti A, McGoron AJ. Multifunctional organically modified silica nanoparticles for chemotherapy adjuvant hyperthermia and near infrared imaging. Colloids and Surfaces B: Biointerfaces 2016; 147 492- 500

Nagy-Balo E, Kiss A, Condie C, Stewart M, Edes I, Csanadi Z. Predictors of Cerebral Microembolization during Phased Radiofrequency Ablation of Atrial Fibrillation: Role of the Ongoing Rhythm and the Site of Energy Delivery. PACE - Pacing and Clinical Electrophysiology 2014; 37 (11): 1436-1441.

Nah G, Lee M, Kim D-S, Rayburn AL, Voigt T, Lee DK. Transcriptome analysis of Spartina pectinata in response to freezing stress. PLoS ONE 2016; 11 (3), art no e0152294

Naicker N, Teare J, Balakrishna Y, Wright CY, Mathee A. Indoor temperatures in low cost housing in Johannesburg South Africa. International Journal of Environmental Research and Public Health 2017, 14 (11), art. no. 1410.

Nair AB, Attimarad M, Al-Dhubiab BE, Wadhwa J, Harsha S, Ahmed M. Enhanced oral bioavailability of acyclovir by inclusion complex using hydroxypropyl-β-cyclodextrin. Drug Delivery 2014; 21 (7): 540-547.

Nair S, Nair RU. Wound and surface temperatures in vivo in torsional and longitudinal modalities of ultrasound in coaxial microincisional cataract surgery. Clinical Ophthalmology 2017, 11: 249-255.

Nairn JR, Fawcett RJB. The excess heat factor: A metric for heatwave intensity and its use in classifying heatwave severity. International Journal of Environmental Research and Public Health 2014; 12 (1): 227- 253.

Najafi M, Faraoni D. Updates on coagulation management in cardiac surgery. Journal of Tehran University Heart Center 2014; 9 (3): 99-103.

Najafi SMA, Yaghoubi M. Thermal study of a cistern's dome (the case of Motamed cistern in Lar Iran). Energy and Buildings 2015; 102: 453-466

Nakamura S, Horiuchi S. Randomized Controlled Trial to Assess the Effectiveness of a Self-Care Program for Pregnant Women for Relieving Hiesho. Journal of Alternative and Complementary Medicine 2017, 23 (1): 53-59.

Nakamura S, Uda A, Okabe Y, Fujita Y, Aramaki S, Sato T, Ishibashi H, Shibutani K. General anesthesia in a patient with sialolithiasis who was diagnosed as having systemic lupus erythematosus and antiphospholipid antibody syndrome based on a preoperative examination. Journal of Japanese Dental Society of Anesthesiology 2017, 45(2) 241-243.

Nakamura T, Yokota T, Terakawa Y, Reeder J, Voit W, Someya T, Sekino M. Development of flexible and wide-range polymer-based temperature sensor for human bodies. 3rd IEEE EMBS International Conference on Biomedical and Health Informatics BHI 2016, art no 7455940 485-488

Nakamura Y, Shen Z, Harada T, Nagaya T, Sato K, Okuyama S, Ogata F, Choyke PL, McCarley RL, Kobayashi H. Characteristics of ovarian cancer detection by a near-infrared fluorescent probe activated by human NAD(P)H: Quinone oxidoreductase isozyme 1 (hNQO1). Oncotarget 2017, 8 (37): 61181-61192.

Nakashima R, Hifumi T, Kawakita K, Okazaki T, Egawa S, Inoue A, Seo R, Inagaki N, Kuroda Y. Critical care management focused on optimizing brain function after cardiac arrest. Circulation Journal 2017, 81 (4): 427-439.

Nakasone Y, Kondo S, Yamamoto T, Iizuka M, Yamaguchi H. Effects of a dietary supplement containing principles of garlic and ginger in combination on temperature and blood flow of finger skin in women with "Hie-sho". Japanese Pharmacology and Therapeutics 2014; 42 (12): 977-984.

Nakatani T, Hashimoto T, Sutou I, Saito Y. Retention of finger blood flow against postural change as an indicator of successful sympathetic block in the upper limb. Journal of Pain Research 2017, 10: 475-479.

Nakayama T, Fujita M, Ishihara M, Ishihara M, Ogata S, Yamamoto Y, Shimizu M, Maehara T, Kanatani Y, Tachibana S. Improved survival rate by temperature control at compression sites in rat model of crush syndrome. Journal of Surgical Research 2014; 188 (1): 250-259.

Nallala J, Lloyd GR, Kendall C, Barr H, Shepherd N, Stone N. Identification of GI cancers utilising rapid mid-infrared spectral imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9703, art no 970303

Namdari F, Dadpay M, Hamidi M, Ghayoumi-Zadeh H. Evaluation of thermal imaging in the diagnosis and classification of varicocele. Iranian Journal of Medical Physics 2017, 14 (2): 114-121.

Nandi SK, Kundu B, Mahato A, Thakur NL, Joardar SN, Mandal BB. Mandal Biman B In vitro and in vivo evaluation of the marine sponge skeleton as a bone mimicking biomaterial. Integrative Biology 2015, 7(2) 250-262

Nanditha S, Kapoor P, Sarin K. Anesthesia challenges in patent ductus arteriosus stenting for congenital heart disease. Annals of Cardiac Anaesthesia 2017, 20 (3): 389-390.

Narasaki H, Noji T, Wada H, Ebihara Y, Tsuchikawa T, Okamura K, Tanaka E, Shichinohe T, Hirano S. Intraoperative Real-Time Assessment of Liver Function with Near-Infrared Fluorescence Imaging. European Surgical Research 2017, 58(5-6) 235-245.

Narayan K, Cooper S, Morphet J, Innes K. Effectiveness of paracetamol versus ibuprofen administration in febrile children: A systematic literature review. Journal of Paediatrics and Child Health 2017, 53 (8): 800-807.

Nardi I, Ambrosini D, de Rubeis T, Sfarra S, Perilli S, Pasqualoni G. A comparison between thermographic and flow-meter methods for the evaluation of thermal transmittance of different wall constructions. In Journal of Physics: Conference Series 2015, 655 (1) 012007

Nardi I, Paoletti D, Ambrosini D, de Rubeis T, Sfarra S. Validation of quantitative IR thermography for estimating the U-value by a hot box apparatus. Journal of Physics: Conference Series 2015, 655(1). 012006.

Nascimento ST, da Silva IJO, Maia AS.C, de Castro A.C, Vieira FM.C. Mean surface temperature prediction models for broiler chickens-a study of sensible heat flow. International Journal of Biometeorology 2014; 58 (2): 195-201.

Nasereddin JM, Wellner N, Alhijjaj M, Belton P, Qi S. Development of a Simple Mechanical Screening Method for Predicting the Feedability of a Pharmaceutical FDM 3D Printing Filament. Pharmaceutical Research 2018; 35 (8), art. no. 151.

Naseri M, Banihasan M, Alamdaran SA. Prediction of renal cortical involvement using serum and urinary inflammatory markers in children with febrile urinary tract infection. Iranian Journal of Radiology 2017, 14 (2), art. no. e41485.

Nassif C, Gomes AR, Peixoto GHC, Chagas MH, Soares DD, Silami-Garcia E, Drinkwater EJ, Cannon J, Marino FE. The effect of double - Blind carbohydrate ingestion during 60 km of self- paced exercise in warm ambient conditions. PLoS ONE 2014; 9 (8) Art. No. e104710.

Natarajan S, Jones TA, Priester AM, Geoghegan R, Lieu P, Delfin M, Felker E, Margolis DJA, Sisk A, Pantuck A, Grundfest W, Marks LS. Focal Laser Ablation of Prostate Cancer: Feasibility of Magnetic Resonance Imaging-Ultrasound Fusion for Guidance. Journal of Urology 2017, 198 (4): 839-847.

Natarajan S, Raman S, Priester AM, Garritano J, Margolis DJA, Lieu P, Macairan ML, Huang J, Grundfest W, Marks LS. Focal Laser Ablation of Prostate Cancer: Phase I Clinical Trial. Journal of Urology 2016; 196 (1) 68-75

Navello L, Lebedinsky J, offret JP, Serio B, Davin T, Bailly Y, Herve P., TI Short wavelengths active bichromatic pulsed pyrometer for solids and liquids designed for measurements in harsh environments. In: Lehmann P, Osten W, Albertazzi GA, eds Proceedings of SPIE Conference on Optical Measurement Systems for industrial inspection IX, JUN 22-25 2015, Munich Germany, 2015; pp. 95253C-95253C-12.

Nawatila R, Agnes Nuniek W, Siswodihardjo S, Setyawan D. Preparation of acyclovir-nicotinamide cocrystal by solvent evaporation technique with variation of solvent. Asian Journal of Pharmaceutical and Clinical Research 2017, 10 (3): 283-287.

Naya Y, Hagiwara N, Takeuchi I, Mori M, Inagaki A, Nakanouchi T, Mikami K. Fifteen-second skin icing using a frozen gel pack is effective for reducing goserelin injection pain. Urologia Internationalis 2014; 93 (2) 202-206.

Naydenov E, Minkin K, Penkov M, Nachev S, Stummer W. Infrared Thermography in Surgery of Newly Diagnosed Glioblastoma Multiforme: A Technical Case Report. Case Reports in Oncology 2017, 10 (1): 350-355.

Ndiaye EB, Marechal P, Duflo H. Adhesion characterization and defect sizing of sandwich honeycomb composites.

Ultrasonics 2015; 62: 103-111

N'Djin WA, Burtnyk M, Lipsman N, Bronskill M, Kucharczyk W, Schwartz ML, Chopra R. Active MR- temperature feedback control of dynamic interstitial ultrasound therapy in brain: In vivo experiments and modeling in native and coagulated tissues. Medical Physics 2014; 41 (9) Art. No. 093301.

Ndukaife KO, Ndukaife JC, Nnanna AGA. Membrane fouling characterization by Infrared thermography. Infrared Physics & Technology 2015; 68: 186-192

Neal CH, Flynt KA, Jeffries DO, Helvie MA. Breast Imaging Outcomes following Abnormal Thermography. Academic Radiology 2018; 25 (3): 273-278.

Neburkova J, Hajek M, Rehor I, Schimer J, Sedlak F, Stursa J, Hruby M, Cigler P. Targeting Glioma Cancer Cells with Fluorescent Nanodiamonds via Integrin Receptors. Methods in Pharmacology and Toxicology 2018; (9781493974436): 169-189.

Negishi T, Sun G, Liu H, Sato S, Matsui T, Kirimoto T. Stable Contactless Sensing of Vital Signs Using RGB-Thermal Image Fusion System with Facial Tracking for Infection Screening. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8513300: 4371-4374.

Nel MJ, Hardcastle TC. Preventative measures taken against hypothermia in selected Durban hospitals' emergency centres and operating theatres. African Journal of Emergency Medicine 2017, 7 (4): 172-176.

Nelson DA, Leavesley SJ, Zirlott CD, Yang X.-M, Downey JM. Feasibility of using thermal response to Ka band millimeter wave heating to assess skin blood flow. Physiological Measurement 2018; 39 (4), art. no. 045001.

Nemcokova R, Glombikova V, Komarkova P. Study on Liquid Moisture Transport of Knitted Fabrics by Means of Mmt, Thermography and Microtomography Systems. Autex Research Journal 2015, 15(4), 233- 242.

Nepapushev AA, Kirakosyan KG, Moskovskikh DO, Kharatyan SL, Rogachev AS, Mukasyan AS. Influence of High-Energy Ball Milling on Reaction Kinetics in the Ni-Al System: An Electrothermographic Study. Int. J Self-Propag. High-Temp. Synth. 2015, 201: 24: 21.

Nergård S, Mercer JB, De Weerd L. Internal mammary vessels' impact on abdominal skin perfusion in free abdominal flap breast reconstruction. Plastic and Reconstructive Surgery - Global Open 2017, 5 (12), art. no. e1601.

Nergård S, Mercer JB, de Weerd L. Perfusion dynamics in abdominal skin after free abdominal flap breast reconstruction using internal mammary vessels as recipient vessels. A clinical study using Dynamic Infrared Thermography. Thermology International 2018; 28(4) 194-196.

Nespoli F, Labit B, Furno I, Canal GP, Fasoli A. Heat loads in inboard limited L-mode plasmas in TCV. Journal of Nuclear Materials,2015; 463: 393-396.

Nethi S.K, Neeraja Aparna Anand P, Rico-Oller B, Rodríguez-Diéguez A, Gómez-Ruiz S, Patra CR. Design, synthesis and characterization of doped-titanium oxide nanomaterials with environmental and angiogenic applications. Science of the Total Environment 2017, 599-600; 1263-1274.

Neves AA, Di Pietro M, O'Donovan M, Waterhouse DJ, Bohndiek SE, Brindle KM, Fitzgerald RC. Detection of early neoplasia in Barrett's esophagus using lectin-based near-infrared imaging: An ex vivo study on human tissue. Endoscopy 2018; 50 (6): 618-625.

Neves EB, Matos F, Martins da Cunha R, Reis VM. Thermography to monitoring of Sports Training: an Overview Pan American Journal of Medical Thermology 2015; 2(1) 18-22

Neves EB, Moreira TR, Lemos R, Vilaca-Alves J, Rosa C, Reis VM. Using skin temperature and muscle thickness to assess muscle response to, strength training. Revista Brasileira de Medicina do Esporte 2015; 21(5): 350-354

Neves EB, Salamunes ACC, de Oliveira RM, Stadnik AMW Effect of body fat and gender on body temperature distribution. Journal of Thermal Biology 2017, 70: 1-8.

Neves EB, Salamunes ACC, Stadnik AMW. Mathematical Model for Body Fat Percentage in Military using Thermal Imaging and Circumferences. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8512280: 790-793.

Neves EB, Vilaça-Alves J, Moreira TR, Delemos RJCA, Reis VM. The thermal response of biceps brachii to strength training. Gazzetta Medica Italiana Archivio per le Scienze Mediche 2016; 175 (10) 391-399

Newton AD, Predina JD, Frenzel-Sulyok LG, Shin MH, Wang Y, Singhal S. Intraoperative near-infrared imaging can identify subcentimeter colorectal cancer lung metastases during pulmonary metastasectomy. Journal of Thoracic Disease 2018; 10 (7): E544-E548.

Ng KH, Faust O, Sudarshan V, Chattopadhyay S. Data Overloading in Medical Imaging: Emerging Issues Challenges and Opportunities in Efficient Data Management. Journal of Medical Imaging and Health Informatics 2015; 5(4): 755-764

Ng PL, Carlisle T, Ly M, Morris SA. Heating of newborn infants due to blue light-emitting diode fibreoptic phototherapy pads. Neonatology 2017, 112 (2): 103-109.

Ngampramuan S, Cerri M, del Vecchio F, Corrigan JJ, Kamphee A, Dragic AS, Rudd JA, Romanovsky AA, Nalivaiko E. Thermoregulatory correlates of nausea in rats and musk shrews. Oncotarget 2014; 5 (6) 1565- 1575.

Nguyen AD, Lee NJ, Wee NKY, Zhang L, Enriquez RF, Khor EC, Nie T, Wu D, Sainsbury A, Baldock PA, Herzog H. Uncoupling protein-1 is protective of bone mass under mild cold stress conditions. Bone 2018; 106: 167-178.

Nguyen C, Bahar H, Baker G, Andrew NR. Thermal tolerance limits of diamondback moth in ramping and plunging assays. PLoS ONE 2014; 9 (1), art. no. e87535.

Nguyen DT, Barham W, Zheng L, Shillinglaw B, Tzou WS, Neltner B, Mestroni L, Bosi S, Ballerini L, Prato M, Sauer WH. Carbon nanotube facilitation of myocardial ablation with radiofrequency energy. Journal of Cardiovascular Electrophysiology 2014; 25 (12) 1385-1390.

Nguyen VH, Lee B-J. Protein corona: A new approach for nanomedicine design. International Journal of Nanomedicine 2017, 12: 3137-3151.

Nica AS. Analysis of thermographic evaluation in patients admitted in rehabilitation clinic in the last 5 years (2009-2014) - a retrospective study (abstract). Thermology international 2015, 25(1) 29

Nica S, Meiu L, Mitoiu B, Moise M. Case report -Thermographic evaluation of a patient with lymphedema of the upper limb, after mastectomy". (extended abstract). Thermology international 2015, 25(3) 134

Nichols AW. Heat-related illness in sports and exercise. Current Reviews in Musculoskeletal Medicine 2014; 7

Nicoara A, Holmquist F, Raggains C, Mathew JP. Anesthesia for catheter ablation procedures. Journal of Cardiothoracic and Vascular Anesthesia 2014; 28 (6): 1589-1603.

Nicolaus P. Trends of new infrared detector technologies expand the possibilities of thermography. (abstract). Thermology international 2015, 25(1) 33

Nicoletti G, Icaro Cornaglia A, Faga A, Scevola S. The biological effects of quadripolar radiofrequency sequential application: A human experimental study. Photomedicine and Laser Surgery 2014; 32 (10).

Niedzielska I, Pawelec S, Puszczewicz Z. The employment of thermographic examinations in the diagnostics of diseases of the paranasal sinuses. Dentomaxillofacial Radiology 2017, 46 (6), art. no. 20160367.

Nielsen MK, Nielsen K, Hjortdal J, Sørensen UBS. Temperature limitation may explain the containment of the trophozoites in the cornea during Acanthamoeba castellanii keratitis. Parasitology Research 2014; 113 (12): 4349-4353.

Nielsen N, W etterslev J, Friberg H. Dr. Nielsen and colleagues reply. New England Journal of Medicine 2014; 370 (14), p. 1360.

Niermeyer S, Perlman JM. Helping Babies Breathe: When Less Is More. Neonatology 2018; 114 (2): 124-126.

Nieto Jimenez C, Cajigal Vargas J, Triantafilo Vladilo VS, Naranjo Orellana J. Impact of Hypothermic Stress during Special Operations Training of Chilean Military Forces. Military Medicine 2018; 183 (7-8): e193-e199.

Niimi Y, Murata S, Mitou Y, Ohno Y. Use of a novel drainage flow servo-controlled CPB for mitral valve replacement in a Jehovah's Witness. Perfusion (United Kingdom) 2018; 33 (6): 490-492.

Ning J, Huang B, Wei Z, Li W, Zheng H, Ma L, Xing Z, Niu H, Huang W. Mitochondria targeting and near-infrared fluorescence imaging of a novel heptamethine cyanine anticancer agent. Molecular Medicine Reports 2017, 15 (6): 3761-3766.

Nipruk OV, Chernorukov NG, Chaplieva KA. Synthesis and study of hexauranates MIII[(UO2)6O4.5(OH)6]·7H2O (MIII—Nd Sm Eu Gd Dy). Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (2): 1405-1416.

Nishi N, Miyamoto T, Waku T, Tanaka N, Hagiwara Y. Ice growth inhibition in antifreeze polypeptide solution by short-time solution preheating. PLoS ONE 2016; 11 (5), art no e0154782

Nishida M, Namiki T, Sone Y, Hashimoto T, Tokoro S, Hanafusa T, Yokozeki H. Acquired anhidrosis associated with systemic sarcoidosis: quantification of nerve fibres around eccrine glands by confocal microscopy. British Journal of Dermatology 2018; 178 (1): e59-e61.

Nishimura T, W atanuki S. Relationship between mitochondrial haplogroup and seasonal changes of physiological responses to cold. Journal of Physiological Anthropology 2014; 33 (1) Art. No. 27.

Nishio H, Mizuno K, Moritoki Y, Kamisawa H, Naiki T, Kurokawa S, Nakane A, Okada A, Yasui T, Hayashi Y. Hemiscrotal agenesis: Pathogenesis and management strategies. International Journal of Urology 2016; 23 (6) 523-526

Nitschke P, Bork U, Plodeck V, Podlesek D, Sobottka SB, Schackert G, Weitz J, Kirsch M. Importance of preoperative and intraoperative imaging for operative strategies [Bedeutung der prä- und intraoperativen Bildgebung für die operative Strategie]. Chirurg 2016; 87 (3) 179-188

Nitta N, Ishiguro Y, Sasanuma H, Taniguchi N, Akiyama I. Experimental system for in-situ measurement of temperature rise in animal tissue under exposure to acoustic radiation force impulse. Journal of Medical Ultrasonics 2014; 42 (1): 39-46.

Niu L, Dong S-J, Kong T-T, Wang R, Zou R, Liu Q-D. Heat transfer behavior across the dentino-enamel junction in the human tooth. PLoS ONE 2016; 11 (9), art no e0158233

Niven DJ, Stelfox HT, Laupland KB. Hypothermia in Adult ICUs: Changing Incidence but Persistent Risk Factor for

Mortality. Journal of Intensive Care Medicine 2016; 31 (8) 529-536

Nocentini R, Bonomo F, Pimazzoni A, Fantz U, Franzen P, Froschle M, Heinemann B, Pasqualotto R, Riedl R, Ruf B, Wunderlich D. Advanced Ion Beam Calorimetry for the Test Facility ELISE. In: Kraus W, McNeely P, eds AIP Conference Proceedings th International Symposium on Negative Ions Beams and Sources (NIBS) OCT 06-10, 2014, Max Planck inst Plasmaphysik Munich Germany, 2015; 1655¸ 060006

Nogami K, Niihara H, Nakatani T, Kishimoto K, Nakamura M, Matsuki S, Morita E. A case of Buerger's disease effectively treated by sympathetic block using clipping. Nishinihon Journal of Dermatology 2017, 79 (1): 28-33.

Noguchi T, Arikawa M, Okazaki K, Sato T, Noguchi T, Kubo T, Kitaoka H, Doi Y, Hoshino E, Iiyama T, Kakinuma Y. Donepezil can improve ischemic muscle atrophy by activating angiomyogenic properties of satellite cells. Circulation Journal 2014; 78 (9) 2317-2324.

Nogueira AB, Annen E, Boss O, Farokhzad F, Sikorski C, Keller E. Temperature variability in the day-night cycle is associated with further intracranial pressure during therapeutic hypothermia. Journal of Translational Medicine 2017, 15:1 Article Number: 170.

Nogueira Forni JE, Brioschi ML, Jacobsen Teixeira M. Post-laminectomy syndrome: presentation of a clinical case evaluated by thermography (extended abstract). Thermology international 2014; 24(1) 18-19

Noh M, Kim HY, Park HC, Lee SH, Kim Y-S, Hong S-B, Park JH, Jung SH, Han Y. In vivo verification of regional hyperthermia in the liver. Radiation Oncology Journal 2014; 32 (4): 256- 261.

Noh S-H, Lee B-R, Yim Y-K. Single and triple moxibustion with large indirect moxa induced differential effects on skin temperature and blood perfusion in healthy human subjects: Counterevidence to a previous report. Complementary Therapies in Medicine 2014; 22 (2) 311- 319.

Noh ZM, Ramli AR, Saripan MI, Hanafi M. Assessment of near infrared LED radiation pattern using Otsu thresholding. (2015) ISSBES 2015 - IEEE Student Symposium in Biomedical Engineering and Sciences: By the Student for the Student art no 7435897 1-6

Nomura EY, Brioschi ML, Jacobsen Teixeira M. Thermal analysis of patients submitted to spinal anesthesia (extended abstract). Thermology international 2014; 24(1) 15-16

Nomura T, Laakso I, Hirata A. FDTD computation of temperature elevation in the elderly for far- field RF exposures. Radiation Protection Dosimetry 2014; 158 (4), art. no. nct257: 497-500.

Nordberg P, Ivert T, Dalén M, Forsberg S, Hedman A. Surviving two hours of ventricular fibrillation in accidental hypothermia. Prehospital Emergency Care 2014; 18 (3): 446-449.

Nordey T, Léchaudel M, Saudreau M, Joas J, Génard M. Model-assisted analysis of spatial and temporal variations in fruit temperature and transpiration highlighting the role of fruit development. PLoS ONE 2014; 9 (3) Art. No. e92532.

Norheim A, Borud E, Mercer J, de Weerd L. Normal" thermography among 122 soldiers in the Norwegian armed forces (extended abstract). Thermology international 2015, 25(3) 122.

Norheim AJ, Alræk T. Acupuncture for frostbite sequel — A case report. European Journal of Integrative Medicine 17: 102-106.

Norheim AJ, Alræk T. Acupuncture for frostbite sequel, monitored by dynamic infrared thermography-A case report from a soldier in the Norwegian armed forces. Thermology International 2018; 28(2) 86-87.

Norheim AJ, Borud E, Sagen T, Hjelle D, Mercer J, de Weerd L. Use of dynamic thermography in diagnosing frostbite and non-freezing cold injuries in the Norwegian armed forces (extended abstract). Thermology international 2015, 25(1) 27

Norheim AJ, Borud E, Wilsgaard T, De Weerd L, Mercer JB. Variability in peripheral rewarming after cold stress among 255 healthy Norwegian army conscripts assessed by dynamic infrared thermography. International Journal of Circumpolar Health 2018; 77 (1), art. no. 1536250.

Norheim AJ, Borud E, Wilsgaard T, De Weerd L, Mercer JB. Variability in peripheral rewarming after cold stress among 255 healthy Norwegian army conscripts assessed by dynamic infrared thermography. Thermology International 2018; 28(2) 83-84.

Norheim AJ, Mercer J, de Weerd L, Borud EK, Sagen T, Hjelle D. [Thermography in cold injuries in the military] [Termografi ved frostskader i Forsvaret] Tidsskrift for den Norske lægeforening: tidsskrift for praktisk medicin ny række 2014; 134 (17), p. 1645.

Norheim AJ, Mercer J, Musial F, De Weerd L. A new treatment for frostbite sequelae; Botulinum toxin. International Journal of Circumpolar Health 2017, 76 (1): 1-5.

Norheim AJ, Mercer J. Consensus regarding interpretation in Thermography of hands? (abstract). Thermology international 2015, 25(1) 28

Nose Y, Fujinaga R, Suzuki M, Hayashi I, Moritani T, Kotani K, Nagai N. Association of evening smartphone use with cardiac autonomic nervous activity after awakening in adolescents living in high school dormitories. Child's Nervous System 2017, 33 (4): 653-658.

Notley SR, Poirier MP, Hardcastle SG, Flouris AD, Boulay P, Sigal RJ, Kenny GP. Aging Impairs Whole-Body Heat

Loss in Women under Both Dry and Humid Heat Stress. Medicine and Science in Sports and Exercise 2017, 49 (11): 2324-2332.

Notter M, Piazena H, Vaupel P. Hypofractionated re-irradiation of large-sized recurrent breast cancer with thermography-controlled contact-free water-filtered infra-red-A hyperthermia: a retrospective study of 73 patients. International Journal of Hyperthermia 2017, 33 (2): 227-236.

Notter M. Thermography-controlled wIRA hyperthermia & low dose re-irradiation in recurrent breast cancer. Strahlentherapie Und Onkologie 2015; 191(1) 83-83

Nouizi F, Erkol H, Luk A, Marks M, Unlu MB, Gulsen G. An accelerated photo-magnetic imaging reconstruction algorithm based on an analytical forward solution and a fast Jacobian assembly method. Physics in Medicine and Biology 2016; 61 (20) 7448-7465

Novotny J, Rybarova S, Zacha D, Bernacikova M, Ramadan WA. The influence of breaststroke swimming on the muscle activity of young men in thermographic imaging. Acta of Bioengineering and Biomechanics 2015; 17(2): 121-129

Nowakowski A. IR - Descriptors in quantitative evaluation of wound healing. (extended abstract) Thermology international 2014; 24(2) 67.

Nowicka D. Thermography Improves Clinical Assessment in Patients with Systemic Sclerosis Treated with Ozone Therapy. BioMed Research International 2017, Article Number: 5842723.

Ntontsi P, Bakakos P, Papathanasiou E, Tsilogianni Z, Kostikas K, Hillas G, Papatheodorou G, Koulouris N, Papiris S, Loukides S. Exhaled breath temperature in optimally treated asthmatics: Severity and underlying mechanisms. Journal of Breath Research 2018; 12 (2), art. no. 026013.

Numan WCM, Hofstetter LW, Kotek G, Bakker JF, Fiveland EW, Houston GC, Kudielka G, Yeo DTB, Paulides MM. Exploration of MR-guided head and neck hyperthermia by phantom testing of a modified prototype alicator for use with proton resonance frequency shift thermometry. International Journal of Hyperthermia 2014; 30 (3) 184-191.

Nuñez-Villegas M, Bozinovic F, Sabat P. Interplay between group size huddling behavior and basal metabolism: An experimental aroach in the social degu. Journal of Experimental Biologyl 2014; 217 (6) 997-1002.

Nureki S-I, Miyazaki E, Yamasue M, Takenaka R, Ando M, Kadota J-I. Intrascrotal and osseous sarcoidosis mimicking intrascrotal organ cancer and bony metastasis. Sarcoidosis Vasculitis and Diffuse Lung Diseases 2017, 34 (4): 373-376.

Nürnberg D, Seibel I, Riechardt AI, Brockmann C, Zeitz O, Heufelder J, Joussen AM. Multimodal Imaging of the Choroidal Melanoma with Differential Diagnosis Therapy (Radiation Planning) and Follow-up [Multimodale Bildgebung des Aderhautmelanoms mit seinen Differenzialdiagnosen Therapie (Bestrahlungsplanung) und Verlaufskontrolle]. Klinische Monatsblatter fur Augenheilkunde 2018; 235 (9): 1001-1012.

Nursyazana R, Asnida AW, Aizreena A, Shakhih M, Faiz M, Muhammad Hanif R, Izwyn Z. Effect of ankle weight variation on skin surface temperature profile using thermography technique. 2nd International Conference on BioSignal Analysis Processing and Systems ICBAPS 2018, art. no. 8527407: 191-196.

Nybo L, Rasmussen P, Sawka MN. Performance in the heat-physiological factors of importance for hyperthermia-induced fatigue. Comprehensive Physiologyy 2014; 4 (2) 657-689.

Oatley HK, Blencowe H, Lawn JE. The effect of coverings including plastic bags and wraps on mortality and morbidity in preterm and full-term neonates. Journal of Perinatology 2016; 36 (S1) S82-S88

Obare Pyszková L, Nevtípilová M, Žáčková D, Fritscherova Š, Zapletalová J, Hrabálek L, Adamus M. Incidence of peri-operative hypothermia - A unicentric observational study [Výskyt hypotermie v perioperačním období - Unicentrická observační studie]. Anesteziologie a Intenzivni Medicina 2014; 25 (4): 267-273.

Obeid A, Naous A, Naja Z, Naja AS. Preventing ventilator associated pneumonia (VAP) in a pediatric intensive care unit using a modified ventilator associated pneumonia bundle: Pre- interventional and post- interventional trial. Research Journal of Medical Sciences 2014; 8 (1): 13- 19.

Obeidat W M, Sallam A-SA. Evaluation of Tadalafil nanosuspensions and their peg solid dispersion matrices for enhancing its dissolution properties. AAPS PharmSciTech 2014; 15 (2): 364-374.

Obermeyer Z, Samra JK, Mullainathan S. Individual differences in normal body temperature: Longitudinal big data analysis of patient records. BMJ (Online) 2017, 359, art. no. j5468.

O'Brien WL, Boltin ND, DeJong SA, Lu ZY, Cassidy BM, Hoy SI, Morgan SL, Myrick ML. An Improved- Efficiency Compact Lamp for the Thermal Infrared. Applied Spectroscopy 2015; 69(1)2: 1511-1513

Ochiai K, Shiraishi A, Otomo Y, Koido Y, Kanemura T, Honma M. Increasing or fluctuating bispectral index values during post-resuscitation targeted temperature management can predict clinical seizures after rewarming. Resuscitation 2017, 114: 106-112.

Ochiai N, Tsunokawa J, Sasamoto K, Hoffmann A. Multi-volatile method for aroma analysis using sequential dynamic headspace sampling with an application to brewed coffee. Journal of Chromatography A 2014; 1371: 65-73.

Ocko SA, Mahadevan L. Collective thermoregulation in bee clusters. Journal of the Royal Society Interface 2014;

11 (91) Art. No. 20131033.

Oda S, Shirakawa K. Sleep onset is disrupted following pre-sleep exercise that causes large physiological excitement at bedtime. European journal of applied physiology 2014; 114 (9): 1789- 1799.

Oda T, Yamaguchi A, Yokoyama M, Shimizu K, Toyota K, Nikai T, Matsumoto K-I. Plasma proteomic changes during hypothermic and normothermic cardiopulmonary bypass in aortic surgeries. International Journal of Molecular Medicine 2014; 34 (4): 947-956.

Odéen H, Almquist S, de Bever J, Christensen DA, Parker DL. MR thermometry for focused ultrasound monitoring utilizing model predictive filtering and ultrasound beam modeling. Journal of Therapeutic Ultrasound 2016; 4 (1), art no 23

Odéen H, Todd N, Diakite M, Minalga E, Payne A, Parker DL. Sampling strategies for subsampled segmented EPI PRF thermometry in MR guided high intensity focused ultrasound. Medical Physics 2014; 41 (9) Art. No. 092301.

Odéen H, Todd N, Dillon C, Payne A, Parker DL. Model predictive filtering MR thermometry: Effects of model inaccuracies k-space reduction factor and temperature increase rate. Magnetic Resonance in Medicine 2016; 75 (1) 207-216

O'dell SJ, Marshall JF. Running wheel exercise before a binge regimen of methamphetamine does not protect against striatal dopaminergic damage. Synapse 2014; 68 (9) 419-425.

odeüe]. Vojnosanitetski Pregled 2014; 71 (3) 259-264.

Odinaka KK, Edelu BO, Nwolisa CE, Amamilo IB, Okolo SN. Temporal artery thermometry in children younger than 5 years: A comparison with rectal thermometry. Pediatric Emergency Care 2014; 30 (12): 867-870.

O'Donnell CPF. Plastics bags reduce hypothermia in newly born infants in the developing world. Evidence- Based Medicine 2014; 19 (2), p. 59.

Oe M, Takehara K, Noguchi H, Ohashi Y, Amemiya A, Sakoda H, Suzuki R, Yamauchi T, Ueki K, Kadowaki T, Sanada H. Thermographic findings in a case of type 2 diabetes with foot ulcer due to callus deterioration. Diabetology International 2017, 8 (3): 328-333.

Ogasawara N, Ando H, Kobayashj C, Yamada H. Active Infrared thermographic testing with distance heating. in: Hsieh SI, Zalameda JN, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, April 20-23 2015, pp. 94850A-94850A

Ogawa N, Kuroda K, Ogawara S, Miyake N, Machida K. [Psychophysiological effects of hand massage in geriatric facility residents]. Nihon eiseigaku zasshi. Japanese Journal of Hygiene 2014; 69 (1): 24-30.

Öğünç Y, Demirel M, Yakar A, İncesu Z. Vincristine and ε-viniferine-loaded PLGA-b-PEG nanoparticles: pharmaceutical characteristics, cellular uptake and cytotoxicity. Journal of Microencapsulation 2017, 34(1) 38-46.

Oguz F, Yildiz I, Varkal MA, Hizli Z, Toprak S, Kaymakci K, Saygili SK, Kilic A, Unuvar E. Axillary and Tympanic Temperature Measurement in Children and Normal Values for Ages. Pediatric Emergency Care 2018; 34 (3): 169-173.

Oguz F, Yildiz I, Varkal MA, Hizli Z, Toprak S, Kaymakci K, Saygili SK, Kilic A, Unuvar E. Axillary and Tympanic Temperature Measurement in Children and Normal Values for Ages. Pediatric Emergency Care Article in Press

Oh JH, Kim JY, Chung SW, Park JS, Kim DH, Kim SH, Yun MJ. Warmed irrigation fluid does not decrease perioperative hypothermia during arthroscopic shoulder surgery. Arthroscopy - Journal of Arthroscopic and Related Surgery 2014; 30 (2): 159-164.

Oh S, Ryu Y-C, Carluccio G, Sica CT, Collins CM. Measurement of SAR-induced temperature increase in a phantom and in vivo with comparison to numerical simulation. Magnetic Resonance in Medicine 2014; 71 (5) 1923-1931.

Ohe Y, Kunimasa K, W atanabe Y. Effects of amino acid infusion in preventing intraoperative hypothermia: Comparison between sevoflurane versus propofol. Japanese Journal of Anesthesiology 2014; 63 (6): 623-628.

Ohnishi N, Tahara Y, Kuriki D, Haraguchi A, Shibata S. Warm water bath stimulates phase-shifts of the peripheral circadian clocks in PER2::LUCIFERASE mouse. PLoS ONE 2014; 9 (6), art. no. e100272.

Ohwatashi A, Ikeda S, Harada K, Kamikawa Y, Yoshida A, Inoue K, Yanagida N, Fukudome K, Kiyama R, Ohshige T, Maeda T. Temperature changes caused by the difference in the distance between the ultrasound transducer and bone during 1 MHz and 3 MHz continuous ultrasound: a phantom study.

Ojaghi A, Parkhimchyk A, Tabatabaei N. A pilot study on the detection of early proximal and occlusal dental caries using long-wave infrared thermophotonic imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9692, art no 969209

Okabe K, Sakaguchi R, Shi B, Kiyonaka S. Intracellular thermometry with fluorescent sensors for thermal biology. Pflugers Archiv European Journal of Physiology 2018; 470 (5): 717-731.

Okada A, Silapasuphakornwong P, Suzuki M, Torij H, Takashima Y, Uehira K. Non-destructively reading out information embedded inside real objects by using far-infrared light. In: Tescher AG, eds, Proceedings of SPIE Conference on Applications of Digital Image Processing XXXVIII, AUG 10-13 2015, San Diego CA, 2015; pp. 95992V-95992V-7.

Okada M, Kakehashi M. Effects of outdoor temperature on changes in physiological variables before and after

lunch in healthy women. International Journal of Biometeorology 2014; 58 (9): 1973-1981.

Okada Y, Narumiya H. Visualization of poikilothermia using handheld thermography. Clinical Case Reports 2017, 5(9) 1542-1543.

Okamoto H, Tamenishi A, Nishi T, Niimi T. Analysis of myocardial temperature changes in conventional isolated coronary artery bypass grafting. General Thoracic and Cardiovascular Surgery 2014; 62 (12): 706- 712.

Okayama K, Hirata Y, Kumai D, Yamamoto Y, Kojima Y, Kanno T, Ikeuchi H, Mochizuki H, Takada H, Sobue S. The successful treatment of sodium polystyrene sulfonate-induced enteritis diagnosed by small bowel endoscopy. Internal Medicine 2018; 57 (11): 1577-1581.

Okrouhlik J, Burda H, Kunc P, Knizkova I, Sumbera R Surprisingly low risk of overheating during digging in two subterranean rodents. Physiology & Behavior 2015; 138: 236-241

Oksa J, Hosio S, Mäkinen T, Lindholm H, Rintamäki H, Rissanen S, Latvala J, Vaara K, Oksa P. Muscular cardiorespiratory and thermal strain of mast and pole workers. Ergonomics 2014; 57 (5) 669-678.

Okuneye K, Gumel AB Analysis of a temperature- and rainfall-dependent model for malaria transmission dynamics. Mathematical Biosciences 2017, 287: 72-92.

Okuyama S, Nagaya T, Ogata F, Maruoka Y, Sato K, Nakamura Y, Choyke PL, Kobayashi H. Avoiding thermal injury during near-infrared photoimmunotherapy (NIR-PIT): The importance of NIR light power density. Oncotarget 2017, 8 (68): 113194-113201.

O'Leary SA, Doyle BJ, McGloughlin TM. The impact of long term freezing on the mechanical properties of porcine aortic tissue. Journal of the Mechanical Behavior of Biomedical Materials 2014; 37: 165-173.

Oliferuk W, Maj M, Zembrzycki K. Determination of the Energy Storage Rate Distribution in the Area of Strain Localization Using Infrared and Visible Imaging. Experimental Mechanics 2015; 55(4): 753-760

Oliferuk W, Maj M, Zembrzycki K. Distribution of energy storage rate in area of strain localization during tension of austenitic steel. IOP Conference Series: Materials Science and Engineering 2015,71(1)012055

Oliferuk W, Maj M. Distributions of energy storage rate and microstructural evolution in the area of plastic strain localization during uniaxial tension of austenitic steel. IOP Conference Series: Materials Science and Engineering 2015. 89(1) 012040

Oliveira AL, Moore Z, O Connor T, Patton D Accuracy of ultrasound, thermography and subepidermal moisture in predicting pressure ulcers: a systematic review. Journal of Wound Care 2017, 26(5) 199-215.

Oliveira PD, Rodrigues AMC, Bezerra CV, Silva LHM. Chemical interesterification of blends with palm stearin and patawa oil. Food Chemistry 2017, 215: 369-376.

Oliver ECJ, Benthuysen JA, Bindoff NL, Hobday AJ, Holbrook NJ, Mundy CN, Perkins-Kirkpatrick SE. The unprecedented 2015/16 Tasman Sea marine heatwave. Nature Communications 2017, 8 Article Number: 16101.

O'Loughlin S, Currie GM, Trifonovic M, Kiat H. Ambient temperature and cardiac accumulation of 18F- FDG. Journal of Nuclear Medicine Technology 2014; 42 (3) 188-193.

Olsen RV, Andersen HH, Møller HG, Eskelund PW, Arendt-Nielsen L. Somatosensory and vasomotor manifestations of individual and combined stimulation of TRPM8 and TRPA1 using topical L-menthol and trans-cinnamaldehyde in healthy volunteers. European Journal of Pain (United Kingdom) 2014; 18 (9): 1333-1342.

Olsson E, Ahlsén G, Eriksson M. Skin-to-skin contact reduces near-infrared spectroscopy pain responses in premature infants during blood sampling. Acta Paediatrica International Journal of Paediatrics 2016; 105 (4) 376-380

Oman K, Van Hoe B, Aly K, Peters K, Van Steenberge G, Stan N, Schultz S. instrumentation of integrally stiffened composite panel with fiber Bragg grating sensors for vibration measurements. Smart Materials and Structures 2015; 24(8) 085031

Omar HR, Guglin M. Hypothermia is an independent predictor of short and intermediate term mortality in acute systolic heart failure: Insights from the ESCAPE trial. International Journal of Cardiology 2016; 220 729-733

Omar NA, McKinley JC. Measurement of temperature induced in bone during drilling in minimally invasive foot surgery. Foot 2018; 35: 63-69.

Omóbòwálé, TO, Ogunro BN, Odigie EA, Otuh PI, Olugasa BO. A comparison of surface infrared with rectal thermometry in dogs. Nigerian Journal of Physiological Sciences 2017, 32 (2): 123-127.

Omranipour R, Kazemian A, Alipour S, Najafi M, Alidoosti M, Navid M, Alikhassi A, Ahmadinejad N, Bagheri K, Izadi S. Comparison of the Accuracy of Thermography and Mammography in the Detection of Breast Cancer. Breast Care 2016; 11 (4) 260-264

Onal O, Zora ME, Aslanlar E, Ozdemirkan A, Celik JB. Spinal anesthesia in an infant with osteogenesis imperfecta. Anesthesiology and Pain Medicine 2018; 8 (1), art. no. e65917, 2 p.

Oncel M, Sunam GS, Ylldlran H. Is Clipping the Sympathetic Chain Effective for Palmar Skin Temperature? Thoracic and Cardiovascular Surgeon 2016; 64 (6), p 545

Ong FJ, Ahmed BA, Oreskovich SM, Blondin DP, Haq T, Konyer NB, Noseworthy MD, Haman F, Carpentier AC, Morrison KM, Steinberg GR. Recent advances in the detection of brown adipose tissue in adult humans:

A review. Clinical Science 2018; 132 (10): 1039-1054.

Ono K, Yamasue K, Tochikubo O, Terauchi Y, Mizushima S. Lifestyle monitoring with the use of an earphone-type thermometer an ambulatory blood pressure monitoring and a new wristwatch- type pulsimeter with accelerometer. Clinical and Experimental Hypertension 2014; 36 (2): 97-102.

Ööpik V, Timpmann S, Kreegipuu K, Unt E, Tamm M. Heat acclimation decreases the growth hormone response to acute constant-load exercise in the heat. Growth Hormone and IGF Research 2014; 24 (1): 2-9.

Opersteny E, Anderson H, Bates J, Davenport K, Husby J, Myking K, Oron AP Precision, Sensitivity and Patient Preference of Non-Invasive Thermometers in a Pediatric Surgical Acute Care Setting. Journal of Pediatric Nursing 2017, 35: 36-41.

Op't Eijnde B, Keytsman C, Wens I, Hansen D. Whole-body cooling does not compromise muscle oxidative capacity in subjects with multiple sclerosis. NeuroRehabilitation 2014; 35 (4): 805-811.

Oršolić N, Skurić J, Dikić D, Stanić G. Inhibitory effect of a propolis on Di-n-Propyl Disulfide or n- Hexyl salycilate-induced skin irritation oxidative stress and inflammatory responses in mice. Fitoterapia 2014; 93, 18-30.

Ortega-Deballon P, Lagoutte N, Facy O. Inflammatory markers as predictors of surgical site infection after elective colorectal cancer surgery. Langenbeck's Archives of Surgery 2014; 399 (6) 795-796.

Ortiz-Tudela E, Innominato PF, Rol MA, Lévi F, Madrid JA. Relevance of internal time and circadian robustness for cancer patients. BMC Cancer 2016; 16 (1), art no 285

Osaka T. Hypoxia-induced hypothermia mediated by GABA in the rostral parapyramidal area of the medulla oblongata. Neuroscience 2014; 267: 46-56.

Osayemwenre GO, Meyer EL, Mamphweli S. SEM analysis as a diagnostic tool for photovoltaic cell degradation. Digest Journal of Nanomaterials and Biostructures 2015; 10(2): 479-487

Osczevski RJ. Comments on "Modified wind chill temperatures determined by a whole-body thermoregulation model and human-based convective coefficients" by Ben Shabat Shitzer and Fiala (2013) and "Facial convective heat exchange coefficients in cold and windy environments estimated from human experiments" by Ben Shabat and Shitzer (2012). International Journal of Biometeorology 2014; 58 (6): 1017-1018.

Oshima-Saeki C, Taniho Y, Arita H, Fujimoto E. Lower-limb warming improves sleep quality in elderly people living in nursing homes. Sleep Science 2017, 10 (2): 87-91.

Ospina-Borras JE, Florez-Ospina JF, Benitez-Restrepo HD, Maldague X. Thermal diffusivity estimation with quantitative pulsed phase thermography. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, Baltimore MD, 2015; pp. 948512-948512-8.

Osuchowski M, Radermacher P, Remick D, Chaudry I. The August Krogh principle: Seeking unity in diversity: Reply Shock 2014; 42 (5): 480-481.

Oswald-Tranta B, Schmidt R. Crack depth determination with inductive thermography. In Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, Baltimore MD, 2015; pp. 94850C-94850C-9.

Ota M, Sato N, Sakai K, Okazaki M, Maikusa N, Hattori K, Hori H, Teraishi T, Shimoji K, Yamada K, Kunugi H. Altered coupling of regional cerebral blood flow and brain temperature in schizophrenia compared with bipolar disorder and healthy subjects. Journal of Cerebral Blood Flow and Metabolism 2014; 34 (12): 1868- 872.

Otomo S, Iwasaki H, Takahoko K, Onodera Y, Sasakawa T, Kunisawa T, Iwasaki H. Prediction of optimal reversal dose of sugammadex after rocuronium administration in adult surgical patients. Anesthesiology Research and Practice 2014; 2014, art. no. 848051.

Ott OJ, Schmidt M. Hyperthermia and reirradiation Medical Radiology 2017: 35-45.

Otto GP, Queissner CH, Rothe P, Sossdorf M, Richter A, Claus RA. Severity assessment and stratification by an automated, continuous non-contact infrared monitoring system in models of infectious disease (abstract). Thermology international 2015, 25(1) 32

Ou K-L, Chu J-S, Hosseinkhani H, Chiou J-F, Yu C-H. Biomedical nanostructured coating for minimally invasive surgery devices alications: Characterization cell cytotoxicity evaluation and an animal study in rat. Surgical Endoscopy and Other Interventional Techniques 2014; 28 (7) 2174- 2188.

Ou K-L, Weng C-C, Sugiatno E, Ruslin M, Lin Y-H, Cheng H-Y. Effect of nanostructured thin film on minimally invasive surgery devices applications: characterization cell cytotoxicity evaluation and an animal study in rat. Surgical Endoscopy and Other Interventional Techniques 2016; 30 (7) 3035-3049

Ou T, Lei X-Y, He L-B, Zhou F-J, Zhang Q-Y. Development of an Ussuri catfish Pseudobagrus ussuriensis skin cell line displaying differential cytopathic effects to three aquatic animal viruses. Virus Research 2014; 189, 56-62.

Out-Of-Hospital Blood Product Administration Considerations. Air Medical Journal 2018; 37 (6): 349-350.

Overduin CG, Fütterer JJ, Scheenen TWJ. 3D MR thermometry of frozen tissue: Feasibility and accuracy during cryoablation at 3T. Journal of Magnetic Resonance Imaging 2016; 44 (6) 1572-1579

Ow CPC, Abdelkader A, Hilliard LM, Phillips JK, Evans RG. Determinants of renal tissue hypoxia in a rat model of polycystic kidney disease. American Journal of Physiology - Regulatory Integrative and Comparative Physiology

2014; 307 (10) R1207-R1215.

Owens S, Erturk M, Ouanes J.-P, Murphy J, Wu C, Bottomley P. Evaluation of epidural and peripheral nerve catheter heating during magnetic resonance imaging. Regional Anesthesia and Pain Medicine 2014; 39 (6): 534-539.

Owji ZP, Gilbert G, Saint-Martin C, Wintermark P. Brain temperature is increased during the first days of life in asphyxiated newborns: Developing brain injury despite hypothermia treatment. American Journal of Neuroradiology 2017, 38 (11): 2180-2186.

Oya M, Murayama R, Oe M, Yabunaka K, Tanabe H, Takahashi T, Matsui Y, Otomo E, Komiyama C, Sanada H. Continuous thermographic observation may predict extravasation in chemotherapy-treated patients. European Journal of Oncology Nursing: The Official Journal of European Oncology Nursing Society 2017, 28: 56-61.

Oya M, Takahashi T, Yabunaka K, Sanada H, Tanabe H, Oe M, Murayama R, Tanabe H, Matsui Y. Low-temperature infiltration identified using infrared thermography in patients with subcutaneous edema revealed ultrasonographically: A case report. Drug Discoveries & Therapeutics 2016; 10 (2) 117-122

Oyaga Landa FJ, Ronda Penacoba S, Deán-Ben XL, Montero De Espinosa F, Razansky D. Monitoring of tissue heating with medium intensity focused ultrasound via four-dimensional optoacoustic tomography. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10494, art. no. 104945J.

Oyibo WA, Ezeigwe N, Ntadom G, Oladosu OO, Rainwater-Loveth K, O'Meara W, Okpokoro E, Brieger W. Multicenter pivotal clinical trial of urine malaria test for rapid diagnosis of Plasmodium falciparum malaria. Journal of Clinical Microbiology 2017, 55 (1): 253-263.

Ozek C, Kanoski SE, Zhang Z-Y, Grill HJ, Bence KK. Protein-tyrosine phosphatase 1B (PTP1B) is a novel regulator of central brain-derived neurotrophic factor and tropomyosin receptor kinase B (TrkB) signaling. Journal of Biological Chemistry 2014; 289 (46) 31682-31692.

Ozeki LM, Fahlman Å, Stenhouse G, Arnemo JM, Caulkett N. Evaluation of the accuracy of different methods of monitoring body temperature in anesthetized brown bears (Ursus arctos) Journal of Zoo and Wildlife Medicine 2014; 45 (4): 819-824.

Ozenne V, Toupin S, Bour P, de Senneville BD, Lepetit-Coiffé, M, Boissenin M, Benois-Pineau J, Hansen MS, Inati SJ, Govari A, Jaïs P, Quesson B. Improved cardiac magnetic resonance thermometry and dosimetry for monitoring lesion formation during catheter ablation. Magnetic Resonance in Medicine 2017, 77 (2): 673-683.

Özgün Ç, Çakan T, Baltaci B, Başar H. Comparison of reversal and adverse effects of sugammadex and combination of - anticholinergic-anticholinesterase agents in pediatric patients Journal of Research in Medical Sciences 2014; 19 (8): 762-768.

Ozhinsky E, Salgaonkar VA, Diederich CJ, Rieke V. MR thermometry-guided ultrasound hyperthermia of user-defined regions using the ExAblate prostate ablation array. Journal of Therapeutic Ultrasound 2018; 6 (1), art. no. 7.

Özmete Ö, Şener M, Bali Ç, Çalışkan E, Arıboğan A Congenital insensitivity to pain: How should anesthesia be managed? Turkish Journal of Pediatrics 2017, 59(1) 87-89.

Oztas Z, Selver OB, Akkin C, Canturk E, Afrashi F. Correlation of handheld infrared skin thermometer and infrared videothermography device for measurement of corneal temperature. Eye and Contact Lens 2016; 42 (3) 202-205

Ozturan O, Dogan R, Eren SB, Aksoy F. Intraoperative thermal safety of endoscopic ear surgery utilizing a holder. American Journal of Otolaryngology - Head and Neck Medicine and Surgery 2018; 39 (5): 585-591.

Öztürk CN, Şirinoğlu H, Öztürk C, Djohan R, Bozkurt M. The utilization of new technologies in perforator flaps: Perfusion mapping techniques [Perforatör fleplerde yeni teknolojilerin kullanimi: Perfüzyon haritalama teknikleri]. Turk Plastik Rekonstruktif ve Estetik Cerrahi Dergisi 2014; 22 (3): 89-95.

Paal P, Brown D. Cardiac arrest from accidental hypothermia a rare condition with potentially excellent neurological outcome if you treat it right. Resuscitation 2014; 85 (6): 707-708.

Padilla-Medina JA, León-Ordoñez F, Prado-Olivarez J, Vela-Aguirre N, Ramírez-Agundis A, Díaz- Carmona J. Assessment technique for acne treatments based on statistical parameters of skin thermal images. Journal of Biomedical Optics 2014; 19 (4), art. no. 046019.

Padilla-Raygoza N, Ruiz-Paloalto ML, Díaz-Guerrero R, Olvera-Villanueva G, Maldonado A, Raygoza- Mendoza MDP. Comparison of body temperatures in children measured using 3 different thermometers: Tympanic skin and digital axillary [Correlación de mediciones de temperatura corporal con 3 termómetros: Ótico cutáneo y digital en niños mexicanos] Enfermeria Clinica 2014; 24 (3): 175-182.

Padilla-Valverde D, Sanchez-Garcia S, García-Santos E, Marcote-Ibañez C, Molina-Robles M, Martín-Fernández J, Villarejo-Campos P. Usefulness of thermographic analysis to control temperature homogeneity in the development and implementation of a closed recirculating CO_2 chemohyperthermia model. International Journal of Hyperthermia 2017, 33 (2): 220-226.

Padmanabhan D, Asirvatham SJ. Friendly Fire - The Bane of Thermal Ablation. PACE - Pacing and Clinical Electrophysiology 2016; 39 (4) 313-315

Paeng SH. Comparison to electrophysiologic finding and IR themography finding in idem schwannoma. Thermology International 2018; 28(2) 113.

Pafili K, Papanas N. Thermography in the follow up of the diabetic foot: best to weigh the enemy is more mighty than he seems. Expert Review of Medical Devices 2015; 12(2): 131-133

Page F, Hamnett N, Wearn C, Hardwicke J, Moiemen N. The acute effects of electronic cigarette smoking on the cutaneous circulation. Journal of Plastic Reconstructive and Aesthetic Surgery 2016; 69 (4) 575- 577

Paiella S, De Pastena M, Landoni L, Esposito A, Casetti L, Miotto M, Ramera M, Salvia R, Secchettin E, Bonamini D, Manzini G, D'Onofrio M, Marchegiani G, Bassi C Is there a role for near-infrared technology in laparoscopic resection of pancreatic neuroendocrine tumors? Results of the COLPAN "colour-and-resect the pancreas" study. Surgical Endoscopy and Other Interventional Techniques 2017, 31(11) 4478-4484.

Palaniswamy C, Koruth JS, Mittnacht AJ, Miller MA, Choudry S, Bhardwaj R, Sharma D, Willner JM, Balulad SS, Verghese E, Syros G, Singh A, Dukkipati SR, Reddy VY. The Extent of Mechanical Esophageal Deviation to Avoid Esophageal Heating During Catheter Ablation of Atrial Fibrillation. JACC: Clinical Electrophysiology 2017, 3 (10): 1146-1154.

Palese A, Pasqualini D. The effects of earphones and music on the temperature measured by infrared tympanic thermmeter: preliminary results. ORL-head and neck nursing : official journal of the Society of Otorhinolaryngology and Head-Neck Nurses 2014; 32 (2): 8-12.

Palleti HNKT, Zhang S, Fruehmann RK, Dulieu-Barton JM, Thomsen OT. Influence of thermomechanical Interaction effects on the failure behaviour of polymer foam cored sandwich panels. Journal of Sandwich Structures & Materials 2015; 17(3): 308-331

Palma J, Abood ME, Barbe MF, Benamar K. Functional interaction between HIV-gp120 and opioid system in the preoptic anterior hypothalamus. Drug and Alcohol Dependence 2014; 134 (1): 383- 386.

Palmeiro-Roldán R, Fonseca-Berzal C, Gómez-Barrio A, Arán VJ, Escario JA, Torrado-Durán S, Torrado-Santiago S. Development of novel benznidazole formulations: Physicochemical characterization and in vivo evaluation on parasitemia reduction in Chagas disease. International Journal of Pharmaceutics 2014; 472 (1-2): 110-117.

Palmer AJ, Haggard DC, Herter JW, Scervini M, Swank WD, Knudson DL, Cherry RS. Summary of thermocouple performance during advanced gas reactor fuel irradiation experiments in the advanced test reactor and out-of-pile thermocouple testing in support of such experiments. (2015) 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465501

Palta S, Saroa R, Saini V. The endotracheal tube does not protect the aspiration of a foreign body in the trachea: A case report Revista Colombiana de Anestesiologia 2014; 42 (2): 129-131.

Paluchowska M, Jeczmionek L. Impact of the content of ETBE, EtOH and polybutylene-succinate additives on the propensity of E10 petrol to form deposits in combustion chambers. Fuel 2015; 162: 34-38

Palumbo D, Ancona F, Galietti U. Quantitative damage evaluation of composite materials with microwave thermographic technique: feasibility and new data analysis. Meccanica 2015; 50(2): 443-459

Pan H, Zhang H, Lü, Y.-H, Ma J.-L, Ma K.-J, Chen L. Correlation between five RNA markers of rat's skin and PMI at different temperatures. Journal of Forensic Medicine 2014; 30 (4): 245-249.

Pan J, Yang Y, Yang B, Yu Y. Artificial polychromatic light affects growth and physiology in chicks. PLoS One 2014; 9 (12) Art. No. e113595.

Pandey NK, Murali R, Augustine E, Ganesh S, Joshi JB. Kinetics of interphase transfer of zirconium between nitric acid and tributyl phosphate solutions. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 1991-2001.

Pandia Rajan J, Edward Rajan S. An Internet of Things based physiological signal monitoring and receiving system for virtual enhanced health care network. Technology and Health Care 2018; 26 (2): 379-385.

Pang CE, Navajas EV, Warner SJ, Heisler M, Sarunic MV. Acute macular neuroretinopathy associated with Chikungunya fever. Ophthalmic Surgery Lasers and Imaging Retina 2016; 47 (6) 596-599

Pantaleone C, Dymling S, Axelsson J. Optical fiber solutions for laser ablation of tissue and immunostimulating interstitial laser thermotherapy - Product development in the network of developers industry and users. Photonics and Lasers in Medicine 2016; 5 (1) 69-75

Pantavou K, Chatzi E, Theoharatos G. Case study of skin temperature and thermal perception in a hot outdoor environment. International Journal of Biometeorology 2014; 58 (6): 1163-1173.

Papaléo RM, Brioschi ML, Jacobsen Teixeira M. Thermography case report: neuropathic central pain (extended abstract). Thermology international 2014; 24(1) 21

Papo D. Measuring brain temperature without a thermometer. Frontiers in Physiology 2014; 5 MAR art. no. Article 124.

Parada M, Gérard M, Larcher K, Dagher A, Binik YM. How Hot Are They? Neural Correlates of Genital Arousal: An Infrared Thermographic and Functional Magnetic Resonance Imaging Study of Sexual Arousal in Men and Women. Journal of Sexual Medicine 2018; 15 (2): 217-229.

Paradee N, Sirivat A. Electrically controlled release of benzoic acid from poly(3,4- ethylenedioxythiophene)/alginate matrix: Effect of conductive poly(3,4-ethylenedioxythiophene) morphology. Journal of Physical Chemistry B 2014; 118 (31): 9263-9271.

Parag N, McKerrow NH, Naby F. Profile of babies born before arrival at hospital in a peri-urban setting. SAJCH South African Journal of Child Health 2014; 8 (2): 45-49.

Parasitology Research 2016; 115 (2) 771-777

Pargfrieder C, Struhal W, Sega W, Klein G, Sepp N, Exler G. Acquired idiopathic generalized anhidrosis in a young Austrian patient. JAAD Case Reports 2018; 4 (3): 222-225.

Parida L, Neogi S, Padmanabhan V. Effect of temperature pre-exposure on the locomotion and chemotaxis of C. elegans. PLoS ONE 2014; 9 (10), art. no. e111342.

Parigger CG, Woods AC, Witte MJ, Swafford LD, Surmick DM. Measurement and analysis of atomic hydrogen and diatomic molecular AlO C2, CN and TiO spectra following laser-induced optical breakdown. Journal of Visualized Experiments (84), art. no. e51250.

Parikh V, Swarup V, Hantla J, Vuddanda V, Dar T, Yarlagadda B, Di Biase L, Al-Ahmad A, Natale A, Lakkireddy D. Feasibility safety and efficacy of a novel preshaped nitinol esophageal deviator to successfully deflect the esophagus and ablate left atrium without esophageal temperature rise during atrial fibrillation ablation: The DEFLECT GUT study. Heart Rhythm 2018; 15 (9): 1321-1327.

Park AY, Cha S. Effects of cold sensitivity in the extremities on circulating adiponectin levels and metabolic syndrome in women. BMC Complementary and Alternative Medicine 2017, 17 (1), art. no. 150.

Park CH, Kim KH, Rios HF, Lee YM, Giannobile WV, Seol YJ. Spatiotemporally controlled microchannels of periodontal mimic scaffolds. Journal of Dental Research 2014; 93 (12): 1304- 1312.

Park E-Y, Kim M-H, Kim E-H, Lee E-K, Park I-S, Yang D-C, Jun H-S. Efficacy comparison of korean ginseng and american ginseng on body temperature and metabolic parameters. American Journal of Chinese Medicine 2014; 42 (1) 173-187.

Park HJ, Moon HS, Moon SH, Jeong HD, Jeon YJ, Han KD, Koh HJ. The effect of humidified heated breathing circuit on core body temperature in perioperative hypothermia during thyroid surgery. International Journal of Medical Sciences 2017, 14(8) 791-797.

Park I-K, Ha J-W, Kang D-H. Investigation of optimum ohmic heating conditions for inactivation of Escherichia coli O157:H7, Salmonella enterica serovar Typhimurium and Listeria monocytogenes in apple juice. BMC Microbiology 2017, 17 (1), art. no. 117.

Park M, Youn W, Kim D, Ko EH, Kim BJ, Kang SM, Kang K, Choi IS. Modulation of Heterotypic and Homotypic Cell–Cell Interactions via Zwitterionic Lipid Masks. Advanced Healthcare Materials 2017, 6(15) Article Number: 1700063.

Park N-H, Akamatsu T, Itoh T, Izu N, Shin W. Calorimetric thermoelectric gas sensor for the detection of hydrogen methane and mixed gases. Sensors (Basel Switzerland) 2014; 14 (5): 8350- 8362.

Park S.Y, Baek HJ, Park KS, Kim Y.C. Photoplethysmographic signals to predict the success of lumbar sympathetic blockade for lower extremity pain. Journal of International Medical Research 2014; 42 (4): 938-948.

Park S-J, W aterhouse J. A comparison between rhythms in forehead skin and rectal (core) temperature in sedentary subjects living in a thermally neutral environment Biological Rhythm Research 2014; 45 (3): 415- 428.

Parker DL, Payne A, Todd N, Hadley JR. Phase reconstruction from multiple coil data using a virtual reference coil. Magnetic Resonance in Medicine 2014; 72 (2): 563-569.

Parmala M, Eriksson M, Rytioja M, Tanttu J, Köhler M. Temperature measurement in human fat with T2 imaging. Journal of Magnetic Resonance Imaging 2016; 43 (5) 1171-1178

Parmen V, Pestean C, Ober C, Mircean M, Ognean L, Oana L. Influence of electroacupuncture on thermal changes in a soft tissue defect. JAMS Journal of Acupuncture and Meridian Studies 2014; 7 (5): 238-242.

Parodi D, Valderrama J, Tobar C, Besomi J, López J, Lara J, Ilic JP. Effect of warmed irrigation solution on core body temperature during hip arthroscopy for femoroacetabular impingement. Arthroscopy - Journal of Arthroscopic and Related Surgery 2014; 30 (1): 36-41.

Parrish JB, Teske JA. Acute partial sleep deprivation due to environmental noise increases weight gain by reducing energy expenditure in rodents. Obesity 2017, 25 (1): 141-146.

Parrozzani R, Midena E. Author response: Choroidal abnormalities detected by near-infrared imaging (NIR) in pediatric patients with neurofibromatosis type 1 (NF1). Investigative Ophthalmology and Visual Science 2016; 57 (3), p 775

Parsa M, Harmand S, Sefiane K, Bigerelle M, Deltombe R. Effect of Substrate Temperature on Pattern Formation of Nanoparticles from Volatile Drops. Langmuir 2015; 31(1)1: 3354-3367

Paschalis EP, Krege JH, Gamsjaeger S, Eriksen EF, Burr DB, Disch DP, Stepan JJ, Fahrleitner-Pammer A, Klaushofer K, Marin F, Pavo I. Teriparatide Treatment Increases Mineral Content and Volume in Cortical and

Trabecular Bone of Iliac Crest: A Comparison of Infrared Imaging With X-Ray–Based Bone Assessment Techniques. Journal of Bone and Mineral Research 2018; 33 (12): 2230-2235.

Pascoe D, Ring F, Vardasca R. The development of an infrared thermography pandemic fever screening course for the non-researcher/scientist operator (extended abstract). Thermology international 2015, 25(3) 113-114.

Pascoe D, Ring F, Vardasca R. The development of an infrared thermography pandemic fever screening course for the non-researcher/scientist operator (extended abstract). Thermology international 2015, 25(3) 113-114.

Pascoe D. “Assessment of Fever” by Ewa Gordzinsky and Martha Sund-Levander (book review). Thermology international 2015, 25(4) 207

Pascoe DD, McDaniel JH, Roberts RF, Munford PW, Taylor CN Case studies: Influence of varying environmental temperatures on individuals with persistent cold hands. Thermology International 2018; 28(2) 85.

Pascual-Alonso M, Miranda-de la Lama GC, Aguayo-Ulloa L, Ezquerro L, Villarroel M, Marin RH, Maria GA. Effect of Postweaning Handling Strategies on Welfare and Productive Traits in Lambs. Journal of Applied Animal Welfare Science, 2015; 18(1): 42-56

Pascual-Ramírez J, Sánchez García S, González Ruiz De La Herrán F, Villarejo Campos P, López De La Manzanara Cano C, Haya Palazuelo J, Padilla Valverde D, Martín Fernández J. Security and efficiency of a closed-system turbulent-flow circuit for hyperthermic intraperitoneal chemotherapy after cytoreductive ovarian surgery: Perioperative outputs. Archives of Gynecology and Obstetrics 2014; 290 (1) 121-129.

Pasha YZ, Mousa A-K, Hajiahmadi M, Mirzaee B. Effect of heat application during intramuscular injection of Vitamin K in pain prevention in neonates. Iranian Journal of Neonatology 2017, 8 (2): 31-35.

Pasquier M, de Riedmatten M, Paal P. The Reply. American Journal of Medicine 2018; 131 (11): e481-e482.

Pasquier M, Zurron N, Weith B, Turini P, Dami F, Carron P-N, Paal P. Deep accidental hypothermia with core temperature below 24°C presenting with vital signs. High Altitude Medicine and Biology 2014; 15 (1): 58-63.

Pasternak M, Samset E, D'hooge J, Haugen GU Temperature monitoring by channel data delays: Feasibility based on estimated delays magnitude for cardiac ablation. Ultrasonics 2017, 77: 32-37.

Pataky GJ, Ertekin E, Sehitoglu H. Elastocaloric cooling potential of NiTi Ni2FeGa and CoNiAl. Acta Materialia 2015; 96: 420-427

Pate JL, Buono MJ. The physiological responses to Bikram yoga in novice and experienced practitioners. Alternative therapies in Health and Medicine 2014; 20 (4): 12-18.

Patel AS, Saikat P, Pravinbhai PR. Mucoadhesive microspheres containing anti-hypertensive agent: Formulation and characterization. Current Drug Delivery 2014; 11 (3): 322-331.

Patel TR, Chiang VLS. Laser interstitial thermal therapy for treatment of post-radiosurgery tumor recurrence and radiation necrosis. Photonics and Lasers in Medicine 2014; 3 (2) 95-105.

Pathak A, Kumar V, Rastogi S.Tramadol addict: A rare but real challenge for the anaesthesiologist. Anaesthesiology Intensive Therapy 2017, 49(3) 242-243.

Pathare S. Not all aseptic meningitis is created equal. Hospital Pediatrics 2017, 7(12) 765-768

Patil Y, Khirwadkar S, Belsare SM, Swamy R, Khan MS, Tripathj S, Bhope K. R&D on divertor plasma facing components at the institute for Plasma Research. Nukleonika 2015; 60(2): 285-288

Pătraşcu JM, Amarandei M, Kun KN, Borugă, O, Totorean A, Andor B, Florescu S. Thermographic and microscopic evaluation of LARS knee ligament tearing. Romanian Journal of Morphology and Embryology 2014; 55, 1231-1235.

Patris V, Whiteley J, Argiriou O, Lama N, Georgiou H, Constantinou C, Argiriou M, Charitos C. Pyrexia in patients with uncontrolled systemic hypertension: Could they have an aortic dissection? Journal of Thoracic Disease 2014; 6 (12): E246-E248.

Pattmoller J, Wang J, Zemova E, Seitz B, Eppig T, Langenbucher A, Szentmary N. Correlation of corneal thickness endothelial cell density and anterior chamber depth with ocular surface temperature in normal subjects. Zeitschrift für Medizinische Physik 2015; 25(3): 243-250

Pattmoller M, Wang J, Pattmoller J, Zemova E, Eppig T, Seitz B, Szentmary N, Langenbucher A. Interobserver and intraobserver reliability of corneal surface temperature measurements with the TG-1000 thermograph in normal eyes. Ophthalmologe 2015; 112(9): 746-751

Pattnaik S, Swain K, Rao JV, Varun T, Mallick S. Temperature influencing permeation pattern of alfuzosin: An investigation using DoE. Medicina (Lithuania) 2014 (Article in Press).

Paul A, Biswas P, Bhattacharya P, Maity SP. Power-log based plateau limit histogram equalization algorithm for infrared image enhancement. 2017 10th International Conference on Contemporary Computing IC3 2017, 2018, pp. 1-5.

Paul SP. Using a thermal imaging camera to locate perforators on the lower limb. Archives of Plastic Surgery 2017, 44 (3): 243-247.

Paulides MM, Bakker JF, Hofstetter LW, Numan W CM, Pellicer R, Fiveland EW, Tarasek M, Houston GC, Van

Rhoon GC, Yeo DTB, Kotek G. Laboratory prototype for experimental validation of MR-guided radiofrequency head and neck hyperthermia. Physics in Medicine and Biology 2014; 59 (9) 2139-2154.

Paulides MM, Mestrom RMC, Salim G, Adela BB, Numan WCM, Drizdal T, Yeo DTB, Smolders AB. A printed Yagi-Uda antenna for application in magnetic resonance thermometry guided microwave hyperthermia applicators. Physics in Medicine and Biology 2017, 62 (5), art. no. 1831: 1831-1847.

Pauling JD, Shipley JA, Hart DJ, McGrogan A, McHugh NJ. Use of Laser Speckle Contrast Imaging to Assess Digital Microvascular Function in Primary Raynaud Phenomenon and Systemic Sclerosis: A, Comparison Using the Raynaud Condition Score Diary. Journal of Rheumatology 2015; 42(7): 1163-1168

Pauling JD. Use of infrared thermography in the assessment of peripheral, microvascular dysfunction in Raynaud's phenomenon and systemic sclerosis. Journal of Vascular Research 2015; 52(Supp 1): 62

Pavelski M, Silva DM, Leite NC, Junior DA, de Sousa RS, Guerios SD, Dornbusch PT. Infrared Thermography in Dogs with Mammary Tumors and Healthy Dogs. Journal of Veterinary Internal Medicine 2015; 29(6): 1578-1583

Paviolo C, Needham K, Brown WGA, Yong J, Stoddart PR. Stimulation of primary auditory neurons mediated by near-infrared excitation of gold nanorods. Neuromethods 2018; 135: 25-38.

Pavlopoulou S, Grammatikos SA, Kordatos EZ, Worden K, Paipetis AS, Matikas TE, Soutis C. Continuous debonding monitoring of a patch repaired helicopter stabilizer: Damage assessment and analysis.

Pavord ID, Afzalnia S, Menzies-Gow A, Heaney LG. The current and future role of biomarkers in type 2 cytokine-mediated asthma management. Clinical and Experimental Allergy 2017, 47 (2): 148-160.

Payne D, Bodis S, Kuster N. Introduction to the special issue dedicated to the 30th Annual Meeting of the European Society for Hyperthermic Oncology - ESHO 2015. International Journal of Hyperthermia 2016; 32 (1) 1-3

Payne S, Macintosh A, Stock J. Body size and body composition effects on heat loss from the hands during severe cold exposure. American Journal of Physical Anthropology 2018; 166 (2): 313-322.

Payne S, Macintosh A, Stock J. The thermoregulatory function of the human hand: How do palm and digit proportions affect heat loss? American Journal of Physical Anthropology 2018; 166 (4): 803-811.

Payne W.M, Hill T.K, Svechkarev D, Holmes M.B, Sajja BR, Mohs AM Multimodal imaging nanoparticles derived from hyaluronic acid for integrated preoperative and intraoperative cancer imaging. Contrast Media and Molecular Imaging 2017, Article Number: 9616791.

Peacock W F, Deal NS. Is time to cooling target temperature important? Critical Pathways in Cardiology 2014; 13 (2): 82-83.

Pearce J, Greenen A, Bramley P, Cruickshank D. Towards a practical Johnson noise thermometer for long-term measurements in harsh environments. (2015) 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465506

Pearson J, Lucas RAI, Schlader ZJ, Zhao J, Crandall CG, Gagnon D. Active and passive heat stress similarly compromise tolerance to a simulated hemorrhagic challenge. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 307 (7): R822-R827.

Pech-May NW, Cifuentes A, Mendioroz A, Oleaga A, Salazar A. Simultaneous measurement of thermal diffusivity and effusivity of solids using the flash technique in the front-face configuration. Measurement

Pecur IB, Bjegovic D, Bostrom L, Milovanovic B, Hajdukovic M. ETICS Fire Performance Test. In: Kodur VKR, Banthia N, eds, 5th International Workshop on Performance Protection and Strengthening of Structures under Extreme Loading (PROTECT), JUN 28-30 2015, Michigan State Univ East Lansing MI, 2015: 964-971

Pedreira AA, Wanderley FGC, Sá, MF, Viena CS, Perez A, Hoshi R, Leite MP, Reis SRA, Medrado AP. Thermographic and clinical evaluation of 808-nm laser photobiomodulation effects after third molar extraction. Minerva Stomatologica 2016; 65 (4) 213-222

Pedrosa P, Heuer-Jungemann A, Kanaras AG, Fernandes AR, Baptista PV. Potentiating angiogenesis arrest in vivo via laser irradiation of peptide functionalised gold nanoparticles. Journal of Nanobiotechnology 2017, 15 (1), art. no. 85.

Peeters J, Arroud G, Ribbens B, Dirckx JJJ, Steenackers G. Updating a finite element model to the real experimental setup by thermographic measurements and adaptive regression optimization. Mechanical Systems and Signal Processing 2015; 64-65: 428-440

Peikert J, Miller KC, Albrecht J, Tucker J, Deal J. Pre-exercise ingestion of pickle juice hypertonic saline or water and aerobic performance and thermoregulation. Journal of Athletic Training 2014; 49 (2) 204-209.

Pelekanos M, Leinenga G, Odabaee M, Odabaee M, Saifzadeh S, Steck R, Götz J. Establishing sheep as an experimental species to validate ultrasound-mediated blood-brain barrier opening for potential therapeutic interventions. Theranostics 2018; 8 (9): 2583-2602.

Peleki A, Da Silva A. Novel Use of Smartphone-based Infrared Imaging in the Detection of Acute Limb Ischaemia. EJVES Short Reports 2016; 32 1-3

Pellegrini F, Interlandi E, Pavesio C, Ferreyra HA. We cannot see what she cannot ignore. Survey of

Ophthalmology 62 (6): 882-885.

Pelletier A, Delanaud S, De Seze R, Bach V, Libert J.-P, Loos N. Does exposure to a radiofrequency electromagnetic field modify thermal preference in juvenile rats? PLoS ONE 2014; 9 (6), art. no. e99007.

Peloso MP, Meng L, Bhatia CS. Combined Thermography and Luminescence Imaging to Characterize the Spatial Performance of Multicrystalline Si Wafer Solar Cells. IEEE Journal of Photovoltaics 2015; 5(1): 102-111

Peña AF, Doronin A, Tuchin VV, Meglinski I. Monitoring of interaction of low-frequency electric field with biological tissues upon optical clearing with optical coherence tomography. Journal of Biomedical Optics 2014; 19 (8), art. no. 086002.

Peng J, Chen Z, Cai R, Huang X, Lin L, Liang W, Xiong Z, Chen J, Chen H, Yang Y, Liu S, Jiang Q. Recovery from Talaromyces marneffei involving the kidney in a renal transplant recipient: A case report and literature review. Transplant Infectious Disease 19 (4), art. no. e12710.

Peng JP, Tian GY, Wang L, Zhang Y, Li KI, Gao XR. Investigation into eddy current pulsed thermography for rolling contact fatigue detection and characterization. NDT & E International 2015; 74: 72-80

Peng S, He Y, Er M, Sheng Y, Gu Y, Chen H. Biocompatible CuS-based nanoplatforms for efficient photothermal therapy and chemotherapy: In vivo. Biomaterials Science 2017, 5(3) 475-484.

Peng Y, Li F. MR temperature mapping based on proton resonance frequency for monitoring high-intensity focused ultrasound therapy. Chinese Journal of Medical Imaging Technology 2017, 33 (4): 612-615.

Peng Y, Zou C, Qiao Y, Tie C, Wan Q, Jiang R, Cheng C, Liang D, Zheng H, Li F, Liu X. Fast MR thermometry using an echo-shifted sequence with simultaneous multi-slice imaging. Magnetic Resonance Materials in Physics Biology and Medicine 2018; 31 (6): 771-779.

Penta S, Penta V, Lucianu B, Anghel M, Argesanu V. Thermographic investigation of Ergonomic Medical Posture in Dentistry. REVISTA DE CHIMIE 2015; 66(7): 972-975

Pepin V, Gagne N, Rottembourg D. Recurrent hypoglycaemia in a toddler on β-blocker therapy. Cardiology in the Young 2018; 28 (3): 511-513.

Peppers BP, Jhaveri D, Van Heeckeren R, Fletcher D, Sutton M, Hostoffer RW, Bonfield T. Stratification of peanut allergic murine model into anaphylaxis severity risk groups using thermography. Journal of Immunological Methods 2018; 459: 29-34.

Pera DT, Planello JF, Cancino J, Polikarpov I, Zucolotto V, Da Silva De Avó, LR, Germano CMR, Melo DG. Effects of 3,5,3′-Triiodothyroacetic Acid Nanoencapsulated or Not on Intact and Atrophic Skin in Rats. Journal of Nanotechnology in Engineering and Medicine 2014, *5*(3), 031001.

Peregrina-Barreto H, Morales-Hernandez LA, Rangel-Magdaleno JJ, Avina-Cervantes JG, Ramirez-Cortes JM, Morales-Caporal R. Quantitative estimation of temperature variations in plantar angiosomes: A study case for diabetic foot. Computational and Mathematical Methods in Medicine 2014; art. no. 585306.

Pereira AA, Brioschi ML, Jacobsen Teixeira. The role of thermography in evaluation of the sympathetic nervous system (extended abstract). Thermology international 2014; 24(1) 15

Pereira AMF, Titto EL, Infante P, Titto CG, Geraldo AM, Alves A, Leme TM, Baccari F, Almeida JA. Evaporative heat loss in bos taurus: Do different cattle breeds cope with heat stress in the same way? Journal of Thermal Biology 2014; 45: 87-95.

Pereira CB, Yu X, Blazek V, Venema B, Leonhardt S. Multisensor data fusion for enhanced respiratory rate estimation in thermal videos. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590965 1381-1384

Pereira CB, Yu XC, Czaplik M, Rossaint R, Blazek V, Leonhardt S. Remote monitoring of breathing dynamics using Infrared thermography. Biomedical Optics Express 2015; 6(1)1: 4378-4394

Pereira N, Valenzuela D, Mangelsdorff G, Kufeke M, Roa R. Detection of perforators for free flap planning using smartphone thermal imaging: A concordance study with computed tomographic angiography in 120 perforators. Plastic and Reconstructive Surgery 2018; 141 (3): 787-792.

Perez L, Autrique L. Glued structures inspection based on lock-in thermography. In: Meriaudeau F, Aubreton O, eds, Proceedings of SPIE 12th International Conference on Quality Control by Artificial Vision, JUN 03-05 2015, Le Creusot France, 2015; pp. 95341K-95341K-7.

Perez-Bueno ML, Pineda M, Diaz-Casado E, Baron M. Spatial and temporal dynamics of primary and secondary metabolism in Phaseolus vulgaris challenged by Pseudomonas syringae. Physiologia Plantarum 2015; 153 (1): 161-174

Perez-Sanchez JC, Piedecausa-Garcia B. Crossing domes of temples in the province of Alicante (17th- 19th centuries): construction and geometry. Informes De La Construccion 2015; 67(538) e077

Perez-Sanz F, Navarro PJ, Egea-Cortines M. Plant phenomics: An overview of image acquisition technologies and image data analysis algorithms. GigaScience 2017, 6 (11), art. no. gix092.

Périard JD, Racinais S, Knez W L, Herrera CP, Christian RJ, Girard O. Thermal physiological and perceptual strain

mediate alterations in match-play tennis under heat stress. British Journal of Sports Medicine 2014; 48 (SUPPL. 1): i32-i38.

Périard JD, Racinais S, Knez W L, Herrera CP, Christian RJ, Girard O. Coping with heat stress during match-play tennis: Does an individualised hydration regimen enhance performance and recovery. British Journal of Sports Medicine 2014; 48 (SUPPL. 1): i64-i70.

Périard JD, Racinais S, Thompson MW. Adjustments in the force-frequency relationship during passive and exercise-induced hyperthermia. Muscle and Nerve 2015, 50 (5): 822-829.

Perkins RI, Hosea JC, Jaworski MA, Ahn JW, Diallo A, Bell RE, Bertelli N, Gerhardt S, Gray TK, Kramer GJ, LeBlanc BP, McLean A, Phillips CK, Podesta M, Roquemore L, Sabbagh S, Taylor G, Wilson JR. R, The contribution of radio-frequency rectification to field-aligned losses of high-harmonic fast wave power to the divertor in the National Spherical Torus experiment. Physics of Plasmas 2015; 22(4) 042506

Perl T, Peichl LH, Reyntjens K, Deblaere I, Zaballos JM, Bräuer A. Efficacy of a novel prewarming system in the prevention of perioperative hypothermia. A prospective randomized multicenter study. Minerva Anestesiologica 2014; 80 (4): 436-443.

Perlman O, Weitz IS, Azhari H. Target visualisation and microwave hyperthermia monitoring using nanoparticle-enhanced transmission ultrasound (NETUS). International Journal of Hyperthermia 2018; 34 (6): 773-785.

Perng C.-K, Ma H, Chiu Y.-J, Lin P.-H, Tsai C.-H. Detection of free flap pedicle thrombosis by infrared surface temperature imaging. Journal of Surgical Research 2018; 229: 169-176.

Perpetuini D, Cardone D, Bucco R, Zito M, Merla A. Assessment of the autonomic response in Alzheimer's patients during the execution of memory tasks: A functional thermal imaging study. Current Alzheimer Research 2018; 15 (10): 951-958.

Perpetuini D, Cardone D, Bucco R, Zito M, Merla A. Assessment of autonomic response in Alzheimer's disease patients during the execution of memory tasks: A functional thermal imaging study. Thermology International 2018; 28(2) 101-102.

Perpetuini D, Cardone D, Filippini C, Merla A Modelling event-related thermal response by means of general linear model. Thermology International 2018; 28(2) 97-98.

Perpina X, Werkhoven RI, Vellvehj M, Jakovenko J, Jorda X, Kunen JMG, Bancken P, Bolt PJ. Thermal Analysis of LED Lamps for Optimal Driver integration. IEEE Transactions On Power Electronics 2015; 30(7): 3876-3891

Perreard IM, Reeves DB, Zhang X, Kuehlert E, Forauer ER, Weaver JB. Temperature of the magnetic nanoparticle microenvironment: Estimation from relaxation times. Physics in Medicine and Biology 2014; 59 (5) 1109-1119.

Pescini E, Francioso L, De Giorgj MG, Ficarella A. Investigation of a Micro Dielectric Barrier Discharge Plasma Actuator for Regional Aircraft Active Flow Control. IEEE Transactions On Plasma Science 2015; 43(1)0: 3668-3680

Peter J, Klingert K, Klingert W, Thiel K, Königsrainer A, Grasshoff C, Rosenstiel W, Schenk M. Automated closed-loop management of body temperature using forced-air blankets: Preliminary feasibility study in a porcine model. BMC Anesthesiology 2018; 18 (1), art. no. 80.

Peters JA. The reliability of parameters obtained by fitting of 1H NMRD profiles and 17O NMR data of potential Gd3+-based MRI contrast agents. Contrast Media and Molecular Imaging 2016; 11 (2) 160-168

Petersen B, Philipsen PA, Wulf HC. Skin temperature during sunbathing-relevance for skin cancer. Photochemical and Photobiological Sciences 2014; 13 (8) 1123-1125.

Peterson CM, Orooji M, Johnson DN, Naraghi-Pour M, Ravussin E. Brown adipose tissue does not seem to mediate metabolic adaptation to overfeeding in men. Obesity 2017, 25 (3): 502-505.

Petrofsky J, Laymon M, Khowailed IA. Thermal response to a combination of a lipolytic cream An elastic abdominal belt and abdominal exercise. Journal of Applied Research 2014; 14 (1): 1-6.

Petrofsky JS, Laymon M, Khowailed IA. The effect of a slimming system including a lipolytic cream and an isometric abdominal exercise regime and a garment on skin temperature. Journal of Alied Research 2014; 14 (1) 7-11.

Petrova EV, Ermilov SA, Su R, Nadvoretskiy V, Conjusteau A, Oraevsky AA. Temperature dependence of Grüneisen parameter in optically absorbing solutions measured by 2D optoacoustic imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 8943, Art. No. 89430S .

Petrova EV, Motamedi M, Oraevskya AA, Ermilov SA. In vivo cryoablation of prostate tissue with temperature monitoring by optoacoustic imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9708, art no 97080G

Petrova NL, Edmonds ME. Conservative and Pharmacologic Treatments for the Diabetic Charcot Foot. Clinics in Podiatric Medicine and Surgery 2017, 34 (1): 15-24.

Petrova NL, Tang W, MacDonald A, Lomas C, Ainarkar S, Bevans J, Allen J, Plassmann P, Kluwe B, Rogers L, McMillan J, Whittam A, Simpson R, Machin G, Edmonds ME. The use of thermal imaging in thre follow-up of healed diabetic foot ulcers (abstract). Thermology international 2017; 27 (2) 71-72.

Petrova NL, Whittam A, MacDonald A, Ainarkar S, Donaldson AN, Bevans J, Allen J, Plassmann P, Kluwe B, Ring F, Rogers L, Simpson R, Machin G, Edmonds ME. Reliability of a novel thermal imaging system for temperature assessment of healthy feet. Journal of Foot and Ankle Research 2018; 11 (1), art. no. 22.

Petrusca L, Auboiroux V, Goget T, Viallon M, Muller A, Gross P, Becker CD, Salomir R. A nonparametric temperature controller with nonlinear negative reaction for multi-point rapid MR- Guided HIFU ablation. IEEE Transactions on Medical Imaging 2014; 33 (6) Art. No. 6763076, 1324-1330.

Petrusca L, Salomir R, Manasseh G, Becker CD, Terraz S. Spatio-temporal quantitative thermography of pre-focal Interactions between high intensity focused ultrasound and the rib cage. International Journal of Hyperthermia 2015; 31(4): 421-432

Pfitzner R, Barecka D, Pawlikowski M, Kopytek M, Rudnicka-Sosin L, Majewska E, Mazur M, Marcinkowska Z. Influence of Cryopreservation on Structural Chemical and Immunoenzymatic Properties of Aortic Valve Allografts. Transplantation Proceedings 2018; 50 (7): 2195-2198.

Phatak S, Natesan H, Choi J, Brockbank KGM, Bischof JC. Measurement of Specific Heat and Crystallization in VS55, DP6, and M22 Cryoprotectant Systems with and Without Sucrose. Biopreservation and Biobanking 2018; 16 (4): 270-277.

Phelps A, Gates AJ, Eastaugh L, Hillier M, Ulaeto DO. Comparative Efficacy of Intramuscular and Scarification Routes of Administration of Live Smallpox Vaccine in a Murine Challenge Model. Vaccine 2017, 35 (31): 3889-3896.

Phielipp NM, Saha U, Sankar T, Yugeta A, Chen R. Safety of repetitive transcranial magnetic stimulation in patients with implanted cortical electrodes. An ex-vivo study and report of a case. Clinical Neurophysiology 2017, 128 (6): 1109-1115.

Philipsborn RP, Chan K. Climate change and global child health. Pediatrics 2018; 141 (6), art. no. e20173774.

Piasecka M, Maciejewska B. Analysis of heat transfer coefficient for variable spatial orientation of a minichannel with an enhanced surface at incipience of boiling. In: Dancova P, Vit T, eds, 9th International Conference on Experimental Fluid Mechanics, NOV 18-21, 2014, Cesky Krumlov Czech Republic 2015. S. 02068

Piasecka M, Maciejewska B. Heat transfer coefficient during flow boiling in a minichannel at variable spatial orientation. Experimental Thermal and Fluid Science 2015; 68: 459-467

Piasecka M. Correlations for flow boiling heat transfer in minichannels with various orientations. International Journal of Heat and Mass Transfer 2015; 81: 114-121

Piasecka M. Impact of Selected Parameters On Refrigerant Flow Boiling Heat Transfer and Pressure Drop in Minichannels. International Journal of Refrigeration-Revue Internationale Du Froid 2015; 56: 198-212

Piazena H, Pittermann W, Müller W, Jung K, Kelleher DK, Herrling T, Meffert P, Uebelhack R, Kietzmann M. Effects of water-filtered infrared-A and of heat on cell death inflammation antioxidative potential and of free radical formation in viable skin - First results. Journal of Photochemistry and Photobiology B: Biology 2014; 138: 347-354

Piccinetti CC, De Leo A, Cosoli G, Scalise L, Randazzo B, Cerri G, Olivotto I. Measurement of the 100 MHz EMF radiation in vivo effects on zebrafish D. rerio embryonic development: A multidisciplinary study. Ecotoxicology and Environmental Safety 2018; 154: 268-279.

Piccione G, Rizzo M, Casella S, Marafioti S, Fazio F. Alication of the iButton® for measurement of the rumen temperature circadian rhythms in lambs. Biological Rhythm Research 2014; 45 (3) 375- 381.

Picco V, Courtial L, Pagès G, Ferrier-Pagès C Validation of commercial ERK antibodies against the ERK orthologue of the scleractinian coral Stylophora pistillata. F1000Research 2017, 6 Article Number: 577.

Pichardo S, Köhler M, Lee J, Hynnyen K. In vivo optimisation study for multi-baseline MR-based thermometry in the context of hyperthermia using MR-guided high intensity focused ultrasound for head and neck alications. International Journal of Hyperthermia 2014; 2014; 30 (8) 579-592.

Pichini S, Pacifici R, Busardò, FP, Tagliabracci A, Giorgetti R. The challenge of clinical application of FM2 cannabis oil produced in Italy for the treatment of neuropathic pain. European Review for Medical and Pharmacological Sciences 2018; 22 (4): 863-865.

Pierard M, Hall C, von Borstel UK, Averis A, Hawson L, McLean A, Nevison C, Visser K, McGreevy P. Evolving protocols for research in equitation science. Journal of Veterinary Behavior-Clinical Applications and Research 2015; 10(3): 255-266

Pieri M, Belletti A, Oriani A, Landoni G, Latib A, Mangieri A, Colombo A, Zangrillo A, Monaco F. Anesthetic Management of Cardioband Implantation: Data from a Preliminary Experience and New Insights. Journal of Cardiothoracic and Vascular Anesthesia 2017, 31 (2): 482-488.

Pillai RG, Al Naieb Z, Angamuthu S, Mundackal T. Diode laser vaporisation of the prostate vs. diode laser under cold irrigation: A randomised control trial. Arab Journal of Urology 2014; 12 (4): 245-250.

Pineiro C, Vizcaino E, Morales J, Manso A, Diaz I, Montalvo G. Applications of the thermography in the animal production. In: Meriaudeau F, Aubreton O, eds Proceedings of SPIE 12th International Conference on Quality Control by Artificial VisionJUN 03-05 2015, Le Creusot France, 2015; 95341L-95341L-9.

Pinheiro BV. Thermography as a tool for monitoring the interface between the noninvasive ventilation mask and the skin [Termografia como ferramenta de monitorização do acoplamento da máscara de ventilação não invasiva à pele subjacente]. Jornal Brasileiro de Pneumologia 2017, 43 (2): 81-82.

Pinheiro JMB, Furdon SA, Boynton S, Dugan R, Reu-Donlon C, Jensen S. Decreasing hypothermia during delivery room stabilization of preterm neonates. Pediatrics 2014; 133 (1): e218-e226.

Pinho Júnior EA, Brito CJ, Santos WO.C, Valido CN, Mendes EL, Franchini E. Influence of cryotherapy on muscle damage markers in jiu-jitsu fighters after competition: A cross-over study. Revista Andaluza de Medicina del Deporte 2014; 7 (1): 7-12.

Pinichjindasup A, Homvises B, Muengtaweepongsa S. Therapeutic hypothermia with extracorporeal membrane oxygenation (ECMO) and surface cooling in post-cardiac arrest patients: 4 Case Reports. Journal of the Medical Association of Thailand 2014; 97: S223-S227.

Pino CJ, Westover AJ, Buffington DA, Humes HD. Bioengineered renal cell therapy device for clinical translation. ASAIO Journal 2017, 63(3) 305-315.

Pinti P, Merla A, Aichelburg C, Lind F, Power S, Swingler E, Hamilton A, Gilbert S, Burgess PW, Tachtsidis I A novel GLM-based method for the Automatic Identification of functional Events (AIDE) in fNIRS data recorded in naturalistic environments. NeuroImage 2017, 155: 291-304.

Piotr KI, Tomasz D, Pawell K, Zbigniew J. Systematic temperature measurement errors caused by heat dissipation along the shield of industrial thermometer. 2018 Applications of Electromagnetics in Modern Techniques and Medicine PTZE 2018, art. no. 8502952: 146-149.

Piper RJ, Hughes MA, Moran CM, Kandasamy J. Focused ultrasound as a non-invasive intervention for neurological disease: a review. British Journal of Neurosurgery 2016; 30 (3) 286-293

Pisano R, Fissore D, Barresi AA. A new method based on the regression of step response data for monitoring a freeze-drying cycle. Journal of Pharmaceutical Sciences 2014; 103 (6): 1756-1765.

Pisipati S, Smith KA, Shah K, Ebersole K, Chamoun RB, Camarata PJ. Intracerebral laser interstitial thermal therapy followed by tumor resection to minimize cerebral edema. Neurosurgical Focus 2016; 41 (4), art no E13

Pitarma R, Crisotomo J, Jorge L. Measurement of Materials Emissivity Supported by Image Software. In: Rocha A, Dias GP, Martins A, Reis LP, Cota MP, eds, 10th Iberian Conference on information Systems and Technologies (CISTI) CY JUN 17-20 2015, Univ Aveiro Sch Technol & Agueda Management Agueda Portugal, 2015. 1-5

Pitarresi G, Tumino D, Mancuso A Thermo-Mechanical Behaviour of Flax-Fibre Reinforced Epoxy Laminates for industrial Applications. Materials 2015; 8(1)1: 7371-7388

Pitarresi G. Lock-in Signal Post-Processing Techniques in Infra-Red Thermography for Materials Structural Evaluation. Experimental Mechanics 2015; 55(4): 667-680

Pitchford NW, Fell JW, Leveritt MD, Desbrow B, Shing CM. Effect of caffeine on cycling time-trial performance in the heat. Journal of Science and Medicine in Sport 2014; 17 (4): 445-449.

Pizzorni C, Sulli A, Smith V, Lladó, A, Paolino S, Cutolo M, Ruaro B. Capillaroscopy in 2016: New perspectives in systemic sclerosis. Acta Reumatologica Portuguesa 2016; 2016 (1) 8-14

Plekhov O, Naimark O, Semenova I, Polyakov A, Valiev R. Experimental study of thermodynamic and fatigue properties of submicrocrystalline titanium under high cyclic and gigacyclic fatigue regimes. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science 2015, 229(7), 1271-1279.

Pletzer TM, van Molken JI, Rilssand S, Breitenstein O, Knoch J. Influence of cracks on the local current- voltage parameters of silicon solar cells. Progress in Photovoltaics 2015; 23(4): 428-436

Pliquett U, Nuccitelli R. Measurement and simulation of Joule heating during treatment of B-16 melanoma tumors in mice with nanosecond pulsed electric fields. Bioelectrochemistry 2014; 100, 62-68.

Pluyter JR, Rutkowski A.-F, Jakimowicz JJ. Immersive training: Breaking the bubble and measuring the heat. Surgical Endoscopy and Other Interventional Techniques 2014; 28 (5): 1545- 1554.

Podichetty JT, Bhaskar PR, Khalf A, Madihally SV. Modeling pressure drop using generalized scaffold characteristics in an axial-flow bioreactor for soft tissue regeneration. Annals of Biomedical Engineering 2014; 42 (6): 1319-1330.

Podsiadło P, Darocha T, Kosiński S, Sałapa K, Ziętkiewicz M, Sanak T, Turner R, Brugger H. Severe Hypothermia Management in Mountain Rescue: A Survey Study. High Altitude Medicine and Biology 2017, 18 (4): 411-416.

Poirier MP, Notley SR, Flouris AD, Kenny GP. Physical characteristics cannot be used to predict cooling time using cold-water immersion as a treatment for exertional hyperthermia. Applied Physiology Nutrition and Metabolism 2018; 43 (8): 857-860.

Pokorna J, Staffa E, Bernard V, Mornstein V. Capsaicin effects measured by infrared thermography. Thermology International 2018; 28 (Supplement) S26

Pol H, Banik S, Azad LB, Thete S, Doshj P, Lele A. Influence of Macromolecular Architecture on Necking in Polymer Extrusion Film Casting Process. In: Jana SC, ed, 30th International Conference of the Polymer-Processing-Society (PPS) JUN 06-12, 2014, Cleveland OH, 2015; 1664. 080006

Polat M, Kara SS, Tezer H, Tapisiz A, Derinöz O, Dolgun A. A current analysis of caregivers' approaches to fever and antipyretic usage. Journal of Infection in Developing Countries 2014; 8 (3): 365-371.

Polderman KH, Varon J. Confusion around therapeutic temperature management hypothermia after in-hospital cardiac arrest? Circulation 2018; 137 (3): 219-221.

Polderman KH, Varon J. When better is the enemy of good: The optimal heart rate during therapeutic cooling. Critical Care Medicine 2014; 42 (11): 2452-2454.

Polidori G, Kinne M, Mereu T, Beaumont F, Kinne M. Medical Infrared Thermography in back pain osteopathic management. Complementary Therapies in Medicine 2018; 39: 19-23.

Polidori G, Renard Y, Lorimier S, Pron H, Derruau S, Taiar R. Medical Infrared Thermography assistance in the surgical treatment of axillary Hidradenitis Suppurativa: A case report. International Journal of Surgery Case Reports 2017, 34: 56-59.

Pomeroy JW, Kuball M. Solid immersion lenses for enhancing the optical resolution of thermal and electroluminescence mapping of GaN-on-SiC transistors. Journal of Applied Physics 2015; 118(14) 144501

Pomeroy JW, Uren MJ, Lambert B, Kuball M. Operating channel temperature in GaN HEMTs: DC versus RF accelerated life testing. Microelectronics Reliability 2015; 55(12): 2505-2510

Pongvongsa T, Nonaka D, Iwagami M, Nakatsu M, Phongmany P, Nishimoto F, Kobayashi J, Hongvanthon B, Brey PT, Moji K, Mita T, Kano S. Household clustering of asymptomatic malaria infections in Xepon district Savannakhet province Lao PDR. Malaria Journal 2016; 15 (1), art no 508

Ponsi G, Panasiti MS, Rizza G, Aglioti SM. Thermal facial reactivity patterns predict social categorization bias triggered by unconscious and conscious emotional stimuli. Proceedings. Biological Sciences 2017, 284:1861.

Pontes SMM, Melo LHP, Maia NPS, Nogueira ANC, Vasconcelos TB, Pereira EDB, Bastos VPD, Holanda MA. Influence of the ventilatory mode on acute adverse effects and facial thermography after noninvasive ventilation [Influência do modo ventilatório nos efeitos adversos agudos e na termografia da face após ventilação não invasiva]. Jornal Brasileiro de Pneumologia 2017, 43 (2): 87-94.

Poole CF, Lenca N. Applications of the solvation parameter model in reversed-phase liquid chromatography. Journal of Chromatography A 2017, 1486: 2-19.

Poon S, Chen YH, Wendolowski SF, Graver A, Nixon R, Amaral T, DiMauro J.-P, Walz DM, Gecelter RC, Grande DA. Cadaveric Study of the Safety and Device Functionality of Magnetically Controlled Growing Rods After Exposure to Magnetic Resonance Imaging. Spine Deformity 2018; 6 (3): 290-298.

Poon S, Nixon R, Wendolowski S, Gecelter R, Chen YH, DiMauro J-P, Amaral T, Graver A, Grande DA. A pilot cadaveric study of temperature and adjacent tissue changes after exposure of magnetic-controlled growing rods to MRI. European Spine Journal 2017, 26 (6): 1618-1623.

Poorman ME, Chaplin VL, Wilkens K, Dockery MD, Giorgio TD, Grissom WA, Caskey CF. Open-source small-animal magnetic resonance-guided focused ultrasound system. Journal of Therapeutic Ultrasound 2016; 4 (1), art no 22

Pop SI, Dudescu M, Merie VV, Pacurar M, Bratu CD. Evaluation of the mechanical properties and surface topography of as-received immersed and as-retrieved orthodontic archwires. Clujul Medical 2017, 90 (3): 313-326.

Popkov DA, Kononovich NA, Shutov RB. [The effect of tibial transphyseal reinforcement on the growth and response of leg tissues]. Rossiĭskii fiziologicheskiĭ zhurnal imeni IM. Sechenova / Rossiĭskaia akademiia nauk 2014; 100 (7): 881-890.

Popov TA, Kralimarkova TZ, Labor M, Plavec D. The added value of exhaled breath temperature in respiratory medicine. Journal of Breath Research 2017, 11 (3), art. no. 034001.

Popov TA, Kralimarkova TZ. Exhaled breath temperature measurement: Applicability in childhood. Pediatric pulmonology 2016; 51 (1) 91-92

Popova OH, Small MJ, McCoy ST, Thomas A.C, Rose S, Karimi B, Carter K, Goodman A. Spatial stochastic modeling of sedimentary formations to assess CO2 storage potential. Environmental Science and Technology 2014; 48 (11): 6247-6255.

Portillo-Soto A, Eberman LE, Demchak TJ, Peebles C. Comparison of blood flow changes with soft tissue mobilization and massage therapy. Journal of Alternative and Complementary Medicine 2014; 20 (12): 932-935.

Posta J, Dolejs J. Non-Destructive Assessment of Timber Elements with an Emphasis on Radiometry. International Journal of Architectural Heritage 2015; 9(6): 655-664

Postolache G, Postolache O, Martim FF, Vardasca R, Mendes J. Feasibility of Infrared Thermography Use for Neuromusculoskeletal Rehabilitation. MeMeA 2018 - 2018 IEEE International Symposium on Medical Measurements and Applications Proceedings 2018; art. no. 8438814.

Pöttler M, Cicha I, Lyer S, Janko C, Friedrich RP, Alexiou C. Journal watch: Diagnostic nanoparticles. Nanomedicine 2017, 12 (3): 181-184.

Poudel A, Shrestha SS, Sandhu JS, Chu TP, Pergantis CG. Comparison and analysis of Acoustography with other NDE techniques for foreign object inclusion detection in graphite epoxy composites. Composites Part B-Engineering 2015; 78: 86-94

Poulsen C, Wakeman DG, Atefi SR, Luu P, Konyn A, Bonmassar G. Polymer thick film technology for improved simultaneous dEEG/MRI recording: Safety and MRI data quality. Magnetic Resonance in Medicine 2017, 77 (2): 895-903.

Power M, Pomeroy JW, Otoki Y, Tanaka T, Wada J, Kuzuhara M, Jantz W, Souzis A, Kuball M. Measuring the thermal conductivity of the GaN buffer layer in AlGaN/GaN, HEMTs. Physica Status Solis Science 2015; 212(8): 1742-1745

Powers JC. Measuring fire: Herman boerhaave and the introduction of thermometry into chemistry. Osiris 2014; 29 (1): 158-177.

Pozega E, Ivanov S, Stevic Z, Karanovic L, Tomanec R, Gomidzelovic L, Kostov A. Identification and characterization of single crystal Bi2Te3-xSex alloy. Transactions of Nonferrous Metals Society of China 2015; 25(1)3279-3285

Prabha S, Suganthj SS, Sujatha CM. An approach to analyze the breast tissues in Infrared images using nonlinear adaptive level sets and Riesz transform features. Technology and Health Care 2015; 23(4): 429- 442

Pradeepa HD, Rao SB, Ganaraj B, Bhat G, Chakrapani M. Tri-phasic fever in dengue fever. Tropical Doctor 2018; 48 (2): 93-97.

Prakash J, Ramesh K, Tripathi D, Kumar R. Numerical simulation of heat transfer in blood flow altered by electroosmosis through tapered micro-vessels. Microvascular Research 2018; 118: 162-172.

Prakash R, Balaji Ganesh A, Sivabalan S Network Coded Cooperative Communication in a Real-Time Wireless Hospital Sensor Network. Journal of Medical Systems 2017, 41(5) Article Number: 72.

Pramanik A, Sahoo RN, Nanda A, Mohapatra R, Singh R, Mallick S. Ocular Permeation and Sustained Anti-inflammatory Activity of Dexamethasone from Kaolin Nanodispersion Hydrogel System. Current Eye Research 2018; 43 (6): 828-838.

Prasad SS, Ramachandra L, Kumar V, Dave A, Mestha LK, Venkatarmani K. Evaluation of efficacy of thermographic breast imaging in breast cancer: A pilot study. Breast Disease 2016; 36 (4) 143-147

Predina JD, Newton A, Corbett C, Xia L, Sulyok LF, Shin M, Deshpande C, Litzky L, Barbosa E, Low PS, Kucharczuk JC, Singhal S. Localization of Pulmonary Ground-Glass Opacities with Folate Receptor–Targeted Intraoperative Molecular Imaging. Journal of Thoracic Oncology 2018; 13 (7): 1028-1036.

Predina JD, Newton A, Kennedy G, Lee MK, Singhal S. Near-Infrared Intraoperative Imaging Can Successfully Identify Malignant Pleural Mesothelioma After Neoadjuvant Chemotherapy. Molecular imaging 2017, 16: 1536012117723785.

Presseau J, Mutsaers B, Al-Jaishi AA, Squires J, McIntyre CW, Garg AX, Sood MM, Grimshaw JM, Bagga A, Charest A, Steele A, Jain A, Lok C, Berry D, Perkins D, Harvey R, Wadehra D, Benjamin D, Iliescu E, Rabin E, Hanson G, Nesrallah G, Sasal J, Sontrop JM, Gregor L, Lam L, Parmar M, Oliver M, Walsh M, Delbrouck N, Chan P, Tam P, Watson P, Blake P, Zager P, Devereaux PJ, Mustafa R, Acedillo R, Goluch R, Wald R, Pandeya S, Dixon S, Schulman T, Wodchis W. Barriers and facilitators to healthcare professional behaviour change in clinical trials using the Theoretical Domains Framework: A case study of a trial of individualized temperature-reduced haemodialysis. Trials 2017, 18 (1), art. no. 227.

Price MJ, Handrakis JP, Hagan EM, Trbovich M. Classification of spinal cord injury: The role of thermoregulation. Quadriplegia: Causes Complications and Treatments 2018; pp. 39-52.

Priego Quesada JI, Gil-Calvo M, Aparicio I, Salvador Palmer R, Cibrián Ortiz De Anda R.M, Jimenez-Perez I, Lucas-Cuevas A.G, Calvo O, Pérez-Soriano P. Design of a thermographic protocol to evaluate mattresses. Thermology International 2018; 28(2) 121-122.

Priego Quesada JI, Gil-Calvo M, Jimenez-Perez I, Lucas-Cuevas ÁG, Pérez-Soriano P. Relationship between foot eversion and thermographic foot skin temperature after running. Applied Optics 2017, 56(19) 5559-5565.

Priego Quesada JI, Martínez N, Cibrián Ortiz de Anda RM1, Psikuta A, Annaheim S, Pérez-Soriano P, Rossi RM, Corberán JM, Palmer RS. 11 Regional differences in skin temperature between two intensities of cycling (extended abstract). Thermology international 2015, 25(3) 145-146

Priesand S, Wyckoff J, Wrobel J, Schmidt B. Acute pseudogout of the foot following Parathyroidectomy: A case report. Clinical Diabetes and Endocrinology 2017, 3(1) Article Number: 10.

Primavesi F, Swierczynski S, Klieser E, Kiesslich T, Jäger T, Urbas R, Hutter J, Neureiter D, Öfner D, Stättner S. Thermographic real-time-monitoring of surgical radiofrequency and microwave ablation in a perfused porcine liver model. Oncology Letters 2018; 15 (3): 2913-2920.

Prindeze NI, Fathi P, Mino MJ, Mauskar NA, Travis TE, Paul DW, Moffatt LT, Shupp JW. Examination of the Early Diagnostic Applicability of Active Dynamic Thermography for Burn Wound Depth Assessment and Concept Analysis. Journal of Burn Care & Research 2015; 36(6): 626-635

Prindeze NI, Hoffman HA, Carney BC, Moffatt LT, Loew MH, Shupp JW. Evaluation of the variable depth resolution of active dynamic thermography on human skin. In: Kurachi C, Svanberg K, Tromberg BJ, Bagnato VS, eds Proceedings of SPIE Joint Meeting of the 1st SPIE Conference on Biophotonics South America (BSA) / 15th World Congress of the International-Photodynamic-Association (IPA) MAY 23-25 2015, Rio de Janeiro Brazil,

2015; pp. 95310P-95310P-5.

Prindeze NJ, Fathi P, Mino MJ, Mauskar NA, Travis TE, Paul DW, Moffatt LT, Shupp JW. Examination of the Early Diagnostic Applicability of Active Dynamic Thermography for Burn Wound Depth Assessment and Concept Analysis. Journal of Burn Care and Research 2015, Journal of Burn Care & Research, 36(6), 626-635.

Prindeze NJ, Hoffman HA, Ardanuy JG, Zhang J, Carney BC, Moffatt LT, Shupp JW. Active dynamic thermography is a sensitive method for distinguishing burn wound conversion. Journal of Burn Care and Research 2016; 37 (6) e559-e568

Prindeze NJ, Mann YVL, Feric TG, Currie TR, Carney BC, Moffatt LT, Loew MH, Shupp JW. Heat transfer analysis and resolution quantification of active dynamic thermography through human skin. Lasers in Surgery and Medicine 2018; 50 (6): 680-688.

Priyanka S, Jayashree M, Shivani R, Anwesha S, Bhaskara Rao KV. A study on marine lipolytic yeasts: Optimization and characterization of lipase enzyme. Research Journal of Pharmacy and Technology 2018; 11 (2): 593-598.

Proceedings of The Institution of Mechanical Engineers Part C-Journal of, Mechanical Engineering Science 2015; 229(7): 1271-1279

Proceedings of the International Conference BIOMDLORE 2018;

Procter E, Brugger H, Burtscher M. Accidental hypothermia in recreational activities in the mountains: A narrative review. Scandinavian Journal of Medicine and Science in Sports 2018; 28 (12): 2464-2472.

Progress in Biomedical Optics and Imaging - Proceedings of SPIE. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9706 2016; 378 p

Pron H, Taiar R, Bui HT, Lestriez P, Polidori G. Infrared thermography applied to the study of the thermal behavior of wheelchair cushion. Computer Methods in Biomechanics and Biomedical Engineering 2017, 20 (Supplement 1) 167-168.

Prosser W, Jaillard P, Assy E, Brown ST, Matsinhe G, Dekoun M, Lee BY. System redesign of the immunization supply chain: Experiences from Benin and Mozambique. Vaccine 2017, 35 (17): 2162-2166.

Provencio JJ, Badjatia N. Monitoring Inflammation (Including Fever) in Acute Brain Injury. Neurocritical Care 2015, 21 (2): 177-186.

Pruitt R, Gamble A, Black K, Schulder M, Mehta AD. Complication avoidance in laser interstitial thermal therapy: Lessons learned. Journal of Neurosurgery 2017, 126 (4): 1238-1245.

Prymula R, Bergsaker MR, Esposito S, Gothefors L, Man S, Snegova N, Štefkovičova M, Usonis V, Wysocki J, Douha M, Vassilev V, Nicholson O, Innis BL, W illems P. Protection against varicella with two doses of combined measles-mumps-rubella-varicella vaccine versus one dose of monovalent varicella vaccine: A multicentre observer-blind randomised controlled trial. The Lancet 2014; 383 (9925): 1313-1324

Psikuta A, Niedermann R, Rossi RM. Effect of ambient temperature and attachment method on surface temperature measurements. International Journal of Biometeorology 2014; 58 (5): 877- 885.

Pu Y-Q, Xiao F, He S, Wang C, Peng G-W, Liu Y. Synthesis of the p-tert-butyl calix [4] arene symmetrical sulfide derivatives and its extraction properties towards U(VI) from aqueous solution. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 2137-2143.

Pucci M, Cicero C, Orazi N, Mercuri F, Zammit U, Paoloni S, Marinelli M. Active Infrared thermography applied to the study of a painting on paper representing the Chigi's family tree. Studies in Conservation 2015; 60(2): 88-96

Puissant C, Abraham P, Durand S, Humeau-Heurtier A, Faure S, Leftheriotis G, Mahé, G. Assessment of endothelial function by acetylcholine iontophoresis: Impact of inter-electrode distance and electrical cutaneous resistance. Microvascular Research 2014; 93: 114-118.

Pulford J, Kurumop S, Mueller I, Siba PM, Hetzel MW. The impact of the scale-up of malaria rapid diagnostic tests on the routine clinical diagnosis procedures for febrile illness: A series of repeated cross-sectional studies in Papua New Guinea. Malaria Journal 2018; 17 (1), art. no. 202.

Purkayastha J, Lewis LE, Bhat Y, R, KM, A. Feasibility and Safety of Therapeutic Hypothermia and Short Term Outcome in Neonates with Hypoxic Ischemic Encephalopathy. Indian Journal of Pediatrics 2016; 83 (2) 175-177

Purohit RC, Schumacher J, Pascoe DD, Wolfe DF, Caldwell M, Passler T, Wensink I. Thermographic Evaluation of Dermatome Patterns in Various Animal Species (extended abstract). Thermology international 2015, 25(1) 32

Purohit RC, Wolfe DF, Carson RL, Hudson RS, Heath A, Pablo C, Schumacher J, Pascoe DD. Thermographic evaluation of testis and scrotum in various animal species (extended abstract). Thermology international 2015, 25(1) 33

Pušnik I, Bogovic T, Stukelj M. Use of thermal imaging for diagnostic of MMA or PDS in sows. Thermology International 2018; 28(2) 59-60.

Pušnik I, Čuk I, Hadžič, V. Influence of new anatomic ring design on palm skin temperature. Science of Gymnastics Journal 2017, 9 (1): 61-70.

Pušnik I, Drnovšek J. Size of source effect in thermal imagers. Thermology International 2018; 28(2) 45-47.

Pušnik I, Sibanc K, Cuk I, Bucar Pajek M. Use of thermal imaging in artistic gymnastics. Thermology International 2018; 28(2) 109-110.

Pypkowska A, Szczesniak A, Jung A. The analysis of the cooling process of the breast area in women under thermographic monitoring (extended abstract). Thermology international 2016, 26 (Supplement) S11

Pysyk CL, Abdulla KR, Boet S. Goldilocks and the perioperative patient: not too hot not too cold. Acta Anaesthesiologica Scandinavica 2017, 61 (4): 460-461.

Qayoum A, Panigrahj PK. Combined influence of Synthetic Jet and Surface-Mounted Rib on Heat Transfer in a Square Channel. Journal of Heat Transfer-Transactions of the ASME, 2015; 137(12) 121004

Qayoum A, Panigrahj PK. Synthetic Jet Interaction with Approaching Turbulent Boundary Layer for Heat Transfer Enhancement. Heat Transfer Engineering 2015; 36(4): 352-367

Qi L, Wang X, Wu P-L. Changes of root surface temperature generated by different bypassing warm gutta- percha obturation methods. Chinese Journal of Tissue Engineering Research 2014; 18 (25): 4009-4013.

Qi T-L, Zhou Y-H, Yuan J-J, Li Z-S, Wang Z-Y, Chang Y-Z, Zhao E-X, Cheng D, Hou J-K, Tian Y, Chen G- Z, Mao Y-Y, Ren Y, Zhang L-R, Kan Q-C, Zhang W. Effect of ABCB1 rs12720464 and rs1055302 polymorphisms in Chinese patients on the time course of action of rocuronium administered as a single dose. International Journal of Clinical Pharmacology and Therapeutics 2016; 54 (6) 462-470

Qi W, Suzuki Y, Fujiwara M, Saito T, Suzuki S, Abeygunawardhana PK, Wada K, Nishiyama A, Ishimaru I. Measurement of the mid-infrared fourier spectroscopic imaging of whole human face by portable apparatusSize: 50∗50mm Weight: 200g). Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014;9268, art. no. 92681V.

Qi Y, Ma L, Kang Z, Bai Y, Yin B, Jian S. Highly sensitive curvature sensor based on a multicladding fiber sandwiched dual no-core fibers structure. Applied Optics 2014; 53 (28): 6382- 6388.

Qiao F, Longley KR, Feng S, Schnack S, Gao H, Li Y, Schlenker EH, Wang H. Reduced body weight gain in ubiquilin-1 transgenic mice is associated with increased expression of energy-sensing proteins. Physiological Reports 2017, 5 (8), art. no. e13260.

Qiao L, Yoo HS, Bosco C, Lee B, Feng G.-S, Schaack J, Chi N.-W, Shao J. Adiponectin reduces thermogenesis by inhibiting brown adipose tissue activation in mice. Diabetologia 2014; 57 (5): 1027-1036.

Qiao P, Tian D, Bao Q. Delayed diagnosis of spontaneous bladder rupture: A rare case report. BMC Women's Health 2018; 18 (1), art. no. 124.

Qiao YB, Chen YN, Zhao DY, Zhang HF. Thermal crosstalk characteristics in high-power 808 nm AlGaAs/GaAs laser diode bars. Journal of Infrared and Millimeter Waves 2015; 34(1): 10-13

Qiu C, Khalizov AF, Hogan B, Petersen EL, Zhang R. High sensitivity of diesel soot morphological and optical properties to combustion temperature in a shock tube Environmental Science and Technology 2014; 48 (11): 6444-6452.

Qiu QW, Lau D. Experimental evaluation on the effectiveness of acoustic-laser technique towards the FRP-bonded concrete system. In: Shull PJ, ed Proceedings of SPIE Conference on Structural Health Monitoring and inspection of Advanced Materials Aerospace and Civil Infrastructure MAR 09-12 2015, San Diego CA, 2015; pp. 943705-943705-10.

Qiu T, Teng Y, Tong J, Tao W, Xu L. Recurrent female adnexal tumor of probably Wolffian origin: A case report. Taiwanese Journal of Obstetrics and Gynecology 2017, 56 (3): 382-384.

Quesada JIP, Carpes FP, Bini RR, Palmer RS, Perez-Soriano P, de Anda RMCO. Relationship between skin temperature and muscle activation during incremental cycle exercise. Journal of Thermal Biology 2015; 48: 28-35

Quesada JIP, Guillamon NM, de anda RMACO, Psikuta A, Annaheim S, Rossi RM, Salvador JMC, Perez- Soriano P, Palmer RS. Effect of perspiration on skin temperature measurements by Infrared thermography and contact thermometry during aerobic cycling. Infrared Physics & Technology 2015; 72: 68-76

Quesada JIP, Lucas-Cuevas AG, Gil-Calvo M, Gimenez JV, Aparicio I, de anda RMCO, Palmer RS, Llana- Belloch S, Perez-Soriano P. Effects of graduated compression stockings on skin temperature after running. Journal of Thermal Biology 2015; 52: 130-136

Quevedo AS, Mørch CD, Andersen OK, Coghill RC. Lateral inhibition during nociceptive processing. Pain 2017, 158 (6): 1046-1052.

Quinn CM, Duran RM, Audet GN, Charkoudian N, Leon LR. Cardiovascular and thermoregulatory biomarkers of heat stroke severity in a conscious rat model. Journal of Applied Physiology 2014; 117 (9): 971-978.

Quinn NB, Chakravarthy U, Muldrew KA, Hamill B, McGuinness B, Young IS, Kee F, Hogg RE. Confocal infrared imaging with optical coherence tomography provides superior detection of a number of common macular lesions compared to colour fundus photography. Ophthalmic & Physiological Optics: the Journal of the British College of Ophthalmic Opticians (Optometrists), 2018; 38 (6): 574-583.

Quirouet A, Bhattacharyya PK, Dielubanza EJ, Gill BC, Jones SE, Goldman HB. Sacral Neuromodulation Device Heating During Lumbar and Pelvic Magnetic Resonance Imaging—a Phantom Study. Urology 2017, 107: 61-66.

Qurollo BA, Riggins D, Comyn A, Zewde MT, Breitschwerdt EB. Development and validation of a sensitive and specific sodB-based quantitative PCR assay for molecular detection of Ehrlichia species. Journal of Clinical Microbiology 2014; 52 (11): 4030-4032.

Rabbani F, Ajaz H, Zimmermann I, Johnsson M. Synthesis crystal structure and thermal decomposition of the new cadmium selenite chloride Cd4(SeO3)2OCl2. PLoS ONE 2014; 9 (5), art. no. e97175.

Rabie A, Yousefnia H, Zolghadri S, Shamsaei M, Jalilian AR. Preparation quality control and biodistribution study of 68Ga-BPAMD: Optimized production with an in-house 68Ge-68Ga generator. Iranian Journal of Nuclear Medicine 2018; 26 (2): 82-86.

Rabin I, Shpolanski U, Leibovitz A, Bass A. Preprogrammed oscillations improve lower limb blood flow and walking distance in patients with peripheral arterial disease. Israel Medical Association Journal 2014; 16 (7): 423-426.

Raccurt CP, Brasseur P, Cicéron M, Parke DM, Zervos MJ, Boncy J. In vivo study of Plasmodium falciparum chloroquine susceptibility in three departments of Haiti. Malaria Journal 2017, 16(1) Article Number: 313

Racinais S, Buchheit M, Bilsborough J, Bourdon P.C, Cordy J, Coutts AJ. Physiological and performance responses to a training camp in the heat in professional Australian football players. International Journal of Sports Physiology and Performance 2014; 9 (4): 598-603.

Radcliff K, Vijay P, Sarris RF, Speltz M, Vose JG. Preclinical comparison of thermal tissue effects from traditional electrosurgery and a low-temperature electrosurgical device during anterior cervical discectomy and fusion. International Journal of Spine Surgery 2018; 12 (4): 483-489.

Rae CD. The energetic cost of a night on the town. Sleep 2014; 37 (12): 1881-1882.

Raffel M, Merz CB, Schwermer T, Richter K. Differential Infrared thermography for boundary layer transition detection on pitching rotor blade models. Experiments In Fluids 2015; 56(2) 30

Rafigh SM, Yazdi AV, Vossoughi M, Safekordi AA, Ardjmand M. Optimization of culture medium and modeling of curdlan production from Paenibacillus polymyxa by RSM and ANN. International Journal of Biological Macromolecules 2014; 70, 463-473.

Raghavan RK, Neises D, Goodin DG, Andresen DA, Ganta RR. Bayesian spatio-temporal analysis and geospatial risk factors of human monocytic ehrlichiosis. PLoS ONE 2014; 9 (7), art. no. e100850.

Raghavan V, O'Flatharta C, Dwyer R, Breathnach A, Zafar H, Dockery P, Wheatley A, Keogh I, Leahy M, Olivo M. Dual plasmonic gold nanostars for photoacoustic imaging and photothermal therapy. Nanomedicine 2017, 12 (5): 457-471.

Rahimi H, Bell R, Bouta EM, Wood RW, Xing L, Ritchlin CT, Schwarz EM. Lymphatic imaging to assess rheumatoid flare: Mechanistic insights and biomarker potential. Arthritis Research and Therapy 2016; 18 (1), art no 194

Raimondi V, Palombj L, Morelli A, Chimenti M, Penoni S, Dercks U, Andreotti A, Bartolozzi G, Bini M, Bonaduce I, Bracci S, Cantisani E, Colombini MP, Cucci C, Fenelli L, Galeotti M, Malesci I, Malquori A, Massa E, Montanelli M, Olmi R, Picollo M, Pierelli LD, Pinna D, Riminesi C, Rutigliano S, Sacchi B, Stella S, Tonini G. An integrated multi-medial approach to cultural heritage conservation and documentation: from remotely-sensed LIDAR imaging to historical archive data. In: Michel U, Schulz K, Ehlers M, Nikolakopoulos KG, Civco D, eds, Proceedings of 15th SPIE Conference on Earth Resources and Environmental Remote Sensing/GIS Applications VI, SEP 22-24. 2015, Toulouse France, 2015; pp, 96440C-96440C-9.

Rainieri C, Marra A, Rainieri GM, Gargaro D, Pepe M, Fabbrocino G. Integrated non-destructive assessment of relevant structural elements of an Italian heritage site: The Carthusian monastery of Trisulti. I Journal of Physics: Conference Series 2015, 628(1) 012018.

Raja NSM, Rajinikanth V, Fernandes SL, Satapathy SC. Segmentation of breast thermal images using kapur's entropy and hidden markov random field. Journal of Medical Imaging and Health Informatics 2017, 7 (8): 1825-1829.

Raja NSM, Sukanya SA, Nikita Y. Improved PSO based Multi-Level Thresholding for Cancer infected Breast Thermal Images using Otsu. Procedia Computer Science, 48, 524-529. Sales RBC, Sales FA, Alvarenga CBCS, Aguilar MTP. Analysis of thermal performance of cementitious compounds using soda- lime glass and Infrared thermography. ACSR-Advances in Comptuer Science Research 3rd International Conference on Mechatronics Robotics and Automation (ICMRA), APR 20 - 21 2015, Shenzhen, China, 2015; 15: 24-28

Rajabinejad H, Patrucco A, Caringella R, Montarsolo A, Zoccola M, Pozzo PD. Preparation of keratin-based microcapsules for encapsulation of hydrophilic molecules. Ultrasonics Sonochemistry 2018; 40: 527-532.

Rajagopal V, Marler JP, Kokish MG, Odom BC. Trapped ion chain thermometry and mass spectrometry through imaging. European Journal of Mass Spectrometry 2016; 22 (1) 1-7

Rajasekaran S, Kovar S, Qu P, Inwald D, W illiams E, Qu H, Zakalik K. Mechanism for measurement of flow rate of cerebrospinal fluid in hydrocephalus shunts. 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBC 2014, art. no. 6944043: 2153-2156.

Rajkumar S, Prabaharan M. Theranostics based on iron oxide and gold nanoparticles for imaging-guided photothermal and photodynamic therapy of cancer. Current Topics in Medicinal Chemistry 2017, 17 (16): 1858-1871.

Rakesh V, Stallings JD, Reifman J. A virtual rat for simulating environmental and exertional heat stress. Journal of Applied Physiology 2014; 117 (11): 1278-1286.

Ramadhani N, Shabir M, McConville C. Preparation and characterisation of Kolliphor®P 188 and P 237 solid dispersion oral tablets containing the poorly water-soluble drug disulfiram. International Journal of Pharmaceutics 2014; 475 (1) 514-522.

Ramaekers P, De Greef M, Van Breugel JMM, Moonen CTW, Ries M. Increasing the HIFU ablation rate through an MRI-guided sonication strategy using shock waves: Feasibility in the in vivo porcine liver.

Ramer LM, Ramer MS, Bradbury EJ. Restoring function after spinal cord injury: Towards clinical translation of experimental strategies. The Lancet Neurology 2014; 13 (12): 1241-1256.

Ramírez JA, Paramo Arroyave HD, Casas Arroyave FD. Therapeutic hypothermia after prolonged cardiopulmonary resuscitation due to pulmonary thromboembolism. Case report. Revista Colombiana de Anestesiologia 2014; 42 (4): 317-320.

Ramírez-Elías MG, Kolosovas-Machuca ES, Kershenobich D, Guzmán C, Escobedo G, González FJ. Evaluation of liver fibrosis using Raman spectroscopy and infrared thermography: A pilot study. Photodiagnosis and Photodynamic Therapy 2017, 19: 278-283.

Ramírez-Torres A, Rodríguez-Ramos R, Sabina FJ, García-Reimbert C, Penta R, Merodio J, Guinovart-Díaz R, Bravo-Castillero J, Conci A, Preziosi L. The role of malignant tissue on the thermal distribution of cancerous breast. Journal of Theoretical Biology 2017, 426: 1339-1351.

Rammo R, Asmaro K, Schultz L, Scarpace L, Siddiqui S, Walbert T, Kalkanis S, Lee I. The safety of magnetic resonance imaging-guided laser interstitial thermal therapy for cerebral radiation necrosis. Journal of Neuro-Oncology 2018; 138 (3): 609-617.

Ramnarine KV, Garrard JW, Dexter K, Nduwayo S, Panerai RB, Robinson TG. Shear wave elastography assessment of carotid plaque stiffness: Invitro reproducibility study. Ultrasound in Medicine and Biology 2014;40 (1) 200-209.

Ramsay E, Mougenot C, Kazem M, Laetsch TW, Chopra R. Temperature-dependent MR signals in cortical bone: Potential for monitoring temperature changes during high-intensity focused ultrasound treatment in bone. Magnetic Resonance in Medicine 2015, *74*(4) 1095-1102.

Ran X, Mu L, Liu R.-X, Cong H, Zhang Q.-M, Wang F. Study on two different aromas styles of tobacco from Guizhou by characteristics spectroscopic methods Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis 2014; 34 (3): 777-781.

Ranc N, Blanche A, Ryckelynck D, P Chrysochoos A. POD Preprocessing of IR Thermal Data to Assess Heat Source Distributions. Experimental Mechanics 2015; 55(4): 725-739

Randoll R, Asef M, Wondrak W, Bottcher L, Schletz A. Characteristics and aging of PCB embedded power electronics. Microelectronics Reliability 2015; 55(9)-10: 1634-1639

Rango M, Arighi A, Bonifati C, Del Bo R, Comi G, Bresolin N. The brain is hypothermic in patients with mitochondrial diseases. Journal of Cerebral Blood Flow and Metabolism 2014; 34 (5): 915- 920.

Rangon FB, Koga Ferreira VT, Rezende MS, Apolinário A, Ferro AP, Guirro ECDO. Ischemic compression and kinesiotherapy on chronic myofascial pain in breast cancer survivors. Journal of Bodywork and Movement Therapies 2018; 22 (1): 69-75.

Rani SU, Ignatious A, Hari B.V, Balavishnu VJ. Iot patient health monitoring system. Indian Journal of Public Health Research and Development 2017, 8(4) 1329-1334.

Ranjan RV, Sivasubramanian M, Ramachandran TR, Selvamani B. Perioperative management of polytrauma in a post MVR patient with severe left ventricular systolic dysfunction. Anaesthesia Pain and Intensive Care 2014; 18 (4): 455-457.

Ranjit S, Kang K, Kim W. Investigation of lock-in Infrared thermography for evaluation of subsurface defects size and depth. International Journal of Precision Engineering and Manufacturing 2015; 16(1)1: 2255-2264

Rao P, Keenan JB, Rajab TK, Ferng A, Kim S, Khalpey Z. Intraoperative thermographic imaging to assess myocardial distribution of Del Nido cardioplegia. Journal of Cardiac Surgery 2017, 32 (12): 812-815.

Rassiwala M, Mathur P, Mathur R, Farid K, Shukla S, Gupta PK, Jain B. Evaluation of digital infra- red thermal imaging as an adjunctive screening method for breast carcinoma: A pilot study. International Journal of Surgery 2014; 12 (12) 1439-1443.

Rastgar-Jazi M, Mohammadi F. Parameters sensitivity assessment and heat source localization using infrared imaging techniques. BioMedical Engineering Online 2017, 16 (1), art. no. 113.

Rasuli B, Tabkhi N, Kalantar E, Zarezade V, Shiran MB. Influence of ultrasound on the clearance of toxic substances from Polysulfone hollow fiber membrane used in a dialyzer filter. Polish Journal of Medical Physics and Engineering 2018; 24 (3): 91-97.

Rathke H, Hamm B, Güttler F, Rathke J, Rump J, Teichgräber U, de Bucourt M. Comparison of four radiofrequency ablation systems at two target volumes in an ex vivo bovine liver model. Diagnostic and Interventional Radiology 2014; 20 (3) 251-258.

Rathmann P, Chalopin C, Halama D, Giri P, Meixensberger J, Lindner D. Dynamic infrared thermography

(DIRT) for assessment of skin blood perfusion in cranioplasty: a proof of concept for qualitative comparison with the standard indocyanine green video angiography (ICGA). International Journal of Computer Assisted Radiology and Surgery 2018; 13 (3): 479-490.

Rau G, Stoian AM, Mogosanu GD, Chirigiu L, Amzoiu DC. 4-(-ethyl-N-phenylacetamidoxy)-4 '-[P- phenylazo] biphenyls with liquid, crystals properties. Revue Roumaine De Chimie 2015; 60(9): 907-914

Ravanelli N, Jay O, Gagnon D. Sustained increases in skin blood flow are not a prerequisite to initiate sweating during passive heat exposure. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2017, 313(2) R140-R148.

Ravanelli NM, Cramer MN, Molgat-Seon Y, Carlsen AN, Jay O. Do greater rates of body heat storage precede the accelerated reduction of self-paced exercise intensity in the heat? European Journal of Applied Physiology 2014; 114 (11): 2399-2410.

Ravenelle R, Santolucito HB, Byrnes EM, Byrnes JJ, Donaldson ST. Housing environment modulates physiological and behavioral responses to anxiogenic stimuli in trait anxiety male rats. Neuroscience 2014; 270, 76-87.

Rawlins M. Infectious diseases. Journal of Pharmacy Practice and Research 2014; 44 (4): 277- 279.

Ray PP. An IR Sensor Based Smart System to Approximate Core Body Temperature. Journal of Medical Systems 2017, 41 (8), art. no. 123.

Ray S, Ghosh (Ray), S, Mandal S. Development of bicalutamide-loaded PLGA nanoparticles: preparation characterization and in-vitro evaluation for the treatment of prostate cancer. Artificial Cells Nanomedicine and Biotechnology 2017, 45 (5): 944-954.

Ray S, Rogers L, Brown KL, Peters MJ. The effect of acetaminophen on temperature in critically ill children: A retrospective analysis of over 50,000 doses. Pediatric Critical Care Medicine 2018; 19 (3): 204-209.

Raymond JL, Cleveland RO, Roy RA. HIFU-induced changes in optical scattering and absorption of tissue over nine orders of thermal dose. Physics in Medicine and Biology 2018; 63 (24), art. no. 245001.

Raymond NS, Müller Stöver D, Jensen LS, Håkansson S. Survival and phosphate solubilisation activity of desiccated formulations of Penicillium bilaiae and Aspergillus niger influenced by water activity. Journal of Microbiological Methods 2018; 150: 39-46.

Raza SEA, Prince G, Clarkson JP, Rajpoot NM. Automatic Detection of Diseased Tomato Plants Using Thermal and Stereo Visible Light Images. PLOS One, 0 2015; 10(4) e0123262

Réalis-Doyelle E, Pasquet A, De Charleroy D, Fontaine P, Teletchea F. Strong effects of temperature on the early life stages of a cold stenothermal fish species brown trout (Salmo trutta L). PLoS ONE 2016; 11 (5), art no e0155487

Reaney L, Livingstone V, Bogue C, Dempsey EM, Filan PM. Timing of therapeutic hypothermia for inborn and outborn infants with neonatal encephalopathy. Irish Medical Journal 2016; 109 (3), p 369

Redaelli V, Ludwig N, Nanni Costa L, Crosta L, Riva J, Luzi F. Potential application of thermography (IRT) in animal production and for animal welfare. A case report of working dogs. Annali dell'Istituto superiore di sanità 2014; 50 (2): 147-152.

Redaelli V, Tanzi B, Luzi F, Stefanello D, Proverbio D, Crosta L, Di Giancamillo M. Use of thermographic imaging in clinical diagnosis of small animal: preliminary notes. Annali dell'Istituto superiore di sanità 2014; 50 (2): 140-146.

Reddy BK, Balaji C. Bayesian estimation of heat flux and thermal diffusivity using liquid crystal thermography. International Journal of Thermal Sciences 2015; 87: 31-48

Reddy PN, Cooper G, Weightman A, Hodson-Tole E, Reeves ND. Walking cadence affects rate of plantar foot temperature change but not final temperature in younger and older adults. Gait and Posture 2017, 52: 272-279.

Reena Rajkumari B, Sneha A, Rhea F, Anusha S. Induction of cancer in zebra fish using simple carcinogen. Research Journal of Pharmacy and Technology 2018; 11 (2): 628-630.

Reger SI, Ranganathan VK, McNulty AK. Use of a powered coverlet for moisture removal skin temperature reduction odor and bacteria control. Journal of Wound Ostomy and Continence Nursing 2014; 41 (1): 35- 39.

Regis LN, Acioli RV, Silveira J.C, de Melo-Santos MAV, da Cunha M.CS, Souza F, Batista CAV, Barbosa RMR, de Oliveira CMF, Ayres CFJ, Monteiro AMV, Souza WV. Characterization of the spatial and temporal dynamics of the dengue vector population established in urban areas of Fernando de Noronha, a Brazilian oceanic island. Acta Tropica 2014; 137: 80-87.

Rehman T, DeBoisblanc BP. Persistent fever in the ICU. Chest 2014; 145 (1): 158-165.

Reich PB, Sendall KM, Stefanski A, Wei X, Rich RL, Montgomery RA. Boreal and temperate trees show strong acclimation of respiration to warming. Nature 2016; 531 (7596) 633-636

Reifenberg J.-M, Riout E, Leroy A, Begue S. The EFS metrology: From the production to the reason [Métrologie à l'EFS: de la production à la raison]. Transfusion Clinique et Biologique 2014; 21 (3): 132-138.

Reinhardt J, Apilo P, Zimmermann B, Rousu S, Wuerfel U. Determining the photocurrent of individual cells within an organic solar module by LBIC and the filtering approach: Experiments and simulations. Solar Energy Materials and Solar Cells 2015; 134: 157-164

Reiniers MJ, Van Golen RF, Heger M, Mearadji B, Bennink RJ, Verheij J, Van Gulik TM. In situ hypothermic perfusion with retrograde outflow during right hemihepatectomy: First experiences with a new technique. Journal of the American College of Surgeons 2014; 218 (1) e7-e16.

Rej S, Alaqeel B, Segal M, Low NCP, Mucsi I, Holcroft C, Looper K. Is environmental temperature related to renal symptoms serum lithium levels and other laboratory test results in current lithium users? Human Psychopharmacology 2014; 29 (4): 392-396.

Remy L, Cheymol G, Gusarov A, Morana A, Marin E, Girard S. Compaction in optical fibres and fibre Bragg gratings under nuclear reactor high neutron and gamma fluence. (2015) 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465627

Renberg J, Sandsund M, Wiggen TN, Reinertsen RE. Effect of ambient temperature on female endurance performance. Journal of Thermal Biology 2014; 45: 9-14.

Renero-C, F.-J. The abrupt temperature changes in the plantar skin thermogram of the diabetic patient: looking in to prevent the insidious ulcers. Diabetic Foot and Ankle 2018; 9 (1), art. no. 1430950.

Renero-C, F-J. The thermoregulation of healthy individuals overweight–obese and diabetic from the plantar skin thermogram: a clue to predict the diabetic foot. Diabetic Foot and Ankle 2017, 8 (1), art. no. 1361298.

Renkielska A, Kaczmarek M, Nowakowski A, Grudzinski J, Czapiewski P, Krajewski A, Grobelny I. Active dynamic infrared thermal imaging in burn depth evaluation. Journal of Burn Care and Research 2014; 35 (5): e294-e303.

Rennert RC, Carroll KT, Ali MA, Hamelin T, Chang L, Lemkuil BP, Chen CC. Safety of stereotactic laser ablations performed as treatment for glioblastomas in a conventional magnetic resonance imaging suite. Neurosurgical Focus 2016; 41 (4), art no E7

Reshetnikov AP, Kopylov MV, Nasyrov MR, Soicher EM, Fisher EL, Chernova LV., TI New Maxillofacial Infrared Detection Technologies. In: Sadovoy MA, Orlov SN, Kistenev YV, Sharkeev YP, eds. AIP Conference Proceedings 5th International Scientific Conference on New Operational Technologies (NEWOT) SEP 29-30 2015, Tomsk Russia, 2015; 1688: AR 030014

Restrepo-Giron AD. Enhanced method for flaws depth estimation in CFRP slabs from FDTC, thermal contrast sequences. Ingenieria E Investigacion 2015; 35(3): 61-68

Reyes JD, Jalikis FG, Olson LC, Yeh M, Montenovo MI. Use of NanoICE for Procurement Achieves Better Cooling of Liver Grafts. Transplantation Proceedings 2017, 49 (6): 1449-1454.

Reynolds M, Bonham L, Gueck M, Hammond K, Lowery J, Redel C, Rodriguez C, Smith S, Stanton A, Sukosd S, Craft M. Are temporal artery temperatures accurate enough to replace rectal temperature measurement in pediatric ED patients? Journal of Emergency Nursing 2014; 40 (1): 46-50.

Reynolds WS, Kowalik C, Cohn J, Kaufman M, Wein A, Dmochowski R, Bruehl S. Women Undergoing Third Line Overactive Bladder Treatment Demonstrate Elevated Thermal Temporal Summation. Journal of Urology 2018; 200 (4): 856-861.

Rezaei M, Khoshgard K, Mousavi M. The Correction of Focal Point Displacement Caused by the Refraction of the Beams in High-Intensity Focused Ultrasound. Journal of Medical Signals and Sensors 2017, 7 (3): 178-184.

Riabyi VA, Savinov VP, Yakunin VG, Pirogov YA, Rodin IA. A Long-Lifetime Plasmatron for Use in Medicine. Biomedical Engineering 2017, 51 (3): 195-199.

Riaz M, Ragsdale BD, Rahman ZU, Nigam G. Drug rash with eosinophilia and systemic symptoms (DRESS) caused by phenytoin. BMJ Case Reports 2017, art. no. 220835.

Ribeiro AL, Pasadas D, Ramos HG, Rocha T. Determination of Crack Depth in Aluminum Using Eddy Currents and GMR, Sensors. In: Chimenti DE, Bond LI, eds,41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE) JUL 20-25, 2014, Boise ID, 2015; 1650: 361-367

Ribeiro AR, Maia AS, Moreira IS, Afonso CM, Castro PML, Tiritan ME. Enantioselective quantification of fluoxetine and norfluoxetine by HPLC in wastewater effluents. Chemosphere 2014; 95: 589-596.

Richardson MB, Li P, Gohlke JM, Allison DB. Effects of Indoor Thermal Environment on Human Food Intake Productivity and Comfort: Pilot Randomized Crossover Trial. Obesity 2018; 26 (12): 1826-1833.

Rickards CA, Vyas N, Ryan KL, W ard KR, Andre D, Hurst GM, Barrera CR, Convertino VA. Are you bleeding? Validation of a machine-learning algorithm for determination of blood volume status: Application to remote triage. Journal of Applied Physiology 2014; 116 (5): 486-494.

Rida M, Ghaddar N, Ghali K, Hoballah J. Elderly bioheat modeling: changes in physiology thermoregulation and blood flow circulation. International Journal of Biometeorology 2014; 58 (9): 1825-1843.

Rida M, Karaki W, Ghaddar N, Ghali K, Hoballah J. A new mathematical model to simulate AVA cold- induced vasodilation reaction to local cooling. International journal of biometeorology 2014; 58 (9): 1905- 1918.

Ridgeway JA, Midgley JM, Collett IJ, Villet MH. Advantages of using development models of the carrion beetles Thanatophilus micans (Fabricius) and T. mutilatus (Castelneau) (Coleoptera: Silphidae) for estimating minimum post mortem intervals verified with case data. International Journal of Legal Medicine 2014; 128 (1): 207-220.

Riedijk MA, König-Jung AM, Van Woensel JBM, Kruisinga FH. A neonate with marked prolonged mixed apneas and CHARGE syndrome: A case report. Journal of Medical Case Reports 2018; 12 (1), art. no. 267.

Riera F, Hoyt R, Xu X, Melin B, Regnard J, Bourdon L. Thermal and metabolic responses of military divers during a 6-hour static dive in cold water. Aviation Space and Environmental Medicine 2014; 85 (5): 509- 517.

Riera F, Trong TT, Sinnapah S, Hue O. Physical and perceptual cooling with beverages to increase cycle performance in a tropical climate. PLoS ONE 2014; 9 (8) Art. No. e103718.

Rietz M, Rohlfs W, Kneer R, Scheid B. Experimental investigation of thermal structures in regular three-dimensional falling films. European Physical Journal-Special Topics 2015; 224(2): 355-368

Riggio M, Sandak J, Franke S. Application of imaging techniques for detection of defects damage and decay in timber structures on-site. Construction and Building Materials 2015; 101: 1241-1252

Rigo-Adrover MM, van Limpt K, Knipping K, Garssen J, Knol J, Costabile A, Franch À, Castell M, Pérez-Cano FJ. Preventive effect of a synbiotic combination of galacto- and fructooligosaccharides mixture with Bifidobacterium breve M-16V in a model of multiple rotavirus infections. Frontiers in Immunology 2018; 9: art. no. 1318.

Rincon F. Targeted Temperature Management in Brain Injured Patients. Neurologic Clinics 2017, 35 (4): 665-694.

Ring EFJ, Jung A, Kalicki B. Zuber J. Rustecka A, Vardasca R. New Standards for Fever Screening with Thermal Imaging (extended abstract). Thermology international 2015, 25(1) 19-20

Ring EFJ, Vardasca R, Pascoe DD. The revised iso standard for screening thermographs for human febrile temperature screening. Thermology International 2018; 28(2) 52.

Ring F, Pascoe D, Vardasca R. Lack of compliance to International Standards Organisation recommendations for Fever Screening with Thermography (extended abstract). Thermology international 2015, 25(3) 113.

Ring F, Pascoe D, Vardasca R. Screening for EBOLA, and the ISO Standard (abstract). Thermology international 2015, 25(2) 67-68

Ring F. Baron Professor Leopold de Thibault de Boesinghe MD (obituary). Thermology international 2015, 25(3) 147

Ring F. Infrared Imaging in Diabetes: an overview (extended abstract). Thermology international 2014; 24(2) 55

Ring F. The Infrared Controversy 1800 -1840 (extended abstract). Thermology international 2016, 26 (Supplement) S7

Ring FJ. The evolution of infrared technology in human body temperature (extended abstract). Thermology international 2015, 25(1) 14

Ringuette D, Jeffrey MA, Carlen PL, Levi O. Multi-modal in vivo imaging of brain blood oxygenation blood flow and neural calcium dynamics during acute seizures. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9690, art no 969011

Rintoul JLP, Brigham RM. The influence of reproductive condition and concurrent environmental factors on torpor and foraging patterns in female big brown bats (Eptesicus fuscus). Journal of Comparative Physiology B: Biochemical Systemic and Environmental Physiology 2014; 184 (6) 777-787.

Rippe CM, Lattimer BY. Full-field surface heat flux measurement using non-intrusive Infrared thermography. Fire Safety Journal 2015; 78: 238-250

Ris F, Liot E, Buchs NC, Kraus R, Ismael G, Belfontali V, Douissard J, Cunningham C, Lindsey I, Guy R, Jones O, George B, Morel P, Mortensen NJ, Hompes R, Cahill RA, the Near-Infrared Anastomotic Perfusion Assessment Network VOIR Multicentre phase II trial of near-infrared imaging in elective colorectal surgery. British Journal of Surgery 2018; 105 (10): 1359-1367.

Risitano A, La Rosa G, Geraci A, Guglielmino E. The choice of thermal analysis to evaluate the monoaxial fatigue strength on materials and mechanical components. Proceedings of The Institution of Mechanical Engineers Part C-Journal of, Mechanical Engineering Science 2015; 229(7): 1315-1326

Riveros ME, Perdomo G, Torrealba F. Infralimbic cortex controls core body temperature in a histamine dependent manner. Physiology and Behavior 2014; 128, 1-8.

Rivest EB, Hofmann GE. Responses of the metabolism of the larvae of Pocillopora damicornis to ocean acidification and warming. PLoS ONE 2014; 9 (4) Art. No. e96172.

Rizvi SA, Sohail MR. Neutropenic Fever. Hospital Medicine Clinics 2014; 3 (2) e218-e234.

Rizwan ASM, Islam MR, Yusuf MG. Isolated tuberculous liver abscess in an immunocompromised adult: A case report. Bangladesh Journal of Medical Science 2018; 17 (1): 155-157.

Robbins D, Yoganathan P, Goss-Sampson M. The influence of whole-body vibration on the central and peripheral cardiovascular system. Clinical Physiology and Functional Imaging, 34 (5): 364- 369.

Robbins L, Lehmann J. Infrared Thermography as a Non-invasive Method for Measuring Emotional States in Barbary Macaques (Macaca sylvanus). Folia Primatologica 2015; 86(4): 348-348

Roberts CT, Kortekaas R, Dawson JA, Manley BJ, Owen LS, Davis PG. The effects of non-invasive respiratory support on oropharyngeal temperature and humidity: A neonatal manikin study. Archives of Disease in Childhood: Fetal and Neonatal Edition 2016; 101 (3) F248-F252

Robinson BG, Franke A, Derocher AE. The influence of weather and lemmings on spatiotemporal variation in the abundance of multiple avian guilds in the arctic. PLoS ONE 2014; 9 (7), art. no. e101495.

Robinson JB, Engebretsen E, Finegan DP, Darr J, Hinds G, Shearing PR, Brett DJL. Detection of Internal Defects in Lithium-Ion Batteries Using Lock-in Thermography. ECS Electrochemistry Letters 2015; 4(9): A106-A109

Robinson L, Ojha S, Symonds ME, Budge H. Body mass index as a determinant of brown adipose tissue function in healthy children. Journal of Pediatrics 2014; 164 (2): 318-322E1.

Rocha G, Soares P, Pissarra S, Soares H, Costa S, Henriques-Coelho T, Guimarães H. Vascular access in neonates. Minerva Pediatrica 2017, 69 (1): 72-82.

Roche JM, Balageas DL. Common tools for quantitative pulse and step-heating thermography -part II: experimental investigation. Quantitative Infrared Thermography Journal 2015; 12(1): 1-23

Roche JM, Passilly F, Balageas D. A TSR-Based Quantitative Processing Procedure to Synthesize Thermal, D-Scans of Real-Life Damage in Composite Structures. Journal of Nondestructive Evaluation. 2015; 34(4) 41

Roche VP, Mohamad-Djafari A, Innominato PF, Karaboué, A, Gorbach A, Lévi FA. Thoracic surface temperature rhythms as circadian biomarkers for cancer chronotherapy. Chronobiology International 2014; 31 (3) 409-420.

Rodionova LV, Shurygina IA, Sukhov BG, Popova LG, Shurygin MG, Artem'ev AV, Pogodaeva NN, Kuznetsov SV, Gusarova NK, Trofimov BA. Nanobiocomposite based on selenium and arabinogalactan: Synthesis structure and application. Russian Journal of General Chemistry 2015; 85(2): 485-487

Rodler A; Virgone J; Roux JJ; Hubert JL. Development and validation of a three-dimensional thermal transient numerical model with sun patch: Application to a low energy cell. Energy and Buildings 2015, *87*, 425-435

Rodrigues Barrera WC, Brioschi ML, Teixeira M. Applicability of infrared thermography in medical expertise (extended abstract). Thermology international 2014; 24(1) 22

Rodrigues DB, Maccarini PF, Salahi S, Oliveira TR, Pereira PJS, Limao-Vieira P, Snow BW, Reudink D, Stauffer PR. Design and optimization of an ultra wideband and compact microwave antenna for radiometric monitoring of brain temperature. IEEE Transactions on Biomedical Engineering 2014; 61 (7) Art. No. 6798662, 2154-2160.

Rodrigues DB, Stauffer PR, Pereira PJS, Maccarini PF. Microwave radiometry for noninvasive monitoring of brain temperature. Emerging Electromagnetic Technologies for Brain Diseases Diagnostics Monitoring and Therapy 2018; pp. 87-127.

Rodrigues de Andrade P, VVanessa Evangelista Maia I, Almeida Ferreira J, Franco de Medeiros Neto C. Absence of alterations in cutaneous temperature during the phases of menstrual cycle (extended abstract). Thermology international 2015, 25(3) 134-135

Rodrigues HF, Capistrano G, Mello FM, Zufelato N, Silveira-Lacerda E, Bakuzis AF. Precise determination of the heat delivery during in vivo magnetic nanoparticle hyperthermia with infrared thermography. Physics in Medicine and Biology 2017, 62 (10): 4062-4082.

Rodriguez-Martin M, Laguela S, Gonzalez-Aguilera D, Martinez J. Prediction of depth model for cracks in steel using Infrared thermography. Infrared Physics & Technology, 2015; 71: 492-500

Rodriguez-Martin M, Laguela-Lopez S, Gonzalez-Aguilera D, Diaz-Vilarino L. Active Thermography. Part 2 Development and applications in engineering and industry. DYNA 2015; 90(6): 568-572

Rodriguez-Martin M, Laguela-Lopez S, Gonzalez-Aguilera D, Diaz-Vilarino L. Theoretical approach of Infrared capture data processing and classification. DYNA 2015; 90(5): 456-460

Rodriguez-Martin M, Laguela-Lopez S, Gonzalez-Aguilera D, Diaz-Vilarino L. Theoretical approach of Infrared capture data processing and classification. DYNA 2015; 90(5): 456-460

Rodriguez-Merchan EC. Hemophilic arthropathy: current treatment challenges and future prospects. Expert Opinion on Orphan Drugs 2018; 6 (8): 477-483.

Rodriguez-Sanz D, Losa-Iglesias ME, Becerro de Bengoa-Vallejo R, Palomo-Lopez P, Beltran-Alacreu H, Calvo-Lobo C, Navarro-Flores E, Lopez-Lopez D. Skin temperature in youth soccer players with functional equinus and non-equinus condition after running. Journal of the European Academy of Dermatology and Venereology 2018; 32 (11): 2020-2024.

Rodríguez-Sanz D, Losa-Iglesias ME, López-López D, Calvo-Lobo C, Palomo-López P, Becerro-de-Bengoa-Vallejo R. Infrared thermography applied to lower limb muscles in elite soccer players with functional ankle equinus and non-equinus condition. PeerJ 2017, 2017(5) Article Number: 3388.

Rogers AD, Saggaf M, Ziolkowski N. A quality improvement project incorporating preoperative warming to prevent perioperative hypothermia in major burns. Burns 2018; 44 (5): 1279-1286.

Rohrig S, Petschenig I, Bermejo R, Hofstatter M, Aldrian F, Danzer R, Supancic P. Thermography and Complementary Measurements as Tools to Detect Micro-Irregularities in Electronic Components. Journal of Ceramic Science and Technology 2015; 6(4): 255-260

Rojo-Marcos G, Rubio-Muñoz JM, Ramírez-Olivencia G, García-Bujalance S, Elcuaz-Romano R, Díaz- Menéndez M, Calderón M, García-Bermejo I, Ruiz-Giardín JM, Merino-Fernández FJ, Torrús-Tendero D, Delgado-Iribarren A, Ribell-Bachs M, Arévalo-Serrano J, Cuadros-González J. Comparison of imported Plasmodium ovale curtisi and P.

ovale wallikeri infections among patients in Spain, 2005-2011. Emerging Infectious Diseases 2014; 20 (3): 409-416.

Rok T, Rokita E, Tatoń, G, Guzik T, Śliwa T. Thermographic assessment of skin prick tests in comparison with the routine evaluation methods. Postepy Dermatologii i Alergologii 2016; 33 (3) 193-198

Rokita E, Rok T, Taton G. Evaluation of allergic response using dynamic thermography. Opto-Electronics Review 2015; 23(1): 53-59

Rolston JD, Chang EF. Stereotactic Laser Ablation for Hypothalamic Hamartoma. Neurosurgery Clinics of North America 2016; 27 (1) 59-67

Romanishkin ID, Grachev PV, Pominova DV, Burmistrov IA, Sildos I, Vanetsev AS, Orlovskaya EO, Orlovskii YV, Loschenov VB, Ryabova AV. Experimental modeling of local laser hyperthermia using thermosensitive nanoparticles absorbing in NIR. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10716, art. no. 107161C.

Romanishkin ID, Pominova DV, Grachev PV, Makarov VI, Vanetsev AS, Orlovskaya EO, Baranchikov AE, Sildos I, Loschenov VB, Orlovskii YV, Ryabova AV. Noninvasive estimation of the local temperature of biotissues heating under the action of laser irradiation from the luminescence spectra of ND3+ IONS. Biomedical Photonics 2018; 7 (2): 25-36.

Romano M, Guillaument R, Many C, Batsale JC, Pradere C. Thermal analysis of droplet flow: Numerical analytical and experimental investigations. Applied Thermal Engineering 2015; 90: 403-412

Romano M, Ndiaye C, Duphil A, Sommier A, Morikawa J, Mascetti J, Batsale JC, Servant L, Pradere C. Fast Infrared imaging spectroscopy technique (FIIST). Infrared Physics & Technology 2015; 68: 152-158

Romano M, Pradere C, Sarrazin F, Toutain J, Batsale JC Enthalpy kinetics and mixing characterization in droplet-flow millifluidic device by Infrared thermography. Chemical Engineering Journal 2015; 273: 325- 332

Romano M, Pradere C, Toutain J, Batsale JC. Quantitative kinetics and enthalpy measurements of biphasic underflow chemical reactions using Infrared thermography. Experimental Thermal and Fluid Science 2015; 67: 14-17

Romero J, Avendano R, Grushko M, Diaz JC, Du X, Gianni C, Natale A, Di Biase L. Oesophageal injury during AF ablation: Techniques for prevention. Arrhythmia and Electrophysiology Review 2018; 7 (1): 24-31.

Rong C, Jia Y, Yue Z, Yang Y. Fusion of infrared and visible images based on a hybrid decomposition via the guided and Gaussian filters. Proceedings - 2017 10th International Congress on Image and Signal Processing BioMedical Engineering and Informatics CISP-BMEI 2017, 2018; pp. 1-6.

Rose JB, Hawkins WG. Diagnosis and management of biliary injuries. Current Problems in Surgery 2017, 54(8) 406-435.

Rosen J. How an ocean climate cycle favored Harvey. Science 2017, 357(6354) 853-854.

Rosenberg C, Jahn A, Pickartz T, Wahnschaffe U, Patrzyk M, Hosten N. Gd-EOB-DTPA- enhanced MR guidance in thermal ablation of liver malignancies. PLoS ONE 2014; 9 (12) Art. No. e109217.

Rosenthal EL, Moore LS, Tipirneni K, De Boer E, Stevens TM, Hartman YE, Carroll WR, Zinn KR, Warram JM. Sensitivity and specificity of cetuximab-IRDye800CW to identify regional metastatic disease in head and neck cancer. Clinical Cancer Research 2017, 23 (16): 4744-4752.

Rosillo SO, Lopez-De-Sa E, Iniesta AM, De Torres F, Del Prado S, Rey JR, Armada E, Moreno R, López- Sendón JL. Is therapeutic hypothermia a risk factor for stent thrombosis? Journal of the American College of Cardiology 2014; 63 (9): 939-940.

Ross L, Naduvil AM, Bulacio JC, Najm IM, Gonzalez-Martinez JA. Stereoelectroencephalography-Guided Laser Ablations in Patients With Neocortical Pharmacoresistant Focal Epilepsy: Concept and Operative Technique. Operative Neurosurgery (Hagerstown Md.) 2018;15 (6): 656-663.

Rossas H, Rodrigues S, Seixas A. Skin temperature changes over the medial gastrocnemius and total work during exercise (extended abstract). Thermology international 2015, 25(3) 127.

Rossato M, Burei M, Vettor R. Neck thermography in the differentiation between diffuse toxic goiter during methimazole treatment and normal thyroid. Endocrine 2015; 48(3): 1016-1017

Rossignoli I, Benito PJ, Herrero AJ. Reliability of Infrared thermography in skin temperature evaluation of wheelchair users. Spinal Cord 2015; 53(3): 243-248

Rossignoli I, Sillero-Quintana M, Herrero A. Infrared thermography and shoulder pain in wheelchair users (extended abstract). Thermology international 2015, 25(3) 131.

Rouizi Y, Al Hadad W, Maillet D, Jannot Y. Experimental assessment of the fluid bulk temperature profile in a mini channel through inversion of external surface temperature measurements. International Journal of Heat and Mass Transfer 2015; 83: 522-535

Rousseau G, Dupont V, Reynier P, Jousset N, Rougé-Maillart C. Exploration of death by generalized hypothermia [Exploration d'un décès par hypothermie généralisée]. Revue de Medecine Legale 2018; 9 (3): 123-133.

Rout A, Kumerasan R, Venkatesan KA, Antony MP. Separation of Am(III) from nitric acid medium by phosphonium ionic liquid–hydroxyacetamide mixture. Journal of Radioanalytical and Nuclear Chemistry 2017, 313 (3): 505-513.

Roy CJ, Adams AP, Wang E, Plante K, Gorchakov R, Seymour RL, Vinet-Oliphant H, Weaver S.C. Chikungunya vaccine candidate is highly attenuated and protects nonhuman primates against telemetrically monitored disease following a single dose. Journal of Infectious Diseases 2014; 209 (12): 1891-1899.

Roy D, Chatterjee K, Tuli S. Characterization and Energy Absorption Efficiency Determination of LED, as an Effective Photothermal Excitation Source in Lock-in Thermography. IEEE Sensors Journal 2015; 15(10): 6010-6016

Roy RC, Cockram MS, Dohoo IR, Riley CB. Injuries in horses transported to slaughter in Canada. Canadian Journal of Animal Science 2015; 95(4): 523-531

Rozanov VV, Matveychuk IV, Shuteev SA. Temperature Fields on the Surface of Native Bone Tissue after Waterjet Incision. Biomedical Engineering 2017, 51 (3): 175-177.

Rozen G, Ptaszek L, Zilberman I, Cordaro K, Heist EK, Beeckler C, Altmann A, Ying Z, Liu Z, Ruskin JN, Govari A, Mansour M. Prediction of radiofrequency ablation lesion formation using a novel temperature sensing technology incorporated in a force sensing catheter. Heart Rhythm 2017, 14 (2): 248-254.

Roznik EA, Alford RA. Using pairs of physiological models to estimate temporal variation in amphibian body temperature. Journal of Thermal Biology 2014; 45, 22-29.

Ruaro B, Sulli A, Smith V, Pizzorni C, Paolino S, Alessandri E, Cutolo M. Microvascular damage evaluation in systemic sclerosis: The role of nailfold videocapillaroscopy and laser techniques. Reumatismo 2017, 69 (4): 147-155.

Ruarus AH, Vroomen LGPH, Puijk RS, Scheffer HJ, Faes TJC, Meijerink MR. Conductivity Rise During Irreversible Electroporation: True Permeabilization or Heat? CardioVascular and Interventional Radiology 2018; 41 (8): 1257-1266.

Rubio-Sastre P, Gómez-Abellán P, Martinez-Nicolas A, Ordovás JM, Madrid JA, Garaulet M. Evening physical activity alters wrist temperature circadian rhythmicity. Chronobiology International 2014; 31 (2) 276-282.

Rucka M, Wilde K. Ultrasound Monitoring for Evaluation of Damage In Reinforced Concrete. Bulletin of The Polish Academy of Sciences-Technical Sciences 2015; 63(1): 65-75

Ruczynski I, Clarin TMA, Siemers BM. Do greater mouse-eared bats experience a trade-off between energy conservation and learning? Journal of Experimental Biologyl 2014; 217 (22) 4043-4048.

Ruddock AD, Tew GA, Purvis AJ. Reliability of intestinal temperature using an ingestible telemetry pill system during exercise in a hot environment Journal of Strength and Conditioning Research 2014; 28 (3): 861-869.

Ruiz A, Ramos A, Bazan I. Influence of the capacitive energy with distinct inductive tuning and damping on the merit figure of high-voltage driving spikes in medical applications for new ultrasound diagnoses. 2016 Global Medical Engineering Physics Exchanges/Pan American Health Care Exchanges GMEPE/PAHCE 2016, art no 7504657

Ruiz-Duarte JL, Chernov V, Chernov G, Torres-Peralta R, Cirett-GalanF, Martín-Del-Campo-Mena E, Barboza-Flores M. A thermal asymmetry criterion for estimation of abnormality of breast infrared thermograms (extended abstract). Thermology international 2015, 25(3) 101

Russell D, Doyle M. Resolution of lower limb neuropathy and improved physical functioning in an 18-year-old male cricketer receiving chiropractic care: A case report. Chiropractic Journal of Australia 2018; 46 (2): 123-133.

Russell DA, D'Ippolito DA, Myra JR, Canik JM, Gray TK, Zweben SI. Modeling the effect of lithium-induced pedestal profiles on scrape-off-layer turbulence and the heat flux width. Physics of Plasmas 2015; 22(9) 092311

Russo A, McCready M, Torres L, Theuriere C, Venturini S, Spaight M, Hemway RJ, Handrinos S, Perlmutter D, Huynh T, Grunebaum A, Perlman J. Reducing hypothermia in preterm infants following delivery. Pediatrics 2014; 133 (4): e1055-e1062.

Rustecki B, Mozañski M, Klimkiewicz J, Machura W, Kalicki B, Jung A. Evaluation of paravertebral block for mastectomy by infrared imaging. (extended abstract). Thermology international 2015, 25(3) 103

Rustecki B, Rustecka A, Kalicki B, Kwasiborski P, Ring F, Truszczynski A, Jung A. Comparison of core temperature measured at the esophagus with infrared thermographic temperature monitoring in patients undergoing general anesthesia (extended abstract). Thermology international 2014; 24(2) 58-59.

Ružić-Sabljić, E, Maraspin V, Cimperman J, Strle F, Lotrič-Furlan S, Stupica D, Cerar T. Comparison of isolation rate of Borrelia burgdorferi sensu lato in two different culture media MKP and BSK-H. Clinical Microbiology and Infection 2014; 20 (7): 636-641.

Ryabkin DI. Method for biological tissue temperature measuring in the area of laser radiation exposure with a small size beam profile during laser welding. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10716, art. no. 1071610.

Rynkiewicz M, Korman P, Zurek P, Rynkiewicz T. Application of thermovisual body image analysis in the evaluation of paddling effects on a kayak ergometer. Medicina Dello Sport 2015; 68(1): 31-42

Ryu SI, Zhang HY. Neurilemmoma of Deep Peroneal Nerve Sensory Branch: Thermographic Findings with Compression Test. Journal of Korean Neurosurgical Society 2015; 58(3): 286-290

Ryu SY, Kim DU, Kim JK, Choj HY, Kim GH, Chang KS Surface-Temperature Measurement and Submicron

Defect Isolation for Microelectronic Devices Using Thermoreflectance Microscopy. International Journal of Thermophysics 2015; 36(5-6): 1217-1225

Sá, JP, Branco PTBS, Alvim-Ferraz MCM, Martins FG, Sousa SIV. Evaluation of low-cost mitigation measures implemented to improve air quality in nursery and primary schools. International Journal of Environmental Research and Public Health 2017, 14 (6), art. no. 585.

Saarenheimo J, Aalto SL, Rissanen AJ, Tiirola M. Microbial community response on wastewater discharge in boreal lake sediments. Frontiers in Microbiology 2017, 8 (APR), art. no. 750.

Sabashnikov A, Mohite PN, Zych B, Popov A.-F, Fatullayev J, Zeriouh M, Hards R, Sáez DG, Capoccia M, Choi Y.-H, Wahlers T, De Robertis F, Bahrami T, Amrani M, Simon AR. Outcomes in patients receiving HeartMate II versus HVAD left ventricular assist device as a bridge to transplantation. Transplantation Proceedings 2014; 46 (5): 1469-1475.

Saccomandi P, Frauenfelder G, Massaroni C, Caponera MA, Polimadei A, Taffoni F, Di Matteo FM, Costamagna G, Giurazza F, Schena E. Temperature monitoring during radiofrequency ablation of liver: In vivo trials. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590710 344-347

Saccomandi P, Giraudau C, Davrieux F, Quero G, Schena E, Breschi L, Di Matteo FM, Costamagna G, Marescaux J. In vivo image-guided MR thermometry during laser ablation: Experience in kidney and liver. MeMeA 2018 - 2018 IEEE International Symposium on Medical Measurements and Applications Proceedings 2018; art. no. 8438801.

Saccomandi P, Magnoni E, Massaroni C, Giurazza F, Lopresti D, Schena E. Non-invasive MR thermometry in liver undergoing laser ablation: Multi-parameters analysis. MeMeA 2018 - 2018 IEEE International Symposium on Medical Measurements and Applications Proceedings 2018; art. no. 8438637.

Saccomandi P, Quero G, Gassino R, Lapergola A, Guerriero L, Diana M, Vallan A, Perrone G, Schena E, Costamagna G, Marescaux J, Di Matteo FM. Laser ablation of the biliary tree: in vivo proof of concept as potential treatment of unresectable cholangiocarcinoma. International Journal of Hyperthermia 2018; 34 (8): 1372-1380.

Saccomandi P, Schena E, Giurazza F, Del Vescovo R, Caponero MA, Mortato L, Panzera F, Cazzato RL, Grasso FR, Di Matteo FM, Silvestri S, Zobel BB. Temperature monitoring and lesion volume estimation during double-alicator laser-induced thermotherapy in ex vivo swine pancreas: A preliminary study. Lasers in Medical Science 2014; 29 (2) 607-614.

Sadeghi HR, Toosi MHB, Soudmand S, Sadoughi HR, Sazgarnia A. Gold-gold sulfide nanoparticles intensify thermal effects of radio frequency electromagnetic field. Journal of Experimental Therapeutics and Oncology 2014; 10 (4) 285-291.

Sadeghi-Goughari M, Mojra A. Finite element modeling of haptic thermography: A novel approach for brain tumor detection during minimally invasive neurosurgery. Journal of Thermal Biology 2015; 53: 53-65

Sadeghi-Goughari M, Mojra A. Intraoperative thermal imaging of brain tumors using a haptic-thermal robot with application in minimally invasive neurosurgery. Applied Thermal Engineering 2015; 91: 600-610

Sadibolova R, Longo MR. Seeing the body produces limb-specific modulation of skin temperature Biology Letters 2014; 10 (4), art. no. 20140157.

Sadoughi F, Kazemy Z, Hamedan F, Owji L, Rahmanikatigari M, Azadboni TT. Artificial intelligence methods for the diagnosis of breast cancer by image processing: A review. Breast Cancer: Targets and Therapy 2018; 10: 219-230.

Saeboe AM, Kays J, Mahler AH, Dennis AM. Pushing indium phosphide quantum dot emission deeper into the near infrared. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10507, art. no. 1050715.

Saeki K, Obayashi K, Nishi T, Miyata K, Maruoka S, Ueda T, Okamoto M, Hasegawa T, Matsuura T, Tone N, Ogata N, Kurumatani N. Short-term influence of cataract surgery on circadian biological rhythm and related health outcomes (CLOCK-IOL trial): Study protocol for a randomized controlled trial. Trials 2014; 15 (1) Art. No. 514.

Saerens L, Ghanam D, Raemdonck C, Francois K, Manz J, Krüger R, Krüger S, Vervaet C, Remon JP, De Beer T. In-line solid state prediction during pharmaceutical hot-melt extrusion in a 12 mm twin screw extruder using Raman spectroscopy. European Journal of Pharmaceutics and Biopharmaceutics 2014; 87 (3): 606-615.

Sagaidachnyi AA, Fomin AV, Mayskov DI, Skripal AV, Usanov DA. Features of the temperature response to a double cuff-occlusion of the upper limbs: Remote ischemic preconditioning aspect. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10716, art. no. 107160R.

Sagaidachnyi AA, Fomin AV, Usanov DA, Skripal AV. Thermography-based blood flow imaging in human skin of the hands and feet: A spectral filtering approach. Physiological Measurement 2017, 38 (2): 272-288.

Sagaidachnyi AA, Skripal AV, Fomin AV, Usanov DA. Determination of the amplitude and phase relationships between oscillations in skin temperature and photoplethysmography-measured blood flow in fingertips. Physiological Measurement 2014; 35 (2): 153-166.

Sagaidachnyi AA, Usanov DA, Skripal AV, Fomin AV. Skin blood flow as the first time derivative of the temperature: Spectral approach to the blood flow estimation in hands. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9031, art. no. 903108.

Sagaidachnyi AA, Volkov IU, Fomin AV. Influence of temporal noise on the skin blood flow measurements performed by cooled thermal imaging camera: Limit possibilities within each physiological frequency range. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9917, art no 99170N

Saha M, Rempt M, Stratil SB, Wahl M, Pohnert G, Weinberger F. Defence chemistry modulation by light and temperature shifts and the resulting effects on associated epibacteria of Fucus vesiculosus. PLoS ONE 2014; 9 (10), art. no. e105333.

Sahinbas H, Rosch M, Demiray M. Temperature measurements in a capacitive system of deep loco-regional hyperthermia. Electromagnetic Biology and Medicine 2017, 36 (3): 248-258.

Saidi M, Bahmani Z, Kohan MD. Stress detection through thermal facial images inspired by characteristics of psychophysiological signals. Journal of Military Medicine 2017, 19 (1): 3-12.

Saini M, Masirkar Y, Varshney R, Roy P, Sadhu KK. Fluorogen-free aggregation induced NIR emission from gold nanoparticles. Chemical Communications 2017, 53(46) 6199-6202.

Saita K, Ogata T, Watanabe J, Tsuboi Y, Takahara M, Inoue T, Morishita T. Contralateral Cerebral Hypometabolism After Cerebellar Stroke: A Functional Near-Infrared Spectroscopy Study. Journal of Stroke and Cerebrovascular Diseases 2017, 26 (4): e69-e71.

Saito J, Noguchi S, Hashiba E, Kimura F, Kushikata T, Fukuda I, Hirota K. Usefulness of Temperature Gradient During Cardiopulmonary Bypass for Diagnosis of Misplacement of a Frozen Elephant Trunk. Journal of Cardiothoracic and Vascular Anesthesia 2017, 31 (1): 266-269.

Saiyed R, Rand CM, Carroll MS, Koliboski CM, Stewart TM, Brogadir CD, Kenny AS, Petersen EKE, Carley DW, Weese-Mayer DE. Congenital central hypoventilation syndrome (CCHS): Circadian temperature variation. Pediatric Pulmonology 2016; 51 (3) 300-307

Sajjadi A, Manstein D, Carp S. Measuring Cooling in Soft Tissues Using Magnetic Resonance Thermography. Lasers in Surgery and Medicine 2015; 47: 11-12

Sakagami T., Remote nondestructive evaluation technique using Infrared thermography for fatigue cracks in steel bridges. Fatigue & Fracture of Engineering Materials & Structures 2015; 38(7): 755-779

Sakai T, Tsuchido T, Furuta M. Inhibitory effect of spice powders on the development of heated and irradiated bacillus subtilis spores as evaluated by calorimetry. Biocontrol Science 2018; 23 (3): 121-128.

Sakamoto K, Kanzaki M, Mitsuboshi S, Maeda H, Kikkawa T, Isaka T, Murasugi M, Onuki T. A novel and simple method for identifying the lung intersegmental plane using thermography. Interactive Cardiovascular and Thoracic Surgery 2016; 23 (1) 171-173

Sakamoto Y, Yokouchi M, Nagano S, Shimada H, Nakamura S, Setoguchi T, Kawamura I, Ishidou Y, Tanimoto A, Komiya S. Metastasis of osteosarcoma to the trapezius muscle: A case report. World Journal of Surgical Oncology 2014; 12 (1), art. no. 176.

Sakata K, Kijima D, Furuhashi T, Morita K, Abe T. A case report: Feasibility of a near infrared ray vision system (Photo dynamic eye®) for the postoperative ischemic complication of gallbladder carcinoma. International Journal of Surgery Case Reports 2018; 53: 312-315.

Sakiewicz P, Nowosielski R, Babilas R. Production aspects of inhomogeneous hot deformation in as-cast CuNi25 alloy. Indian Journal of Engineering and Materials Sciences 2015; 22(4): 389-398

Salasca S, Aumeunier MH, Benoit F, Cantone B, Corre Y, Delchambre E, Ferlet M, Gauthier E, Guillon C, van Houtte D, Keller D, Labasse F, Larroque S, Loarer T, Micolon F, Peluso B, Proust M, Blanchet D, Peneliau Y, Alonso J, de la Cal E, Hidalgo C, Martin P, Medrano M, Mota F, de Pablos JL, Rios L, Rincon E, Vila R, Manzanares A, Martin V, Reichle R, Le Guern F. The ITER Equatorial Visible/Infra-Red Wide-Angle Viewing System: Status of design and R&D. Fusion Engineering and Design 2015; 96-97: 932-937

Salathe C, Blanc A.-L, Tagan D. SIADH and water intoxication related to ecstasy. BMJ Case Reports 2018, art. no. bcr-2018-224731.

Salazar-Lopez E, Dominguez E, Ramos VJ, de la Fuente J, Meins A, Iborra O, Galvez G, Rodriguez- Artacho MA, Gomez-Milan E. The mental and subjective skin: Emotion empathy feelings and thermography. Consciousness and Cognition 2015; 34: 149-162

Salazar-López E, Dominguez, E, Verdejo J, Gómez-Milán E. The Thermal Imprint of Flamenco Duende. Thermology international 2014; 24(4) 147-156

Salazar-Lopez E, Milán EG. The mental and subjective skin: thermography applied to psychology (extended abstract). Thermology international 2015, 25(3) 115.

Salca HC, Royo-Salvador MB, Fiallos-Rivera MV, Ollé-Fortuny G, Méndez-Saavedra KV. Altered skin temperature patterns in patients with idiopathic syringomyelia and arnold-chiari malformation type I - A preliminary subjective evaluation using thermography. Thermology International 2017, 27 (3): 104-110.

Saleem M, Zitoune R, El Sawj I, Bougherara H. Role of the surface quality on the mechanical behavior of CFRP bolted composite joints. International Journal of Fatigue 2015; 80: 246-256

Salehpour F, Rasta SH. The potential of transcranial photobiomodulation therapy for treatment of major depressive disorder. Reviews in the Neurosciences 2017, 28(4) 441-453).

Salem V, Izzi-Engbeaya C, Coello C, Thomas DB, Chambers ES, Comninos AN, Buckley A, Win Z, Al- Nahhas A, Rabiner EA, Gunn RN, Budge H, Symonds ME, Bloom SR, Tan TM, Dhillo WS. Glucagon increases energy expenditure independently of brown adipose tissue activation in humans. Diabetes Obesity and Metabolism 2016; 18 (1) 72-81

Sales RBC, Pereira RR, Aguilar MTP, Cardoso AV Thermal comfort of seats as visualized by infrared thermography. Applied Ergonomics 2017, 62: 142-149.

Saletes I, Gilles B, Auboiroux V, Bendridi N, Salomir R, Béra J.-C. In Vitro Demonstration of Focused Ultrasound Thrombolysis Using Bifrequency Excitation. BioMed Research International 2014; 2014, art. no. 518787.

Salgaonkar VA, Prakash P, Rieke V, Ozhinsky E, Plata J, Kurhanewicz J, Hsu I-C, Diederich CJ. Model- based feasibility assessment and evaluation of prostate hyperthermia with a commercial MR-guided endorectal HIFU ablation array. Medical Physics 2014; 41 (3) Art. No. 033301.

Salim EF, Ali GA. Impact of Thoracoscopic T2 Sympathectomy on Patients with Primary Palmar and Axillary Hyperhidrosis. Annals of Thoracic Surgery 2018; 106 (4): 1032-1037.

Salimi A, Sharifi G, Bahrani H, Mohajerani SA, Jafari A, Safari F, Jalessi M, Mirkheshti A, Mottaghi K Dexmedetomidine could enhance surgical satisfaction in Trans-sphenoidal resection of pituitary adenoma. Journal of Neurosurgical Sciences 2017, 61(1) 46-52.

Salminen AV, Rimpilä, V, Polo O. Pramipexole alters thermoregulation in restless legs syndrome. Journal of Clinical Sleep Medicine 2014; 10 (12): 1325-1329.

Salota V, Slovakova Z, Panes C, Nundlall A, Goonasekera C. Is postoperative tympanic membrane temperature measurement effective? British Journal of Nursing 2016; 25 (9) 490-493

Salvatore L, Carofiglio VE, Stufano P, Bonfrate V, Calò, E, Scarlino S, Nitti P, Centrone D, Cascione M, Leporatti S, Sannino A, Demitri C, Madaghiele M. Potential of electrospun poly(3-hydroxybutyrate)/collagen blends for tissue engineering applications. Journal of Healthcare Engineering 2018, art. no. 6573947.

Salvisberg N, Ruckstuhl S. Measuring body temperature in the infant and young child [Temperaturmessung beim Säugling und Kleinkind]. Kinderkrankenschwester : Organ der Sektion Kinderkrankenpflege / Deutsche Gesellschaft für Sozialpädiatrie und Deutsche Gesellschaft für Kinderheilkunde 2016; 35 (4) 125-131

Samaca Martinez JR, Toussaint E, Balandraud X, Le Cam JB, Berghezan D. Heat and strain measurements at the crack tip of filled rubber under cyclic loadings using full-field techniques. Mechanics of Materials 2015; 81: 62-71

Samant P, Agarwal R. Machine learning techniques for medical diagnosis of diabetes using iris images. Computer Methods and Programs in Biomedicine 2018; 157: 121-128.

Samavati V, Skandari F. Recovery chemical and rheological characterization of gum from Assyrian pulm. International Journal of Biological Macromolecules 2014; 67: 172-179.

Samiezadeh S, Avval PT, Fawaz Z, Bougherara H. On optimization of a composite bone plate using the selective stress shielding approach. Journal of The Mechanical Behavior of Biomedical Materials 2015; 42: 138-153

Samoila G, Ford RT, Glasbey JC, Lewis MH, Twine CP, Williams IM. The Significance of Hypothermia in Abdominal Aortic Aneurysm Repair. Annals of Vascular Surgery 2017, 38: 323-331.

Sanchez-Carballido S, Salas M, De Castro A, López F. Cutaneous medical analysis through active thermography supported on a thermal model of the skin (extended abstract). Thermology international 2015, 25(3) 98

Sánchez-García S, Padilla-Valverde D, Villarejo-Campos P, Martín-Fernández J, García-Rojo M, Rodríguez-Martínez M. Experimental development of an intra-abdominal chemohyperthermia model using a closed abdomen technique and a PRS-1.0 Combat CO2 recirculation system. Surgery (United States) 2014; 155 (4) 719-725.

Sanchis-Sanchez E, Salvador-Palmer R, Codoner-Franch P, Martin J, Vergara-Hernandez C, Blasco J, Ballester E, Sanchis E, Gonzalez-Pena R, Cibrian R. Infrared thermography is useful for ruling out fractures in paediatric emergencies. European Journal of Pediatrics 2015; 174(4): 493-499

Sanchis-Sanchez E, Sanchis-Sanchez C, Sanchez-Lorente MM, Blasco JM. Use of thermography in the diagnosis of pressure ulcers category I: A protocol proposal. 2016 Global Medical Engineering Physics Exchanges/Pan American Health Care Exchanges GMEPE/PAHCE 2016, art no 7504648

Sanchis-Sánchez E, Vergara-Hernández C, Cibrián RM, Salvador R, Sanchis E, Codoñer-Franch P. Infrared thermal imaging in the diagnosis of musculoskeletal injuries: A systematic review and meta- analysis. American Journal of Roentgenology 2014; 203 (4) 875-882.

Sandri GBL, Meniconi RL, Colasanti M, Guglielmo N, Werra E, Mascianà, G, Tortorelli G, Ferraro D, Burocchi M, Campanelli A, Scotti A, Visco-Comandini U, Santoro R, Lepiane P, Vennarecci G, Ettorre GM. Continuous monitoring of the liver graft temperature: Relationship between bacterial contamination of the perfusion fluid and early outcome. Annals of Translational Medicine 2016; 4 (20), art no 397

Sandu RE, Uzoni A, Ciobanu O, Moldovan M, Anghel A, Radu E, Coogan AN, Popa-Wagner A. Post- stroke gaseous hypothermia increases vascular density but not neurogenesis in the ischemic penumbra of aged rats. Restorative Neurology and Neuroscience 2016; 34 (3) 401-414

Sanfins W, Risaletto D, Richardeau F, Blondel G, Chemin M, Baudesson P. Preliminary failure-mode characterization of emerging direct-lead-bonding power module. Comparison with standard wire-bonding Interconnection. Microelectronics Reliability 2015; 55(9)-10: 1956-1960

Sanghvi NT, Chen W-H, Carlson R, Weis C, Seip R, Uchida T, Marberger M. Clinical validation of real-time tissue change monitoring during prostate tissue ablation with high intensity focused ultrasound. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 24.

Saniei E, Setayeshi S, Akbari ME, Navid M. A vascular network matching in dynamic thermography for breast cancer detection. Quantitative Infrared Thermography Journal 2015; 12(1): 24-36

Sanino A, Dastrù, W, Mainini F, Castelli DD, Aime S, Terreno E. Polymeric vesicles loaded with gadoteridol as reversible and concentration-independent magnetic resonance imaging thermometers. Journal of Biomedical Nanotechnology 2014; 10 (8) 1620-1626.

San-Juan M, Santos FJ, De-Tiedra MD, Lopez R, Martin O. Milling process monitoring by high-speed IR thermography. DYNA 2015; 90(2): 188-194

SankarGanesh D, Ramachandran R, Suriyakalaa U, Ramkumar A, Achiraman S, Archunan G. Heat shock protein(s) may serve as estrus indicators in animals: A conceptual hypothesis. Medical Hypotheses 2018; 117: 47-49.

Sano A, Picard RW, Stickgold R. Quantitative analysis of wrist electrodermal activity during sleep. International Journal of Psychophysiology 2014; 94 (3): 382-389.

Sano A, Picard RW. Comparison of sleep-wake classification using electroencephalogram and wrist-worn multi-modal sensor data. 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBC 2014, art. no. 6943744: 930-933.

Santhosh M, Chinnadayyala SR, Kakoti A, Goswami P. Selective and sensitive detection of free bilirubin in blood serum using human serum albumin stabilized gold nanoclusters as fluorometric and colorimetric probe. Biosensors and Bioelectronics 2014; 59, 370-376.

Santis LR, Silva TM, Haddad BA, Gonçalves LL, Gonçalves SEP. Influence of dentin thickness on intrapulpal temperature under simulated pulpal pressure during Nd:YAG laser irradiation. Lasers in Medical Science 2017, 32 (1): 161-167.

Santos E, Brioschi ML, Jacobsen Teixeira M. Endothelial dysfunction: Doppler ultrasound or thermography? (extended abstract) Thermology international 2014; 24(1) 13-14

Santos GM, De Santi Ferrara FI, Zhao F, Rodrigues DF, Shih W-C. Photothermal inactivation of bacteria on plasmonic nanostructures. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9724, art no 97240D

Santos MA, Goertz DE, Hynynen K. Focused ultrasound hyperthermia mediated drug delivery using thermosensitive liposomes and visualized with in vivo two-photon microscopy. Theranostics 2017, 7 (10): 2718-2731.

Santos MAB, de Souza IB, de Macedo LO, do Nascimento Ramos CA, de Oliveira Rego AG, Alves LC, Ramos RAN, de Carvalho GA. Cercopithifilaria bainae in Rhipicephalus sanguineus sensu lato ticks from dogs in Brazil. Ticks and Tick-borne Diseases 2017, 8 (4): 623-625.

Santos MV, Sansinena M, Chirife J, Zaritzky N. Determination of heat transfer coefficients in plastic French straws plunged in liquid nitrogen Cryobiology 2014; 69 (3): 488-495.

Sanz-López F, Martínez-Amat A, Hita-Contreras F, Valero-Campo C, Berzosa C. Thermographic Assessment of Eccentric Overload Training Within Three Days of a Running Session. Journal of Strength and Conditioning Research 2016; 30 (2) 504-511

Sappal R, MacDonald N, Fast M, Stevens D, Kibenge F, Siah A, Kamunde C. Interactions of copper and thermal stress on mitochondrial bioenergetics in rainbow trout, Oncorhynchus mykiss. Aquatic Toxicology 2014, 157: 10-20.

Sardanelli F, Aase HS, Álvarez M, Azavedo E, Baarslag HJ, Balleyguier C, Baltzer PA, Beslagic V, Bick U, Bogdanovic-Stojanovic D, Briediene R, Brkljacic B, Camps Herrero J, Colin C, Cornford E, Danes J, de Geer G, Esen G, Evans A, Fuchsjaeger MH, Gilbert FJ, Graf O, Hargaden G, Helbich TH, Heywang-Köbrunner SH, Ivanov V, Jónsson Á, Kuhl CK, Lisencu EC, Luczynska E, Mann RM, Marques JC, Martincich L, Mortier M, Müller-Schimpfle M, Ormandi K, Panizza P, Pediconi F, Pijnappel RM, Pinker K, Rissanen T, Rotaru N, Saguatti G, Sella T, Slobodníková, J, Talk M, Taourel P, Trimboli RM, Vejborg I, Vourtsis A, Forrai G. Position paper on screening for breast cancer by the European Society of Breast Imaging (EUSOBI) and 30 national breast radiology bodies from Austria Belgium Bosnia and Herzegovina Bulgaria Croatia Czech Republic Denmark Estonia Finland France Germany Greece Hungary Iceland Ireland Italy Israel Lithuania Moldova The Netherlands Norway Poland Portugal Romania Serbia Slovakia Spain Sweden Switzerland and Turkey. European Radiology 2017, 27 (7): 2737-2743.

Sarin S, Amsel R, Binik YM. How hot is he? A psychophysiological and psychosocial examination of the arousal patterns of sexually functional and dysfunctional men. Journal of Sexual Medicine 2014; 11 (7): 1725-1740.

Sarkaria IS, Luketich JD. Seeing green augmentation of lymph node assessment with near-infrared imaging in

esophageal cancer resections. Journal of Thoracic and Cardiovascular Surgery 2016; 152 (2) 555-556

Sarmento Fontes G, Brioschi ML, Jacobsen Teixeira M. Medical expert thermography examination (extended abstract). Thermology international 2014; 24(1) 17

Sarraf K, Launay S, El Achkar G, Tadrist L. Local vs global heat transfer and flow analysis of hydrocarbon complete condensation in plate heat exchanger based on Infrared thermography. International Journal of Heat and Mass Transfer 2015; 90: 878-893

Sasajima T, Kikuchi S, Ishikawa N, Koyama T. Skin temperature in lower hind limb subjected to distal vein arterialization in rats. Advances in Experimental Medicine and Biology 2014; 812: 361- 368.

Sasaki GH, Abelev N, Tevez-Ortiz A. Noninvasive selective cryolipolysis and reperfusion recovery for localized natural fat reduction and contouring. Aesthetic Surgery Journal 2014; 34 (3) 420-431.

Sathicq MB, Gómez N, Andrinolo D, Sedán D, Donadelli JL. Temporal distribution of cyanobacteria in the coast of a shallow temperate estuary (Río de la Plata): some implications for its monitoring. Environmental Monitoring and Assessment 2014; 186 (11): 7115-7125.

Sathish D, Kamath S, Prasad K, Kadavigere R. Texture analysis of breast thermograms using neighbourhood grey tone difference matrix. International Journal of Bioinformatics Research and Applications 2018; 14 (1-2): 104-118.

Sathish D, Kamath S, Rajagopal KV, Prasad K. Medical imaging techniques and computer aided diagnostic approaches for the detection of breast cancer with an emphasis on thermography - A review. International Journal of Medical Engineering and Informatics 2016; 8 (3) 275-299

Sathya TA, Jacob AM, Khan M. Cloning and molecular modelling of pectin degrading glycosyl hydrolase of family 28 from soil metagenomic library. Molecular Biology Reports 2014; 41 (4) 2645-2656.

Sato MK, Toda M, Inomata N, Maruyama H, Okamatsu-Ogura Y, Arai F, Ono T, Ishijima A, Inoue Y. Temperature changes in brown adipocytes detected with a bimaterial microcantilever. Biophysical Journal 2014; 106 (11) 2458-2464.

Satoh M, Okamoto K, Tabei K.-I, Kida H, Tomimoto H, Eda H. The effect of motion artifacts on near-infrared spectroscopy (NIRS) data and proposal of a video-NIRS system. Dementia and Geriatric Cognitive Disorders Extra 2017, 7(3) 406-418

Satta F, Tanda G. Effect of discrete-hole arrangement on film-cooling effectiveness for the endwall of a turbine blade cascade. Applied Thermal Engineering 2015; 91: 507-514

Sauer H, Berz R. Short term effects of local infrared irradiation on diabetic feet and legs –case studies using thermography. (abstract). Thermology international 2015, 25(1) 17-18

Sauer H. Therapeutically UV irradiation of the blood applied to problems of peripheral arterial blood supply, controlled by thermography (abstract). Thermology international 2015, 25(1) 16

Sauvé, CC, Van De Walle J, Hammill MO, Arnould JPY, Beauplet G. Stomach temperature records reveal nursing behaviour and transition to solid food consumption in an unweaned mammal the harbour seal pup (Phoca vitulina). PLoS ONE 2014; 9 (2) Art. No. e90329.

Savage RJ, Lord C, Larsen BL, Knight TL, Langridge PD, Aisbett B. Firefighter feedback during active cooling: A useful tool for heat stress management? Journal of Thermal Biology 2014; 46: 66-71.

Savin A, Bruma A, Steigmann R, Iftimie N, Faktorova D. Enhancement of Spatial Resolution Using a Metamaterial Sensor in Nondestructive Evaluation. Applied Sciences-Basel 2015; 5(4): 1412-1430

Savin A, Bruma A, Steigmann R, Iftimie N, Faktorova D. Enhancement of Spatial Resolution Using a Metamaterial Sensor in Nondestructive Evaluation. Applied Sciences-Basel 2015; 5(4): 1412-1430

Saw MH, Hishamuddin E, Chong CL, Yeoh CB, Lim WH. Effect of polyglycerol esters additive on palm oil crystallization using focused beam reflectance measurement and differential scanning calorimetry. Food Chemistry 2017, 214: 277-284.

Sawamoto K, Bird SB, Katayama Y, Maekawa K, Uemura S, Tanno K, Narimatsu E. Outcome from severe accidental hypothermia with cardiac arrest resuscitated with extracorporeal cardiopulmonary resuscitation. The American Journal of Emergency Medicine 2914, 32(4), 320-324

Sawatari H, Nishizaka MK, Miyazono M, Ando S.-I, Inoue S, Takemoto M, Sakamoto T, Goto D, Furumoto T, Kinugawa S, Hashiguchi N, Rahmawati A, Chishaki H, Ohkusa T, Magota C, Tsutsui H, Chishaki A. Three nights leg thermal therapy could improve sleep quality in patients with chronic heart failure. Heart and Vessels 2018; 33 (2): 155-162.

Sayed JA, Elshafy SKA, Kamel EZ, Riad MAF, Mahmoud AA, Khalaf GS. The impact of caudally administrated tramadol on immune response and analgesic efficacy for pediatric patients: A comparative randomized clinical trial. Korean Journal of Pain 2018; 31 (3): 206-214.

Scammell A, Kim J. Heat transfer and flow characteristics of rising Taylor bubbles. International Journal of Heat and Mass Transfer 2015; 89: 379-389

Scarano A, Lorusso F, Arcangelo M, D'Arcangelo C, Celletti R, de Oliveira PS. Lateral sinus floor elevation

performed with trapezoidal and modified triangular flap designs: A randomized pilot study of post-operative pain using thermal infrared imaging. International Journal of Environmental Research and Public Health 2018; 15 (6), art. no. 1277.

Scervini M, Palmer J, Haggard DC, Swank WD. Low drift type N thermocouples in out-of-pile advanced gas reactor mock-up test: Metallurgical analysis. (2015) 2015 4th International Conference on Advancements in Nuclear Instrumentation Measurement Methods and their Applications ANIMMA 2015, art no 7465292

Schafer D, Boogaart S, Johnson L, Keezel C, Ruperts L, Van Der Laan KJ. Comparison of neonatal skin sensor temperatures with axillary temperature. Advances in Neonatal Care 2014; 14 (1): 52-60.

Schaldemose EL, Horjales-Araujo E, Demontis D, Børglum AD, Svensson P, Finnerup NB. No association of polymorphisms in the serotonin transporter gene with thermal pain sensation in healthy individuals.

Schara K, Štukelj R, Krek JL, Lakota K, Sodin-Šemrl S, Boulton AJM, Kralj-Iglič V. A study of extracellular vesicle concentration in active diabetic Charcot neuroarthropathy. European Journal of Pharmaceutical Sciences 2017, 98: 58-63.

Schaumburg F, Guarnieri FA. Assessment of thermal effects in a model of the human head implanted with a wireless active microvalve for the treatment of glaucoma creating a filtering bleb. Physics in Medicine and Biology 2017, 62 (9): N191-N203.

Schechter A, Eyal O, Zuckerman-Levin N, Amihai-Ben-Yaacov V, Weintrob N, Shehadeh N. A prototype of a new noninvasive device to detect nocturnal hypoglycemia in adolescents with type 1 diabetes-a pilot study. Diabetes Technology and Therapeutics 2014; 16 (SUPPL. 1): S103- S104.

Schena E, Majocchi L. Assessment of temperature measurement error and its correction during Nd: YAG laser ablation in porcine pancreas. International Journal of Hyperthermia 2014; 2014; 30 (5) 328-334.

Schena E, Saccomandi P, Fong Y. Laser ablation for cancer: Past, present and future. Journal of Functional Biomaterials 2017, 8(2) Article Number: 19.

Scher CS, Chui I, Miller SM. General principles of intraoperative management of the severe blunt or polytrauma patient: The resuscitative phase. Anesthesia for Trauma: New Evidence and New Challenges: 81-105.

Scherer J, Rainsford KD, Kean CA, Kean WF. Pharmacology of intra-articular triamcinolone. Inflammopharmacology 2014; 22 (4) 201-217.

Scheuer W, Thomas M, Hanke P, Sam J, Osl F, Weininger D, Baehner M, Seeber S, Kettenberger H, Schanzer J, Brinkmann U, Weidner KM, Regula J, Klein C. Anti-tumoral anti-angiogenic and anti- metastatic efficacy of a tetravalent bispecific antibody (TAvi6) targeting VEGF-A and angiopoietin-2. mAbs 2016; 8 (3) 562-573

Scheutz C, Pedersen RB, Petersen PH, Jørgensen JHB, Ucendo IMB, Mønster JG, Samuelsson J, Kjeldsen P. Mitigation of methane emission from an old unlined landfill in Klintholm Denmark using a passive biocover system. Waste Management 2014; 34 (7): 1179-1190.

Schilder J.CM, Van Dijk JG, Dressler D, Koelman JHTM, Marinus J, Van Hilten JJ. Responsiveness to botulinum toxin type A in muscles of complex regional pain patients with tonic dystonia Journal of Neural Transmission 2014; 121 (7): 761-767.

Schillo C, Rostermundt D, Krause D. Experimental and numerical study on the influence of imperfections on the buckling load of unstiffened CFRP shells. Composite Structures 2015; 131: 128-138

Schirhagl R, Chang K, Loretz M, Degen CL. Nitrogen-vacancy centers in diamond: Nanoscale sensors for physics and biology. Annual Review of Physical Chemistry 2014; 65: 83-105.

Schlabach M, McCullough EA, Eckels SJ. Determining temperature ratings for children's sleeping bags. International Journal of Industrial Ergonomics 2018; 65: 153-160.

Schlader ZJ, Crandall CG. Normothermic central hypovolemia tolerance reflects hyperthermic tolerance. Clinical Autonomic Research 2014; 24 (3): 119-126.

Schlader ZJ, Rivas E, Soller BR, Convertino VA, Crandall CG. Tissue oxygen saturation during hyperthermic progressive central hypovolemia. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 307 (6): R731-R736.

Schlaudraff K-U, Kiessling MC, Császár NBM, Schmitz C. Predictability of the individual clinical outcome of extracorporeal shock wave therapy for cellulite. Clinical Cosmetic and Investigational Dermatology 2014; 7, 171-182.

Schlereth T, Drummond PD, Birklein F. Inflammation in CRPS: Role of the sympathetic supply. Autonomic Neuroscience: Basic and Clinical 2014; 182: 102-107.

Schlett T, Rathgeb C, Busch C. Multi-spectral iris segmentation in visible wavelengths. Proceedings - 2018 International Conference on Biometrics ICB 2018: 190-194.

Schlottmann F, Barbetta A, Mungo B, Lidor AO, Molena D. Identification of the Lymphatic Drainage Pattern of Esophageal Cancer with Near-Infrared Fluorescent Imaging. Journal of Laparoendoscopic and Advanced Surgical Techniques 2017, 27 (3): 268-271.

Schluermann CN, Hoeppner J, Benk C, Schmidt R, Loop T, Kalbhenn J. Intra-Abdominal pressure Cardiac Index and vascular resistance during hyperthermic intraperitoneal chemotherapy: A prospective observational study.

Minerva Anestesiologica 2016; 82 (2) 160-169

Schmid M, Seyed Jafari SM, Haug L, Surke C, Hunger RE, Van De Ville D, Juon Personeni B, Shafighi M, Voegelin E. Laser doppler imaging as additional monitoring after digital replanting: A prospective study. Microsurgery 2018; 38 (6): 627-633.

Schmidt F, Dittberner A, Koscielny S, Petersen I, Guntinas–Lichius O. Feasibility of real-time near-infrared indocyanine green fluorescence endoscopy for the evaluation of mucosal head and neck lesions. Head and Neck 2017, 39 (2): 234-240.

Schmidt FN, Zimmermann EA, Campbell GM, Sroga GE, Püschel K, Amling M, Tang SY, Vashishth D, Busse B. Assessment of collagen quality associated with non-enzymatic cross-links in human bone using Fourier-transform infrared imaging. Bone 2017, 97: 243-251.

Schmidt P, Novinski CO, Junges D, Almeida R, de Souza CM. Concentration of mycotoxins and chemical composition of corn silage: A, farm survey using Infrared thermography. Journal of Dairy Science 2015; 98(9): 6609-6619

Schmidt TM, Wang ZJ, Keller S, Heinemann A, Acar S, Graessner J, Schoennagel BP, Adam G, Fischer R, Yamamura J. Postmortem 31P magnetic resonance spectroscopy of the skeletal muscle: α-ATP/Pi ratio as a forensic tool? Forensic Science International 2014; 242, 172-176.

Schminder J, Christensen R, Sund-Levander M, Grodzinsky E, Gardhagen R. Possibilities with thermal modelling and simulation of the human body. Thermology International 2018; 28(2) 96.

Schmitt A, Mougenot C, Chopra R. Spatiotemporal filtering of MR-temperature artifacts arising from bowel motion during transurethral MR-HIFU. Medical Physics 2014; 41 (11) Art. No. 113302.

Schmutzler H, Garcia A, Sato N, Wittich H, Nishikawa M, Rohling H, Hojo M, Schulte K, Fiedler B. Influence of Delamination Characteristics in Carbon Fibre/Epoxy Laminates on Signal Features of Pulse Thermography. Journal of Nondestructive Evaluation 2015; 34(1), 1-10.

Schneemann M, Kirchartz T, Carius R, Rau U. Electric properties and carrier multiplication in breakdown sites in multi-crystalline silicon solar cells. Journal of Applied Physics 2015; 117(20) 205703

Schneider ME, Lombardo P. Brain Surface Heating After Exposure to Ultrasound: An Analysis Using Thermography. Ultrasound in Medicine and Biology 2016; 42 (5) 1138-1144

Schnelldorfer T, Jenkins RL, Birkett DH, Georgakoudi I. From Shadow to Light: Visualization of Extrahepatic Bile Ducts Using Image-Enhanced Laparoscopy. Surgical Innovation 2015; 22(2): 194-200

Schnichels S, Dorfi T, Schultheiss M, Arango-Gonzalez B, Bartz-Schmidt K-U, Januschowski K, Spitzer MS, Ziemssen F. Ex-vivo-examination of ultrastructural changes in organotypic retina culture using near- infrared imaging and optical coherence tomography. Experimental Eye Research 2016; 147 31-36

Schnuelle P, Benck U, Krämer BK, Yard BA, Zuckermann A, Wagner F, Szabo G, Borggrefe M, Karck M, Gummert J. Impact of Donor Core Body Temperature on Graft Survival after Heart Transplantation. Transplantation 2018; 102 (11): 1891-1900.

Schober A, Sterz F, Handler C, Kürkciyan I, Laggner A, Röggla M, Schwameis M, Wallmueller C, Testori C. Cardiac arrest due to accidental hypothermia-A 20-year review of a rare condition in an urban area. Resuscitation 2014, *85*(6), 749-756.

Schönherr-Hellec S, Klein G, Delannoy J, Ferraris L, Friedel I, Rozé, JC, Butel MJ, Aires J. Comparative phenotypic analysis of “Clostridium neonatale” and Clostridium butyricum isolates from neonates. Anaerobe 2017, 48: 76-82.

Schooneveldt G, Bakker A, Balidemaj E, Chopra R, Crezee J, Geijsen ED, Hartmann J, Hulshof MCCM, Kok HP, Paulides MM, Sousa-Escandon A, Stauffer PR, Maccarini PF. Thermal dosimetry for bladder hyperthermia treatment: An overview. International Journal of Hyperthermia 2016; 32 (4) 417-433

Schramm C, Abaza A, Blumenstock G, Bechtold TE, Rickmann A, Bartz-Schmidt K-U, Besch D, Januschowski K. Limitations of the TheraMon®-microsensor in monitoring occlusion therapy. Acta Ophthalmologica 2016; 94 (8) e753-e756

Schreivogel P, Pfitzner M. Optical convective heat transfer measurements using Infrared thermography and frequency domain phosphor thermometry. International Journal of Heat and Mass Transfer 2015; 82: 299-308

Schroeder JL, Missios S, Barnett GH, Mohammadi AM. Laser interstitial thermal therapy as a novel treatment modality for brain tumors in the thalamus and basal ganglia. Photonics and Lasers in Medicine 2014; 3 (2) 151-158.

Schuhfried O, Herceg M, Reichel-Vacariu G, Paternostro-Sluga T. Infrared Thermographic Pattern of Lower Limb Complex Regional Pain Syndrome (Type I) and its Correlation with Pain Disease Duration and Clinical Signs [Das infrarot-thermografische Muster beim Komplexen Regionalen Schmerzsyndrom Typ I der unteren Extremität und Korrelation mit Schmerz Krankheitsdauer und Symptomen]. Physikalische Medizin Rehabilitationsmedizin Kurortmedizin 2016; 26 (6), art no phym2016-03-0224 288-292

Schuler D, Sansone R, Freudenberger T, Rodriguez-Mateos A, Weber G, Momma T.Y, Goy C, Altschmied J, Haendeler J, Fischer JW, Kelm M, Heiss C. Measurement of endothelium- dependent vasodilation in mice-brief report. Arteriosclerosis Thrombosis and Vascular Biology 2014; 34 (12): 2651-2657.

Schulte-Lünzum R, Gutknecht N, Conrads G, Franzen R. The Impact of a 940 nm Diode Laser with Radial Firing Tip and Bare End Fiber Tip on Enterococcus faecalis in the Root Canal Wall Dentin of Bovine Teeth: An In Vitro Study. Photomedicine and Laser Surgery 2017, 35 (7): 357-363.

Schulte-Uebbing C. MammoVision - An Integrative Breast Cancer Prevention and Diagnostic Method . (abstract). Thermology international 2015, 25(1) 21

Schumann M, Schulz H, Hackney AC, Bloch W. Feasibility of high-intensity interval training with hyperoxia vs. intermittent hyperoxia and hypoxia in cancer patients undergoing chemotherapy – Study protocol of a randomized controlled trial. Contemporary Clinical Trials Communications 2017, 8: 213-217

Schur MD, Blumstein GW, Seehausen DA, Ross PA, Andras LM, Skaggs DL. Intraoperative Hypothermia is Common but not Associated with Blood Loss or Transfusion in Pediatric Posterior Spinal Fusion. Journal of Pediatric Orthopaedics 2018; 38 (9): 450-454.

Schuster A, Thielecke M, Raharimanga V, Ramarokoto CE, Rogier C, Krantz I, Feldmeier H. High-resolution infrared thermography: A new tool to assess tungiasis-associated inflammation of the skin. Tropical Medicine and Health 2017, 45 (1), art. no. 23.

Schvartsman C, Pereira LAA, Braga ALF, Farhat SCL. Seven-day cumulative effects of air pollutants increase respiratory ER visits up to threefold. Pediatric Pulmonology 2017, 52 (2): 205-212.

Schwartz B. Rethinking Breast Thermography Dogma Pan American Journal of Medical Thermology 2015; 2(2) 94-96

Schwartz PJ. Can the season of birth risk factor for schizophrenia be prevented by bright light treatment for the second trimester mother around the winter solstice? Medical Hypotheses 2014; 83 (6) 809-815.

Schwartz SA. Therapeutic Intention: Into the Next Generation. Explore 2017, 13 (3): 158-162.

Schweda M, Beck T, Malzbender J, Singheiser L. Damage evolution of a thermal barrier coating system with 3-dimensional periodic Interface roughness: Effects of roughness depth substrate creep strength and pre-oxidation. Surface & Coatings Technology 2015; 276: 368-373

Schweiger T, Schwarz S, Traxler D, Dodier P, Aigner C, Lang G, Klepetko W, Hoetzenecker K. Bronchoscopic Indocyanine Green Fluorescence Imaging of the Anastomotic Perfusion after Tracheal Surgery. Annals of Thoracic Surgery 2016; 101 (5) 1943-1949

Schwenke M, Strehlow J, Demedts D, Haase S, Barrios Romero D, Rothlübbers S, von Dresky C, Zidowitz S, Georgii J, Mihcin S, Bezzi M, Tanner C, Sat G, Levy Y, Jenne J, Günther M, Melzer A, Preusser T. A focused ultrasound treatment system for moving targets (part I): Generic system design and in-silico first-stage evaluation. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 20.

Scolnik M, Vasta B, Hart DJ, Shipley JA, McHugh NJ, Pauling JD. Symptoms of Raynaud's phenomenon (RP) in fibromyalgia syndrome are similar to those reported in primary RP despite differences in objective assessment of digital microvascular function and morphology. Rheumatology International 2016; 36 (10) 1371-1377

Scotney H, Symonds ME, Law J, Budge H, Sharkey D, Manolopoulos KN. Glucocorticoids modulate human brown adipose tissue thermogenesis in vivo. Metabolism: Clinical and Experimental 2017, 70: 125-132.

Sedaghat F, Tuncali K. Enabling Technology for MRI-Guided Intervention. Topics in Magnetic Resonance Imaging 2018; 27 (1): 5-8.

Sedlacik J, Kjørstad Å, Nagy Z, Buhk J.-H, Behem CR, Trepte CJ, Fiehler J, Temme F. Feasibility Study of a Novel High-Flow Cold Air-Cooling Protocol of the Porcine Brain Using MRI Temperature Mapping. Therapeutic Hypothermia and Temperature Management 2018; 8 (1): 45-52.

Seeberg TM, Vedum J, Sandsund M, Austad HO, Liverud AE, Vardoy A.-SB, Svagard I, Strisland F. Development of a wearable multisensor device enabling continuous monitoring of vital signs and activity. IEEE-EMBS International Conference on Biomedical and Health Informatics BHI 2014, art. no. 6864342: 213-218.

Segade P, García N, García Estévez JM, Arias C, Iglesias R. Encystment/excystment response and serotypic variation in the gastropod parasite Tetrahymena rostrata (Ciliophora Tetrahymenidae).

Segna E, Pucciarelli V, Beltramini G.A, Sforza C, Silvestre F.J, Giannì AB, Baj A Parry Romberg syndrome & linear facial scleroderma: Management in pediatric population. Journal of Biological Regulators and Homeostatic Agents 2017, 31(2, Supplement 1) 131-138.

Seifert E, Bliedtner K, Brinkmann R. Laser speckle tracking for monitoring and analysis of retinal photocoagulation. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 8946, art. no. 89460F.

Seixas A, Ammer K, Carvalho R, Vilas-Boas J.P, Mendes J, Vardasca R. Predictors of skin temperature, barefoot plantar pressure and ulceration in diabetic foot patients: Protocol for a prospective cohort study. Thermology International 2018; 28 (Supplement) S5-S11.

Seixas A, Ammer K, Carvalho R, Vilas-Boas JP, Mendes J, Vardasca R. The use of thermal imaging in patients with diabetic foot: Protocol for a systematic review. Thermology International 28 (3): 133-138.

Seixas A, Ammer K, Carvalho R, Vilas-Boas JP, Vardasca R Mendes J. Do clinical signs of peripheral artery disease in the posterior tibial artery influence skin temperature? Preliminary results (extended abstract).

Thermology international 2017; 27 (2) 70-71

Seixas A, Ammer K, Carvalho R, Villas- Boas JP, Mendes J, Vardasca R. Dynamics of plantar foot temperature after conductive cold stress in patients with diabetic foot. Thermology International 2018; 28 (Supplement) S21

Seixas A, Ammer K. Instructional courses on medical thermography - A historical perspective. Thermology International 2017, 27 (3): 98-103.

Seixas A, Ammer K. Reliability of the analysis of infrared thermography images. Thermology International 28 (4): 192-193.

Seixas A, Azevedo J, Pimenta I, Ammer K, Carvalho R, Vilas-Boas JP, Mendes J, Vardasca R. Skin temperature of the foot: Reliability of infrared image analysis based in the angiosome concept. Infrared Physics & Technology 2018; 92, 402-408

Seixas A, Azevedo J, Pimenta I, Carvalho R, Ammer K, Vilas-Boas J.P, Mendes J, Vardasca R Thermographic assessment of the foot: Inter-rater and intra-rater repeatability of the placement of regions of interest based in the angiosome concept. Thermology International 2018; 28(2) 78.

Seixas A, Carvalho R, Ammer K, Vilas-Boas J.P, Mendes J, Vardasca R. Relationship between skin temperature and soft tissue hardness in diabetic patients: Preliminary study. Thermology International 2018; 28(2) 82.

Seixas A, Hausler V, Monteneiro J, Vardasca R, Gabriel J, Rodrigues S. Facial skin temperature changes in response to experimentally induced pain. (extended abstract). Thermology international 2015, 25(2) 69.

Seixas A, Häussler V, Monteiro, Vardasca R, Gabriel J, Rodrigues S. Experimentally induced pain elicits autonomic arousal in healthy subjects (extended abstract). Thermology international 2015, 25(3) 138.

Seixas A, Häussler V, Monteiro, Vardasca R, Gabriel J, Rodrigues S. Skin temperatura is correlated with symptoms in patients with patellar tendinopathy (extended abstract). Thermology international 2015, 25(3) 142-143.

Seixas A, Howell K. XIV European Association of Thermology Congress National Physical Laboratory Teddington UK. 4th - 7th July 2018: Report of the meeting and post-congress survey results. Thermology International 2018; 28 (4): 207-215.

Seixas A, Rodrigues S, Soares V, Dias T. Changes in skin temperature and thermal symmetry induced by a physiotherapy occupational task (extended abstract). Thermology international 2015, 25(3) 128.

Seixas A, Silva M, Souto M, Gabriel J, Rodrigues S. Reporting Body Composition In Thermal Imaging Studies, General Or Local Measures? Preliminary Results (extended abstract). Thermology international 2016, 26 (Supplement) S8

Seixas A, Vilas-Boas M.C, Carvalho R, Coelho T, Ammer K, Vilas-Boas J.P, Mendes J, Cunha J.P.S, Vardasca R. Skin temperature and neuropathy: Comparing diabetic foot and familial amyloid polyneuropathy. Thermology International 2018; 28(2) 117-118.

Seixas A. A Systematic (?) Review of Infrared Thermography in Plastic Surgery. Review of a paper by John HE et al. Gland Surg 2016;5(2):122-132. Thermology international 2016, 26(2) 57-58

Seixas A. Educational resources. Thermology International 2018; 28 (1): 22-24.

Seixas A. Infrared thermographic assessment in lower limb complex regional pain syndrome type I. Thermology International 2017, 27 (1): 9-10.

Seixas A. Letter to the editor: Thermology is multidisciplinary. Thermology international 2017; 27 (4) 139-140

Seixas A. Reliability: What is it how is it determined and is it necessary for thermal imaging? Thermology International 2018; 28 (4): 187-191.

Seixas A. The effects of electrical stimulation on local body fat and skin temperature. Thermology international 2017; 27 (4) 127-129

Sejling AS, Lange KHW, Frandsen CS, Diemar SS, Tarnow L, Faber J, Holst JJ, Hartmann B, Hilsted L, Kiaer T, Juhl CB, Thorsteinsson B, Pedersen-Bjergaard U. Infrared thermographic assessment of changes in skin temperature during hypoglycaemia in patients with type 1 diabetes. Diabetologia 2015; 58(8): 1898- 1906

Seker K, Engin M. Deep tissue near-infrared imaging for vascular network analysis. Journal of Innovative Optical Health Sciences 2017, 10 (3), art. no. 1650051.

Selfe J, Alexander J, Costello JT, May K, Garratt N, Atkins S, Dillon S, Hurst H, Davison M, Przybyla D, Coley A, Bitcon M, Littler G, Richards J. The effect of three different (-135°C) whole body cryotherapy exposure durations on elite rugby league players. PLoS ONE 2014; 9 (1), art. no. e86420.

Selker J, Selker F, Huff J, Short R, Edwards D, Nicholson P, Chin A. Practical strategies for identifying groundwater discharges into sediment and surface water with fiber optic temperature measurement. Environmental Sciences: Processes and Impacts 2014; 16 (7): 1772-1778.

Sellani G, Fernandes D, Nahari A, de Oliveira MF, Valois C, Pereira WCA, Machado CB. Assessing heating distribution by therapeutic ultrasound on bone phantoms and in vitro human samples using infrared thermography.

Journal of Therapeutic Ultrasound 2016; 4 (1), art no 13

Selvaraj N. Long-term remote monitoring of vital signs using a wireless patch sensor. IEEE Healthcare Innovation Conference HIC 2014, art. no. 7038880: 83-86.

Semenenko I, Portnoy E, Aboukaoud M, Guzy S, Shmuel M, Itzhak G, Eyal S. Evaluation of near infrared dyes as markers of P-glycoprotein activity in tumors. Frontiers in Pharmacology 2016; 7 (NOV), art no 426

Semenova ZB, Marshintsev AV, Melnikov AV, Meshcheryakov SV, Adayev AR, Lukyanov VI. Infrascanner™ in the diagnosis of intracranial lesions in children with traumatic brain injuries. Brain Injury 2016; 30 (1) 18-22

Sen R, AF Sen Rajan. Developments in the durability of FRP-concrete bond. Construction and Building Materials 2015; 78: 112-125

Şengeze N, Kutluhan S, Karaaslan T. Comparison of the decompressive surgery and medical therapy alone results in malignant middle cerebral artery infarction [Geniş orta serebral arter infarktında dekompresif cerrahi ve yalnızca medikal tedavi sonuçlarının karşılaştırılması]. Journal of Neurological Sciences 2016; 33 (2), art no 48 296-308

Sengvilaipaseuth O, Phommasone K, De Lamballerie X, Vongsouvath M, Phonemixay O, Blacksell SD, Mayxay M, Keomany S, Souvannasing P, Newton PN, Dubot-Pérès A Temperature of a Dengue Rapid Diagnostic Test under Tropical Climatic Conditions: A Follow Up Study. PLoS ONE 2017, 12(1) Article Number: e0170359

Senthil K, Arockiarajan A, Palaninathan R. Performance studies on compressively loaded debonded composite splice joint. Journal of Composite Materials 2015; 49(1)3: 1613-1627

Senthil K, Arockiarajan A, Palaninathan R. Structural behavior of composite cylindrical splice joint panels under axial compression: Experiments and numerical studies. Composite Structures 2015; 127: 316-327

Seo J, Kim SK, Kim Y-S, Choi K, Kong DG, Bang W-C. Motion compensation for ultrasound thermal imaging using motion-mapped reference model: An in vivo mouse study. IEEE Transactions on Biomedical Engineering 2014; 61 (11), art. no. 6818364: 2669-2678.

Seo J.-H, Jeon E.-J, Park Y.-S, Kim JH, Chang K.-H, Yeo S.-W. Meteorological conditions related to the onset of idiopathic sudden sensorineural hearing loss. Yonsei Medical Journal 2014; 55 (6): 1678-1682.

Seo Y, DiLeo T, Powell JB, Kim J-H, Roberge RJ, Coca A. Comparison of estimated core body temperature measured with the BioHarness and rectal temperature under several heat stress conditions. Journal of Occupational and Environmental Hygiene 2016; 13 (8) 612-620

Seoane F, Mohino-Herranz I, Ferreira J, Alvarez L, Buendia R, Ayllón D, Llerena C, Gil-Pita R. Wearable biomedical measurement systems for assessment of mental stress of combatants in real time. Sensors (Basel Switzerland) 2014; 14 (4): 7120-7141.

Seraj B, Garmaroodi ZM, Chiniforush N, Ghadimi S. Thermal changes in root surface of primary teeth during root canal treatment with diode lasers: An in vitro study. Journal of Lasers in Medical Sciences 2018; 9 (4): 237-242.

Serezhkina LB, Vologzhanina AV, Karasev MO, Peresypkina EV, Virovets AV, Serezhkin VN. Synthesis and X-ray diffraction study of Li(NH4)2[UO2](CH3COO)3]3·2H2O and (CN3H6)4[UO2(CH3COO)3](NO3)3. Russian Journal of Inorganic Chemistry 2015; 60(1): 38-45

Sergeev SV, Grigor'kina ES, Smogunov VV, Kuz'min AV, Volkova NA. The combined application of thermography and local thermometry for diagnostics prognostication modeling and evaluation of the effectiveness of the treatment of acute sinusitis. Vestnik otorinolaringologii (5): 52-54.

Seron-Ferre M, Reynolds H, Mendez N, Mondaca M, Valenzuela FJ, R E, Valenzuela GJ, Herrera EA, Llanos AJ, Torres-Farfan C. Impact of maternal melatonin suppression on amount and functionality of brown adipose tissue (BAT) in the newborn sheep. Frontiers in Endocrinology 2014; 5 (DEC), art. no. 232.

Serra C, Simoes N, Tadeu A. Study of experimental parameters for IRT applications in building elements using multi-layered analytical solutions. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp.948509-948509-9.

Servati N, Priano J, Vilar J, Schiel J. A cool side effect of valproic acid administration: Single dose-induced hypothermia. American Journal of Emergency Medicine 2018; 36 (11): 2129.e3-2129.e4.

Sessler DI, Mascha EJ. Zero-heat flux thermometry. European Journal of Anaesthesiology 2016; 33 (2) 140-141

Sessler DI. Temperature monitoring: The consequences and prevention of mild perioperative hypothermia. Southern African Journal of Anaesthesia and Analgesia 2014; 20 (1): 25-31.

Sett S, Bach LT, Schulz KG, Koch-Klavsen S, Lebrato M, Riebesell U. Temperature modulates coccolithophorid sensitivity of growth photosynthesis and calcification to increasing seawater pCO2. PLoS ONE 2014; 9 (2), art. no. e88308.

Setyawan D, Jovita RO, Iqbal M, Paramanandana A, Yusuf H, Lestari MLAD. Co-crystalization of quercetin and malonic acid using solvent-drop grinding method. Tropical Journal of Pharmaceutical Research 2018; 17 (6): 997-1002.

Sevenois RDB, Van Paepegem W. Fatigue Damage Modeling Techniques for Textile Composites: Review and

Comparison with Unidirectional Composite Modeling Techniques. Applied Mechanics Reviews 2015; 67(2) 021401

Sfarra S, Bendada A, Ibarra-Castanedo C, Ambrosini D, Paoletti D, Maldague X Santa Maria di Collemaggio Church (L'Aquila, Italy): Historical Reconstruction by Non-Destructive Testing Techniques. International Journal of Architectural Heritage 2015; 9(4): 367-390

Sfarra S, Theodorakeas P, Ibarra-Castanedo C, Avdelidis NP, Ambrosini D, Cheilakou E, Paoletti D, Kouj M, Bendada A, Maldague X. How to Retrieve information inherent to Old Restorations Made on Frescoes of Particular Artistic Value Using Infrared Vision? International Journal of Thermophysics 2015; 36(1)0-11: 3051-3070

Shabat YB, Shitzer A, Fiala D. Modified wind chill temperatures determined by a whole body thermoregulation model and human-based facial convective coefficients. International Journal of Biometeorology 2014; 58 (6): 1007-1015.

Shademan A, Decker RS, Opfermann JD, Leonard S, Krieger A, Kim PCW. Supervised autonomous robotic soft tissue surgery. Science Translational Medicine 2016; 8 (337)

Shafer SL, Dexter F, Brull SJ. Deadly heat: Economics of continuous temperature monitoring during general anesthesia. Anesthesia and Analgesia 2014; 119 (6): 1235-1237.

Shafirstein G, Bellnier DA, Oakley E, Hamilton S, Habitzruther M, Tworek L, Hutson A, Spernyak JA, Sexton S, Curtin L, Turowski SG, Arshad H, Henderson B. Irradiance controls photodynamic efficacy and tissue heating in experimental tumours: implication for interstitial PDT of locally advanced cancer. British Journal of Cancer 2018; 119 (10): 1191-1199.

Shah A, Jung H. Treatment of brainstem cavernous malformations. Clinical Neurology and Neurosurgery 2017, 154: 49-50.

Shakhih M, Faiz M, Nursvazana R, Wahab A, Asnida Salim M, Irna M. Assessment of prolonged expiration breathing using infrared thermal imaging modality: A case study. 2nd International Conference on BioSignal Analysis Processing and Systems ICBAPS 2018, art. no. 8527388: 181-186.

Shang K, Bai J, Wu H, Lu Y, Du S, Yang C, Cheng Y. Research on stability of melittin in different solvent systems. Zhongguo Zhong yao za zhi = Zhongguo zhongyao zazhi = China journal of Chinese materia medica 2014; 39 (22): 4324-4328.

Shankar SS, Thomas L, Pratheesh H, Suresh K. Burning Zone Temperature Estimation of Rotary Kiln Using Flame Image Analysis in Cement Plants. 2018 International CET Conference on Control Communication and Computing IC4 2018, art. no. 8531041: 255-259.

Shankaran S, Laptook AR, Pappas A, McDonald SA, Das A, Tyson JE, Poindexter BB, Schibler K, Bell EF, Heyne RJ, Pedroza C, Bara R, Meurs KPV, Grisby C, Huitema CMP, Garg M, Ehrenkranz RA, Shepherd EG, Chalak LF, Hamrick SEG, Khan AM, Reynolds AM, Laughon MM, Truog WE, Dysart K.C, Carlo WA, Walsh M.C, W atterberg KL, Higgins RD. Effect of depth and duration of cooling on deaths in the NICU among Neonates with hypoxic ischemic encephalopathy: A randomized clinical trial. Obstetrical and Gynecological Survey 2014; 70 (4): 235-238.

Shankaran S. Current status of hypothermia for hypoxemic ischemia of the newborn. Indian Journal of Pediatrics 2014; 81 (6): 578-584.

Shanley A. What to watch out for in clinical trials manufacturing. Pharmaceutical Technology 2017, 3 (Supplement) s16-s23

Shao Z, Wang Z, Gu J, He X, Lou W, Chen L, Chen G, Song J, Wang G. Retrograde subintimal angioplasty for treatment of occlusive diseases in the long segment of the infrapopliteal artery Nan fang yi ke da xue xue bao = Journal of Southern Medical University 2014; 34 (11): 1672-1675.

Shar B, Leis J, Coucher J. Infrared needle mapping to assist biopsy procedures and training. Healthcare Technology Letters 2018; 5 (2): 65-69.

Sharif MR, Rezaei MH, Aalinezhad M, Sarami G, Rangraz M. Rectal diclofenac versus rectal paracetamol: Comparison of antipyretic effectiveness in children. Iranian Red Crescent Medical Journal 2016; 18 (1), art no e27932

Sharma A, Conry P, Fernando HJS, Hamlet AF, Hellmann JJ, Chen F. Green and cool roofs to mitigate urban heat island effects in the Chicago metropolitan area: Evaluation with a regional climate model. Environmental Research Letters 2016, *11*(6), 064004

Sharma AK, Almaddah N, Chaudhry K, Ganatra S, Chaudhry GM, Silver J. Without Further Delay: Lyme Carditis. American Journal of Medicine 2018; 131 (4): 384-386.

Sharma DK, Andersen SB, Ottosen CO, Rosenqvist E. Wheat cultivars selected for high F-v/F-m under heat stress maintain high photosynthesis total chlorophyll stomatal conductance transpiration and dry matter. Physiologia Plantarum 2015; 153(2): 284-298

Sharma KK, Mukherjee I, Singh B, Sahoo SK, Parihar NS, Sharma BN, Kale VD, Nakat RV, Walunj AR, Mohapatra S, Ahuja AK, Sharma D, Singh G, Noniwal R, Devi S. Residual behavior and risk assessment of flubendiamide on tomato at different agro-climatic conditions in India. Environmental Monitoring and Assessment 2014; 186 (11): 7673-7682.

Shaydakov ME, Diaz JA. Effectiveness of infrared thermography in the diagnosis of deep vein thrombosis: An evidence-based review. Journal of Vascular Diagnostics and Interventions 2017, 5: 7-14.

She K, Zhang X, Yin J, Guo H, Cheng G, Wang W. Diagnosis and treatment of acute peroneal artery ischemia syndrome. Zhongguo xiu fu chong jian wai ke za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese journal of reparative and reconstructive surgery 2014; 28 (10): 1273-1277.

Sheena Y, Hardwicke J, Jennison T, Titley OG. Reply: Detection of perforators using thermal imaging. Plastic and Reconstructive Surgery 2014; 134 (5): 851e-852e.

Sheffer J. It's not the same old wireless anymore. Biomedical Instrumentation and Technology 2016; 50 (2), p 82

Shehata IA. High intensity focused ultrasound: Imaging is the key! Diagnostic and Interventional Imaging 2014; 95 (6) 569-572.

Sheiko EA, Kuznetsov SA, Shashkina LY, Triandafilidi EI. Pathogenetic peculiarities of sclerosing of blood vessels in hemangioma in minor aged children upon exposure by electromagnetic optical spectrum radiation. Cardiometry 2017, :11: 93-101.

Shellock FG, Audet-Griffin AJ. Evaluation of magnetic resonance imaging issues for a wirelessly powered lead used for epidural spinal cord stimulation. Neuromodulation 2014; 17 (4): 334-339.

Shelton J, George B, Deutsch C, Bailey A. A Rhythm Revealed: Transient Brugada Pattern. American Journal of Medicine 2017, 130 (5): 542-544.

Shen B. Nano-assembly small molecule probe - New horizon for molecular imaging. Nano Biomedicine and Engineering 2017, 9(4) 355-363.

Shenefelt PD. Use of hypnosis meditation and biofeedback in dermatology. Clinics in Dermatology 2017, 35 (3): 285-291.

Shepard SM, Beemer MF. Advances in Thermographic Signal Reconstruction. In Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20- 23 2015, Baltimore MD, 2015; pp. 94850R-94850R-7.

Shepshelovich D, Shpilberg O, Lahav M, Itchaki G, Yakimov M, Raanani P, Cohen A. Hodgkin lymphoma and hypothermia: Case report and review of the literature. Acta Haematologica 2014; 131 (4) 227-230.

Sherman AL, Wang M.Y. Hypothermia as a clinical neuroprotectant. Physical Medicine and Rehabilitation Clinics of North America 2014; 25 (3): 519-529.

Sheybani ND. Meeting report: 2017 Winter School on Therapeutic Ultrasound. Journal of Therapeutic Ultrasound 2018; 6 (1), art. no. 3.

Shi C, Xie G, Zhang X, Su S, Zhang Y, Zhu Y, Zou C, Liu X. High spatiotemporal resolution magnetic resonance thermometry based on partially separable theory. Journal of Medical Imaging and Health Informatics 2017, 7 (1): 186-193.

Shi Y, Mao Y. Magnetic Resonance Thermometry–Guided Laser Interstitial Thermal Therapy in Neurosurgery a Promising Tool for Dural-Based Lesions? World Neurosurgery 2017, 98: 836-838.

Shibata T, Fujii R, Miyake H, Tanaka R, Mori T, Takahashi M, Takagi T, Yoshikawa H, Kuroda K, Ueda M. Development of an analysis method for 4-Deoxy-L-erythro-5-hexoseulose uronic acid by LC/ESI/MS with selected ion monitoring. Natural Product Communications 2017, 12 (6): 941-944.

Shibata T, Takahashi K, Uchida M, Yamasaki F, Kawashima M, Sueoka-Aragane N. Necrotizing sarcoid granulomatosis with natural resolution after a surgical lung biopsy. Internal Medicine 2018; 57 (11): 1625-1629.

Shikino K, Miyahara M, Ikusaka M. Idiopathic segmental anhidrosis. QJM 2017, 110 (9), p. 601.

Shim SR, Kim JH, Doo SW, Yang WJ, Song ES, Song YS. Association Between Ambient Temperature and Lower Urinary Tract Symptoms: A Hospital-Based Cross-Sectional Analysis. LUTS: Lower Urinary Tract Symptoms 2018; 10 (1): 38-44.

Shimada N, Igarashi T, Murai K, Hara T, Kuramochi T, Takeuchi M Adhesions in the epidural space caused by frequent epidural blocks. JA Clinical Reports 2017, 3(1) Article Number: 57.

Shimizu M, Dickhoff WW Circulating insulin-like growth factor binding proteins in fish: Their identities and physiological regulation. General and Comparative Endocrinology 2017, 252: 150-161.

Shimo K, Takakura K, Shigemi K. Organs Blood Flow during Elevation of Body Temperature in Sevoflurane Anesthetized Rats. Anesthesiology Research and Practice 2017, art. no. 6182350.

Shimono T, Sakai K, Takeda A, Shimada H, Tsukamoto T, Maeda H, Sakamoto S, Miki Y. Diffusion- weighted imaging thermometry in multiple sclerosis. Journal of Magnetic Resonance Imaging 2014; 40 (3): 649-654.

Shimose R, Ushigome N, Tadano C, Sugawara H, Yona M, Matsunaga A, Muro M. Increase in rate of force development with skin cooling during isometric knee extension. Journal of Electromyography and Kinesiology 2014; 24 (6): 895-901.

Shin YO, Lee JB. Comparison of peripheral sudomotor sensitivity to acetylcholine in endurance and non-endurance trained male subjects. Muscle and Nerve 2014; 50 (3): 407-412.

Shing CM, Peake JM, Lim CL, Briskey D, Walsh NP, Fortes MB, Ahuja KDK, Vitetta L. Effects of probiotics supplementation on gastrointestinal permeability inflammation and exercise performance in the heat. European

Journal of Applied Physiology 2014, 114(1) 93-103.

Shirafuji A, Shinagawa A, Kurokawa T, Yoshida Y. Locally-advanced unresected uterine leiomyosarcoma with triple-modality treatment combining radiotherapy chemotherapy and hyperthermia: A case report. Oncology Letters 2014, 8(2), 637-641

Shiratori B, Usami O, Hattori T, Ashino Y. A man from South Asia presenting with abdominal pain BMJ Case Reports 2014, bcr2013201716.

Shirzad N, Van Der Loos HFM. Physiological responses to error amplification in a robotic reaching adaptation task. 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBC 2014, art. no. 6944084: 2318-2321.

Shiue I, Perkins DR, Bearman N. Valve disease and hypotension hospital admissions peaked at physiologically equivalent temperature 0-5 °C in Germany in 2009-2011. International Journal of Cardiology 2014; 177 (1): 169-170.

Shlykov V, Kotovskyi V, Višniakov N, Šešok A. The IR-thermal imaging method for evaluation of the status of myocardial coronary vessels under the condition of artificial blood circulation. Technology and Health Care 2018; 26 (S2): S571-S576.

Shockley M, Arnolds K, Beran B, Rivas K, Escobar P, Tzakis A, Falcone T, Sprague ML, Zimberg S. Uterine viability in the baboon after ligation of uterine vasculature: a pilot study to assess alternative perfusion and venous return for uterine transplantation. Fertility and Sterility 2017, 107 (4): 1078-1082.

Shokry IM, Callanan JJ, Sousa J, Tao R. New insights on different response of MDMA-elicited serotonin syndrome to systemic and intracranial administrations in the rat brain. PLoS ONE 2016; 11 (5), art no e0155551

Showkath Ali S, Priyanka S, Aswani B, Bindu Priyanka B, Madhavilatha M, Yanadaiah P A case study on herbal therapy induced erythema multiforme. Journal of Global Trends in Pharmaceutical Sciences 2017, 8(4) 4361-4365.

Shrivastava D, Utecht L, Tian J, Hughes J, Thomas Vaughan J. In vivo radiofrequency heating in swine in a 3T (123.2-MHz) birdcage whole body coil. Magnetic Resonance in Medicine 2014; 72 (4): 1141-1150.

Shrotriya SN, Vidhate BV, Shukla MS. Formulation and development of Silybin loaded solid lipid nanoparticle enriched gel for irritant contact dermatitis. Journal of Drug Delivery Science and Technology 2017, 41: 164-173.

Shu Z, Hughes SM, Fang C, Hou Z, Zhao G, Fialkow M, Lentz G, Hladik F, Gao D. Determination of the Membrane Permeability to Water of Human Vaginal Mucosal Immune Cells at Subzero Temperatures Using Differential Scanning Calorimetry. Biopreservation and Biobanking 2016; 14 (4) 307-313

Shumy F, Anam AM, Chowdhury MAJ. Spontaneous bilateral perirenal and splenic haematoma in childhood onset polyarteritis nodosa. BMJ Case Reports 2018, art. no. bcr-2018-225762.

Si M, Li H, Chen Y, Peng H. Ethambutol and isoniazid induced severe neurotoxicity in a patient undergoing continuous ambulatory peritoneal dialysis. BMJ Case Reports 2018, art. no. 223187.

Siah CIR, Childs C. Thermographic mapping of the abdomen in healthy subjects and patients after enterostoma. Journal of Wound Care 2015; 24(3): 112-220

Siak J, Mahendradas P, Chee S. Multimodal Imaging in Anterior Uveitis. Ocular Immunology and Inflammation 2017, 25 (3): 434-446.

Siakavellas NI, Tsopelas N. Detection of the Interface between two metals by eddy current thermography. Nondestructive Testing and Evaluation 2015; 30(3): 252-276

Sicherer SH, Allen K, Lack G, Taylor SL, Donovan SM, Oria M. Critical issues in food allergy: A national academies consensus report. Pediatrics 2017, 140 (2), art. no. e20170194.

Siddiqui FS, Shah S, Nicayenzi B, Schemitsch EH, Zdero R, Bougherara H. Biomechanical analysis using infrared thermography of a traditional metal plate versus a carbon fibre/epoxy plate for Vancouver B1 femur fractures. Proceedings of the Institution of Mechanical Engineers Part H: Journal of Engineering in Medicine 2014; 228 (1): 107-113.

Siddiqui JA, Arora V, Mulaveesala R, Muniyappa A. Infrared Thermal Wave Imaging for Nondestructive Testing of Fibre Reinforced Polymers. Experimental Mechanics 2015; 55(7): 1239-1245

Siddiqui JA, Arora V, Mulaveesala R, Muniyappa A. Modelling of the frequency modulated thermal wave imaging process through the finite element method for non-destructive testing of a mild steel sample.

Siebke G, Holik P, Schmitz S, Schmitz H, Lacher M, Steltenkamp S. A model for μ-biomimetic thermal infrared sensors based on the infrared receptors of Melanophila acuminata. Bioinspiration and Biomimetics 2014; 9 (3) Art. No. 036012.

Siegel J, Pizzi MA, Brent Peel J, Alejos D, Mbabuike N, Brown BL, Hodge D, David Freeman W. Update on Neurocritical Care of Stroke. Current Cardiology Reports 2017, 19 (8), art. no. 67.

Sieglin B, Faitsch M, Herrmann A, Brucker B, Eich T, Kammerloher L, Martinov S. Real time capable Infrared thermography for ASDEX Upgrade. Review of Scientific Instruments 2015; 86(11) 113502

Siesto G, Romano F, Fiamengo B, Vitobello D. Sentinel Node Mapping Using Indocyanine Green and Near-infrared Fluorescence Imaging Technology for Uterine Malignancies: Preliminary Experience With the Da Vinci Xi System. Journal of Minimally Invasive Gynecology 2016; 23 (4) 470-471

Siewert C, Dänicke S, Kersten S, Brosig B, Rohweder D, Beyerbach M, Seifert H. Difference method for analysing infrared images in pigs with elevated body temperatures. Zeitschrift fur Medizinische Physik 2014; 24 (1): 6-15.

Sikka RS, Prielipp R.C. Forced air warming devices in orthopaedics: A focused review of the literature. Journal of Bone and Joint Surgery - American Volume 2014; 96 (24) 2014; e200(1-7)

Sillero-Quintana M, Arnáiz-Lastras J, Fernández-Cuevas I, Gómez-Carmona P. Proposals to standardize results in human thermography (extended abstract). Thermology international 2015, 25(3) 110-111.

Sillero-Quintana M, Arnaiz-Lastras J, Gomez-Carmona PM, Fernandez- Cuevas I. Proportion analysis as proposal to analyze thermal results in human thermography (abstract). Thermology international 2015, 25(2) 68.

Sillero-Quintana M, Fernandez Jaen T, Fernandez-Cuevas I, Gomez-Carmona PM, Arnaiz J, PerezMD, Guillen P. Infrared Thermography as a support tool for screening and early diagnosis of sport injuries (abstract). Thermology international 2014; 24(2) 66

Sillero-Quintana M, Fernandez-Jaen T, Fernandez-Cuevas I, Gomez-Carmona PM, Arnaiz-Lastras J, Perez MD, Guillen P. Infrared Thermography as a Support Tool for Screening and Early Diagnosis in Emergencies. Journal of Medical Imaging and Health Informatics 2015; 5(6): 1223-1228

Sillero-Quintana M, Gomes Moreira D, Fernández-Cuevas I. Evolution of sports thermography and new challenges for future. Thermology International 2018; 28(2) 70.

Sillero-Quintana M, Lopez Diaz de Durana A, Moreira DG, Fereira JJ, Brito CJ. Skin temperature response on junior athletes after high intense judo training (extended abstract). Thermology international 2016, 26 (Supplement) S10

Silva D, Sharma M, Juthani R, Meola A, Barnett GH. Magnetic Resonance Thermometry and Laser Interstitial Thermal Therapy for Brain Tumors. Neurosurgery Clinics of North America 2017, 28 (4): 525-533.

Silva LF, Saade DCM, Sequeiros GO, Silva AC, Paiva AC, Bravo RS, Conci A. A new database for breast research with infrared image. Journal of Medical Imaging and Health Informatics 2014; 4 (1) 92-100.

Silva LF, Santos AASMD, Bravo RS, Silva AC, Muchaluat-Saade DC, Conci A. Hybrid analysis for indicating patients with breast cancer using temperature time series. Computer Methods and Programs in Biomedicine 2016; 130 142-153

Silva Lima RP, Brioschi ML, Jacobsen Teixeira M. Thermoguided trigeminal neuralgia surgery (extended abstract). Thermology international 2014; 24(1) 21

Silva LKX, Sousa JS, Silva AOA, Lourenço Junior JB, Faturi C, Martorano LG, Franco IM, Pantoja MHA, Barros DV, Garcia AR. Testicular thermoregulation scrotal surface temperature patterns and semen quality of water buffalo bulls reared in a tropical climate. Andrologia 2018; 50 (2), art. no. e12836.

Silva YA, Santos BH, Andrade PR, Santos HH, Moreira DG, Sillero-Quintana M, Ferreira JJA. Skin temperature changes after exercise and cold-water immersion. Sport Sciences for Health 2017, 13(1) 195-202

Silver JR. Thermoregulatory responses in wheelchair tennis players: A pilot study. Spinal Cord 2014; 52 (12) 923.

Sim DW, Koh Y.-I. Unusual Clinical Manifestation of Laryngeal Edema in a Case of DRESS Syndrome. Journal of Allergy and Clinical Immunology: In Practice 2018; 6 (6): 2108-2109.

Sim MA, Leow SY, Hao Y, Yeo CL. A practical comparison of temporal artery thermometry and axillary thermometry in neonates under different environments. Journal of Paediatrics and Child Health 2016; 52 (4) 391-396

Sim SY, Joo KM, Kim HB, Jang S, Kim B, Hong S, Kim S, Park KS. Estimation of Circadian Body Temperature Rhythm Based on Heart Rate in Healthy, Ambulatory Subjects. IEEE Journal of Biomedical and Health Informatics 2017, 21(2) 407-415.

Simeone A, Woolley EB, Rahimifard S. Tool State Assessment for Reduction of Life Cycle Environmental Impacts of Aluminium Machining Processes via Infrared Temperature Monitoring. Procedia CIRP 2015; 29: 526-531

Simionescu SM, Duzel U, Esposito C, Ilich Z, Balan C. Heat Transfer Coefficient Measurements using Infrared Thermography, Technique. In: 9th International Symposium on Advanced Topics in Electrical Engineering, (ATEE), MAY 07-09, 2015, Univ Politehnica Bucharest Fac Elect Engn Bucharest Romania. 2015:591-596

Simmons JD, Kahn SA, Vickers AL, Crockett ES, Whitehead JD, Krecker AK, Lee Y.-L, Miller AN, Patterson SB, Richards WO, Wagner WW, Jr. Early Assessment of Burn Depth with Far Infrared Time-Lapse Thermography. Journal of the American College of Surgeons 2018; 226 (4): 687-693.

Simoes N, Simoes I, Serra C, Tadeu A. Thermographic inspection of external thermal insulation systems with mechanical fixing. In Hsieh SI, Zalameda JN, eds Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp. 94851A-94851A-10.

Simões VG, Lyazrhi F, Picard-Hagen N, Gayrard V, Martineau G.-P, Waret-Szkuta A. Variations in the vulvar temperature of sows during proestrus and estrus as determined by infrared thermography and its relation to ovulation. Theriogenology 2014; 82 (8): 1080-1085.

Simon JC, Curtis DA, Darling CL, Fried D. Multispectral near-infrared reflectance and transillumination imaging of occlusal carious lesions: Variations in lesion contrast with lesion depth. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10473, art. no. 1047305.

Simonis FFJ, Petersen ET, Lagendijk JJW, Van Den Berg CAT. Feasibility of measuring thermoregulation during

RF heating of the human calf muscle using MR based methods. Magnetic Resonance in Medicine 2016; 75 (4) 1743-1751

Simonis FFJ, Raaijmakers AJE, Lagendijk JJW, van den Berg CAT. Validating subject-specific RF and thermal simulations in the calf muscle using MR-based temperature measurements. Magnetic Resonance in Medicine 2017, 77 (4): 1691-1700.

Simpson R. Quality assurance for thermal imaging systems. Thermology International 2018; 28(1) 19.

Sindel A, Dereci Ö, Hatipoğlu M, Altay M-A, Özalp Ö, Öztürk A. The effects of irrigation volume to the heat generation during implant surgery. Medicina Oral Patologia Oral y Cirugia Bucal 2017, 22 (4), art. no. 21880: e506-e511.

Singer AJ, Relan P, Beto L, Jones-Koliski L, Sandoval S, Clark RAF. Infrared thermal imaging has the potential to reduce unnecessary surgery and delays to necessary surgery in burn patients. Journal of Burn Care and Research 2016; 37 (6) 350-355

Singh B, Bhattacharya S, Chowdhary CL, Jat DS. A review on internet of things and its applications in healthcare. Journal of Chemical and Pharmaceutical Sciences 2017, 10(1) 447-452.

Singh M, Harris-Birtill DCC, Zhou Y, Gallina ME, Cass AEG, Hanna GB, Elson DS. Application of gold nanorods for photothermal therapy in ex vivo human oesophagogastric adenocarcinoma. Journal of Biomedical Nanotechnology 2016; 12 (3) 481-490

Singh S, Repaka R. Temperature-controlled radiofrequency ablation of different tissues using two-compartment models. International Journal of Hyperthermia 2017, 33 (2): 122-134.

Siniorakis EE, Arvanitakis SG, Balanis AG, Limberi SJ. Fever as a first manifestation of acute aortic dissection. Netherlands Heart Journal 2017, 25(9) 530.

Sivaranjani V, Philominathan P. Synthesize of Titanium dioxide nanoparticles using Moringa oleifera leaves and evaluation of wound healing activity. Wound Medicine 2016; 12 1-5

Sivasubramanian K, Jaya KP, Ramanianeyulu K. Improved thermography technique for identifying structural elements under ambient conditions. Current Science 2015; 108(10): 1882-1889

Skala K, Lipic T, Sovic I, Grubisic I. Dynamic Thermal Models for Human Body Dissipation. Periodicum Biologorum 2015; 117(1): 167-176

Skaptsov AA, Novikova AS, Galushka VV, Markin AV, Kochubey VI, Goryacheva IY. Red and blue shifts of spectral luminescence band of CuInS2 nanothermometers. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9917, art no 991711

Skarecky D, Yu H, Linehan J, Morales B, Su M-Y, Fwu P, Ahlering T. Hypothermic Cooling Measured by Thermal Magnetic Resonance Imaging; Feasibility and Implications for Virtual Imaging in the Urogenital Pelvis. 2017, Urology 108: 220-224.

Skorupska E, Rychlik M, Pawelec W, Bednarek A, Samborski W. Trigger point-related sympathetic nerve activity in chronic sciatic leg pain: A case study. Acupuncture in Medicine 2014; 32 (5): 418-422.

Skorupska E, Rychlik M, Samborski W. Validation and Test-Retest Reliability of New Thermographic Technique Called Thermovision Technique of Dry Needling for Gluteus Minimus Trigger Points in Sciatica Subjects and TrPs-Negative Healthy Volunteers. Biomed Research International 2015; 546497

Sloane PD, Ward K, Weber DJ, Kistler CE, Brown B, Davis K, Zimmerman S. Can Sepsis Be Detected in the Nursing Home Prior to the Need for Hospital Transfer? Journal of the American Medical Directors Association 2018; 19 (6): 492-496.e1.

Slomka B, Rongies W, Ruszczuk P, Sierdzinski J, Saganowska D, Zdunski S, Worwag ME. Short-term effect of kinesiology taping on temperature distribution at the site of application. Research in Sports Medicine 2018; 26 (3): 365-380.

Slusher TM, Vreman HJ, Olusanya BO, Wong RJ, Brearley AM, Vaucher YE, Stevenson DK. Safety and efficacy of filtered sunlight in treatment of jaundice in African neonates. Pediatrics 2014; 133 (6): e1568- e1574.

Slutzkey S, Cohen O, Lauritano D, Moses O, Ormianer Z, Tal H, Kolerman R, Carinci F, Matalon S. Temperature changes of one-piece implants during the setting of acrylic resin temporary crown. The effect of implant diameter. An in vitro study. Journal of Biological Regulators and Homeostatic Agents 2017, 31 (2, Supplement 1): 53-60.

Smale A, Tsouras T. Evaluation of the Carefusion Alaris PC infusion pump for hyperbaric oxygen therapy conditions: Technical report. Undersea and Hyperbaric Medicine 44 (1): 17-25.

Smarr BL, Zucker I, Kriegsfeld LJ. Detection of successful and unsuccessful pregnancies in mice within hours of pairing through frequency analysis of high temporal resolution core body temperature data. PLoS ONE 2016; 11 (7), art no e0160127

Smit JM, Negenborn VL, Jansen SM, Jaspers MEH, de Vries R, Heymans MW, Winters HAH, van Leeuwen TG, Mullender MG, Krekel NMA. Intraoperative evaluation of perfusion in free flap surgery: A systematic review and meta-analysis. Microsurgery 2018; 38 (7): 804-818.

Smith CB, Allen MD, Rice CL. Voluntary rate of torque development is impaired after a voluntary versus tetanic

conditioning contraction. Muscle and Nerve 2014; 49 (2): 218-224.

Smith DE, Metzger S, Taylor JR. A transparent and transferable framework for tracking quality information in large datasets. PLoS ONE 2014; 9 (11), art. no. e112249.

Smith DL, Horn GP, Petruzzello SJ, Freund GG, Woods JA, Cook MD, Goldstein E, Fernhall B. Effect of obesity on acute hemostatic responses to live-fire training drills. American Journal of Cardiology 2014; 114 (11): 1768-1771.

Smith MT, Reid M, Kovalchik S, Wood T, Duffield R. Heat stress incidence and matchplay characteristics in Women's Grand Slam Tennis. Journal of Science and Medicine in Sport 2018; 21 (7): 666-670.

Smoljanić J, Morris NB, Dervis S, Jay O. Running economy not aerobic fitness independently alters thermoregulatory responses during treadmill running. Journal of Applied Physiology 2014; 117 (12): 1451-1459.

Sniegowski M, Erlanger M, Velez-Montoya R, Olson JL Difference in ocular surface temperature by Infrared thermography in phakic and pseudophakic patients. Clinical Ophthalmology 2015; 9

Sniegowski MC, Erlanger M, Olson J. Thermal imaging of corneal transplant rejection. International Ophthalmology 2018; 38 (6): 2335-2339.

Soares ADN, Costa KA, Wanner SP, Santos RGC, Fernandes SOA, Martins FS, Nicoli JR, Coimbra CC, Cardoso VN. Dietary glutamine prevents the loss of intestinal barrier function and attenuates the increase in core body temperature induced by acute heat exposure. British Journal of Nutrition 2014; 112 (10) 1601- 1610.

Sodi A, Matteoli S, Giacomelli G, Finocchio L, Corvi A, Menchini U. Ocular surface temperature in age- related macular degeneration. Journal of Ophthalmology 2014; 2014, art. no. 281010.

Soerensen DD, Pedersen LI. Infrared skin temperature measurements for monitoring health in pigs: a review. Acta Veterinaria Scandinavica, 57: 5.

Sohail S, Shama Q-A. Comparison of axillary with rectal and oral temperature in children. Rawal Medical Journal 2016; 41 (1) 57-60

Sohara H, Satake S, Takeda H, Yamaguchi Y, Nagasu N. Prevalence of esophageal ulceration after atrial fibrillation ablation with the hot balloon ablation catheter: What is the value of esophageal cooling? Journal of Cardiovascular Electrophysiology 2014; 25 (7): 686-692.

Soiher MG, Soiher MI, Urakov AL, Reshetnikov AP, Kopylov MV, Fischer EL. Local facial temperature can be used to identify the salivary glands, mimic and masticatory muscles (extended abstract). Thermology international 2014; 24(2) 60-62

Soler D, Childs THC, Arrazola PJ. A Note on Interpreting Tool Temperature Measurements from Thermography. Machining Science and Technology 2015; 19(1): 174-181

Solianik R, Skurvydas A, Mickevičiene D, Brazaitis M. Intermittent whole-body cold immersion induces similar thermal stress but different motor and cognitive responses between males and females. Cryobiology 2014, 69(2), 323-332.

Solianik R, Skurvydas A, Vitkauskiene A, Brazaitis M. Gender-specific cold responses induce a similar body-cooling rate but different neuroendocrine and immune responses. Cryobiology 2014; 69 (1): 26-33.

Sollai S, Dani C, Berti E, Fancelli C, Galli L, De Martino M, Chiappini E. Performance of a non-contact infrared thermometer in healthy newborns. BMJ Open 2016; 6 (3), art no e008695

Solodov I, Rahammer M, Derusova D, Busse G. Highly-efficient and noncontact vibro-thermography via local defect resonance. Quantitative Infrared Thermography Journal 2015; 12(1): 98-111

Solonin IG, Markov AL, Bojko ER, Potolitsyna NN, Parshukova OI. Functional indices in participants of the satellite study of the Mars-500 project in the Russian north during different seasons Human Physiology 2014; 40 (6): 634-641.

Solonin IuG, Markov AL, Boĭko ER, Potolitsyna NN, Parshukova OI. [Functional indices of the participants of the satellite experiments of the "Mars-500" project in the north of Russia in different seasons of a year]. Fiziologiia cheloveka 2014; 40 (6): 58-66.

Solovchuk MA, Hwang SC, Chang H, Thiriet M, Sheu TWH. Temperature elevation by HIFU in ex vivo porcine muscle: MRI measurement and simulation study. Medical Physics 2014; 41 (5) Art. No. 052903.

Son C-H, Zhang X-P. Layer-Based Approach for Image Pair Fusion. IEEE Transactions on Image Processing 2016; 25 (6), art no 7457236 2866-2881

Son C-H, Zhang X-P. Near-infrared coloring via a contrast-preserving mapping model. IEEE Transactions on Image Processing 2017, 26 (11), art. no. 7971985: 5381-5394.

Son JM, Lee JH, Kim J, Cho YH. Temperature Distribution Measurement of Au Micro-Heater in Microfluidic Channel using IR Microscope. International Journal of Precision Engineering and Manufacturing, 2015; 16(2): 367-372

Son YY, Han XY.FEA Study of Non-linear Effect of Coupling Media to Sonic Infrared Imaging. In: Chimenti DE, Bond LI, eds, 41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE) JUL 20-25, 2014, Boise ID, 2015; 1650: 1774-1781

Sone D, Ikegaya N, Takahashi A, Sumida K, Ota M, Saito T, Kimura Y, Matsuda H, Sato N. Noninvasive detection of focal brain hyperthermia related to continuous epileptic activities using proton MR spectroscopy. Epilepsy

Research 2017, 138: 1-4.

Sone D, Ota M, Yokoyama K, Sumida K, Kimura Y, Imabayashi E, Matsuda H, Sato N. Noninvasive evaluation of the correlation between regional cerebral blood flow and intraventricular brain temperature in temporal lobe epilepsy. Magnetic Resonance Imaging 2016; 34 (4) 451-454

Song A, Wang J, Lu G, Jia Z, Yang J, Shi E. Oxidized multiwalled carbon nanotubes coated fibers for headspace solid-phase microextraction of amphetamine-type stimulants in human urine. Forensic Science International 2018; 290: 49-55.

Song G, Zhang J, Zhang X, Yang H, Huang W, Du M, Zhou K, Ren W. Right-sided infective endocarditis with coronary sinus vegetation. BMC Cardiovascular Disorders 2018; 18 (1), art. no. 111.

Song H, Liu Y, Li Q, Gao N, Ma Y, Zhang Y. Tree-ring based May-July temperature reconstruction since AD 1630 on the western Loess Plateau China. PLoS ONE 2014; 9 (4), art. no. e93504,

Song HM, Lim HJ, Lee S, Sohn H, Yun W, Song E. Automated detection and quantification of hidden voids in triplex bonding layers using active lock-in thermography. NDT & E International 2015; 74: 94-105

Song T, Cao Y, Xu H, Zhang W, Fei B, Qiao D, Cao Y. Purification and characterization of a novel β- agarase of Paenibacillus sP SSG-1 isolated from soil. Journal of Bioscience and Bioengineering 2014: 118 (2) 125-129.

Song YY, Sun H, Li MZ, Zhang Q. Technology Application of Smart Spray in Agriculture: A Review. Intelligent Automation and Soft Computing 2015; 21(3): 319-333

Song Z, Qi H, Zhang H, Xie L, Cao F, Fan W, Wan C. Microwave ablation: Results with three different diameters of antennas in ex vivo bovine and in vivo porcine liver. Journal of Cancer Research and Therapeutics 2017, 13 (5): 737-741.

Soni S, Tyagi H, Taylor RA, Kumar A. Investigation on nanoparticle distribution for thermal ablation of a tumour subjected to nanoparticle assisted thermal therapy. Journal of Thermal Biology 2014; 43 (1) 70-80.

Son'kin VD, Akimov EB, Andreev RS, Yakushkin AV, Kozlov AV. Brown adipose tissue participate in lactate utilization during muscular work. In: icSPORTS 2014 - Proceedings of the 2nd International Congress on Sports Sciences Research and Technology Support: 97-102.

Son'kin VD, Iakushkin AV, Akimov EB, Andreev RS, Kalenov IuN, Kozlov AV. [The physiological analysis of cross adaptation to regular cold exposure and physical activities]. Fiziologiia cheloveka 2014; 40 (6): 98- 113.

Sonnex E, Almond MJ, Bond JW. Enhancement of Latent Fingerprints on Fabric Using the Cyanoacrylate Fuming Method Followed by Infrared Spectral Mapping. Journal of Forensic Sciences 2016; 61 (4) 1100- 1106

Sonnex E, Almond MJ, Bond JW. Enhancement of Latent Fingerprints on Fabric Using the Cyanoacrylate Fuming Method Followed by Infrared Spectral Mapping. Journal of Forensic Sciences 2016, 61(4), 1100-1106

Soo CC, Mukomana F, Hazelhurst S, Ramsay M. Establishing an academic biobank in a resource-challenged environment. South African Medical Journal 2017, 107 (6): 486-492.

Sorgun MH, Tugan Yıldız CB, Şener H.Ö. Autonomic involvement in carpal tunnel syndrome – Sympathetic skin response and skin temperature. Neurological Sciences and Neurophysiology 2018; 35 (1): 14-20.

Soroko M, Cwynar P, Howell K, Yarnell K, Dudek K, Zaborski D. Assessment of saddle fit in racehorses using infrared thermography (IRT). Thermology International 2018; 28(2) 108.

Soroko M, Howell K, Cwynar P. Infrared thermal imaging in horses-A literature overview. Thermology International 2018; 28(2) 57-58.

Soroko M, Howell K, Zwyrzykowska A, Dudek K, Zielinska P, Kupczynski R. Maximum eye temperature in the assessment of stress in racehorses, comparing the results with salivary cortisol concentration, rectal temperature and heart rate (abstract). Thermology international 2016, 26(2) 65

Soroko M, Howell K. Thermography in equine medicine (extended abstract). Thermology international 2015, 25(3) 107.

Soroko M, Jodkowska E, Dudek K. Thermography diagnosis in monitoring the annual training cycle of racehorses. Medycyna Weterynaryjna-Veterinary Medicine-Science and Practice 2015; 71(1): 52-58

Sousa NTA, Guirro ECO, Calió JG, Queluz MC, Guirro RRJ. Application of shortwave diathermy to lower limb increases arterial blood flow velocity and skin temperature in women: a randomized controlled trial. Brazilian Journal of Physical Therapy 2017, 21(2) 127-137.

Sousa P, Felizardo V, Oliveira D, Couto R, Garcia NM. A review of thermal methods and technologies for diabetic foot assessment. Expert Review of Medical Devices 2015; 12(4): 439-448

Sow C, Sanou C, Medah C, Schlumberger M, Mireux F, Ouédraogo I, Ouédraogo SM, Betsem E. Challenges of cold chain quality for routine EPI in south-west Burkina-Faso: An assessment using automated temperature recording devices. Vaccine 2018; 36 (26): 3747-3755.

Sowa GA, Perera S, Bechara B, Agarwal V, Boardman J, Huang W, Camacho-Soto A, Vo N, Kang J, Weiner D. Associations between Serum Biomarkers and Pain and Pain-Related Function in Older Adults with Low Back Pain: A Pilot Study. Journal of the American Geriatrics Society 2014; 62 (11) 2047-2055.

Sowa K, W atanabe T, Kan H, Yamano H. Influence of land development on holocene porites coral calcification at

Nagura bay Ishigaki Island, Japan. PLoS ONE 2014; 9 (2), art. no. e88790.

Sparacia G, Sakai K, Yamada K, Giordano G, Coppola R, Midiri M, Grimaldi LM. Assessment of brain core temperature using MR DWI-thermometry in Alzheimer disease patients compared to healthy subjects. Japanese Journal of Radiology 2017, 35 (4): 168-171.

Spiliopoulos S, Theodosiadou V, Barampoutis N, Katsanos K, Davlouros P, Reppas L, Kitrou P, Palialexis K, Konstantos C, Siores E, Alexopoulos D, Karnabatidis D, Brountzos E. Multi-center feasibility study of microwave radiometry thermometry for non-invasive differential diagnosis of arterial disease in diabetic patients with suspected critical limb ischemia. Journal of Diabetes and its Complications 2017, 31 (7): 1109-1114.

Spinosa E, Zhong S. Application of Liquid Crystal Thermography for the investigation of the near-wall coherent structures in a turbulent boundary layer. Sensors and Actuators A-Physical 2015; 233: 207-216

Spitz MG, Kenefick RW, Mitchell JB. The effects of elapsed time after warm-up on subsequent exercise performance in a cold environment. Journal of Strength and Conditioning Research 2014; 28 (5): 1351- 1357.

Spratt NJ, Tomkins AJ, Pepperall D, McLeod DD, Calford MB. Allopregnanolone and its precursor progesterone do not reduce injury after experimental stroke in hypertensive rats - Role of postoperative temperature regulation? PLoS ONE 2014; 9 (9), art. no. e107752.

Sran BJK, McDonald GK, Steinman AM, Gardiner PF, Giesbrecht GG. Comparison of heat donation through the head or torso on mild hypothermia rewarming. W ilderness and Environmental Medicine 2014; 25 (1): 4-13.

Srinivasan P, Ramasamy P. Morphological characterization and biocontrol effects of Vibrio vulnificus phages against Vibriosis in the shrimp aquaculture environment. Microbial Pathogenesis 2017, 111: 472-480.

Srivatsan A, Sen A, Cheruku RR, Missert JR, Durrani FA, Guru K, Pandey RK. Whole body and local hyperthermia enhance the photosensitizing efficacy of 3-[(1′-hexyloxy) ethyl]-3-Devinylpyropheophorbide-a (HPPH). Lasers in Surgery and Medicine 2018; 50 (5): 506-512.

Stacey M, Woods D, Ross D, W ilson D. Heat illness in military populations: Asking the right questions for research. Journal of the Royal Army Medical Corps 2014; 160 (2): 121-124.

Stachenfeld NS. The interrelationship of research in the laboratory and the field to assess hydration status and determine mechanisms involved in water regulation during physical activity. Sports Medicine 2014; 44 (SUPPL.1): S97-S104.

Stadnik AMW. The effect of body fat percentage and body fat distribution on skin surface temperature with infrared thermography. Journal of Thermal Biology 2017, 66: 1-9.

Staffa E, Bernard V, Can V, Pokorna J, Bourek A, Mornstein V. Infrared thermography and indocyanine green angiography as imaging methods in colon surgery - a case study. Thermology International 2018; 28 (Supplement) S21

Staffa E, Bernard V, Can V, Zetelova A, Farkasova M, Pokorna J, Mitas L, Mornstein V, Kala Z. Dynamic infrared thermography as a tool for imaging ischemia during abdominal surgery. Thermology International 2018; 28(2) 116.

Staffa E, Bernard V, Kubicek L, Vlachovsky R, Vlk D, Mornstein V, Bourek A, Staffa R. Infrared thermography as option for evaluating the treatment effect of percutaneous transluminal angioplasty by patients with peripheral arterial disease. Vascular 2017, 25 (1): 42-49.

Staffa E, Bernard V, Kubícek L, Zizlavský V, Vlachovský R, Vlk D, Mornstein V, Staffa R. Thermal imaging to assess changes of foot skin temperature in patients treated with percutaneous transluminal angioplasty (extended abstract). Thermology international 2015, 25(3) 140-141

Staffa E, Bernard V, Kubíek L, Vlachovský, R, Vlk D, Mornstein V, Staffa R. Using Noncontact infrared Thermography for long-term monitoring of foot temperatures in a patient with diabetes mellitus. Ostomy Wound Management 2016; 62 (4) 54-61

Stahl V, Maier F, Freitag MT, Floca RO, Berger MC, Umathum R, Berriel Diaz M, Herzig S, Weber M-A, Dimitrakopoulou-Strauss A, Rink K, Bachert P, Ladd ME, Nagel AM. In vivo assessment of cold stimulation effects on the fat fraction of brown adipose tissue using DIXON MRI. Journal of Magnetic Resonance Imaging 2017, 45 (2): 369-380.

Staikou C, Rekatsina M. Use of rocuronium and sugammadex under neuromuscular transmission monitoring in a patient with multiple sclerosis. Saudi Journal of Anaesthesia 2017, 11 (4): 472-475.

Staley ZR, Robinson C, Edge TA. Comparison of the occurrence and survival of fecal indicator bacteria in recreational sand between urban beach playground and sandbox settings in Toronto Ontario. Science of the Total Environment 2016; 541 520-527

Stammet P, Dankiewicz J, Nielsen N, Fays F, Collignon O, Hassager C, Wanscher M, Undèn J, Wetterslev J, Pellis T, Aneman A, Hovdenes J, Wise MP, Gilson G, Erlinge D, Horn J, Cronberg T, Kuiper M, Kjaergaard J, Gasche Y, Devaux Y, Friberg H. Protein S100 as outcome predictor after out-of-hospital cardiac arrest and targeted temperature management at 33 °C and 36 °C. Critical Care 2017, 21 (1), art. no. 153.

Stangeby PC, Tsuj CK, Lasnier CI, Boedo JA, Elder JD, Kocan M, Leonard AW, McLean AG, Pitts RA, Rudakov DL. Power deposition on the DIII-D inner wall limiter. Journal of Nuclear Materials 2015; 463: 389-392

Stanhewicz AE, Ferguson SB, Bruning RS, Alexander LM. Laser-speckle contrast imaging: A novel method for assessment of cutaneous blood flowin perniosis. JAMA Dermatology 2014; 150 (6): 658-660.

Stanislavov AS, Sukhodub LF, Sukhodub LB, Kuznetsov VN, Bychkov KL, Kravchenko MI. Structural features of hydroxyapatite and carbonated apatite formed under the influence of ultrasound and microwave radiation and their effect on the bioactivity of the nanomaterials. Ultrasonics Sonochemistry 2018; 42: 84-96.

Stanković, M, Tomar J, Hiemstra C, Steendam R, Frijlink HW, Hinrichs WLJ. Tailored protein release from biodegradable poly(ε-caprolactone-PEG)- b-poly(ε-caprolactone) multiblock- copolymer implants. European Journal of Pharmaceutics and Biopharmaceutics 2014, 87(2), 329-337

Stanzel RDP, Gehron J, Wolff M, Striegl N, Roth P, Boedeker R.-H, Scheibelhut C, Herrmann J, Welters I, Mayer E, Scheffler M. International survey on the perioperative management of pulmonary endarterectomy: the perfusion perspective. Perfusion (United Kingdom) 2018; 33 (1): 53-61.

Staples S, Noel S, Watkinson P, Murphy MF. Electronic recording of transfusion-related patient observations: a comparison of two bedside systems. Vox Sanguinis 2017, 112(8) 780-787.

Stapleton E, Ruiz-Rudolph P. The potential for indoor ultrafine particle reduction using vegetation under laboratory conditions. Indoor and Built Environment 2018; 27 (1): 70-83.

Stapleton JM, Fujii N, Carter M, Kenny GP. Diminished nitric oxide-dependent sweating in older males during intermittent exercise in the heat- Experimental Physiology 2014; 99 (6): 921-932.

Starosta DA, Lorenz B. Retinal Astrocytic Hamartoma in Neurofibromatosis Type 2 - Metaanalysis and a Case Report [Retinale astrozytäre Hamartome bei Neurofibromatose Typ 2 - Metaanalyse und Fallbericht]. Klinische Monatsblatter fur Augenheilkunde 2018; 235 (3): 290-300.

Stauffer PR, Snow BW, Rodrigues DB, Salahi S, Oliveira TR, Reudink D, Maccarini PF. Non- invasive measurement of brain temperature with microwave radiometry: Demonstration in a head phantom and clinical case. Neuroradiology 2014; Journal 27 (1) 3-12.

Stebbins JF. Chapter 9: NMR at High Temperature. New Developments in NMR, 2018; (15): 262-288.

Steffen C, Tokplonou E, Jaillard P, Dia R, Alladji MNB, Gessner B. A field-based evaluation of adverse events following menafrivac® vaccine delivered in a controlled temperature chain (CTC) approach in benin Pan African Medical Journal 2014; 18.

Steinitz D, Carius-Düssel C, Bergner BS, Papastefanou G, Schultz M. Improving stress management in emergency response personnel: Empirical study on the efficacy of an action guide [Verbesserung des Stressmanagements von Einsatzkräften: Empirische Studie zur Wirksamkeit eines Handlungsleitfadens]. Notfall und Rettungsmedizin 2014; 17 (5): 432-439.

Steinkogler W, Sovilla B, Lehning M. Thermal energy in dry snow avalanches. Cryosphere 2015; 9(5): 1819-1830

Šter A, Šafranko S, Bilić, K, Marković, B, Kralj D. The effect of hydrodynamic and thermodynamic factors and the addition of citric acid on the precipitation of calcium oxalate dihydrate. Urolithiasis 2018; 46 (3): 243-256.

Sterzik V, Belenkaia L, Liehr AW, Bohnert M. Spectrometric evaluation of post-mortem optical skin changes. International Journal of Legal Medicine 2014; 128 (2): 361-367.

Stewart CJ, Whyte DG, Cannon J, Wickham J, Marino FE. Exercise-induced dehydration does not alter time trial or neuromuscular performance. International Journal of Sports Medicine 2014; 35 (9): 725-730.

Stewart IB, Stewart KL, Worringham CJ, Costello JT. Physiological tolerance times while wearing explosive ordnance disposal protective clothing in simulated environmental extremes. PLoS ONE 2014; 9 (2), art. no. e83740.

Stiegler H, Wohlgemuth WA, Saleh A. Vascular malformations. Clinical aspects: Importance of duplex sonography [Vaskuläre Malformationen. Klinische Bilder: Stellenwert der Duplexsonographie]. Gefässchirurgie 2014, 19(4), 302-310.

St-Louis E, Deckelbaum DL, Baird R, Razek T. Optimizing the assessment of pediatric injury severity in low-resource settings: Consensus generation through a modified Delphi analysis. Injury 2017, 48 (6): 1115-1119.

Stock ML, Millman ST, Barth LA, Van Engen NK, Hsu WH, Wang C, Gehring R, Parsons RL, Coetzee JF. The effects of firocoxib on cautery disbudding pain and stress responses in preweaned dairy calves. Journal of Dairy Science, 98(9), 6058-6069.

Stockwell MS, Broder K, LaRussa P, Lewis P, Fernandez N, Sharma D, Barrett A, Sosa J, Vellozzi C. Risk of fever after pediatric trivalent inactivated influenza vaccine and 13-valent pneumococcal conjugate vaccine. JAMA Pediatrics 2014; 168 (3): 211-219.

Stockwell MS, Marchant CD, Wodi AP, Barnett ED, Broder KR, Jakob K, Lewis P, Kattan M, Rezendes AM, Barrett A, Sharma D, Fernandez N, LaRussa P. A multi-site feasibility study to assess fever and wheezing in children after influenza vaccines using text messaging. Vaccine 2017, 35 (50): 6941-6948.

Stone RP, Malecha PW, Masuda MM. A five-year in situ growth study on shallow-water populations of the gorgonian octocoral Calcigorgia spiculifera in the Gulf of Alaska. PLoS ONE 2017, 12 (1), art. no. e0169470.

Strakas D, Tolidis K, Koliniotou-Koumpia E, Vanweersch L, Franzen R, Gutknecht N. Intra-pulpal temperature rise

of different tooth types during dental bleaching supported by an ErCr:YSGG laser A pilot study. Lasers in Medical Science 2016; 31 (1) 77-82

Strakowska M, De Mey G, Wiecek B, Strzelecki M. A three layer model for the thermal impedance of the human skin: modeling and experimental measurements. Journal of Mechanics In Medicine and Biology 2015; 15(4) 1550044

Strakowska M, Kaszuba A, Wiecek B, Strzelecki M, De Mey G. System and software for thermal images screening in medicine - application to psoriasis. Quantitative Infrared Thermography Journal 2015; 12(2): 127-136

Strakowska M, Wiecek B, Strzelecki M. Applications of thermal provocation for tissue modeling and screening (extended abstract). Thermology international 2015, 25(2) 73-74.

Strang O, Ács N, Wirth R, Maróti G, Bagi Z, Rákhely G, Kovács KL. Bioaugmentation of the thermophilic anaerobic biodegradation of cellulose and corn stover. Anaerobe 2017, 46: 104-113.

Strangman GE, Ivkovic V, Zhang Q. Wearable brain imaging with multimodal physiological monitoring. Journal of Applied Physiology 2018; 124 (3): 564-572.

Strapazzon G, Procter E, Paal P, Brugger H. Pre-hospital core temperature measurement in accidental and therapeutic hypothermia. High Altitude Medicine and Biology 2014; 15 (2): 104- 111.

Strauss C, Brix E, Anker A, Prantl L, Brébant V, Aung T. Perfusion control of a partial revascularized hand via application of Indocyanine green (ICG) and Near-infrared Fluorescence Imaging. Clinical Hemorheology and Microcirculation 2017, 67 (3-4): 215-219.

Streicher MN, Schäfer A, Ivanov D, Müller DK, Amadon A, Reimer E, Huber L, Dhital B, Rivera D, Kögler C, Trampel R, Pampel A, Turner R. Fast accurate MR thermometry using phase referenced asymmetric spin-echo EPI at high field. Magnetic Resonance in Medicine 2014; 71 (2): 524-533.

Streitparth F, Walter T, Wonneberger U, Schnackenburg B, Philipp CM, Collettini F, Teichgräber UKM, Gebauer B. MR guidance and thermometry of percutaneous laser disc decompression in open MRI: An ex vivo study. CardioVascular and Interventional Radiology 2014; 37 (3): 777-783.

Streza M, Hodisan I, Prejmerean C, Boue C, Tessier G. Lock-in thermography penetrant inspection and scanning electron microscopy for quantitative evaluation of open micro-cracks at the tooth-restoration Interface. Journal of Physics D-Applied Physics 2015; 48(1) 105401

Stringascia MD, Moriyama LT, Salvio AG, Bagnato VS, Kurachi C. Thermographic diagnostics to discriminate skin lesions -a clinical study. In: Kurachi C, Svanberg K, Tromberg BJ, Bagnato VS, eds, Proceedings of SPIE Joint Meeting of the 1st SPIE Conference on Biophotonics South America (BSA) / 15th World Congress of the International-Photodynamic-Association (IPA) MAY 23-25 2015, Rio de Janeiro Brazil, 2015; pp. 953135-953135-7.

Strobl FF, Azam H, Schwarz JB, Paprottka PM, Geith T, Abdel-Rahman S, Zilles B, Lindner LH, Reiser MF, Trumm CG. CT fluoroscopy-guided closed-tip catheter placement before regional hyperthermia treatment of soft tissue sarcomas: 5-Year experience in 35 consecutive patients. International Journal of Hyperthermia 2016; 32 (2) 151-158

Strumila A, Kazlauskas V, Pošiūnas G, Verkauskas G, Beiša V. Infantile hemangioma: Predicting proliferation by infrared thermography. Medicina (Lithuania) 2017, 53 (2): 85-89.

Strzalkowski K, Dadarlat D, Streza M, Firszt F. On the optimization of experimental parameters in photopyroelectric investigation of thermal diffusivity of solids. Thermochimica Acta 2015; 614: 232-238

Strzalkowski K, Dadarlat D, Streza M, Zakrzewski J. Thermal characterization of ZnBeMnSe mixed compounds by means of photopyroelectric and lock-in thermography methods. Applied Physics A- Materials Science & Processing 2015; 119(3): 1165-1171

Strzalkowski K, Streza M, Dadarlat D, Marasek A. Thermal characterization of II-VI binary crystals by photopyroelectric calorimetry and Infrared lock-in thermography. Journal of Thermal Analysis and Calorimetry 2015; 119(1): 319-327

Strzalkowski K, Streza M, Pawlak M. Lock-in thermography versus PPE calorimetry for accurate measurements of thermophysical properties of solid samples: A comparative study. Measurement 2015, 64: 64-70.

Stude P, Enax-Krumova EK, Lenz M, Lissek S, Nicolas V, Peters S, Westermann A, Tegenthoff M, Maier C. Local anesthetic sympathectomy restores fMRI cortical maps in CRPS I after upper extremity stellate blockade: A prospective case study. Pain Physician 2014; 17 (5): E637-E644.

Stulin ID, Podgornaia OA, Seleznev FA, Trukhanov SA, Solonskii DS, Shamalov NA, Prikazchikov SV, Tagirov IS, Kudriakov ON, Selezneva MG, Baranov GA, Dobrovolskaia LE, Dobriakov AV, Skliar IA, Sorokina ND. Prevention of venous thrombosis of the lower extremities and pulmonary embolism in neurological patients in the intensive care unit using intermittent pneumatic compression. Zhurnal Nevrologii i Psihiatrii imeni SS. Korsakova 2018; 118 (10): 25-29.

Stulin ID, Solonskii DS, Sazonova AG, Trukhanov SA, Budadin ON, Ivanushkin EF. Possibilities of a method of active thermolocation probing of a projection of the carotid arteries in patients with atherosclerotic stenosis of the carotid arteries. Journal of Optical Technology 2015; 82(7): 455-458

Stulin ID, Yanushevich OO, Trukhanov SA, Solonskiy DS, Budadin ON, Ivanushkin EF, Sazonova AG. Active

thermolocation probing as a promising rapid diagnostic test of carotid atherosclerosis. Zhurnal Nevrologii i Psihiatrii imeni SS Korsakova 2016; 116 (10) 47-50

Stulin ID. A new clinical sign - Asymmetrical pulsation of neck vessels with a predominance in the right supraclavicular area in healthy people at supine position. Zhurnal Nevrologii i Psihiatrii imeni SS. Korsakova 2014; 2014 (5): 39-41.

Su AT, Maeda S, Fukumoto J, Miyai N, Isahak M, Yoshioka A, Nakajima R, Bulgiba A, Miyashita K. A cross sectional study on hand-arm vibration syndrome among a group of tree fellers in a tropical environment Industrial Health 2014; 52 (4): 367-376.

Su L, Shj TL, Du L, Lu XN, Liao GL. Genetic algorithms for defect detection of flip chips. Microelectronics Reliability 2015; 55(1): 213-220

Su T-Y, Ho W-T, Chiang S-C, Lu C-Y, Chiang HK, Chang S-W. Infrared thermography in the evaluation of meibomian gland dysfunction. Journal of the Formosan Medical Association 2017, 116 (7): 554-559.

Su TY, Ho WT, Lu CY, Chang SW, Chiang HK. Correlations among ocular surface temperature difference value the tear meniscus height Schirmer's test and fluorescein tear film break up time. British Journal of Ophthalmology 2015; 99(4): 482-487

Suárez L, Mesías S, Iglesias V, Silva C, Cáceres DD, Ruiz-Rudolph P. Personal exposure to particulate matter in commuters using different transport modes (bus bicycle car and subway) in an assigned route in downtown Santiago, Chile. Environmental Sciences: Processes and Impacts 2014; 16 (6): 1309-1317.

Subramaniam SD, Doss B, Chanderasekar LD, Madhavan A, Rosary AM. Scope of physiological and behavioural pain assessment techniques in children – A review. Healthcare Technology Letters 2018; 5 (4): 124-129.

Subtil D, Brabant G, Tilloy E, Devos P, Canis F, Fruchart A, Bissinger M.-C, Dugimont J.-C, Nolf C, Hacot C, Gautier S, Chantrel J, Jousse M, Desseauve D, Plennevaux JL, Delaeter C, Deghilage S, Personne A, Joyez E, Guinard E, Kipnis E, Faure K, Grandbastien B, Ancel P.-Y, Goffinet F, Dessein R. Early clindamycin for bacterial vaginosis in pregnancy (PREMEVA): a multicentre double-blind randomised controlled trial. The Lancet 2018; 392 (10160): 2171-2179.

Suffredini G, Levy LM. MR-guided focused ultrasound: Applications to essential tremor and other neurologic conditions. American Journal of Neuroradiology 2014; 39 (5) 829-831.

Suganthi SS, Ramakrishnan S. Analysis of breast thermograms using gabor wavelet anisotropy index. Journal of Medical Systems 2014; 38 (9) Art. No. 101.

Sugawara J, Kou S, Kokubo K, Kuroda A, Hashizume Y, Kobayashi S, Maegawa J, Satake T. Application for lower facial fat reduction and tightening by static type monopolar 1-MHz radio frequency for body contouring. Lasers in Surgery and Medicine 2017, 49 (8): 750-755.

Sugie T. A perspective on current status and future directions of sentinel node biopsy using fluorescence imaging system in breast cancer. ICG Fluorescence Imaging and Navigation Surgery 125-130

Sugimoto S, Toyooka S, Iga N, Furukawa M, Sugimoto R, Shien K, Nishikawa H, Soh J, Yamane M, Oto T, Miyoshi S. Use of a vessel sealing system versus conventional electrocautery for lung parenchymal resection: A comparison of the clinicopathological outcomes in porcine lungs. 2014; Surgery Today 44 (3) 540-545.

Suh GJ, Kwon W.Y, Kim KS, Lee HJ, Jeong K.Y, Jung YS, Lee JH. Prolonged therapeutic hypothermia is more effective in attenuating brain apoptosis in a swine cardiac arrest model. Critical Care Medicine 2014; 42 (2): e132-e142.

Suh HP, Park EJ, Hong JP. Effect of Monopolar Cutting Mode against Bipolar Diathermy on Surgical Dissection of Microvessels. Journal of Reconstructive Microsurgery 2017, 33 (9): 660-669.

Suhail CK, Dave N, Dias R, Garasia M. Accuracy of skin temperature over carotid artery in estimation of core temperature in infants and young children during general anaesthesia. Indian Journal of Anaesthesia 2018; 62 (6): 418-423.

Sukovas A, Cesna V, Jasukaitiene A, Barauskas G, Nadisauskiene RJ, Dambrauskas Z, Paskauskas S, Gulbinas A. Response of OVCAR-3 cells to cisplatin and hyperthermia: Does hyperthermia really matter? Anticancer Research 2017, 37 (9): 5011-5018.

Sukul A, Chowdhury S, Poddar SK, Saha SK, Rahman SMA. A comprehensive evaluation of peripheral analgesic and antipyretic activities of divalent metal complexes of indomethacin. Dhaka University Journal of Pharmaceutical Sciences 2017, 16 (2): 173-178.

Sultan P, Carvalho B. Does the addition of active body warming to in-line intravenous fluid warming prevent maternal hypothermia during elective caesarean section? A randomised controlled trial. International Journal of Obstetric Anesthesia 2018; 35: 115-116.

Sumida H, Asano Y, Hatano M, Aozasa N, Toyama T, Akamata K, Miyazaki M, Taniguchi T, Takahashi T, Ichimura Y, Noda S, Kuwano Y, Yanaba K, Sato S. Effect of ambrisentan on peripheral circulation in patients with systemic sclerosis. Modern Rheumatology 2016; 26 (3) 454-457

Sumida K, Sato N, Ota M, Sakai K, Sone D, Yokoyama K, Kimura Y, Maikusa N, Imabayashi E, Matsuda H, Kunimatsu A, Ohtomo K. Intraventricular temperature measured by diffusion-weighted imaging compared with

brain parenchymal temperature measured by MRS in vivo. NMR in Biomedicine 2016; 29 (7) 890-895

Sumowski JF, Leavitt VM. Body temperature is elevated and linked to fatigue in relapsing- remitting multiple sclerosis even without heat exposure. Archives of Physical Medicine and Rehabilitation 2014; 95 (7): 1298-1302.

Sun C, Xia W, Liu Y, Jia G, Wang C, Yan C, Li Y. Agrypnia excitata and obstructive apnea in a patient with fatal familial insomnia from China. Medicine (United States) 2017, 96 (49), art. no. e8951.

Sun G, Nakayama Y, Dagdanpurev S, Abe S, Nishimura H, Kirimoto T, Matsui T. Remote sensing of multiple vital signs using a CMOS camera-equipped infrared thermography system and its clinical application in rapidly screening patients with suspected infectious diseases. International Journal of Infectious Diseases 2017, 55: 113-117.

Sun G, Saga T, Shimizu T, Hakozaki Y, Matsui T. Fever screening of seasonal influenza patients using a cost-effective thermopile array with small pixels for close-range thermometry. International Journal of Infectious Diseases 2014; 25: 56-58.

Sun GH, Matsui T, Hakozaki Y, Abe S. An infectious disease/fever screening radar system which stratifies higher-risk patients within ten seconds using a neural network and the fuzzy grouping method. Journal of Infection 2015; 70(3): 230-236

Sun JH, Ma HN, Zeng DB. Three-dimensional Infrared imaging method based on binocular stereo vision. Optical Engineering 2015; 54(1) 103111

Sun L, Yan J, Sun L, Velan SS, Leow MKS. A synopsis of brown adipose tissue imaging modalities for clinical research. Diabetes and Metabolism 2017, 43 (5): 401-410.

Sun S, Grediac M, Toussaint E, Mathias JD, Mati-Baouche N. Applying a Full-Field Measurement Technique to Characterize the Mechanical Response of a Sunflower-Based Biocomposite. Experimental Mechanics 2015; 55(5): 917-934

Sun X-F, Zhang H-Y, Xia Q, Zhao H-J, Wu L-F, Zhang L-Z, Shi R-B. HPLC-fingerprint-based quality evaluation on a Tibetan medicinePhyllanthus emblica and its tannin parts. Zhongguo Zhongyao Zazhi 2014; 39 (7): 1173-1178.

Sun X-G, Zhang L, Yu C-T, Qian X-Y, Chang Q. One-stage repair of extensive aortic aneurysms: Mid-term results with total or subtotal aortic replacement. Interactive Cardiovascular and Thoracic Surgery 2014; 18 (3): 278-282.

Sun Y, Wu J, Wang C, Zhao Y, Lin Q. Tunable near-infrared fluorescent gold nanoclusters: Temperature sensor and targeted bioimaging. New Journal of Chemistry 2017, 41(13) 5412-5419.

Sun Y.-J, Wu Y.-C, Zhang J.-F, Li Y, Wang Y. Therapeutic efficacy observation on ‘setting fire on the mountain’ manipulation by Lu Shou-yan for cervical radiculopathy. Journal of Acupuncture and Tuina Science 2014; 12 (6): 331-334.

Sun Z, Chen Y, Zhang J, Guo H, Zhang Y. Evolution of brain temperature in ischemic tissues by 1H magnetic resonance spectroscopy. National Medical Journal of China 2014; 94 (29): 2297- 2299.

Sun Z-Y, Wang Y-Z, Nie R-J, Zhang J-Z, Wang S-Y. Standardization of production of process Notopterygii Rhizoma et Radix slices. Zhongguo Zhongyao Zazhi 2017, 42 (23): 4510-4513.

Sund Levander MH, Schminder J, Gardhagen R, Grodzinsky EM. Technical and clinical accuracy of body temperature measurement in clinical practice: An update of ISO standard 2-56. Thermology International 2018; 28(2) 50.

Sund-Levander M, Grodzinsky E. Ear body temperature in healthy individuals. A population study on small children to elderly adults (extended abstract). Thermology international 2015, 25(3) 112.

Suschinsky KD, Shelley AJ, Gerritsen J, Tuiten A, Chivers ML, The Clitoral Photoplethysmograph: A Pilot Study Examining Discriminant and Convergent Validity. Journal of Sexual Medicine 2015; 12(1)2: 2324- 2338

Suszyński Z, Świta R, Łoś, J, Zarzycka MB, Kaleniecka A, Zarzycki PK. Fast assessment of planar chromatographic layers quality using pulse thermovision method. Journal of Chromatography A 2014; 1373: 211-215.

Suszynski Z, Zarzycki PK. New approach for sensitive photothermal detection of C60 and C70 fullerenes on micro-thin-layer chromatographic plates. Analytica Chimica Acta 2015; 863: 70-77

Suteu M, Indrie L, Gherghel S, Timofte A Identifying the points that represent potential defects in embroidery machines using Infrared thermography. Industria Textila 2015; 66(1): 39-42

Sutkar VS, Deen NG, Patil AV, Peters EAJF, Kuipers JAM, Salikov V, Antonyuk S, Heinrich S. Experimental Study of Hydrodynamics and Thermal Behavior of a Pseudo-2D Spout-Fluidized Bed with Liquid iniection. Aiche Journal 2015; 61(4): 1146-1159

Suyama Y, Kishimoto M, Togashi S, Terada Y, Okada M. Cold-associated painful purple digits due to type I cryoglobulinemia. Vascular Medicine (United Kingdom) 2017, 22 (1) 69.

Suzuki E, Ohya T, Ito R, Matsumoto T, Kitagawa K. Physiological responses in alpine skiers during on- snow training simulation in the cold. International Journal of Sports Medicine 2014; 35 (5): 392-398.

Suzuki H, Oki K, Igarashi T, Shiwa T, Takahashi H. Temperature in the anterior chamber during phacoemulsification. Journal of Cataract and Refractive Surgery 2014; 40 (5): 805-810.

Suzuki K, Wanibuchi M, Minamida Y, Akiyama Y, Mikami T, Fujishige M, Yamamura A, Nakagawa T, Mikuni

N. Heat generation by ultrasonic bone curette comparing with high-speed drill. Acta Neurochirurgica 2018; 160 (4): 721-725.

Svagård I, Austad HO, Seeberg T, Vedum J, Liverud A, Mathiesen BM, Keller B, Bendixen O.C, Osborne P, Strisland F. A usability study of a mobile monitoring system for congestive heart failure patients. Studies in Health Technology and Informatics 2014; 205: 528-532.

Svedin BT, Beck MJ, Hadley JR, Merrill R, de Bever JT, Bolster BD, Jr Payne A, Parker DL. Focal point determination in magnetic resonance-guided focused ultrasound using tracking coils. Magnetic Resonance in Medicine 2017; 77 (6): 2424-2430.

Svedin BT, Payne A, Bolster BD, Jr Parker DL. Multiecho pseudo-golden angle stack of stars thermometry with high spatial and temporal resolution using k-space weighted image contrast. Magnetic Resonance in Medicine 2018; 79 (3): 1407-1419.

Svedin BT, Payne A, Parker DL. Respiration artifact correction in three-dimensional proton resonance frequency MR thermometry using phase navigators. Magnetic Resonance in Medicine 2016; 76 (1) 206- 213

Svejdova K, Simkova A, Soch M, Zabransky L, Simak- Libalova K, Svarcova A Frejlach T, Cermak B. Relationship of body temperature and welfare of dairy cows In: Polak O, Cerkal R, Belcredi NB, eds, Mendelnet 2015, 2015: 164-168

Svensson H, Bjermer L, Tufvesson E. Exhaled breath temperature in asthmatics and controls after eucapnic voluntary hyperventilation and a methacholine challenge test. Respiration 2014; 87 (2): 149-157.

Sviridov AP, Zakharkina OL, Ignatieva N.Y, Vorobieva NN, Bagratashvili NV, Plyakin VA, Kulik IO, Sarukhanyan OO, Minaev VP, Lunin VV, Bagratashvili VN. Ex vivo laser thermoplasty of whole costal cartilages. Lasers in Surgery and Medicine 2014; 46 (4): 302-309.

Svitova TF, Lin M.C. Lens-care-solution-induced alterations in dynamic interfacial properties of human tear- lipid films. Contact Lens and Anterior Eye 2014; 37 (5): 368-376.

Sweeney CB, Lackey BA, Pospisil MJ, Achee TC, Hicks VK, Moran AG, Teipel BR, Saed MA, Green MJ. Welding of 3D-printed carbon nanotube–polymer composites by locally induced microwave heating. Science Advances 2017, 3 (6), art. no. e1700262.

Swiderski W, Vavilov V. Ultrasonic IR thermographic inspection of graphite epoxy composite: a comparative study of piezoelectric and magnetostrictive stimulation. Opto-Electronics Review 2015; 23(1): 33-36

Syrkin-Nikolau ME, Johnson KJ, Colaizy TT, Schrock R, Bell EF. Temporal Artery Temperature Measurement in the Neonate. American Journal of Perinatology 2017, 34 (10 1026-1031.

Szalma J, Vajta L, Lempel E, Tóth Á, Jeges S, Olasz L. Intracanal temperature changes during bone preparations close to and penetrating the inferior alveolar canal: Drills versus piezosurgery. Journal of Cranio-Maxillofacial Surgery 2017, 45 (10): 1622-1631.

Szász O, Leckler J. Oncothermia A new form of Hyperthermia (extended abstract). Thermology international 2015, 25(1) 24

Szczeoeniak A, Jung A, Trzyna M, Maciejewski A, Pypkowska A, Biernat J, Byszek A, Biernat M, Cholewka A, Polak N, Jaremek H. Comparison of infrared imaging and liquid crystal contact thermography in patients after mastectomy or breast- conserving surgery. Thermology International 2018; 28 (Supplement) S22

Szczepańska N, Marć, M, Kudłak B, Simeonov V, Tsakovski S, Namieśnik J. Assessment of ecotoxicity and total volatile organic compound (TVOC) emissions from food and children's toy products. Ecotoxicology and Environmental Safety 2018; 160: 282-289.

Szubert J, Szubert S, Koszada-Włodarczyk W, Bortkiewicz A. New methods for determining the relative load due to physical effort of the human body [Nowe metody wyznaczania wzglednego obciażenia wysiłkiem fizycznym organizmu człowieka] Medycyna Pracy 2014; 65 (2): 189-195.

Szymanik B, Gratkowski S. Numerical and Experimental Validation of Optimization Results in Microwave Enhanced Infrared Landmines' Detection. IEEE Transactions On Magnetics 2015; 51(3)

Taberski K, Klose M, Grote K, El Ouardi A, Streckert J, Hansen VW, Lerchl A. Noninvasive assessment of metabolic effects of exposure to 900 MHz electromagnetic fields on djungarian hamsters (phodopus sungorus). Radiation Research 2014; 181 (6) 617-622.

Taccone FS, Dell'Anna A. Targeted temperature management after cardiac arrest [4] New England Journal of Medicine 2014; 370 (14): 1357-1358.

Taccone FS, Saxena M, Schortgen F. What's new with fever control in the ICU. Intensive Care Medicine 2014; 40 (8): 1147-1150.

Tachikawa Y, Sugimoto J, Takada M, Kawabata T, Lyth SM, Shiratori Y, Sasaki K. In Operando Visualization of SOFC Electrodes by Thermography and Visible Light Imaging. ECS Electrochemistry Letters 2015; 4(1)1: F61-F64

Tachinardi P, Bicudo JEW, Oda GA, Valentinuzzi VS. Rhythmic 24 h variation of core body temperature and locomotor activity in a subterranean rodent (Ctenomys afF Knighti) the tuco-tuco. PLoS ONE 2014; 9 (1) Art. No. e85674.

Tadeu A, Prata J, Simoes N. Dynamic simulation of three-dimensional heat conduction through cylindrical inclusions using a BEM model formulated in the frequency domain. Applied Mathematics and Computation 2015; 261: 397-407

Tag A, Bader B, Huck C, Karolewski D, Pitschj M, Weigel R, Hagelauer A. Effect of Spatial Distribution of Dissipated Power on Modeling of SMR, BAW Resonators at High Power Levels. IEEE Transactions On Ultrasonics Ferroelectrics and Frequency Control, 2015; 62(1)0: 1856-1864

Tag A, Chauhan V, Weigel R, Hagelauer A, Bader B, Huck C, Pitschj M, Karolewski D. Multiphysics Modeling of BAW Filters. 2015 IEEE International Ultrasonics Symposium (IUS)OCT 21-24 2015, Taipej Taiwan, 2015, pp. 1-4.

Tagieva NR, Shakhnovich RM, Mironov VM, Ruda M.Ya. Invasive methods of detection of unstable atherosclerotic plaques in coronary arteries. Kardiologiya 2014; 54 (11): 46-56.

Taheri E, Amin MM, Pourzamani H, Fatehizadeh A, Ghasemian M, Bina B. Comparison of acetate-butyrate and acetate-ethanol metabolic pathway in biohydrogen production. Journal of Medical Signals and Sensors 2018; 8 (2): 101-107.

Taheri-Garavand A, Ahmadj H, Omid M, Mohtasebj SS, Mollazade K, Smith AJR, Carlomagno GM. An intelligent approach for cooling radiator fault diagnosis based on Infrared thermal image processing technique. Applied Thermal Engineering 2015; 87: 434-443

Tajsic N, Winkel R, Husum H. Distally based perforator flaps for reconstruction of post-traumatic defects of the lower leg and foot. A review of the anatomy and clinical outcomes. Injury 2014; 45 (3): 469-477.

Takahashi M, Rhee AJ, Rakasi RR, Yildirim A, Silvay G, Reddy R.C. Cardiac surgery in a patient with pemphigus vulgaris: Anesthetic and surgical considerations. Seminars in Cardiothoracic and Vascular Anesthesia 2014; 18 (1): 74-77.

TakahashI S, Monda K, Negj J, Konishj F, Ishikawa S, Hashimoto-Sugimoto M, Goto N, Iba K. Natural Variation in Stomatal Responses to Environmental Changes among Arabidopsis thaliana Ecotypes. PLOS One, 3 2015; 10(2) e0117449

Takase K, Kikuchi K, Tsuneoka Y, Oda S, Kuroda M, Funato H. Meta-analysis of melanin- concentrating hormone signaling-deficient mice on behavioral and metabolic phenotypes. PLoS ONE 2014; 9 (6) Art. No. e99961.

Takasugi Y, Futagawa K, Umeda T, Kazuhara K, Morishita S. Thermophysical properties of thermosoftening nasotracheal tubes. Anesthesia Progress 2018; 65 (2): 100-105.

Takeda Y, Kawashima T, Kiyota K, Oda S, Morimoto N, Kobata H, Isobe H, Honda M, Fujimi S, Onda J, I S, Sakamoto T, Ishikawa M, Nakano H, Sadamitsu D, Kishikawa M, Kinoshita K, Yokoyama T, Harada M, Kitaura M, Ichihara K, Hashimoto H, Tsuji H, Yorifuji T, Nagano O, Katayama H, Ujike Y, Morita K. Feasibility study of immediate pharyngeal cooling initiation in cardiac arrest patients after arrival at the emergency room. Resuscitation 2014; 85 (12): 1647- 1653.

Takeshita J, Nishiyama K, Beppu S, Sasahashi N, Shime N. Transient severe distributive shock due to early dumping syndrome: A case report. Journal of Medical Case Reports 2018; 12 (1), art. no. 18002.

Takroni TA, Yu H, Laouar L, Adesida AB, Elliott JAW, Jomha NM. Ethylene glycol and glycerol loading and unloading in porcine meniscal tissue. Cryobiology 2017, 74: 50-60.

Talih S, Balhas Z, Salman R, Karaoghlanian N, Shihadeh A. "Direct dripping": A high-temperature high-formaldehyde emission electronic cigarette use method. Nicotine and Tobacco Research 2016; 18 (4) 453- 459

Talks SJ, Aftab AM, Ashfaq I, Soomro T. The role of new imaging methods in managing age-related macular degeneration. Asia-Pacific Journal of Ophthalmology 2017, 6 (6): 498-507.

Talukder S, Gabai G, Celi P. The use of digital Infrared thermography and measurement of oxidative stress biomarkers as tools to diagnose foot lesions in sheep. Small Ruminant Research 2015; 127: 80-85

Talukder S, Ingenhoff L, Kerrisk KL, Celi P. Plasma oxidative stress biomarkers and progesterone profiles in a dairy cow diagnosed with an ovarian follicular cyst. Veterinary Quarterly 2014; 34 (2) 113-117.

Talukder S, Thomson PC, Kerrisk KL, Clark CEF, Celi P. Evaluation of Infrared thermography body temperature and collar-mounted accelerometer and acoustic technology for predicting time of ovulation of cows in a pasture-based system. Theriogenology 2015; 83(4): 739-748

Tam W, Lee RC, Lin B, Simon JC, Fried D. Assessment of simulated lesions on primary teeth with near- infrared imaging. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9692, art no 96920V

Tamai K, Suzuki A, Takahashi S, Akhgar J, Rahmani MS, Hayashi K, Ohyama S, Nakamura H. The incidence of nerve root injury by highspeed drill can be reduced by chilled saline irrigation in a rabbit model. Bone and Joint Journal 2017, 99B (4): 554-560.

Tamaki T, Ishikawa H, Sakamoto J. Diagnostic value of infrared (IR) thermography for assessing diabetic foot in a dialysis patient - A case report. Thermology International 2014; 24 (2): 49-52.

Tamames I, King C, Huang C.-Y, Telischi FF, Hoffer ME, Rajguru SM. Theoretical Evaluation and Experimental Validation of Localized Therapeutic Hypothermia Application to Preserve Residual Hearing After Cochlear Implantation. Ear and Hearing 2018; 39 (4): 712-719.

Tambasco N, Belcastro V, Prontera P, Nigro P, Donti E, Rossi A, Calabresi P. Shapiro's syndrome: Defining the clinical spectrum of the spontaneous paroxysmal hypothermia syndrome. European Journal of Paediatric Neurology 2014; 18 (4): 453-457.

Tamburini A, Cipollina A, Al-Sharif S, Albeirutty M, Gurreri L, Micale G, Ciofalo M. Assessment of temperature polarization in membrane distillation channels by liquid crystal thermography. Desalination and Water Treatment 2015; 55(1)0: 2747-2765

Tamm M, Jakobson A, Havik M, Burk A, Timpmann S, Allik J, Ööpik V, Kreegipuu K. The compression of perceived time in a hot environment depends on physiological and psychological factors. Quarterly Journal of Experimental Psychology 2014; 67 (1): 197-208.

Tamm M, Jakobson A, Havik M, Timpmann S, Burk A, Ööpik V, Allik J, Kreegipuu K. Effects of heat acclimation on time perception. International Journal of Psychophysiology 2015, 95(3), 261-269.

Tamunobere O, Drewes C, Acharya S, Nakamata C. Heat Transfer to an Actively Cooled Shroud With Blade Rotation. Journal of Thermal Science and Engineering Applications. 2015; 7(4) 041020

Tan JH, Acharya UR. Pseudocolours for thermography-Multi-segments colour scale. Infrared Physics & Technology 2015; 72: 140-147

Tan KK, Narayanan AS, Koh CH, Caves K, Hoenig H. Extraction of spatial information for low- bandwidth telerehabilitation applications. Journal of Rehabilitation Research and Development 2014; 51 (5): 825-840.

Tan LJ, Barnett MA, Eisenberg A, Fox Fields H, Hackell JM, Léger MM, Meadows B, Moore KL, Rehm SJ, Rothholz M.C, Smith C, Talkington K, Wexler DL. From refrigerator to arm: Issues in vaccination delivery. Vaccine 2014; 32 (21): 2389-2393.

Tan LL, Sanjay S, Morgan PB. Repeatability of infrared ocular thermography in assessing healthy and dry eyes. Contact Lens and Anterior Eye 2016; 39 (4) 284-292

Tan LL, Sanjay S, Morgan PB. Screening for dry eye disease using infrared ocular thermography. Contact Lens and Anterior Eye 2016; 39 (6) 442-449

Tan M.C, Coursin DB. Complete neurologic recovery in an out-of-hospital cardiac arrest facilitated by initiation of therapeutic hypothermia in a young athlete with an anomalous right coronary artery. Journal of Clinical Anesthesia 2014; 26 (3): 227-230.

Tan W, Sparrow E.M, Gorman J.M, Ahn J. Synergistic experimental and numerical characterization of a dry-heat, fluid-warming device. Medical Engineering and Physics 2017, 49: 39-45.

Tanda G. The use of infrared thermography to detect the skin temperature response to physical activity. Journal of Physics: Conference Series 2015, 655(1) 012062.

Tandon V, Lang M, Chandra PS, Sharan A, Garg A, Tripathi M. Is Edema a Matter of Concern After Laser Ablation of Epileptogenic Focus? World Neurosurgery 2018; 113: 366-372.e3.

Tang MF, Yin YH. Study on Hollow Brick Wall's Surface Temperature with Infrared Thermal Imaging Method. Spectroscopy and Spectral Analysis 2015; 35(5): 1228-1232

Tang QJ, Bu CW, Liu YL, Qj LT, Yu ZYn. A new signal processing algorithm of pulsed Infrared thermography. Infrared Physics & Technology 2015 68: 173-178

Tanner C, Zur Y, French K, Samei G, Strehlow J, Sat G, McLeod H, Houston G, Kozerke S, Székely G, Melzer A, Preusser T. In vivo validation of spatio-temporal liver motion prediction from motion tracked on MR thermometry images. International Journal of Computer Assisted Radiology and Surgery 2016; 11 (6) 1143-1152

Tanrikulu CS, Hocagil H, Kaya U, Hocagil AC. Acute bilateral vision loss in emergency department: A case report. Turkish Journal of Emergency Medicine 2016; 16 (1) 38-40

Tanriverdi F, Karaca Z Unluhizarci K, Kelestimur F. Unusual effects of GH deficiency in adults: a review about the effects of GH on skin sleep and coagulation. Endocrine 2014; 47 (3) 679-689.

Tao R, Rudacille M, Zhang G, Ma Z. Changes in intensity of serotonin syndrome caused by adverse interaction between monoamine oxidase inhibitors and serotonin reuptake blockers. Neuropsychopharmacology 2014, 39(8), 1996

Tao SI, Yang ZW, Tian G, Zhang W. Determination of temperature sequence length in pulse phase thermography. Infrared Physics & Technology 2015; 72: 210-220

Tapia FJ, Largier JL, Castillo M, Wieters EA, Navarrete SA. Latitudinal discontinuity in thermal conditions along the nearshore of central-northern Chile. PLoS ONE 2014; 9 (10), art. no. e110841.

Tarasek MR, Pellicer R, Hofstetter LW, Numan W CM, Bakker JF, Kotek G, Togni P, Verhaart RF, Fiveland EW, Houston GC, Van Rhoon GC, Paulides MM, Yeo DTB. Validation of MR thermometry: Method for temperature probe sensor registration accuracy in head and neck phantoms. International Journal of Hyperthermia 2014; 2014; 30 (2) 142-149.

Tardani F, La Mesa C. Effects of single-walled carbon nanotubes on lysozyme gelation. Colloids and Surfaces B: Biointerfaces 2014; 121: 165-170.

Tatebe K, Ramsay E, Mougenot C, Kazem M, Peikari H, Bronskill M, Chopra R. Influence of geometric and

material properties on artifacts generated by interventional MRI devices: Relevance to PRF-shift thermometry. Medical Physics 2016; 43 (1) 241-253

Tavares IM, Vardasca R, Cera N, Pereira R, Nimbi FM, Lisy D, Janssen E, Nobre PJ. A review of infrared thermography as applied to human sexual psychophysiology. International Journal of Psychophysiology 2018; 133: 28-40.

Tawy GF, Rowe PJ, Riches PE. Thermal Damage Done to Bone by Burring and Sawing With and Without Irrigation in Knee Arthroplasty. Journal of Arthroplasty 2016; 31 (5) 1102-1108

Tay KJ, Cheng CWS, Lau WKO, Khoo J, Thng CH, Kwek JW. Focal therapy for prostate cancer with in-bore MR-guided focused ultrasound: Two-year follow-up of a phase i trial - Complications and functional outcomes. Radiology 2017, 285 (2): 620-628.

Taylor L, Fitch N, Castle P, Watkins S, Aldous J, Sculthorpe N, Midgely A, Brewer J, Mauger A. Exposure to hot and cold environmental conditions does not affect the decision making ability of soccer referees following an intermittent sprint protocol. Frontiers in Physiology 2014; 5. art. no. 00185.

Taylor L, Mauger AR, Watkins SL, Fitch N, Brewer J, Maxwell NS, Webborn N, Castle PC. Precooling does not improve 2,000-m rowing performance of females in hot humid conditions. Journal of Strength and Conditioning Research 2014; 28 (12): 3416-3424.

Taylor NAS, Machado-Moreira CA, van den Heuvel AMJ, Caldwell JN. Hands and feet: physiological insulators radiators and evaporators. European Journal of Applied Physiology 2014; 114 (10) 2037-2060.

Taylor NAS, Tipton MJ, Kenny GP. Considerations for the measurement of core skin and mean body temperatures. Journal of Thermal Biology 2014; 46: 72-101.

Taylor NAS. Human heat adaptation. Comprehensive Physiology 2014; 4 (1) 325-365.

Tazoe J, Yamada K, Sakai K, Akazawa K, Mineura K. Brain core temperature of patients with mild traumatic brain injury as assessed by DWI-thermometry. Neuroradiology 2014; 56 (10) 809-815.

Teixeira ADO, Martins CN, da Silva AMV, Tozetti AM, Plentz RDM, Signori LU. Temperature of cutaneous and subcutaneous tissue during the application of aerosols in rats [Comportamento térmico dos tecidos cutâneo e subcutâneo durante a aplicação de diferentes tipos de aerossóis em ratos]. Acta Scientiarum - Health Sciences 2014; 36 (2): 243-249.

Teixeira Oliveira J, Vardasca R, Pimenta M, Torres J. Thermal imaging as a potential complimentary diagnosis method for ankle sprain lesions (extended abstract). Thermology international 2015, 25(3) 120- 121

Teixeira SR, Magalhães RS, Arenales A, Souza AE, Romero M, Rincón JM. Valorization of sugarcane bagasse ash: Producing glass-ceramic materials. Journal of Environmental Management 2014; 134: 15-19.

Tekkaya AE, Allwood JM, Bariani PF, Bruschj S, Cao J, Gramlich S, Groche P, Hirt G, Ishikawa T, Lobbe C, Lueg-Althoff J, Merklein M, Misiolek WZ, Pietrzyk M, Shivpuri R, Yanagimoto J. Metal forming beyond shaping: Predicting and setting product properties. CIRP Annals-Manufacturing Technology 2015; 64(2): 629-653

Tempelhahn A, Budzier H, Krause V, Gerlach G. Improving the shutter-less compensation method for TEC-less microbolometer-based Infrared cameras. Proceedings of SPIE 41st Conference on Infrared Technology and Applications, APR 20-23 2015, Baltimore MD, 2015; pp. 94511F-94511F-10

Ten Eikelder HMM, Bošnački D, Elevelt A, Donato K, Di Tullio A, Breuer BJT, Van Wijk JH, Van Dijk EVM, Modena D, Yeo SY, Grüll H. Modelling the temperature evolution of bone under high intensity focused ultrasound. Physics in Medicine and Biology 2016; 61 (4), art no 1810 1810-1828

Tentor FR, de Oliveira JH, Scariot DB, Lazarin-Bidóia D, Bonafé EG, Nakamura CV, Venter SAS, Monteiro JP, Muniz EC, Martins AF Scaffolds based on chitosan/pectin thermosensitive hydrogels containing gold nanoparticles. International Journal of Biological Macromolecules 2017, 102:1186-1194.

Tepper M, Gannot I. Monitoring tumor state from thermal images in animal and human models. Medical Physics 2015; 42(3): 1297-1306

Tepper M, Gannot,I. Parametric study of different contributors to tumor thermal profile. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014, 8940, art. no. 89400P.

Terzis A, von Wolfersdorf J, Weigand B, Ott P. A method to visualise near wall fluid flow patterns using locally resolved heat transfer experiments. Experimental Thermal and Fluid Science 2015; 60: 223-230

Teske A, De Beer D, McKay LJ, Tivey MK, Biddle JF, Hoer D, Lloyd KG, Lever MA, Røy H, Albert DB, Mendlovitz HP, MacGregor BJ. The Guaymas Basin hiking guide to hydrothermal mounds chimneys and microbial mats: Complex seafloor expressions of subsurface hydrothermal circulation. Frontiers in Microbiology 2016; 7 (FEB), art no 75

Tetyczka C, Griesbacher M, Absenger-Novak M, Fröhlich E, Roblegg E Development of nanostructured lipid carriers for intraoral delivery of Domperidone. International Journal of Pharmaceutics 2017, 526(1-2) (88-198.

Teunissen LPJ, Wang L.-C, Chou S.-N, Huang C.-H, Jou G.-T, Daanen HAM. Evaluation of two cooling systems under a firefighter coverall. Applied Ergonomics 2014; 45 (6): 1433-1438.

Tew KS, Siao YJ, Liu PJ, Lo WT, Meng PJ. Taiwanese marine microbenthic algal communities remain similar yet chlorophyll a concentration rise in mesocosms with elevated CO_2 and temperature. Marine Pollution Bulletin 2017,

124 (2): 929-937.

Teza G, Marcato G, Pasuto A, Galgaro A. Integration of laser scanning and thermal imaging in monitoring optimization and assessment of rockfall hazard: a case history in the Carnic Alps (Northeastern Italy). Natural Hazards 2015, 76(3), 1535-1549.

Thalhammer A, Hincha DK, Zuther E. Measuring freezing tolerance: Electrolyte leakage and chlorophyll fluorescence assays. Methods in Molecular Biology 2014; 1166: 15-24.

Thaokar C, Rossi MR, Rabin Y. A new method for temperature-field reconstruction during ultrasound- monitored cryosurgery using potential-field analogy. Cryobiology 2016; 72 (1) 69-77.

Thayyil S, Basu S, Kumar M. Editorial. Indian Pediatrics 2018; 55 (3): 197-200.

Thella AK, Rizkalla J, Helmy A, Suryadevara VK, Salama P, Rizkalla M. Non-invasive photo acoustic approach for human bone diagnosis. Journal of Orthopaedics 2016; 13 (4) 394-400

Theodorakeas P, Avdelidis NP, Hatziioannidis I, Cheilakou E, Marini R, Koui M. Comparative evaluation of aerospace composites using thermography and ultrasonic NDT techniques. In Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20- 23 2015, Baltimore MD, 2015; 948504-948504-12.

Theodorakeas P, Cheilakou E, Ftikou E, Koui M. Passive and active infrared thermography: An overview of applications for the inspection of mosaic structures. Journal of Physics: Conference Series 2015 655(1) 012061

Theuma F, Cassar K. The use of smartphone-attached thermography camera in diagnosis of acute lower limb ischemia. Journal of Vascular Surgery 2018; 67 (4), p. 1297.

Thiam S, Diène AN, Sy I, Winkler MS, Schindler C, Ndione JA, Faye O, Vounatsou P, Utzinger J, Cissé, G. Association between childhood diarrhoeal incidence and climatic factors in urban and rural settings in the health district of Mbour Senegal. International Journal of Environmental Research and Public Health 2017, 14 (9), art. no. 1049.

Thiel A, Buskens C, Woehrle T, Etheve S, Schoenmakers A, Fehr M, Beilstein P. Black peer constituent piperine: Genotoxicity studies in vitro and in vivo. Food and Chemical Toxicology 2014; 66, 350-357.

Thiel CS, Tauber S, Schütte A, Schmitz B, Nuesse H, Moeller R, Ullrich O. Functional activity of plasmid DNA after entry into the atmosphere of earth investigated by a new biomarker stability assay for ballistic spaceflight experiments. PLoS ONE 9 2014; (11) Art. No. e112979.

Thimbleby H. Processing storage and display of physiological measurements. Anaesthesia and Intensive Care Medicine 2014; 15 (7): 340-343.

Thiruvengadam J, Anburajan M, Menaka M, Venkatraman B. Potential of thermal imaging as a tool for prediction of cardiovascular disease. Journal of Medical Physics 2014; 39 (2): 98-105.

Thomas Bass W, Lattanzio FA, Brayman G, Kootsey B, Aiello F, Perkins AM, Carr KL, Allison R.C, Shaeffer J, Kelley R. Non-invasive measurement of brain temperature using radiometric thermometry: Experimental validation and clinical observations in asphyxiated newborns. Journal of Neonatal-Perinatal Medicine 2014; 7 (4): 279-286.

Thomas G, McWade MA, Paras C, Mannoh EA, Sanders ME, White LM, Broome JT, Phay JE, Baregamian N, Solórzano CC, Mahadevan-Jansen A. Developing a clinical prototype to guide surgeons for intraoperative label-free identification of parathyroid glands in real time. Thyroid 2018; 28 (11): 1517-1531.

Thomas G, Owen E. Basic measurement concepts. Anaesthesia and Intensive Care Medicine 2014; 15 (7): 321-324.

Thomas MR, Yoxall CW, Weeks AD, Duley L. Providing newborn resuscitation at the mother's bedside: Assessing the safety usability and acceptability of a mobile trolley. BMC Pediatrics 2014; 14 (1), art. no. 135.

Thomas N, Abiramalatha T, Bhat V, Varanattu M, Rao S, Wazir S, Lewis L, Balakrishnan U, Murki S, Mittal J, Dongara A, Prashantha YN, Nimbalkar S. Phase Changing Material for Therapeutic Hypothermia in Neonates with Hypoxic Ischemic Encephalopathy — A Multi-centric Study. Indian Pediatrics 2018; 55 (3): 201-205.

Thomas R, Balasubramaniam K. Scanning induction Thermography (SIT) for Imaging Damages in Carbon-Fibre Reinforced Plastics (CFRP) Components. In: Chimenti DE, Bond LI, eds, AIP Conference Proceedings 41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE), JUL 20- 25 2014, Boise ID, 2015; 1650: 306-313

Thompson CL, W illiams SH, Glander KE, Teaford MF, Vinyard CJ. Body temperature and thermal environment in a generalized arboreal anthropoid wild mantled howling monkeys (Alouatta palliata). American Journal of Physical Anthropology 2014; 154 (1) 1-10.

Thompson RS, Strong PV, Clark PJ, Maslanik TM, Wright Jr KP, Greenwood BN, Fleshner M. Repeated fear-induced diurnal rhythm disruptions predict PTSD-like sensitized physiological acute stress responses in F344 rats. Acta Physiologica 2015, 211 (2): 447-465.

Thomsen JH, Kjaergaard J, Graff C, Pehrson S, Erlinge D, Wanscher M, Køber L, Bro-Jeppesen J, Søholm H, Winther-Jensen M, Hassager C. Ventricular ectopic burden in comatose survivors of out-of- hospital cardiac arrest treated with targeted temperature management at 33 °C and 36 °C. Resuscitation 2016; 102 98-104

Thomson MC, Ukawuba I, Hershey CL, Bennett A, Ceccato P, Lyon B, Dinku T. Using rainfall and temperature data in the evaluation of national malaria control programs in Africa. American Journal of Tropical Medicine and

Hygiene 2017, 97: 32-45.

Thornton AJ, Kirk A, Cahyna P, Chapman IT, Fishpool G, Harrison JR, Liu YQ, Kripner L, Peterka M. ELM mitigation via rotating resonant magnetic perturbations on MAST. Journal of Nuclear Materials 2015; 463: 723-726

Thrippleton MJ, Parikh J, Harris BA, Hammer SJ, Semple SIK, Andrews PJD, Wardlaw JM, Marshall I. Reliability of MRSI brain temperature mapping at 1.5 and 3 T. NMR in Biomedicine 2014; 27 (2): 183-190.

Thudium MO, von Lehe M, Wessling C, Schoene-Bake J.-C, Soehle M. Safety feasibility and complications during resective pediatric epilepsy surgery: a retrospective analysis. BMC Anesthesiology 2014; 14, p. 71.

Thuermel K, Neumann J, Jungmann PM, Schäffeler C, Waldt S, Heinze A, Beckmann A, Hauser C, Hasenau A-L, Wildgruber M, Clotten S, Sievert M, Haller B, Woertler K, Harasser N, Rummeny EJ, Meier R. Fluorescence optical imaging and 3T-MRI for detection of synovitis in patients with rheumatoid arthritis in comparison to a composite standard of reference. European Journal of Radiology 2017, 90: 6-13.

Thuzar M, Law WP, Ratnasingam J, Jang C, Dimeski G, Ho KKY. Glucocorticoids suppress brown adipose tissue function in humans: A double-blind placebo-controlled study. Diabetes Obesity and Metabolism 2018; 20 (4): 840-848.

Tian G, Yang X.-F, Li C, Wu F, Liu X, Feng L, Jia X.-B. Simultaneous determination of 9 components in Xiao'er Chiqiao Qingre granules by UPLC. Zhongguo Zhongyao Zazhi 2018; 43 (10): 2081-2085.

Tian Y, Li J-C, Zhu J-X, Zhu N, Zhang H-M, Liang L, Sun L. Folic acid-targeted etoposide cubosomes for theranostic application of cancer cell imaging and therapy. Medical Science Monitor 2017, 23: 2426-2435.

Tieri G, Gioia A, Scandola M, Pavone EF, Aglioti SM. Visual appearance of a virtual upper limb modulates the temperature of the real hand: a thermal imaging study in Immersive Virtual Reality. European Journal of Neuroscience 2017, 45(9) 1141-1151.

Tillander M, Hokland S, Koskela J, Dam H, Andersen NP, Pedersen M, Tanderup K, Ylihautala M, Köhler M. High intensity focused ultrasound induced in vivo large volume hyperthermia under 3D MRI temperature control. Medical Physics 2016; 43 (3) 1539-1549

Timlin HM, Keane PA, Rose GE, Ezra DG. The Application of Infrared Imaging and Optical Coherence Tomography of the Lacrimal Punctum in Patients Undergoing Punctoplasty for Epiphora. Ophthalmology 2017, 124 (6): 910-917.

Tipirneni KE, Warram JM, Moore LS, Prince AC, De Boer E, Jani AH, Wapnir IL, Liao JC, Bouvet M, Behnke NK, Hawn MT, Poultsides GA, Vahrmeijer AL, Carroll WR, Zinn KR, Rosenthal E. Oncologic Procedures Amenable to Fluorescence-guided Surgery. Annals of Surgery 2017, 266 (1): 36-47.

Tirilomis T, Malliarou S, Coskun KO, Schoendube FA. Carotid Artery Doppler Flow Pattern After Deep Hypothermic Circulatory Arrest in Neonatal Piglets. Artificial Organs 2014; 38 (1): 91-95.

Tirloni AS, Dos Reis DC, Ramos E, Moro ARP. Thermographic evaluation of the hands of pig slaughterhouse workers exposed to cold temperatures. International Journal of Environmental Research and Public Health 2017, 14 (8), art. no. 838.

Tiwari S, Raman J, Reddy V, Dawson M, Bhargava R. Translation of infrared chemical imaging for cardiovascular evaluation. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9704, art no 97040X

Todd G, Gordon CJ, Groeller H, Taylor NAS. Does intramuscular thermal feedback modulate eccrine sweating in exercising humans? Acta Physiologica 2014; 212 (1): 86-96.

Todd N, Diakite M, Payne A, Parker DL. In vivo evaluation of multi-echo hybrid PRF/T1 approach for temperature monitoring during breast MR-guided focused ultrasound surgery treatments. Magnetic Resonance in Medicine 2014; 72 (3): 793-799.

Todd N, Prakash J, Odéen H, De Bever J, Payne A, Yalavarthy P, Parker DL. Toward real-time availability of 3D temperature maps created with temporally constrained reconstruction. Magnetic Resonance in Medicine 2014; 71 (4): 1394-1404.

Toit LD, Van Dyk D, Hofmeyr R, Lombard CJ, Dyer RA. Core Temperature Monitoring in Obstetric Spinal Anesthesia Using an Ingestible Telemetric Sensor. Anesthesia and Analgesia 2018; 126 (1): 190-195.

Tokizawa K, Sawada S, Oka T, Yasuda A, Tai T, Ida H, Nakayama K. Fan-precooling effect on heat strain while wearing protective clothing. International journal of biometeorology 2014; 58 (9): 1919-1925.

Tol T, Kadam N, Raotole N, Desai A, Samanta G. A simultaneous determination of related substances by high performance liquid chromatography in a drug product using quality by design approach. Journal of Chromatography A 2016; 1432 26-38

Tomar DS, Singh SK, Li L, Broulidakis MP, Kumar S. In Silico Prediction of Diffusion Interaction Parameter (kD), a Key Indicator of Antibody Solution Behaviors. Pharmaceutical Research 2018; 35 (10), art. no. 193.

Tomic LD, Jovanovic DB, Karkalic RM, Damnianovic VM, Kovacevic BV, Flipovic DD, Radakovic SS. Application of pulsed flash thermography method for specific defect, estimation in aluminum. Thermal Science 2015; 19(5): 1845-1854

Tomita K, Hata N, Kobayashi N, Shinada T, Shirakabe A. Predicting the occurrence of oxygenation impairment in patients with type-B acute aortic dissection. International Journal of Angiology 2014; 23 (1): 53-60.

Tomiyama M, Inoue S-I, Tsuzuki T, Soda M, Morimoto S, Okigaki Y, Ohishi T, Mochizuki N, Takahashi K, Kinoshita T. Mg-chelatase I subunit 1 and Mg-protoporphyrin IX methyltransferase affect the stomatal aperture in Arabidopsis thaliana. Journal of Plant Research 2014; 127 (4) 553- 563.

Tompkins DA, Smith MT, Bigelow GE, Moaddel R, Venkata SLV, Strain E.C. The effect of repeated intramuscular alfentanil injections on experimental pain and abuse liability indices in healthy males. Clinical Journal of Pain 2014; 30 (1): 36-45.

Tong H.-S, Duan P.-K, Zhang X.-Q, W an P, Tang Y.-Q, Tang L.-Q, Su L. Changes in mesenteric lymph microcirculation in rats suffering from severe heatstroke. Medical Journal of Chinese People's Liberation Army 2014; 39 (4): 329-332.

Tong J. Comments. Neuromodulation 2016; 19 (2), p 170

Torquato JL, de Souza JBF, de Queiroz JPAF, Costa LLD. Infrared thermography applied to rhea (Rhea americana). Journal of Animal Behaviour and Biometeorology 2015; 3(2): 51-56

Torres del Río J, Tornero-López AM, Guirado D, Pérez-Calatayud J, Lallena AM. Air density dependence of the response of the PTW SourceCheck 4pi ionization chamber for 125I brachytherapy seeds. Physica Medica 2017, 38: 93-97.

Torres IA, Leija L, Vera A, Gutierrez J. Proposal of a hub of information from different instruments aimed at early detection of diabetic foot complications. 2016 Global Medical Engineering Physics Exchanges/Pan American Health Care Exchanges GMEPE/PAHCE 2016, art no 7504622

Torres-Peralta R, Cirett-Galán F, Chernov V, Chernov G, Ruiz-Duarte JL, Barboza-Flores M. Error detection and correction in thermographic images for time series analysis in dynamic infrared imaging (extended abstract). Thermology international 2015, 25(3) 99-100

Tosepu R. Temperature and development of Zika virus infection: An Indonesian case. Asian Pacific Journal of Tropical Medicine 2017, 10 (3), p. 320.

Tosi D, Macchi EG, Braschi G, Cigada A, Gallati M, Rossi S, Poeggel S, Leen G, Lewis E. Fiber- optic combined FPI/FBG sensors for monitoring of radiofrequency thermal ablation of liver tumors: Ex vivo experiments. Applied Optics 2014; 53 (10) 2136-2144.

Toth C, Klarik Z, Kiss F, Toth E, Hargitai Z, Nemeth N. Early postoperative changes in hematological erythrocyte aggregation and blood coagulation parameters after unilateral implantation of polytetrafluoroethylene vascular graft in the femoral artery of beagle dogs. Acta Cirurgica Brasileira 2014;

Touati N, Tarazona-Díaz MP, Aguayo E, Louaileche H. Effect of storage time and temperature on the physicochemical and sensory characteristics of commercial apricot jam. Food Chemistry 2014; 145: 23-27.

Toupin S, Bour P, Lepetit-Coiffé, M, Ozenne V, Denis de Senneville B, Schneider R, Vaussy A, Chaumeil A, Cochet H, Sacher F, Jaïs P, Quesson B. Feasibility of real-time MR thermal dose mapping for predicting radiofrequency ablation outcome in the myocardium in vivo. Journal of Cardiovascular Magnetic Resonance 2017, 19 (1): 1-12.

Toupin S, De Senneville BD, Ozenne V, Bour P, Lepetit-Coiffe M, Boissenin M, Jais P, Quesson B. Combination of principal component analysis and optical-flow motion compensation for improved cardiac MR thermometry. Physics in Medicine and Biology 2017, 62 (4): 1208-1224.

Tourneux P, Durand E, Pelletier A, Ghyselen L, Bach V, Libert J-P. Use of a polyethylene bag to reduce perioperative regional and whole-body heat losses in low-birth-weight neonates, BioMed Research International 2017, Article Number: 8243184.

Toutouzas K, Benetos G, Drakopoulou M, Bounas P, Tsekoura D, Stathogiannis K, Koutagiar I, Aggeli C, Karanasos A, Panagiotakos D, Siores E, Stefanadis C. Insights from a thermography- based method suggesting higher carotid inflammation in patients with diabetes mellitus and coronary artery disease. Diabetes and Metabolism 2014; 40 (6): 431-438.

Toutouzas K, Benetos G, Koutagiar I, Barampoutis N, Mitropoulou F, Davlouros P, Sfikakis PP, Alexopoulos D, Stefanadis C, Siores E, Tousoulis D. Noninvasive detection of increased carotid artery temperature in patients with coronary artery disease predicts major cardiovascular events at one year: Results from a prospective multicenter study. Atherosclerosis 2017, 262: 25-30.

Toutouzas K, Karanasos A, Stefanadis C. Diagnosis of Vulnerable Plaque. Urgent Interventional Therapies 2014: 19-26.

Toutouzas K, Koutagiar I, Benetos G, Aggeli C, Georgakopoulos A, Athanasiadis E, Pianou N, Trachanellis S, Patelis N, Agrogiannis G, Kafouris P, Filis K, Bessias N, Klonaris C, Spyrou G, Tsiamis E, Siores E, Patsouris E, Cokkinos D, Tousoulis D, Anagnostopoulos CD. Inflamed human carotid plaques evaluated by PET/CT exhibit increased temperature: Insights from an in vivo study. European Heart Journal Cardiovascular Imaging 2017, 18 (11): 1236-1244.

Towey C, Easton C, Simpson R, Pedlar C Conventional and novel body temperature measurement during rest and exercise induced hyperthermia. Journal of Thermal Biology 2017, 63: 124-130.

Tran VN, Kusa S, Smietana J, Tsai W-C, Bhasin K, Teh A, Syros G, Singh A, Choudry S, Miller MA, Koruth J, D'Avila A, Dukkipati SD, Reddy VY. The relationship between oesophageal heating during left atrial posterior wall

ablation and the durability of pulmonary vein isolation. Europace 2017, 19 (10): 1664-1669.

Transue S, Reza SM, Halbower AC, Choi M.-H. Behavioral analysis of turbulent exhale flows. 2018 IEEE EMBS International Conference on Biomedical and Health Informatics BHI 2018, 2018; pp. 42-45.

Travain T, Colombo ES, Heinzl E, Bellucci D, Previde EP, Valsecchj P. Hot dogs: Thermography in the assessment of stress in dogs (Canis familiaris)-A pilot study. Journal of Veterinary Behavior-Clinical Applications and Research 2015; 10(1): 17-23

Trawinski H, Brüning J-H, Baum P, Ziemer M, Schubert S, Lübbert C. Borderline leprosy as a rare differential diagnosis [Borderline-Lepra als seltene Differenzialdiagnose]. Deutsche Medizinische Wochenschrift 2016; 141 (11) 806-810

Trbovich M, Ortega C, Schroeder J, Fredrickson M. Effect of a cooling vest on core temperature in athletes with and without spinal cord injury. Topics in Spinal Cord Injury Rehabilitation 2014; 20 (1): 70-80.

Trefan L, Harris C, Evans S, Nuttall D, Maguire S, Kemp AM. A comparison of four different imaging modalities – Conventional cross polarized infra-red and ultra-violet in the assessment of childhood bruising. Journal of Forensic and Legal Medicine 2018; 59: 30-35.

Trefná, HD, Crezee H, Schmidt M, Marder D, Lamprecht U, Ehmann M, Hartmann J, Nadobny J, Gellermann J, van Holthe N, Ghadjar P, Lomax N, Abdel-Rahman S, Bert C, Bakker A, Hurwitz MD, Diederich CJ, Stauffer PR, van Rhoon GC. Quality assurance guidelines for superficial hyperthermia clinical trials: I. Clinical requirements. International Journal of Hyperthermia 2017, 33 (4): 471-482.

Triffterer L, Marhofer P, Sulyok I, Keplinger M, Mair S, Steinberger M, Klug W, Kimberger O. Forced-Air Warming during Pediatric Surgery: A Randomized Comparison of a Compressible with a Noncompressible Warming System. Anesthesia and Analgesia 2016; 122 (1) 219-225

Trojankowska A; Cholewka A, Rzany M, Stanek A, Sieron-Stolny K, Kawecki M, Marcol W. Thermal imaging in the evaluation of the carpal tunnel syndrome. Thermology international 2016, 26 (Supplement) S14

Truong M-D, Choi BH, Kim YJ, Kim MS, Min B-H. Granulocyte macrophage – colony stimulating factor (GM-CSF) significantly enhances articular cartilage repair potential by microfracture. Osteoarthritis and Cartilage 2017, 25 (8): 1345-1352.

Trzyna M, Jung A, Pypkowska A, Biernat J, Byszek A, Biernat M, Szczesniak A, Polak M, Jaremek H. Effectiveness of a contact thermal imaging system in detection of breast pathology. Thermology International 2018; 28 (Supplement) S21

Tsaganos T, Tseti IK, Tziolos N, Soumelas G-S, Koupetori M, Pyrpasopoulou A, Akinosoglou K, Gogos C, Tsokos N, Karagiannis A, Sympardi S, Giamarellos-Bourboulis EJ. Randomized controlled multicentre clinical trial of the antipyretic effect of intravenous paracetamol in patients admitted to hospital with infection. British Journal of Clinical Pharmacology 2017, 83 (4): 742-750.

Tsai K-S, Chen Y-H, Chen H-Y, Shen E-Y, Lee Y-C, Shen J-L, Wu S-Y, Lin J-G, Chen Y-H, Chen W-C. Antipruritic effect of cold stimulation at the Quchi Acupoint (LI11) in Mice. BMC Complementary and Alternative Medicine 2014; 14 (1) Art. No. 341.

Tsai WK, Koruth J, Reddy V.Y. Esophageal heating is not limited to left atrial ablation. Circulation: Arrhythmia and Electrophysiology 2014; 7 (1): 178-179.

Tse J, Rand C, Carroll M, Charnay A, Gordon S, Morales B, Vitez S, Le M, Weese-Mayer D. Determining peripheral skin temperature: Subjective versus objective measurements. Acta Paediatrica International Journal of Paediatrics 2016; 105 (3) e126-e131

Tseng L-S, Chen S-H, Lin M-T, Lin Y-C. Umbilical cord blood-derived stem cells improve heat tolerance and hypothalamic damage in heat stressed mice. BioMed Research International 2014; 2014, Art. No. 685683.

Tseng YP, Bouzy P, Stone N, Pedersen C, Tidemand-Lichtenberg P. Long wavelength identification of microcalcifications in breast cancer tissue using a quantum cascade laser and upconversion detection. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10490, art. no. 104900F.

Tsoumakidou G, Too CW, Garnon J, Steib J-P, Gangi A. Treatment of a spinal aneurysmal bone cyst using combined image-guided cryoablation and cementoplasty. Skeletal Radiology 2015; 44 (2) 285-289.

Tsui B.C, Ma L, Cheung S, Ozelsel T. Alcohol swabs as "Cold Test" in a measure of temperature sensation in the skin Regional Anesthesia and Pain Medicine 2014; 39 (6): 561-562.

Tsuji M, Kume M, Tuneoka H, Yoshida T. Differences in the heat stress associated with white sportswear and being semi-nude in exercising humans under conditions of radiant heat and wind at a wet bulb globe temperature of greater than 28 °C. International Journal of Biometeorology 2014; 58 (6): 1393-1402.

Tsukamoto T, Shimono T, Sai A, Sakai K, Yamamoto A, Sakamoto S, Miki Y. Assessment of brain temperatures during different phases of the menstrual cycle using diffusion-weighted imaging thermometry. Japanese Journal of Radiology 2016; 34 (4) 277-283

Tsukita K, Sakamaki-Tsukita H, Suenaga T. Convergence spasm: The importance of infrared videotaping. Internal Medicine 2017, 56 (7), p. 883.

Tsuru D, Sakuraj S, Nakamura S, Ozaki H, Seki Y, Yokoyama K, Suzuki S. Development of residual thermal stress-relieving structure of CFC monoblock target for JT-60SA divertor. Fusion Engineering and Design 2015; 98-99: 1403-1406

Tsutsumj J, Matsuoka S, Yamada T, Hasegawa T. Gate-modulation imaging of organic thin-film transistor arrays: Visualization of distributed mobility and dead pixels. Organic Electronics 2015; 25: 289-294

Tsuyuki S, Senda N, Kanng Y, Yamaguchi A, Yoshibayashi H, Kikawa Y, Katakami N, Kato H, Hashimoto T, Okuno T, Yamauchi A, Inamoto T. Evaluation of the effect of compression therapy using surgical gloves on nanoparticle albumin-bound paclitaxel-induced peripheral neuropathy: a phase II multicenter study by the Kamigata Breast Cancer Study Group. Breast Cancer Research and Treatment 2016; 160 (1) 61-67

Tu W.-Z, Cheng R.-D, Hu J, Wang J.-Z, Lin H.-Y, Zou E.-M, Wang W.-S, Lou X.-F, Jiang S.-H. Combination treatment with Gua Sha and Blood-letting causes attenuation of systemic inflammation activated coagulation tissue ischemia and injury during heatstroke in rats. Chinese Journal of Integrative Medicine 2014; 21 (8): 610-617.

Tuğcu-Demiröz F. Development of in situ poloxamer-chitosan hydrogels for vaginal drug delivery of benzydamine hydrochloride: Textural mucoadhesive and in vitro release properties. Marmara Pharmaceutical Journal 2017, 21 (4): 762-770.

Tujjar O, De Gaudio AR, Tofani L, Di Filippo A. Effects of prolonged ischemia on human skeletal muscle microcirculation as assessed by near-infrared spectroscopy. Journal of Clinical Monitoring and Computing 2017, 31 (3): 581-588.

Tumilty L, Davison G, Beckmann M, Thatcher R. Failure of oral tyrosine supplementation to improve exercise performance in the heat. Medicine and Science in Sports and Exercise 2014; 46 (7): 1417-1425.

Turtiainen J, Halonen J, Syväoja S, Hakala T. Rewarming a patient with accidental hypothermia and cardiac arrest using thoracic lavage. Annals of Thoracic Surgery 2014; 97 (6): 2165-2166.

Tusor N, Edwards AD. Birth Asphyxia: 100 Years of Progress. Journal of Pediatrics 2014; 165 (6): 1081- 1083.

Tyler WJ, Boasso AM, Mortimore HM, Silva RS, Charlesworth JD, Marlin MA, Aebersold K, Aven L, Wetmore DZ, Pal SK. Transdermal neuromodulation of noradrenergic activity suppresses psychophysiological and biochemical stress responses in humans. Scientific Reports 2015; 5: 13865

Tysen A, Vomhoff H, Nilsson L. The influence of grammage and pulp type on through air drying. Nordic Pulp & Paper Research Journal 2015; 30(4): 651-659

Tysen A, Vomhoff H. Method for the quantification of in-plane drying non-uniformity. Nordic Pulp & Paper Research Journal 2015; 30(2): 286-295

Tzanis G, Bonou M, Benetos G, Biliou S, Liatis S, Kapelios C, Toutouzas K, Tousoulis D, Barbetseas J. Thermal heterogeneity of carotid arteries as a novel biomarker in patients with diabetes mellitus assessed for coronary artery disease. International Journal of Cardiology 2018; 262: 20-24.

Ueno M, Hayami S, Sonomura T, Tanaka R, Kawai M, Hirono S, Okada K.-I, Yamaue H. Indocyanine green fluorescence imaging techniques and interventional radiology during laparoscopic anatomical liver resection (with video). Surgical Endoscopy 2018; 32 (2): 1051-1055.

Ugbolue UC, Nicol AC. An assessment of hand volumetric and temperature changes during office related repetitive activities. Work 2014; 48 (1): 53-64.

Uhl J.-F, Benigni J.-P, Chahim M, Fréderic D. Prospective randomized controlled study of patient compliance in using a compression stocking: Importance of recommendations of the practitioner as a factor for better compliance. Phlebology 2018; 33 (1): 36-43.

Uhrig L, Ciobanu L, Djemai B, Le Bihan D, Jarraya B. Sedation agents differentially modulate cortical and subcortical blood oxygenation: Evidence from ultra-high field MRI at 17.2 T. PLoS ONE 2014; 9 (7), art. no. e100323.

Ujiie H, Kato T, Hu H-P, Patel P, Wada H, Fujino K, Weersink R, Nguyen E, Cypel M, Pierre A, de Perrot M, Darling G, Waddell TK, Keshavjee S, Yasufuku K. A novel minimally invasive near-infrared thoracoscopic localization technique of small pulmonary nodules: A phase I feasibility trial. Journal of Thoracic and Cardiovascular Surgery 2017, 154 (2): 702-711.

Uliana JVC, Brancini GTP, Hombría JC.-G, Digiampietri LA, Andrioli LP, Monesi N. Characterizing the embryonic development of B. hygida (Diptera: Sciaridae) following enzymatic treatment to permeabilize the serosal cuticle. Mechanisms of Development 2018; 154: 270-276.

Ullah H, Khan MF, Jan SU, Hashmat F. Depletion of GSH in human blood plasma and cytosolic fraction during cadmium toxicity is temperature and pH dependent. Pakistan Journal of Pharmaceutical Sciences 2016; 29 (1) 89-95

Ullmer D, Peschke P, Terzis A, Ott P, Weigand B. Impact of ns-DBD plasma actuation on the boundary layer transition using convective heat transfer measurements. Journal of Physics D-Applied Physics 2015; 48(3) 365203

Ullrich TL, Czernik C, Bührer C, Schmalisch G, Fischer HS. Differential impact of flow and mouth leak on oropharyngeal humidification during high-flow nasal cannula: a neonatal bench study. World Journal of Pediatrics 2018; 14 (3): 305-309.

Urakov A, Nasyrov M, Chernova L. How fingers became warm after cooling (extended abstract). Thermology international 2015, 25(3) 123.

Urakov A, Urakova N, Kasatkin A, Reshetnikov A. Infrared thermography skin at the injection site as a way of timely detection injection disease (extended abstract). Thermology international 2015, 25(1) 30

Urakov A, Urakova N. A new way obstetric care with the use of infrared thermography the head of the fetus during the final stage of childbirth (extended abstract). Thermology international 2015, 25(1) 20

Urakov A, Urakova N. Thermography provides information on the oxygenation of the fetal brain in the final stage of childbirth (extended abstract). Thermology international 2015, 25(3) 106

Urakov A. Thermology is the basis of medicine since ancient times. Thermology International 2017, 27 (2): 78-79.

Urakov AL, Ammer K, Urakova NA, Chernova LV, Fisher EL. Infrared Thermography Can Discriminate the Cause of Skin Discolourations**.** Thermology international 2015, 25(4) 209-215

Urakov AL, Demment'ev VB, Gadelshina AA. Temperature dynamics of the index fingertip after contact with the riffle trigger in frosty weather. Thermology International 2018; 28 (Supplement) S19

Urakov AL, Kasatkin AA, Urakova NA, Ammer K. Infrared thermographic investigation of fingers and palms during and after application of cuff occlusion test in patients with hemorrhagic shock. Thermology International 2014; 24 (1): 5-10.

Urakov AL, Kasatkin AA, Urakova NA, Urakova TV. Cold sodium chloride solution 09+ACU- and infrared thermography can be an alternative to radiopaque contrast agents in phlebography. Journal of Pharmacology and Pharmacotherapeutics 2016; 7 (3) 138-139

Urakov AL, Urakova NA, Chernova LV, Fischer EL, Nasyrov MR. Infrared thermography forearm skin in places intradermal injections of blood or solutions of drugs before and after the appearance of the bruise (extended abstract). Thermology international 2015, 25(2) 66-67.

Urakov AL, Urakova NA, Reshenikov AP, Kopylow VV, Gabdrafikov RR. Thermal imaging predicts the eruption of the first milk tooth in infants (extended abstract). Thermology international 2017; 27 (2) 72-73

Urakov AL, Urakova NA, Reshetnikov AP, Baimurzin DY, Kopylov MV. Dynamics of the local temperature of skin, inner surface of cheeks and buccal gingiva after the application of a standard instant ice pack to patient's face. Thermology International 2018; 28(2) 99-100.

Urakov AL, Urakova NA. Temperature of the site of injection in subjects with suspected “Injection disease" (extended abstract). Thermology international 2014; 24(2) 63-64.

Urakova NA, Urakov AL. Diagnosis of Intrauterine Brain Hypoxia Using Thermal Imaging Video Monitoring of the Fetus. Biomedical Engineering 2014; 48 (3): 111-115.

UrakovAL; Urakova TV, Kasatkin AA. Infrared thermography to assess the blood donors’ adaptation to blood loss (extended abstract). Thermology international 2016, 26 (Supplement) S13

Urfalioglu A, Arslan M, Duman Y, Gisi G, Oksuz G, Yildiz H, Oksuz H, Balaban A. Anesthesia procedure for congenital insensitivity to pain in a child with anhidrosis syndrome: A rare case. Journal of Nippon Medical School 2017, 84 (5): 237-240.

Uribe P, Rojas C, Meriño J, Zambrano F, Villegas JV, Treulen F, Boguen R, Isachenko V, Isachenko E, Sánchez R. Effect of incubation temperature after devitrification on quality parameters in human sperm cells. Cryobiology 2017, 79: 78-81

Usuda D, Furumura Y, Takeshima K, Sangen R, Kawai Y, Kasamaki Y, Iinuma Y, Kanda T. Interleukin-18 as a diagnostic marker of adult-onset Still's disease in older patients: A case report and review of the literature. Journal of Medical Case Reports 2018; 12 (1), art. no. 198.

Usuki H, Nishiura B, Wada Y, Uemura J, Noge S, Maeda N, Nishimura M, Asano E, Ohshima M,Yamamoto N, Akamoto S, Fujiwara M, Okano K, Suzuki Y. Thermographic examination for hypothermia in high altitude. (extended abstract). Thermology international 2015, 25(3) 114.

Usuki H, Suto H, Asano E, Oshima M, Kishino T, Fujiwara M, Okano K, Suzuki Y. Operating room: Which temperature is comfortable for both patients and surgeons? Thermology International 2018; 28(2) 93-95.

Uzoma MA, Wilkerson MG, Carr VL, Westhoven GS, Raimer SAS. Pentoxifylline and cyclosporine in the treatment of febrile ulceronecrotic Mucha-Habermann disease. Pediatric Dermatology 2014; 31 (4): 525-527.

Uzunov TS, Grozdanova R, Popova E, Uzunov T. Thermal changes in the hard dental tissue at diode laser root canal treatment. Acta Medica Bulgarica 2014; 41 (2): 31-35.

Vagedes J, Helmert E, Kuderer S, Müller V, Voege P, Szőke H, Valentini J, Joos S, Kohl M, Andrasik F. Effects of Footbaths with Mustard Ginger or Warm Water Only on Objective and Subjective Warmth Distribution in Healthy Subjects: A Randomized Controlled Trial. Complementary Therapies in Medicine 2018; 41: 287-294.

Vagedes J, Moellenbruck G, Martin J, Poets *CF.* High resolution infrared thermographic imaging of breast and bottle fed infants during feeding– a pilot study. (abstract). Thermology international 2015, 25(1) 18

Vagedes J, Simmance C, Möllenbruck G, Weik J, Ruckgaber KH, Hautzinger M. Change of body warmth

distribution in patients with anorexia nervosa after inpatient treatment? (abstract). Thermology international 2015, 25(1) 18-19

Vagge A, Capris P, Traverso CE. Choroidal abnormalities detected by near-infrared imaging (NIR) in pediatric patients with neurofibromatosis type 1 (NF1). Investigative Ophthalmology and Visual Science 2016; 57 (3), p 774

Vaghefi K, Ahlborn TM, Harris DK, Brooks CN. Combined Imaging Technologies for Concrete Bridge Deck Condition Assessment. Journal of Performance of Constructed Facilities 2015; 29(4) 04014102

Vahabzadeh-Hagh AM, Blackwell KE, Abemayor E, St. John MA. Sentinel lymph node biopsy in cutaneous melanoma of the head and neck using the indocyanine green SPY Elite system. American Journal of Otolaryngology - Head and Neck Medicine and Surgery 2018; 39 (5): 485-488.

Vainer BG, Markel AL. Systemic vascular response to brachial arteries crossclamping may prognosticate the outcome of remote ischemic preconditioning. Medical Hypotheses 2015; 84(4): 298-300

Vale AL, Pereira AS, Morais A, Noites A, Mendonça AC, Martins Pinto J, Vilarinho R, Carvalho P. Effects of radiofrequency on adipose tissue: A systematic review with meta-analysis. Journal of Cosmetic Dermatology 2018; 17 (5): 703-711.

Vallecillos L, Borrull F, Pocurull E. On-line coupling of solid-phase extraction to gas chromatography-mass spectrometry to determine musk fragrances in wastewater. Journal of Chromatography A 2014; 1364: 1-11.

Vallo S, Eichler K, Kelly K, Schulz B, Bartsch G, Haferkamp A, Vogl TJ, Zangos S. MR-guided laser- induced thermotherapy in ex vivo porcine kidney: Comparison of four different imaging sequences. Lasers in Surgery and Medicine 2014; 46 (7) 558-562.

Van Breugel JMM, De Greef M, Wijlemans JW, Schubert G, Van Den Bosch MAAJ, Moonen CTW, Ries MG. Thermal ablation of a confluent lesion in the porcine kidney with a clinically available MR-HIFU system. Physics in Medicine and Biology 2017, 62 (13): 5312-5326.

Van Den Bos W, Scheffer HJ, Vogel JA, Wagstaff PGK, De Bruin DM, De Jong MC, Van Gemert MJC, De La Rosette JJMCH, Meijerink MR, Klaessens JH, Verdaasdonk RM. Thermal Energy during Irreversible Electroporation and the Influence of Different Ablation Parameters. Journal of Vascular and Interventional Radiology 2016; 27 (3) 433-443

van der Heijden DJ, van Leeuwen MA, Janssens GN, Lenzen MJ, van de Ven PM, Eringa EC, van Royen N. Body mass index is associated with microvascular endothelial dysfunction in patients with treated metabolic risk factors and suspected coronary artery disease. Journal of the American Heart Association 2017, 6(9) Article Number: e006082.

van der Horst A, Versteijne E, Besselink MGH, Daams JG, Bulle EB, Bijlsma MF, Wilmink JW, van Delden OM, van Hooft JE, Franken NAP, van Laarhoven HWM, Crezee J, van Tienhoven G. The clinical benefit of hyperthermia in pancreatic cancer: a systematic review. International Journal of Hyperthermia 2018; 34 (7): 969-979.

van der Lans AAJJ, Wierts R, Vosselman MJ, Schrauwen P, Brans B, van Marken Lichtenbelt WD. Cold- activated brown adipose tissue in human adults: Methodological issues. American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2014; 307 (2) R103- R113.

van der Veen PHE. A theoretical model of biochemical control engineering based on the relation between oestrogens/progestagens and prostaglandins. Medical Hypotheses 2015; 84(6): 557-569

van der Veen PHE. Abdominal Wall Pain: Effects of Placebo Measured With Infrared Thermography. Thermology international 2014; 24(4) 156-165

Van Der Veen PHE. Infrared thermography for pain influenced by a Xanthine derivative: An attempt to assess chronic pain objectively. Thermology International 2014; 24 (2): 39-48.

Van der Vinne V, Simons MJP, Reimert I, Gerkema MP. Temporal niche switching and reduced nest attendance in response to heat dissipation limits in lactating common voles (Microtus arvalis). Physiology and Behavior 2014; 128: 295-302.

van der Weijden MAC, van Vugt LM, Valk D, Wisselink W, van Vugt RM, Voskuyl AE, Lems WF. Exploring thermography: a promising tool in differentiation between infection and ischemia of the acra in systemic sclerosis. International Journal of Rheumatic Diseases 2017, 20 (12): 2190-2193.

Van Doornmalen JP.CM, Tessarolo F, Kopinga K. Measurements of only pressure and temperature are insufficient to monitor steam sterilization processes: A case study [Druck- und Temperaturmessungen alleine sind zur Überwachung der Dampfsterilisation nicht ausreichend - eine Fallstudie]. Zentralsterilisation - Central Service 2014; 22 (4): 246-253.

van Genderen ME, Paauwe J, de Jonge J, van der Valk RJP, Lima A, Bakker J, van Bommel J. Clinical assessment of peripheral perfusion to predict postoperative complications after major abdominal surgery early: A prospective observational study in adults. Critical Care 2014; 18 (3) Art. No. R114.

Van Haren RM, Thorson CM, Valle EJ, Busko AM, Jouria JM, Livingstone AS, Namias N, Schulman CI, Proctor KG. Novel prehospital monitor with injury acuity alarm to identify trauma patients who require lifesaving intervention. Journal of Trauma and Acute Care Surgery 2014; 76 (3): 743-749.

van Hove RP, Brohet RM, van Royen BJ, Nolte PA. No clinical benefit of titanium nitride coating in cementless mobile-bearing total knee arthroplasty. Knee Surgery Sports Traumatology Arthroscopy 2014; 23 (6), art. no. 3359: 1833-1840.

van Netten JJ, Price PE, Lavery LA, Monteiro-Soares M, Rasmussen A, Jubiz Y, Bus SA. Prevention of foot ulcers in the at-risk patient with diabetes: A systematic review. Diabetes/Metabolism Research and Reviews 2016; 32 84-98

Van Netten JJ, Prijs M, Van Baal JG, Liu C, Van Der Heijden F, Bus SA. Diagnostic values for skin temperature assessment to detect diabetes-related foot complications. Diabetes Technology and Therapeutics 2014; 16 (11): 714-721.

Van Rhoon GC, Paulides MM, Van Holthe JML, Franckena M. Hyperthermia by electromagnetic fields to enhanced clinical results in oncology. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7590714 359-362

Van Rhoon GC. Is CEM43 still a relevant thermal dose parameter for hyperthermia treatment monitoring? International Journal of Hyperthermia 2016; 32 (1) 50-62

Van Rijt LS, Gouveia L, Logiantara A, Canbaz D, Opstelten D.-J, Van Der Kleij HPM, Van Ree R. Birch pollen immunotherapy in mice: Inhibition of Th2 inflammation is not sufficient to decrease airway hyperreactivity. International Archives of Allergy and Immunology 2014; 165 (2): 128-139.

Vanhatalo S, Alnajjar A, Nguyen VT, Colditz P, Fransson P. Safety of EEG-fMRI recordings in newborn infants at 3T: A study using a baby-size phantom. Clinical Neurophysiology 2014; 125 (5): 941-946.

Vanlangenhove P, Dhondt E, Everaert K, Defreyne L. Pathophysiology diagnosis and treatment of varicoceles: A review. Minerva Urologica e Nefrologica 2014; 66 (4): 257-282.

Vannetti F, Matteoli S, Finocchio L, Lacarbonara F, Sodi A, Menchini U, Corvi A. Relationship between ocular surface temperature and peripheral vasoconstriction in healthy subjects: A thermographic study. Proceedings of the Institution of Mechanical Engineers Part H: Journal of Engineering in Medicine 2014; 228 (3): 297-302.

Vanniamparambil PA, Guclu U, Kontsos A. Identification of Crack initiation in Aluminum Alloys using Acoustic Emission. Experimental Mechanics 2015; 55(5): 837-850

Vappou J, Bour P, Marquet F, Ozenne V, Quesson B. MR-ARFI-based method for the quantitative measurement of tissue elasticity: Application for monitoring HIFU therapy. Physics in Medicine and Biology 2018; 63 (9), art. no. 095018.

Varaksin AY, Glubokov AV, Protasov MV, Romash ME, Kopeitsev VN, Romash EV. Display of Free Concentrated Fire Vortices by Means of a Thermograph. Measurement Techniques 2015; 58(7): 777-781

Vardasca R- Measuring human body temperature using infrared in the forehead and inner canthi of the eye versus tympanic, forehead and axilla thermometers (abstract). Thermology international 2016, 26(2) 64

Vardasca R, Dominques A.S, Gabriel J. Case study in thermal monitoring of physiotherapy treatments to ankle sprains in rugby athletes. (extended abstract). Thermology international 2015, 25(2) 72.

Vardasca R, Frade RA, Moreira J, Marques D, Magalhaes C, Seixas A, Mendes J, Ring EFJ. Bilateral differences in assessing body core temperature with non/or minimal contact methods in young adults. Thermology International 2018; 28(2) 51-52).

Vardasca R, Gabriel J, Is the low-cost thermal camera FLIR C2 suitable for medical thermal measurements? (extended abstract). Thermology international 2016, 26 (Supplement) S5

Vardasca R, Gabriel J, Plassmann P, Ring F, Jones C. Comparison of Different Image Enhancing Techniques for Medical Thermal Images. Journal of Medical Imaging and Health Informatics 2015; 5(4): 709-714

Vardasca R, Gabriel J. From thermal radiation at skin surface to image temperature values (extended abstract). Thermology international 2015, 25(3) 97

Vardasca R, Marques A, Carvalho R, Gabriel J. Thermal Physiological Characterization of Diabetic Foot (extended abstract). Thermology international 2015, 25(3) 118-119.

Vardasca R, Marques AR, Diz J, Seixas A, Mendes J, Ring EFJ. The influence of angles and distance on assessing inner-canthi of the eye skin temperature. Thermology International 2017, 27 (4): 130-135.

Vardasca R, Marques D, Teixeira S, Silva A, Carvalho R, Mendes J. A case study of tight electronic cigar burn assessment with infrared thermal imaging. Thermology International 2018; 28 (Supplement) S20

Vardasca R, Megalhaes C, Rio C, Freitas C, Carvalho A, Mendes J. A functional imaging multimodality approach to monitor a case study on highly vascularized thyroid nodule. Thermology International 2018; 28 (Supplement) S17

Vardasca R, Mendes J. The reliability and repeatability of low-cost infrared camera for clinical use (extended abstract). Thermology international 2017; 27 (2) 69

Vardasca R, Ring F, Plassmann P, Jones C, Gabriel J. Medical Thermal Imaging Procedure for Hand RSI Identification. In: Arezes P, Baptista JS, Barroso MP, Carneiro P, Cordeiro P, Costa N, Melo R, Miguel AS, Perestrelo G, eds. Proceedings of the International Symposium on Occupational Safety and Hygiene (SHO), FEB 12-13 2015, Guimaraes Portugal 2015: 418-420

Vardasca R, Seixas A, Gabriel J, Vilas-Boas J. Thermographic evaluation of swimming techniques (extended abstract). Thermology international 2015, 25(3) 125-126.

Vardasca R. A review on the role of medical thermography in breast cancer imaging. Thermology International 2016; 26 (3) 75-79

Vardasca R. High agreement between traditional and thermographic evaluation of the tuberculin skin test. Review of a paper by Fiz JA et al. Computer Methods and Programs in Biomedicine 2015, 122(2) 199-206. Thermology international 2016, 26(2) 55-56

Vardasca R. Medical Thermography Introductory Course in Portugal November 2015. Thermology international 2016, 26(2) 59-60

Vardasca R. Physical principles of heat transfer. Thermology International 2018; 28(1) 15-16.

Vardasca R. The lack of terminology agreement in describing infrared cameras at scientific writing. Thermology International 2018; 28(2) 48-49.

Vargas CR, Nguyen JT, Ashitate Y, Angelo J, Venugopal V, Kettenring F, Neacsu F, Frangioni JV, Gioux S, Lee BT. Intraoperative Hemifacial Composite Flap Perfusion Assessment Using Spatial Frequency Domain Imaging: A Pilot Study in Preparation for Facial Transplantation. Annals of Plastic Surgery 2016; 76 (2) 249-255

Varma VK, Kajdacsy-Balla A, Akkina SK, Setty S, Walsh MJ. A label-free approach by infrared spectroscopic imaging for interrogating the biochemistry of diabetic nephropathy progression. Kidney International 2016; 89 (5) 1153-1159

Varner J, Dearing MD. The importance of biologically relevant microclimates in habitat suitability assessments. PLoS ONE 2014; 9 (8), art. no. e104648.

Varon J, Polderman K. Targeted temperature management after cardiac arrest [6] New England Journal of Medicine 2014; 370 (14): 1358-1359.

Vasefi F, MacKinnon N, Farkas DL, Kateb B. Review of the potential of optical technologies for cancer diagnosis in neurosurgery: A step toward intraoperative neurophotonics. Neurophotonics 2017, 4 (1), art. no. 011010.

Vasyura AS, Mikhaylovskiy MV, Novikov VV, Chesheva EV. Intraoperative diagnosis of neurological complications in surgery of severe scoliosis: Report of clinical cases. Hirurgia Pozvonochnika 15 (2): 7-11.

Vavilov V, Swiderski W, Derusova D. Ultrasonic and optical stimulation in IR thermographic NDT of impact damage in carbon composites. Quantitative Infrared Thermography Journal 2015; 12(2): 162-172

Vavilov VP, Budadin ON, Kulkov AA. Infrared thermographic evaluation of large composite grid parts subjected to axial loading. Polymer Testing 2015; 41: 55-62

Vavilov VP, Burleigh DD. Review of pulsed thermal NDT: Physical principles theory and data processing. NDT & E International 2015; 73: 28-52

Vavilov VP, Pawar SS. A novel approach for one-sided thermal nondestructive testing of composites by using Infrared thermography. Polymer Testing 2015; 44: 224-233

Vavilov VP, Plesovskikh AV, Chulkov AO, Nesteruk DA. A complex approach to the development of the method and equipment for thermal nondestructive testing of CFRP cylindrical parts. Composites Part B- Engineering 2015;

Vavilov VP, Shiryaev VV, Chulkov AO. A novel data processing algorithm in thermal property measurement and defect detection by using one-sided active infrared thermography. In Hsieh SI, Zalameda JN, eds Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp. 94850V-94850V-7.

Vavilov VP, Shiryaev VV, Kuimova MV. Time- and phase-domain thermal tomography of composites. Photonics 2018; 5 (4), art. no. 31.

Vavilov VP. Dynamic thermal tomography: Recent improvements and applications. NDT & E International 2015; 71: 23-32

Vavra P, Penhaker M, Grepl J, Jurcikova J, Palecek J, Crha M, Nowakova J, Hasal M, Skrobankova M, Ostruszka P, Ihnat P, Delongova P, Salounova D, Habib NA, Zonca P. Technical development of a new semispherical radiofrequency bipolar device (RONJA): Ex vivo and in vivo studies. BioMed Research International 2014; Art. No. 532792.

Vazquez P, Thomachot-Schneider C, Mouhoubi K, Fronteau G, Gommeaux M, Benavente D, Barbin V, Bodnar JL. Infrared thermography monitoring of the NaCl crystallisation process. Infrared Physics & Technology 2015; 71: 198-207

Vega A, Abad S, Aragoncillo I, Galán I, Macías N, Cedeño S, Santos A, García A, Linares T, Martínez-Villaescusa M, López-Gómez JM. Comparison of urea recirculation and thermodilution for monitoring of vascular access in patients undergoing hemodialysis. Journal of Vascular Access 2018; 19 (3): 283-290.

Végh T, Juhász M, László, I, Vaskó, A, Tassonyi E, Fülesdi B. Clinical observations on reversal of rocuronium-induced residual neuromuscular blockade by sugammadex after thoracic surgery [Observaţii clinice privind antagonizarea cu sugammadex a blocului neuromuscular cu rocuronium în chirurgia toracică]. Jurnalul Roman de Anestezie Terapie Intensiva/Romanian Journal of Anaesthesia and Intensive Care 2014; 21 (1) 7-11.

Veikutis V, Stasiukynaitë K, Monstavièius E, Sakalauskaitë. Plantar thermography as a diagnostic and prognostic tool for diabetic foot (extended abstract). Thermology international 2015, 25(3) 118.

Velichkova H, Kotsilkov S, Ivanov E, Kotsilkova R, Gyoshev S, Stoimenov N, Vitanov NK. Release of carbon nanoparticles of different size and shape from nanocomposite poly(lactic) acid film into food simulants. Food Additives and Contaminants - Part A Chemistry Analysis Control Exposure and Risk Assessment 2017, 34 (6): 1072-1085.

Veltmeijer MT, Pluim B, Thijssen DH, Hopman MT, Eijsvogels TM. Thermoregulatory responses in wheelchair tennis players: A pilot study. Spinal Cord 2014; 52 (5): 373-377.

Veltmeijer MTW, Eijsvogels TMH, Barteling W, Verbeek–Knobbe K, van Heerde WL, Hopman MTE. The impact of exercise-induced core body temperature elevations on coagulation responses. Journal of Science and Medicine in Sport 2017, 20 (2): 202-207.

Vencato J, Cestaro L, Vazzana I, Carrer G, Carlo E, Dara S, Stelletta C. Integrated Evaluation of Scrotal Temperature and Testosteronemia after GnRH Administration in Young Bulls with Low Semen. Production. Reproduction in Domestic Animals 2014; 49 (3): 481-486.

Venckunas T, Trinkunas E, Kamandulis S, Poderys J, Grunovas A, Brazaitis M. Effect of lower body compression garments on hemodynamics in response to running session. Scientific W orld Journal 2014; art. no. 353040.

Venna N, Niles JL, Lev MH, Frosch MP. Case 21-2014: A 68-year-old man with a sudden onset of diplopia. New England Journal of Medicine 2014; 371 (2): 162-173.

Verduijn GM, de Wee EM, Rijnen Z, Togni P, Hardillo JAU, ten Hove I, Franckena M, van Rhoon GC, Paulides MM. Deep hyperthermia with the HYPERcollar system combined with irradiation for advanced head and neck carcinoma–a feasibility study. International Journal of Hyperthermia 2018; 34 (7): 994-1001.

Vereecken E, Janssen H, Roels S. A determination methodology for the spatial profile of the convective heat transfer coefficient on building components. Indoor and Built Environment 2018; 27 (4): 512-527.

Vereshchetin P, McCann TW, Ojha N, Venugopalan R, Levy BL. Re: Reported insulin pump temperature fluctuations lack clinical relevance. Medical Devices: Evidence and Research 2017, 10: 45-46.

Verhaart RF, Rijnen Z Fortunati V, Verduijn GM, Walsum TV, Veenland JF, Paulides MM. Temperature simulations in hyperthermia treatment planning of the head and neck region: Rigorous optimization of tissue properties [Temperatursimulation in der Hyperthermiebehandlungsplanung der Kopf- und Halsregion: Rigorose Optimierung der Gewebeeigenschaften]. Strahlentherapie und Onkologie 2014; 190 (12) 1117-1124.

Verhofstede R, Smets T, Cohen J, Eecloo K, Costantini M, Van Den Noortgate N, Deliens L. End-of-Life Care and Quality of Dying in 23 Acute Geriatric Hospital Wards in Flanders Belgium. Journal of Pain and Symptom Management 2017, 53 (4): 693-702.

Verma GK, Tiwary US. Multimodal fusion framework: A multiresolution approach for emotion classification and recognition from physiological signals. NeuroImage 2014; 102 (P1): 162-172.

Verma SK, Lal M, Debnath Das M. Optimization of process parameters for production of antimicrobial metabolites by an endophytic fungus Aspergillus sp. CPR5 isolated from calotropis Procera root. Asian Journal of Pharmaceutical and Clinical Research 2017, 10 (4): 225-230.

Vermeulen S, Barreto M, La Penna F, Prete A, Martella S, Biagiarelli F, Villa MP. Exhaled breath temperature in children: Reproducibility and influencing factors. Journal of Asthma 2014; 51 (7): 743-750.

Versura P, Giannaccare G, Fresina M, Campos EC. Subjective Discomfort Symptoms Are Related to Low Corneal Temperature in Patients With Evaporative Dry Eye. Cornea 2015; 34(9): 1079-1085

Vesenjak M, Gacnik F, Krstulovic-Opara L, Ren Z. Mechanical Properties of Advanced Pore Morphology Foam Elements. Mechanics of Advanced Materials and Structures 2015; 22(5): 359-366

Vesenjak M, Hokamoto K, Anzel I, Sato A, Tsunoda R, Krstulovic-Opara L, Ren. Influence of the explosive treatment on the mechanical properties and microstructure of copper. Materials & Design 2015; 75: 85-94

Vesnovsky O, Timmie Topoleski LD, Grossman LW, Casamento JP, Zhu L. Performance testing of fast read digital thermometers. Journal of Medical Devices Transactions of the ASME 2014; 8 (3), art. no. 030905.

Vespa PM. Fever in critical neurologic illness. JAMA - Journal of the American Medical Association 2014; 312 (14): 1456-1457.

Viain A, Guillemette M. Does water temperature affect the timing and duration of remigial moult in sea ducks? An experimental approach. PLoS ONE 2016; 11 (5), art no e0155253

Viapiana R, Baluci CA, Tanomaru-Filho M, Camilleri J. Investigation of chemical changes in sealers during application of the warm vertical compaction technique. International Endodontic Journal 2015, 48(1), 16-27.

Vicari Nogueira C, De Barros Fernandez C, Brioschi M, Pere Barret J. Infrared Thermography in Plastic Surgery: A Comparative Study of Pre and Postoperatory in different techniques of Abdominoplasty (extended abstract). Thermology international 2015, 25(3) 105-106

Vidyarthi AR, Dhaliwal G, Monash B, Shum KL, Lee J, Zaas AK. Hot in the tropics. Journal of Hospital Medicine 2017, 12 (6): 462-466.

Vieites-Prado A, Iglesias-Rey R, Fernández-Susavila H, Da Silva-Candal A, Rodríguez-Castro E, Gröhn OHJ, Wellmann S, Sobrino T, Castillo J, Campos F. Protective Effects and Magnetic Resonance Imaging Temperature Mapping of Systemic and Focal Hypothermia in Cerebral Ischemia. Stroke 2016; 47 (9) 2386-2396

Viglianti BL, Dewhirst MW, Abraham JP, Gorman JM, Sparrow EM. Rationalization of thermal injury quantification methods: Alication to skin burns. Burns 2014; 40 (5) 896-902.

Vilčeková, S, Apostoloski IZ, Mečiarová, Ľ, Burdová EK, Kiseľák J. Investigation of indoor air quality in houses of Macedonia. International Journal of Environmental Research and Public Health 2017, 14 (1), art. no. 37.

Villalobos-Montiel AJ, Chacon-Murguia MI, Calderon-Contreras JD, Ortega-Maynez L. Automatic Segmentation of Regions of Interest in Breast Thermographic Images. Pattern Recognition. Springer International Publishing, 2015. S. 135-144.

Villasenor-Mora C, Rabell-Montiel A, Gonzalez-Vega A, Gutierrez-Juarez G. Volumetric liquid flow measurement through thermography to simulate blood flow in an artery. In: Tescher AG, ed, Proceedings of SPIE Conference on Applications of Digital Image Processing XXXVIII, AUG 10-13, 2015, San Diego CA, 2015; pp. 959923-959923-5.

Vinh NQ, Tani T, Naka S, Yamada A, Murakami K. Thermal tissue change induced by a microwave surgical instrument in a rat hepatectomy model. American Journal of Surgery 2016; 211 (1) 189-196

Vinothkumar C, Marshiana D, Samuel Rajesh Babu R. An automated control of distillation column using PLC and SCADA in pharmaceuticals and chemical industries. Research Journal of Pharmacy and Technology 2017, 10 (10): 1827-1832.

Vishwakarma A, Bhuyan MK. Infrared and visible image fusion using NSST and phase stretch transform. Proceedings of the 2017 International Conference on Wireless Communications Signal Processing and Networking WiSPNET 2017, 2018; pp. 472-476.

Viswanathan S, Aghoram R. Brugada syndrome in patients with acute febrile illness. Indian Heart Journal 2018; 70 (3): 416-420.

Viter VI, Vavilov AYu, Urakov AL, Chirkov SV. Infrared thermometry for assessing the onset of mechanical trauma that resulted in bruises or abrasion in living persons: (extended abstract) Thermology international 2014; 24(2) 56-58.

Vlek SL, van Dam DA, Rubinstein SM, de Lange-de Klerk ESM, Schoonmade JA, Tuynman JB, Meijerink WJHJ, Ankersmit M. Biliary tract visualization using near-infrared imaging with indocyanine green during laparoscopic cholecystectomy: results of a systematic review. Surgical Endoscopy and Other Interventional Techniques 2017, 31 (7): 2731-2742.

Vodonos A, Novack V, Horev A, Abu Salameh I, Lotan Y, Ifergane G. Do Gender and Season Modify the Triggering Effect of Ambient Temperature on Ischemic Stroke? Women's Health Issues 2017, 27 (2): 245-251.

Voelker C, Maempel S, Kornadt O. Measuring the human body's microclimate using a thermal manikin. Indoor Air 2014; 24 (6): 567-579.

Vogler S, Pavich E. Pyelonephritis treatment in the community emergency department: Cephalosporins vs. first-line agents. American Journal of Emergency Medicine 2018; 36 (11): 2054-2057.

Voicu S, Deye N, Malissin I, Vigué, B, Brun P.-Y, Haik W, Champion S, Megarbane B, Sideris G, Mebazaa A, Carli P, Manivet P, Baud FJ. Influence of α-Stat and pH-Stat blood gas management strategies on cerebral blood flow and oxygenation in patients treated with therapeutic hypothermia after out-of-hospital cardiac arrest: A crossover study. Critical Care Medicine 2014; 42 (8): 1849- 1861.

Voight EA, Gomtsyan AR, Daanen JF, Perner RJ, Schmidt RG, Bayburt EK, Didomenico S, McDonald HA, Puttfarcken PS, Chen J, Neelands TR, Bianchi BR, Han P, Reilly RM, Franklin PH, Segreti JA, Nelson RA, Su Z, King AJ, Polakowski JS, Baker SJ, Gauvin DM, Lewis LR, Mikusa JP, Joshi SK, Faltynek CR, Kym PR, Kort ME. Discovery of (R)-1-(7-chloro-2,2- bis(fluoromethyl)chroman-4-yl)-3-(3-methylisoquinolin-5- yl)urea (a-1165442): A temperature- neutral transient receptor potential vanilloid-1 (trpv1) antagonist with analgesic efficacy. Journal of Medicinal Chemistry 2014; 57 (17): 7412-7424.

Voiticovschi- Iosob C, Dalla Volta G, Carli D, Zavarise P, Vollaro S, AntonaciF. Transcranial direct current stimulation: preliminary data in drug resistant migrainous patients. Cephalalgia. 2015; 35(Supp 6) 109-110

Voiticovschi-Iosob CV, Antonaci F, Rossi E, Costa A, Sances G, Dalla Volta G. Frontal thermography in healthy individuals and headache patients: reliability of the method. The Journal of Headache and Pain 2015, 16(Suppl 1): A122

Voland V, Hoyer U, Auer R, Salamon M, Uhlmann N, Brabec CI. Defect recognition in crystalline silicon solar cells by X-ray tomosynthesis with layer resolution. Progress in Photovoltaics 2015; 23(1): 124-130

Voldsgaard Clausen M, Nissen P, Poulsen H. The α4 isoform of the Na+,K+-ATPase is tuned for changing extracellular environments. FEBS Journal 2016; 283 (2) 282-293

Volkova EK, Yanina IY, Sagaydachnaya E, Konyukhova JG, Kochubey VI, Tuchin VV. Effect of luminescence transport through adipose tissue on measurement of tissue temperature by using ZnCdS nanothermometers. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10493, art. no. 104931K.

von der Wense A. Dynamic thermographic monitoring of horses during movement (abstract). Thermology international 2015, 25(1) 31

von Schoen-Angerer T, Deckers B, Henes J, Helmert E, Vagedes J. Effect of topical rosemary essential oil on Raynaud phenomenon in systemic sclerosis. Complementary Therapies in Medicine 2018; 40: 191-194.

von Seidlein L, Ikonomidis K, Mshamu S, Nkya TE, Mukaka M, Pell C, Lindsay SW, Deen JL, Kisinza WN, Knudsen JB. Affordable house designs to improve health in rural Africa: a field study from northeastern Tanzania. The Lancet Planetary Health 2017, 1(5): e188-e199.

Von Tempelhoff W, Ulrich F, Schwarzmaier H-J. Interstitial laser irradiation of cerebral gliomas - Neurobiological background technique and typical results. Photonics and Lasers in Medicine 2014; 3 (2) 129-141.

Vonk MM, Wagenaar L, Pieters RHH, Knippels LMJ, Willemsen LEM, Smit JJ, Van Esch BCAM, Garssen J. The efficacy of oral and subcutaneous antigen-specific immunotherapy in murine cow's milk- and peanut allergy models. Clinical and Translational Allergy 2017, 7 (1), art. no. 35.

Voronina DD, Kulikov AG, Luppova IA, Yarustovskaya OV. The application of general magnetic therapy for the rehabilitation of the patients following the surgical treatment of herniated intervertebral discs [Obshchaia magnitoterapiia v reabilitatsii patsientov posle operativnogo lecheniia gryzh mezhpozvonkovykh diskov]. Voprosy kurortologii fizioterapii i lechebnoi fizicheskoi kultury 2017, 94 (2): 24-28.

Voulgarelis S, Scott JP. Monitoring for Nonoperating Room Anesthesia. Anesthesiology Clinics 2017, 35 (4): 591-599.

Voumard R, Van Neyghem N, Cochet C, Gardiol C, Decosterd L, Buclin T, de Valliere S. Antibiotic stability related to temperature variations in elastomeric pumps used for outpatient parenteral antimicrobial therapy (OPAT). Journal of Antimicrobial Chemotherapy 2017, 72 (5): 1462-1465.

Vrba D, Vrba J, Jr Fiser O, Merunka I, Cumana J, Vrba J. Perspective applications of microwaves in medicine. 2018 28th International Conference Radioelektronika RADIOELEKTRONIKA 2018: 1-4.

Vural EMS, Van Munster BC, De Rooij SE. Optimal dosages for melatonin supplementation therapy in older adults: A systematic review of current literature. Drugs and Aging 2015, 31 (6): 441-451.

Vyles D, Sinha M, Rosenberg DI, Foster KN, Tran M, Drachman D. Predictors of serious bacterial infections in pediatric burn patients with fever. Journal of Burn Care and Research 2014; 35 (4): 291-295.

Wachal K, Stachowska E, Korpuścińska K, Nowak B, Krasiński Z. Physical properties of hydrogel wound dressing and its use in low-level laser therapy (LLLT). Lasers in Medical Science 2018; 33 (6): 1317-1325.

Wackers G, Vandenryt T, Cornelis P, Kellens E, Thoelen R, De Ceuninck W, Losada-Pérez P, van Grinsven B, Peeters M, Wagner P. Array formatting of the heat-transfer method (HTM) for the detection of small organic molecules by molecularly imprinted polymers. Sensors (Basel Switzerland) 2014; 14 (6): 11016-11030.

Waddington CS, Darton TC, Woodward WE, Angus B, Levine MM, Pollard AJ. Advancing the management and control of typhoid fever: A review of the historical role of human challenge studies. Journal of Infection 2014; 68 (5): 405-418

Wadhwa J, Asthana A, Gupta S, Shilkari Asthana G, Singh R. Development and optimization of polymeric self-emulsifying nanocapsules for localized drug delivery: Design of experiment approach. Scientific World Journal 2014; 2014, Art. No. 516069.

Wagner F, Nolte PW, Steudel F, Schweizer S. Thermographic investigation of Luminescent Barium Borate Glasses for White-LED Applications. In: Hsieh SI, Zalameda JN, eds Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, 2015; pp. 948516-948516-6.

Wagner MW, Stern SE, Oshmyansky A, Huisman TAGM, Poretti A. The Role of ADC-Based Thermometry in Measuring Brain Intraventricular Temperature in Children. Journal of Neuroimaging 2016; 26 (3) 315- 323

Wagner T, Pabst M-A, Leitinger G, Reiter U, Kozma N, Lanzer G, Huppertz B. Impact of constant storage temperatures and multiple warming cycles on the quality of stored red blood cells. Vox Sanguinis 2014; 106 (1): 45-54.

Wakabayashi H, Wijayanto T, Lee J.-Y, Hashiguchi N, Saat M, Tochihara Y. A comparison of hydration effect on body fluid and temperature regulation between Malaysian and Japanese males exercising at mild dehydration in humid heat. Journal of Physiological Anthropology 2014; 33 (1), art. no. 5.

Wakeford AGP, Riley AL. Conditioned taste avoidance induced by Δ9- tetrahydrocannabinol in the Fischer (F344) and Lewis (LEW) rat strains. Pharmacology Biochemistry and Behavior 2014; 116, 39-44.

Wälchli C, Saltzwedel G, Krüerke D, Kaufmann C, Schnorr B, Rist L, Eberhard J, Decker M, Simões-W üst AP. Physiologic effects of rhythmical massage: A prospective exploratory cohort study. Journal of Alternative and Complementary Medicine 2014; 20 (6) 507-515.

Walker A, Driller M, Brearley M, Rattray B. Cold-water immersion and iced-slush ingestion are effective at cooling firefighters following a simulated search and rescue task in a hot environment. Applied Physiology Nutrition and Metabolism 2014; 39 (10): 1159-1166.

Walker K, Lindeque B. The application of cryoprobe therapy in orthopedic oncology. Orthopedics 2014; 37 (8) 536-540.

Wallace GA, Singh N, Quiroga E, Tran NT. The Use of Smart Phone Thermal Imaging for Assessment of Peripheral Perfusion in Vascular Patients. Annals of Vascular Surgery 2018; 47: 157-161.

Walladbegi J, Gellerstedt M, Svanberg A, Jontell M. Innovative intraoral cooling device better tolerated and equally

effective as ice cooling. Cancer Chemotherapy and Pharmacology 2017, 80 (5): 965-972.

Walle L, Fansa H, Frerichs O. Smartphone-based thermography for perforator localisation in microvascular breast reconstruction [Die Smartphone-basierte Thermographie zur Lokalisation von Perforatoren bei der mikrovaskulären Brustrekonstruktion]. Handchirurgie Mikrochirurgie Plastische Chirurgie 2018; 50 (2): 111-117.

Waltz X, Baillot M, Connes P, Bocage B, Renaudeau D. Effects of hydration level and heat stress on thermoregulatory responses hematological and blood rheological properties in growing pigs. PLoS ONE 2014; 9 (7), art. no. e102537.

Waltz X, Baillot M, Connes P, Gourdine J.-L, Philibert L, Beltan E, Chalabi T, Renaudeau D. Effect of heat stress on blood rheology in different pigs breeds. Clinical Hemorheology and Microcirculation 2014; 58 (3): 395-402.

Waner T. Editorial. Israel Journal of Veterinary Medicine 2017, 72(2) 2.

Wang A, Yuan J, Luo W, Liu M, Luo Q. Optimization of sample cooling temperature for redox cryo- imaging. Journal of Boimedical Optics 2014; 19 (8) Art. No. 080502.

Wang C, Chen R, Kuang X, Duan X, Kan H. Temperature and daily mortality in Suzhou China: A time series analysis. Science of the Total Environment 2014; 466-467, 985-990.

Wang C, Huo X, Wang C, Meng Q, Liu Z, Sun P, Cang J, Sun H, Liu K. Organic Anion–Transporting Polypeptide and Efflux Transporter–Mediated Hepatic Uptake and Biliary Excretion of Cilostazol and Its Metabolites in Rats and Humans. Journal of Pharmaceutical Sciences 2017, 106(9) 2515-2523.

Wang CH, Zhong ZP, Wang XY, Alting SA. Numerical simulation of gas-solid heat transfer behaviour in rectangular spouted bed. Canadian Journal of Chemical Engineering 2015; 93(1)1: 2077-2083

Wang CL, Wang L, Sunden B. A novel control of jet impingement heat transfer in cross-flow by a vortex generator pair. International Journal of Heat and Mass Transfer 2015; 88: 82-90

Wang CL, Wang L, Sunden B. Heat transfer and pressure drop in a smooth and ribbed turn region of a two-pass channel. Applied Thermal Engineering 2015; 85: 225-233

Wang D. Evaluation and improvement of LAMP assays for detection of Escherichia coli serogroups O26, O45, O103, O111, O121, O145, and O157. African Health Sciences 2017, 17 (4): 1011-1021.

Wang F, Del Ferraro S, Molinaro V, Morrissey M, Rossi R. Assessment of body mapping sportswear using a manikin operated in constant temperature mode and thermoregulatory model control mode. International Journal of Biometeorology 2014; 58 (7): 1673-1682.

Wang F, Dong Z, Chen S, Chen B, Yang J, Wei X, Wang S, Ying K. Fast temperature estimation from undersampled k-space with fully-sampled center for MR guided microwave ablation. Magnetic Resonance Imaging 2016; 34 (8) 1171-1180

Wang F, Wu DJ, Zhai GF, Zang LP. Diagnosing Low Health and Wood Borer Attacked Trees of Chinese Arborvitae by Using Thermography. Spectroscopy and Spectral Analysis 2015; 35(1)2: 3410-3415

Wang F, Xing SI, Jj YP, Yan LP, Liu FP, Dong YC, Wang JF. Leaf structural reddening in smoke tree and its significance. Urban Forestry & Urban Greening 2015; 14(1): 80-88

Wang G, Deng S, Liu J, Ye C, Zhou X, Chen L. Cell damage caused by ultraviolet B radiation in the desert cyanobacterium Phormidium tenue and its recovery process. Ecotoxicology and Environmental Safety 2017, 144: 315-320.

Wang H, Magnain C, Sakadžić S, Fischl B, Boas D.A Characterizing the optical properties of human brain tissue with high numerical aperture optical coherence tomography. Biomedical Optics Express 2017, 8(12) 5617-5636

Wang H, Sun C, Xia XL. Experimental research on coupled heat transfer of a heat source, encapsulated into a subatmospheric hypobaric chamber. Heat Transfer Research 2015; 46(1)2: 1065-1079

Wang H, Wu J, Zhuo Z, Tang J. A three-dimensional model and numerical simulation regarding thermoseed mediated magnetic induction therapy conformal hyperthermia. Technology and Health Care 2016; 24 S827-S839

Wang H, Xiao B, Chu Y, Han Q. Enhancement of scleral biomechanics and safety following minimally invasive riboflavin-ultraviolet A collagen crosslinking in rabbits. Zhonghua Shiyan Yanke Zazhi/Chinese Journal of Experimental Ophthalmology 2018; 36 (2): 96-101.

Wang HJ, Hsieh SI, Singh B. Detection of Pinhole Defects in Optical Film using Thermography and Artificial Neural Network. In: Hsieh SI, Zalameda JN, eds Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, Baltimore MD, 2015; pp. 94850J- 94850J-7.

Wang HJ, Hsieh SI, Zhou XF, Peng B, Singh B. Using active thermography to inspect pin-hole defects in anti-reflective coating with k-mean clustering. NDT & E International 2015; 76: 66-72

Wang HJ, Hsieh SI. Comparison of Step Heating and Modulated Frequency Thermography for Detecting Bubble Defects in Colored Acrylic Glass. In: Hsieh SI, Zalameda JN, eds Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD, 2015; pp.94850I-94850I-11.

Wang JR, Guan Y, Liu CH, Zhu D. Combination of Infrared thermography and reflectance spectroscopy for precise classification of hair follicle stage. In: Tuchin VV, Larin KV, Leahy MJ, Wang RK, eds, Proceedings of SPIE Conference on Dynamics and Fluctuations in Biomedical Photonics XII, FEB 07-08 2015, San Francisco 2015; pp.

932217-932217-7

Wang K, Gill P, Wolstenholme J, Price CP, Heneghan C, Thompson M, Plüddemann A. Non- contact infrared thermometers for measuring temperature in children: Primary care diagnostic technology update. British Journal of General Practice 2014; 64 (627): e681-e683.

Wang K, Wang W, Ye R, Liu A, Xiao J, Liu Y, Zhao Y. Mechanical properties and solubility in water of corn starch-collagen composite films: Effect of starch type and concentrations. Food Chemistry 2017, 216: 209-216.

Wang KY, Jin YJ, Xu MJ, Chen JS, Lu H. Estimation of heat transfer coefficient and phase transformation latent heat by modified pattern search method. International Communications in Heat and Mass Transfer 2015; 68: 14-19

Wang L, Zhang B, Bao C, Habibovic P, Hu J, Zhang X. Ectopic osteoid and bone formation by three calcium-phosphate ceramics in rats, rabbits and dogs. PLoS ONE 2014; 9 (9) Art. No. e107044.

Wang L.-X. Initiation of the "abdominal pump" research of cardiopulmonary resuscitation by increasing intraabdominal pressure. Medical Journal of Chinese People's Liberation Army 2014; 39 (10): 767-770.

Wang LT, Cleveland RH, Binder W, Zwerdling RG, Stamoulis C, Ptak T, Sherman M, Haver K, Sagar P, Hibberd P. Similarity of chest X-ray and thermal imaging of focal pneumonia: A randomised proof of concept study at a large urban teaching hospital. BMJ Open 2018; 8 (1), art. no. 017964.

Wang LV, Gao L. Photoacoustic microscopy and computed tomography: From bench to bedside. Annual Review of Biomedical Engineering 2014; 16, 155-185.

Wang M, Singh A, Qureshi H, Leone A, Mascha EJ, Sessler DI. Optimal Depth for Nasopharyngeal Temperature Probe Positioning. Anesthesia and Analgesia 2016; 122 (5) 1434-1438

Wang MH, Wu PC, Jiang WJ. Application of Infrared thermography and extension recognize method to intelligent fault diagnosis of distribution panels. IEEJ Transactions On Electrical and Electronic Engineering 2015; 10(4): 479-486

Wang N, Liu X, Zheng J, Zhou H. Response to the Letter to the Editor entitled "optimization of the rodent model of polymicrobial sepsis" from Maddison Griffin B. Biomed. ScI, Hayley L. Letson MSc and Geoffrey P. Dobson PhD International Immunopharmacology 2014; 19 (2): 406-408.

Wang P. Evaluation of MR thermometry with proton resonance frequency method at 7T. Quantitative Imaging in Medicine and Surgery 2017, 7 (2): 259-266.

Wang PH, Chen SP, Su CH, Liao YC. Direct printed silver nanowire thin film patterns for flexible transparent heaters with temperature gradients. RSC Advances 2015; 5(1) 98412-98418

Wang Q, Boccanfuso L, Li B, Ahn AY-J, Foster CE, Orr MP, Scassellati B, Shic F. Thermographic eye tracking. Eye Tracking Research and Applications Symposium (ETRA) 2016; 14 307-310

Wang Q, Li C, Guo Y, Barnett AG, Tong S, Phung D, Chu C, Dear K, Wang X, Huang C Environmental ambient temperature and blood pressure in adults: A systematic review and meta-analysis. Science of the Total Environment 2017, 575: 276-286.

Wang Q-Z, Wang F-F, Zhu H, Sun C-S, Wang Y, Yin X-M, Zhou L, Zhang S-Q, Wang T-P. Dynamic change of population structure of Oncomelania hupensis. Chinese Journal of Schistosomiasis Control 2017, 29 (4): 426-430.

Wang SC, Anderson JAE, Evans R, Woo K, Beland B, Sasseville D, Moreau L Point-of-care wound visioning technology: Reproducibility and accuracy of a wound measurement app. PLoS ONE 2017, 12:8 Article Number: e0183139.

Wang T.-S, Tsai T.-F. Cutaneous irritancy of water. Reviews on Environmental Health 2014; 29 (3): 217- 220.

Wang W, Cai Y, Zhang YB, Huang HJ, Huang W, Li HO, Zhang BS, Wang HX. A 3W High-Voltage Single- Chip Green Light-Emitting Diode with Multiple-Cells Network. Journal of Nanomaterials 2015, 248191

Wang W, Fruehmann RK, Dulieu-Barton JM. Application of Digital Image Correlation to Address Complex Motions in Thermoelastic Stress Analysis. Strain 2015; 51(5): 405-418

Wang W, Pan Z, Mao F, Gong W, Shen L. Evaluation of VIIRS land aerosol model selection with AERONET measurements. International Journal of Environmental Research and Public Health 2017, 14 (9), art. no. 1016.

Wang W, Song X, Wang T, Zhang C, Sun L 5-HT(3) Receptor Antagonists for the Prevention of Perioperative Shivering: A Meta-Analysis. Journal of Clinical Pharmacology 2017, 57(4) 428-439.

Wang W, Zijlstra RT, Gänzle MG. Identification and quantification of virulence factors of enterotoxigenic Escherichia coli by high-resolution melting curve quantitative PCR. BMC Microbiology 2017, 17 (1), art. no. 114.

Wang W.-L, Chang J-M, Cai L-P, Shi SQ. Quality improvement of pyrolysis oil from waste rubber by adding sawdust. Waste Management 2014; 34 (12): 2603-2610.

Wang X, Chen Q, Tian W, Wang J, Cheng L, Lu J, Chen M, Pei Y, Li C, Chen G, Gu N. Measurement of in vitro single cell temperature by novel thermocouple nanoprobe in acute lung injury models. Journal of Biomedical Nanotechnology 2017, 13 (1): 54-60.

Wang X, Cui L, Liu M, Guan Y, Li B, Du H. A study of autonomic dysfunction and sympathetic skin response in motor neuron disease. Zhonghua yi xue za zhi 2014; 94 (41): 3224-3228.

Wang X, Liu D, Yang Y, Zhou X, Chai W, Long Y, Zhang H, Zhang Q, He H. The effect of body temperature control

on organ function and prognosis in patients with refractory septic shock. Zhonghua nei ke za zhi 2014; 53 (4): 293-297.

Wang X, Liu Z Xia J, Cheng H, Webb RC, Bonifas AP, W on P, Jeong J-W, Jang K-I, Song YM, Nardone B, Nodzenski M, Fan JA, Huang Y, West DP, Paller AS, Alam M, Yeo W-H, Rogers JA. Multifunctional skin- like electronics for quantitative clinical monitoring of cutaneous wound healing. Advanced Healthcare Materials 2014; 3 (10) 1597-1607.

Wang X, Zhao X, Lin T, Guo H. Thermo-sensitive hydrogel for preventing bowel injury in percutaneous renal radiofrequency ablation. International Urology and Nephrology 2016; 48 (10) 1593-1600

Wang XG, Witz JF, El Bartali A, Oudriss A, Jiang C. Quantitative Infrared thermography applied to subgrain scale and the effect of out-of-plane deformation. Infrared Physics & Technology 2015; 71: 432- 438

Wang Y, Bobb JF, Papi B, Wang Y, Kosheleva A, Di Q, Schwartz JD, Dominici F. Heat stroke admissionsduring heat waves in 1,916 US counties for the period from 1999 to 2010 and their effect modifiers. Environmental Health: A Global Access Science Source 2016; 15 (1), art no 83

Wang YP, Fu HL, Huang QW, Cui Y, Sun Y, Jiang LH. Experimental study of direct contact vaporization heat transfer on, n-pentane-water flowing interface. Energy. 2015; 93):854-863

Wang Z-H, Fan C, Myint SW, Wang C. Size Matters: What are the characteristic source areas for urban planning strategies? PLoS ONE 2016; 11 (11), art no e0165726

Wang ZX, Lloyd AA, Burket JC, Gourion-Arsiquaud S, Donnelly E. Altered distributions of bone tissue mineral and collagen properties in women with fragility fractures. Bone 2016; 84 237-244

Warncke G, Osmers UN, Hauenstein C, Scotland M, Von Osten H, Höhn R, Fischer DC. Therapeutic hypothermia after cardiopulmonary resuscitation in a 4-month infant. Klinische Padiatrie 2014; 226 (4): 221-224.

Warner A, Kjellstedt A, Carreras A, Böttcher G, Peng X-R, Seale P, Oakes N, Lindén D. Activation of β3-adrenoceptors increases in vivo free fatty acid uptake and utilization in brown but not white fat depots in high-fat-fed rats. American Journal of Physiology - Endocrinology and Metabolism 2016; 311 (6) E901- E910

Warrillow SJ, Bellomo R. Preventing cerebral oedema in acute liver failure: The case for quadruple-H therapy. Anaesthesia and Intensive Care 2014; 42 (1): 78-88.

Wartella KA, Khalilzad-Sharghi V, Kelso ML, Kovar JL, Kaplan DL, Xu H, Othman SF. Multi-modal imaging for assessment of tissue-engineered bone in a critical-sized calvarial defect mouse model. Journal of Tissue Engineering and Regenerative Medicine 2017, 11 (6): 1732-1740.

Washio K, Fukunaga A, Terai M, Hitomi K, Yamanishi K, Nishigori C. Hypohidrosis plays a crucial role in the vicious circle of bathing suit ichthyosis: A case with summer exacerbation. Acta Dermato- Venereologica 2014; 94 (3): 349-350.

Wasilewska A, Pauk J, Jezewski S, Banach M, Dlugosz R. Selected factors affecting active thermographic measurement of human response to cold stress in RA patient. Proceedings of the International Conference BIOMDLORE 2018; art. no. 8467195.

Watanabe J, Ota M, Suwa Y, Ishibe A, Masui H, Nagahori K. Real-time indocyanine green fluorescence imaging-guided complete mesocolic excision in laparoscopic flexural colon cancer surgery. Diseases of the Colon and Rectum 2016; 59 (7) 701-705

Watase A, Birgul R, Hiasa S, Matsumoto M, Mitani K, Catbas FN. Practical identification of favorable time windows for Infrared thermography for concrete bridge evaluation. Construction and Building Materials 2015; 101: 1016-1030

Water JJ, Schack MM, Velazquez-Campoy A, Maltesen MJ, Van De Weert M, Jorgensen L. Complex coacervates of hyaluronic acid and lysozyme: Effect on protein structure and physical stability. European Journal of Pharmaceutics and Biopharmaceutics 2014; 88 (2) 325-331.

Waters BH, Park J, Bouwmeester JC, Valdovinos J, Geirsson A, Sample AP, Smith JR, Bonde P. Electrical power to run ventricular assist devices using the Free-range Resonant Electrical Energy Delivery system. Journal of Heart and Lung Transplantation 2018; 37 (12): 1467-1474.

Watkins SL, Castle P, Mauger AR, Sculthorpe N, Fitch N, Aldous J, Brewer J, Midgley AW, Taylor L. The effect of different environmental conditions on the decision-making performance of soccer goal line officials. Research in Sports Medicine 2014; 22 (4): 425-437.

Watson P, Nichols D, Cordery P. Mouth rinsing with a carbohydrate solution does not influence cycle time trial performance in the heat. Applied Physiology Nutrition and Metabolism 2014; 39 (9): 1064-1069.

Wearn C, Lee KC, Hardwicke J, Allouni A, Bamford A, Nightingale P, Moiemen N. Prospective comparative evaluation study of Laser Doppler Imaging and thermal imaging in the assessment of burn depth. Burns 2018; 44 (1): 124-133.

Webb RC, Pielak RM, Bastien P, Ayers J, Niittynen J, Kurniawan J, Manco M, Lin A, Cho NH, Malyrchuk V, Balooch G, Rogers JA. Thermal Transport Characteristics of Human Skin Measured in Vivo Using Ultrathin Conformal Arrays of Thermal Sensors and Actuators. PLOS ONE, 2015; 10(2) e0118131

Weber H, Ghanouni P, Pascal-Tenorio A, Pauly KB, Hargreaves BA. MRI monitoring of focused ultrasound sonications near metallic hardware. Magnetic Resonance in Medicine 2018; 80 (1): 259-271.

Weber H, Taviani V, Yoon D, Ghanouni P, Pauly KB, Hargreaves BA. MR thermometry near metallic devices using multispectral imaging. Magnetic Resonance in Medicine 2017, 77 (3): 1162-1169.

Weber N, Haase D, Franck U. Zooming into temperature conditions in the city of Leipzig: How do urban built and green structures influence earth surface temperatures in the city? Science of the Total Environment 2014; 496: 289-298.

Webster JR, Schuetz KE, Sutherland MA, Stewart M, Mellor DJ. Different animal welfare orientations towards some key research areas of current relevance to pastoral dairy farming in New Zealand. New Zealand Veterinary Journal 2015; 63(1): 31-36

Weegman BP, Suszynski TM, Scott WE III; Ferrer Fábrega J, Avgoustiniatos ES, Anazawa T, O'Brien TD, Rizzari MD, Karatzas T, Jie T, Sutherland DER, Hering BJ, Papas KK. Temperature profiles of different cooling methods in porcine pancreas procurement. Xenotransplantation 2014; 21 (6): 574-581.

Wegner F, Friedrich T, Panagiotopoulos N, Valmaa S, Goltz JP, Vogt FM, Koch MA, Buzug TM, Barkhausen J, Haegele J. First heating measurements of endovascular stents in magnetic particle imaging. Physics in Medicine and Biology 2018; 63 (4), art. no. 045005.

Wei H-N, Jiang L-P, Xiong B, Zhou S, Yu L, Huang Y-M, Liu D-G, Ling W, Song X-N, Zhang X-X, Zhao H-L. Characteristic patterns of normal meridian acupoint temperature. Journal of the Chinese Medical Association 2017, 80 (7): 419-426.

Wei W, Wei L, Nie L, Su L, Lu XN. Using active thermography and modified SVM for intelligent diagnosis of solder bumps. Infrared Physics & Technology 2015; 72: 163-169

Wei XX, Jia ZD, Sun ZT, Guan ZC, Farzaneh M. Selection of Semiconductive Coatings at Different Ambient Temperatures. IEEE Transactions On Dielectrics and Electrical insulation 2015; 22(1): 400-408.

Weiger M, Overweg J, Rösler MB, Froidevaux R, Hennel F, Wilm BJ, Penn A, Sturzenegger U, Schuth W, Mathlener M, Borgo M, Börnert P, Leussler C, Luechinger R, Dietrich BE, Reber J, Brunner DO, Schmid T, Vionnet L, Pruessmann KP. A high-performance gradient insert for rapid and short-T2 imaging at full duty cycle. Magnetic Resonance in Medicine 2018; 79 (6): 3256-3266.

Weiss DJ, Bhatt S, Mappin B, Van Boeckel TP, Smith DL, Hay SI, Gething PW. Air temperature suitability for Plasmodium falciparum malaria transmission in Africa 2000-2012: A high-resolution spatiotemporal prediction. Malaria Journal 2014; 13 (1), art. no. 171.

Weiss MD, Tang A, Young L, Irwin L, Brophy C, Larsen V, Howard J, Miller C, Douglas-Escobar M. Transporting neonates with hypoxic-ischemic encephalopathy utilizing active hypothermia. Journal of Neonatal-Perinatal Medicine 2014; 7 (3): 173-178.

Weiss N, Sosna J, Goldberg SN, Azhari H. Non-invasive temperature monitoring and hyperthermic injury onset detection using X-ray CT during HIFU thermal treatment in ex vivo fatty tissue. International Journal of Hyperthermia 2014; 2014; 30 (2) 119-125.

Wells D, Zobel A Gauging the temperature. Innovations in Pharmaceutical Technology 2017, 61: 12-14.

Welman S, Tuen AA, Lovegrove BG. Searching for the haplorrhine heterotherm: Field and laboratory data of free-ranging tarsiers. Frontiers in Physiology 2017, 8, art. no. 745.

Wen D, Zhang X, Lei J.Consumers' perceived attitudes to wearable devices in health monitoring in China: A survey study. Computer Methods and Programs in Biomedicine 2017, 140: 131-137.

Wen J, Jiang M, Zhao Z, Ge J, Huang K, Qi S, Huang H, Wang F. Influence of fever on surgical intervention of parapneumonic empyema. International Journal of Clinical and Experimental Medicine 2016; 9 (3) 6453-6460

Wen MM, Farid RM, Kassem AA. Nano-proniosomes enhancing the transdermal delivery of mefenamic acid. Journal of Liposome Research 2014; 24 (4): 280-289.

Wernik J, Wolosz KI. Study of Heat Transfer in Fins of Pneumatic Pulsator Using Thermal Imaging. Chemical Engineering 2015; 45: 985-990

Werschnik H, Ostrowski T, Hilgert J, Schneider M, Schiffer HP. Infrared thermography to study endwall cooling and heat transfer in turbine stator vane passages using the auxiliary wall method and comparison to numerical simulations. Quantitative Infrared Thermography Journal 2015; 12(2): 219-236

Wessapan T, Rattanadecho P. Heat Transfer Analysis of the Human Eye During Exposure to Sauna Therapy. Numerical Heat Transfer Part A-Applications 2015; 68(5): 566-582

West DJ, Cook CJ, Beaven M.C, Kilduff LP. The influence of the time of day on core temperature and lower body power output in elite rugby union sevens players. Journal of Strength and Conditioning Research 2014; 28 (6): 1524-1528.

Westhoff B, Ruppert M, Krauspe R. Treatment of septic arthritis of the hip in paediatric patients [Therapie der septischen Coxitis im Kindesalter]. Padiatrische Praxis 2018; 90 (1): 83-91.

Weum S, Mercer JB, de Weerd L. Evaluation of dynamic infrared thermography as an alternative to CT angiography for perforator mapping in breast reconstruction: A clinical study. BMC Medical Imaging 2016; 16 (1), art no 43

Wexler AD, Sáenz ML, Schreer O, Woisetschläger J, Fuchs EC. The preparation of electrohydrodynamic bridges from polar dielectric liquids. Journal of Visualized Experiments (91), art. no. e52028.

White-Newsome JL, Ekwurzel B, Baer-Schultz M, Ebi KL, O'Neill MS, Brooke Anderson G. Survey of county-level heat preparedness and response to the 2011 summer heat in 30 US. States. Environmental Health Perspectives 2014; 122 (6): 573-579.

Whitney A. Biofeedback: A way to regain some control over pain. Journal of Family Practice 2014; 63 (6): S12-S17.

Whyte S. Audit and feedback: to tell or not to tell? That is not the question [Audit et rétroaction: dire ou ne pas dire? Telle n'est pas la question]. Canadian Journal of Anesthesia 65 (11): 1175-1179.

Wiadomości lekarskie (Warsaw Poland 1960) 2014; 67 (2): 289-293.

Wiecek B. Wavelet transform applications for thermal image processing and medical screening. (extended abstract). Thermology international 2015, 25(2) 72-73.

Wiedenmann E, Afrough M, Albert S, Schott R, Tusch J, Wolf A. Long wave Infrared 3D scanner. in: Harding KG, Yoshizawa T, Zhang S, eds, Proceedings of SPIE T Conference on Dimensional Optical Metrology and inspection for Practical Applications IV, APR 20-21 2015, CL Baltimore MD, 2015; pp. 952514-952514-11.

Wiedenmann E, Afrough M, Albert S, Schott R, Tusch J, Wolf A. Long wave Infrared 3D scanner. In: Lehmann P, Osten W, Albertazzj GA, eds, Proceedings of SPIE Conference on Optical Measurement Systems for industrial inspection IX, JUN 22-25 2015, Munich Germany, 2015; pp. 952514-952514

Wieland M, Emrich D, Bechter M, Leipig M, Pfitzner A, Knubben-Schweizer G. Aortic thrombosis in a calf [Aortenthrombus bei einem Kalb] Schweizer Archiv fur Tierheilkunde 2014; 156 (9): 441- 446.

Wierzba P, Jędrzejewska-Szczerska M. Spectral reflectance modeling of ZnO layers made with Atomic Layer Deposition for application in optical fiber Fabry-Perot interferometric sensors. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2014; 9448, art. no. 944819.

Wierzbicki AS Sensible economies: Demand management in blood science laboratories. International Journal of Clinical Practice 2017, 71(3-4) Article Number: e12942.

Wijlemans JW, de Greef M, Schubert G, Moonen CTW, van den Bosch MAAJ, Ries M. Intrapleural fluid infusion for MR-guided high-intensity focused ultrasound ablation in the liver dome. Academic Radiology 2014; 21 (12) 1597-1602.

Wijlens AM, Holloway S, Bus SA, van Netten JJ. An explorative study on the validity of various definitions of a 2·2°C temperature threshold as warning signal for impending diabetic foot ulceration. International Wound Journal 2017, 14 (6): 1346-1351.

Wilczek A, Dlugosz P, Hebda M. Porosity Characterization of Aluminium Castings by Using Particular Non-destructive Techniques. Journal of Nondestructive Evaluation 2015; 34(3) 1-7

Wilczyński S, Koprowski R, Deda A, Janiczek M, Kuleczka N, Błońska-Fajfrowska B. Thermographic mapping of the skin surface in biometric evaluation of cellulite treatment effectiveness. Skin Research and Technology 2017, 23 (1): 61-69.

Wilczynski S. The use of dynamic thermal analysis to distinguish between genuine and counterfeit drugs. International Journal of Pharmaceutics 2015; 490(1): 16-21

Wildemeersch S, Jamin P, Orban P, Hermans T, Klepikova M, Nguyen F, Brouyère S, Dassargues A. Coupling heat and chemical tracer experiments for estimating heat transfer parameters in shallow alluvial aquifers. Journal of Contaminant Hydrology 2014; 169: 90-99.

Wilhelm K, Wilhelm J, Furll M. Use of thermography to monitor sole haemorrhages and temperature distribution over the claws of dairy cattle. Veterinary Record 2015; 176(6): 146

Wilkerson A, Kim J, Huang AY, Zhang M. Nanoparticle systems modulating myeloid-derived suppressor cells for cancer immunotherapy. Current Topics in Medicinal Chemistry 2017, 17(16) 1843-1857.

Wilkinson JD, Leggett SA, Marjanovic EJ, Moore TL, Allen J, Anderson ME, Britton J, Buch MH, Del Galdo F, Denton CP, Dinsdale G, Griffiths B, Hall F, Howell K, MacDonald A, McHugh NJ, Manning JB, Pauling JD, Roberts C, Shipley JA, Herrick AL, Murray AK. A Multicenter Study of the Validity and Reliability of Responses to Hand Cold Challenge as Measured by Laser Speckle Contrast Imaging and Thermography: Outcome Measures for Systemic Sclerosis–Related Raynaud's Phenomenon. Arthritis and Rheumatology 2018; 70 (6): 903-911.

Willems S, Gulhan A, Steelant J. Experiments on the effect of laminar-turbulent transition on the SWBLI, in H2K at Mach 6. Experiments in Fluids 2015; 56(3), 1-19.

Willey A, Anderson RR, Sakamoto FH. Temperature-modulated photodynamic therapy for the treatment of actinic keratosis on the extremities: A pilot study. Dermatologic Surgery 2014; 40 (10) 1094-1102.

Willhoft O, McCormack EA, Aramayo RJ, Bythell-Douglas R, Ocloo L, Zhang X, Wigley DB.Crosstalk within a functional INO80 complex dimer regulates nucleosome sliding. eLife 2017, 6: Article Number: e25782

Williams CA. Elite Youth Sports-From Best Pediatric Science Practice To Sports Practice-2016. Pediatric Exercise Science 2017, 29(1) 19-22.

Williams H. Predictive stability testing utilizing accelerated stability assessment program (ASAP) studies. Methods in Pharmacology and Toxicology 2018; pp. 213-232.

Williams M-L, Nolan JP. Is enteral feeding tolerated during therapeutic hypothermia? Resuscitation 2014; 85 (11): 1469-1472.

Williams WJ, Coca A, Kim J.-H, Roberge R. Repeatability of physiological responses during two repeated protective clothing performance tests under identical test conditions. International Journal of Industrial Ergonomics 2014; 44 (5): 793-799.

Williamson MR, Dietrich K, Hackett MJ, Caine S, Nadeau CA, Aziz JR, Nichol H, Paterson PG, Colbourne F. Rehabilitation augments hematoma clearance and attenuates oxidative injury and ion dyshomeostasis after brain hemorrhage. Stroke 2017, 48 (1): 195-203.

Willie JT, Laxpati NG, Drane DL, Gowda A, Appin C, Hao C, Brat DJ, Helmers SL, Saindane A, Nour SG, Gross RE. Real-time magnetic resonance-guided stereotactic laser amygdalo- hippocampotomy for mesial temporal lobe epilepsy. Neurosurgery 2014; 74 (6): 569-584.

Wilson S, Illambas J, Siedek E, Thomas A, King V, Stirling C, Plevová, E, Salt J, Sture G. The administration of a single dose of a multivalent (DHPPiL4R) vaccine prevents clinical signs and mortality following virulent challenge with canine distemper virus canine adenovirus or canine parvovirus. Trials in Vaccinology 2014; 3 (1): 102-106.

Winchester WJ, Gore K, Glatt S, Petit W, Gardiner JC, Conlon K, Postlethwaite M, Saintot P-P, Roberts S, Gosset JR, Matsuura T, Andrews MD, Glossop PA, Palmer MJ, Clear N, Collins S, Beaumont K, Reynolds DS. Inhibition of TRPM8 channels reduces pain in the cold pressor test in humans. Journal of Pharmacology and Experimental Therapeutics 2014; 351 (2) 259-269.

Windisch C, Brodt S, Roehner E, Matziolis G. Regional differences in temperature course after knee arthroplasty. Knee Surgery Sports Traumatology Arthroscopy 2016; 24 (8) 2686-2691

Windisch C, Brodt S, Röhner E, Matziolis G. Effects of Kinesio taping compared to arterio-venous Impulse System™ on limb swelling and skin temperature after total knee arthroplasty. International Orthopaedics 2017, 41 (2): 301-307.

Winfree WP, Cramer KE, Zalameda JN, Howell PA, Burke ER. Principal Component Analysis of Thermographic Data. In: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense - Thermal Infrared Applications XXXVII, APR 20-23 2015, 2015; pp. 94850S-94850S.

Winfree WP, Howell PA, Zalameda JN. Determination of Flaw Size from Thermographic Data. in: Chimentii DE, Bond LI, eds, AIP Conference Proceedings CT 41st Annual Review of Progress in Quantitative Nondestructive Evaluation (QNDE) JUL 20-25, 2014, 2015; 1650: 280-289

Winfree WP, Zalameda JN, Howell PA. Measurement of flaw size from thermographic data. in: Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23 2015, pp. 94850D-94850D

Winkel P, Bath PM, Gluud C, Lindschou J, van der Worp HB, Macleod MR, Szabo I, Durand-Zaleski I, Schwab S. Statistical analysis plan for the EuroHYP-1 trial: European multicentre randomised phase III clinical trial of the therapeutic hypothermia plus best medical treatment versus best medical treatment alone for acute ischaemic stroke. Trials 2017, 18 (1), art. no. 573.

Winkel R, Hoffmann G, Hoffmann R. W ater-filtered infrared-A (wIRA) promotes wound healing [Wassergefiltertes Infrarot A (wIRA) hilft Wunden heilen]. Chirurg 2014; 85 (11) 980-992.

Winkler BE, Tetzlaff K, Muth C.-M, Koch A, Georgieff M, Hebestreit H. Body temperature and heart rate in paediatric SCUBA dives. International SportMed Journal 2014; 15 (1): 30-40.

Winter L, Oberacker E, Paul K, Ji Y, Oezerdem C, Ghadjar P, Thieme A, Budach V, Wust P, Niendorf T. Magnetic resonance thermometry: Methodology pitfalls and practical solutions. International Journal of Hyperthermia 2016; 32 (1) 63-75

Winter PM, Lanier M, Partanen A, Dumoulin C. Initial investigation of a novel noninvasive weight loss therapy using MRI-Guided high intensity focused ultrasound (MR-HIFU) of visceral fat. Magnetic Resonance in Medicine 2016; 76 (1) 282-289

Winter S, Smith A, Lappin D, McDonagh G, Kirk B. Failure of non-vacuum steam sterilization processes for dental handpieces. Journal of Hospital Infection 2017, 97 (4): 343-347.

Winter S, Smith A, Lappin D, McDonagh G, Kirk B. Investigating steam penetration using thermometric methods in dental handpieces with narrow internal lumens during sterilizing processes with non-vacuum or vacuum processes. Journal of Hospital Infection 2017, 97 (4): 338-342.

Wise PM, Bryant B. The effect of temperature and menthol on carbonation bite. Chemical Senses 2015, 39 (7), art. no. bju027.

Wisniewski M, Neuner G, Gusta LV. The Use of High-resolution Infrared Thermography (HRIT) for the Study of Ice Nucleation and Ice Propagation in Plants. JOVE-Journal of Visualized Experiments 2015(99) e52703-e52703.

Withington J, Neves JB, Barod R. Surgical and Minimally Invasive Therapies for the Management of the Small Renal Mass. Current Urology Reports 2017, 18 (8), art. no. 61.

Wolfe TB, Henein H. Characterization of arc during hardfacing in plasma transfer arc welding. Canadian Metallurgical Quarterly 2015; 54(3): 328-339

Wolffsohn JS, Arita R, Chalmers R, Djalilian A, Dogru M, Dumbleton K, Gupta PK, Karpecki P, Lazreg S, Pult H, Sullivan BD, Tomlinson A, Tong L, Villani E, Yoon KC, Jones L, Craig JP. TFOS DEWS II Diagnostic Methodology report. Ocular Surface 2017, 15 (3): 539-574.

Wolfger B, Timsit E, White BJ, Orsel K. A Systematic Review of Bovine Respiratory Disease Diagnosis Focused on Diagnostic Confirmation Early Detection and Prediction of Unfavorable Outcomes in Feedlot Cattle. Veterinary Clinics of North America-Food Animal Practice 2015; 31(3): 351-365

Wolfram F, Boltze C, Schubert H, Bischoff S, Lesser TG. Effect of lung flooding and high-intensity focused ultrasound on lung tumours: An experimental study in an ex vivo human cancer model and simulated in vivo tumours in pigs. European Journal of Medical Research 2014; 19 (1) Art. No. 1.

Wolska-Gawron K, Krasowska D. Localized scleroderma - Classification and tools used for the evaluation of tissue damage and disease activity/severity [Twardzina ograniczona - Klasyfikacja i narzędzia stosowane do oceny uszkodzenia tkanek aktywności lub nasilenia choroby]. Przeglad Dermatologiczny 2017, 104 (3): 269-289.

Wong AW, Fite BZ, Liu Y, Kheirolomoom A, Seo JW, Watson KD, Mahakian LM, Tam SM, Zhang H, Foiret J, Borowsky AD, Ferrara KW. Ultrasound ablation enhances drug accumulation and survival in mammary carcinoma models. Journal of Clinical Investigation 2016; 126 (1) 99-111

Wood S, Lin Y, Knowles TG, Main DCI. Infrared thermometry for lesion monitoring in cattle lameness. Veterinary Record 2015; *176*(12) 308-308

Woodrum DA, Kawashima A, Gorny KR, Mynderse LA. Prostate cancer: state of the art imaging and focal treatment. Clinical Radiology 2017, 72 (8): 665-679.

Wortmann FJ, Wortmann G. A somewhat unexpected result from the deconvolution of DSC curves for human hair: There is no apparent relation between cortical cell fractions and hair curliness. Experimental Dermatology 2018; 27 (3): 292-294.

Worz C, Postolski J, Williams K. The utility of continuous temperature monitoring of refrigerators in a long- term care facility. Consultant Pharmacist 2017, 32 (4): 222-227.

Wowk S, Ma Y, Colbourne F. Therapeutic Hypothermia Does Not Mitigate Iron-Induced Injury in Rat. Therapeutic Hypothermia and Temperature Management 2016; 6 (1) 23-29

Wozniak K, Szyszka-Sommerfeld L, Trybek G, Piatkowska D. Assessment of the Sensitivity Specificity and Accuracy of Thermography in Identifying Patients with TMD. Medical Science Monitor 2015; 21

Wright CY, Street RA, Cele N, Kunene Z, Balakrishna Y, Albers PN, Mathee A. Indoor temperatures in patient waiting rooms in eight rural primary health care centers in Northern South Africa and the related potential risks to human health and wellbeing. International Journal of Environmental Research and Public Health 2017, 14 (1), art. no. 43.

Wright HE, Larose J, McLellan TM, Hardcastle SG, Boulay P, Kenny GP. Moderate-intensity intermittent work in the heat results in similar low-level dehydration in young and older males. Journal of Occupational and Environmental Hygiene 2014; 11 (3): 144-153.

Wright HE, McLellan TM, Larose J, Hardcastle SG, Boulay P, Kenny GP. Are circulating cytokine responses to exercise in the heat augmented in older men? Applied Physiology Nutrition and Metabolism 2014; 39 (2): 117-123.

Wright WF, Mackowiak PA. Origin evolution and clinical application of the thermometer. American Journal of the Medical Sciences 2016; 351 (5) 526-534

Wright-Beatty HE, Hardcastle SG, Boulay P, Larose J, Kenny GP. Increased air velocity during exercise in the heat leads to equal reductions in hydration shifts and interleukin-6 with age. European Journal of Applied Physiology 2014; 114 (10): 2081-2092.

Wright-Beatty HE, McLellan TM, Larose J, Sigal RJ, Boulay P, Kenny GP. Inflammatory responses of older Firefighters to intermittent exercise in the heat. European Journal of Applied Physiology 2014; 114 (6): 1163-1174.

Wróbel MS, Bashkatov AN, Yakunin AN, Avetisyan YA, Genina EA, Galla S, Sękowska A, Truchanowicz D, Cenian A, Jędrzejewska-Szczerska M, Tuchin VV. Model of optical phantoms thermal response upon irradiation with 975 nm dermatological laser. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10716, art. no. 1071604.

Wrobel MS, Jedrzejewska-Szczerska M, Galla S, Piechowski L, Sawczak M, Popov AP, Bykov AV, Tuchin VV, Cenian A. Use of optical skin phantoms for preclinical evaluation of laser efficiency for skin lesion therapy. Journal of Biomedical Optics 2015; 20(8) 085003

Wrobel TP, Kwak JT, Kadjacsy-Balla A, Bhargava R. High-definition Fourier transform infrared spectroscopic imaging of prostate tissue. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9791, art no 97911D

Wu C, Yang J, Zhu J, Cong W, Ai D, Song H, Liang X, Wang Y. Hybrid constraint optimization for 3D subcutaneous vein reconstruction by near-infrared images. Computer Methods and Programs in Biomedicine 2018; 163: 123-133.

Wu C.-J, Lin S.-Y, Chou S.-C, Tsai C.-Y, Yen J.-Y. Temperature effects on the magnetic properties of silicon-steel sheets using standardized toroidal frame. Scientific W orld Journal 2014; 2014, art. no. 975051

Wu J, Yunus M, Streatfield PK, Emch M. Association of climate variability and childhood diarrhoeal disease in rural Bangladesh, 2000-2006. Epidemiology and Infection 2014; 142 (9): 1859-1868.

Wu J, Zhou Y, Li S, Qu D, Zhu W.-H, Tian H. Real-time near-infrared bioimaging of a receptor-targeted cytotoxic dendritic theranostic agent. Biomaterials 2017, 120: 1-10.

Wu L, Cao J, Wu Z, Zhang J, Yang Z. The mechanism of radioactive strontium removal from simulated radioactive wastewater via a coprecipitation microfiltration process. Journal of Radioanalytical and Nuclear Chemistry 2017, 314 (3): 1973-1981.

Wu L-A, Kuo W-H, Chen C-Y, Tsai Y-S, Wang J. The association of infrared imaging findings of the breast with prognosis in breast cancer patients: An observational cohort study. BMC Cancer 2016; 16 (1), art no 541

Wu N, Yu J, Zhang X, Zeng M, Zhang Y-J, Zheng X-H. Optimization of preparation procedures of tanshinone-IIA /β-cyclodextrin inclusion complex and dissolution study of tanshinone-IIA in vitro. Zhongguo Zhongyao Zazhi 2017, 42 (23): 4611-4617.

Wu T, Zhang S.-S, Pei J.-J, Xiao W, Wang Z.-Z, Zhao L.-G. Comparison of three different thermophilic beta-glucosidases for baicalin transformation. Zhongguo Zhongyao Zazhi 2018; 43 (8): 1602-1609.

Wu T.-W, McLean C, Friedlich P, Wisnowski J, Grimm J, Panigrahy A, Bluml S, Seri I. Brain temperature in neonates with hypoxic-ischemic encephalopathy during therapeutic hypothermia. Journal of Pediatrics 2014; 165 (6): 1129-1134.

Wu X, Peters K. Non-Destructive inspection of Adhesively Bonded Joints using Amplitude Modulated Thermography. Experimental Mechanics 2015; 55(8): 1485-1501

Wu X, Sanders JL, Stephens DN, Oralkan O. Photoacoustic-imaging-based temperature monitoring for high-intensity focused ultrasound therapy. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS 2016; 2016-October art no 7591418 3235-3238

Wu X.-Y, Zhuang Z.-Q, Zheng R.-Q, Liu S.-Q. Extracorporeal Membrane Oxygenation as Salvage Therapy for Acute Massive Pulmonary Embolism after Surgery for Tibiofibular Fractures. Chinese Medical Journal 2018; 131 (21): 2611-2613.

Wu Y, Nieuwenhoff MD, Huygen FJPM, van der Helm FCT, Niehof S, Schouten AC. Characterizing human skin blood flow regulation in response to different local skin temperature perturbations. Microvascular Research 2017, 111: 96-102.

Wu Y-B, Wang Y-Q, Fu W-G, Zhu Y-F, Ge H-W. Stromal cell-derived factor-1 and endothelial progenitor cells improve neovascularization. Chinese Journal of Tissue Engineering Research 2014; 18 (20) 3158-3164.

Wynants L, Riley RD, Timmerman D, Van Calster B. Random-effects meta-analysis of the clinical utility of tests and prediction models. Statistics in Medicine 2018; 37 (12): 2034-2052.

Wynn JL, Wong HR, Shanley TP, Bizzarro MJ, Saiman L, Polin RA. Time for a neonatal-specific consensus definition for sepsis. Pediatric Critical Care Medicine 2014; 15 (6): 523-528.

Wysock JS, Lepor H. Optimizing patient selection for focal therapy—mapping and ablating the index lesion. Translational Andrology and Urology 2018; 7: S519-S525.

Wysocka-Fotek O, Maj, M, Oliferuk W. Use of pulsed ir thermography for determination of size and depth of, subsurface defect taking into account the shape of its cross-section area. Archives of Metallurgy and Materials 2015; 60(2): 615-620

Wysoczanski B. Effects of magnetotherapy on peripheral circulation in elderly women (60+) complaning of cold hand syndrome (extended abstract). Thermology international 2017; 27 (2) 73-74

Xi L, Wang T, Zhao F, Zheng Q, Li X, Luo J, Liu J, Quan D, Ge J. Evaluation of an injectable thermosensitive hydrogel as drug delivery implant for ocular glaucoma surgery. PLoS ONE 2014; 9 (6) Art. No. e100632.

Xia J, Zhang Y, Zhao H, Wang J, Gao X, Chen J, Fu B, Shen Y, Miao F, Zhang J, Teng G. Non-invasive monitoring of CNS MHC-I molecules in ischemic stroke mice. Theranostics 2017, 7 (11): 2837-2848.

Xiao JH, Wang XH, Luo X, Hu ZY. In situ preparation of catalytic combustion films used as micro heat source by inkiet printing method. Applied Surface Science 2015; 327: 400-405

Xie H, Li Y, Zhou Q, Ma N, Gao B, Pan L. Assessment of skin temperature change in determining success of transversus abdominis plane block. International Journal of Clinical and Experimental Medicine 2017, 10(2) 3394-3399.

Xie P, Wang M, Guo Y, Wen H, Chen X, Chen S, Lin H. Temperature dependent of viscoelasticity measurement on fat emulsion phantom using acoustic radiation force elasticity imaging method. Technology and Health Care 2018; 26 (S1): S449-S458.

Xie W, Lewis WM, Kaser J, Ross Welch C, Li P, Nelson CA, Kothari V, Terry BS. Design and Validation of a Biosensor Implantation Capsule Robot. Journal of Biomechanical Engineering 2017, 139 (8), art. no. 081003.

Xie Z, Liu G. Blood perfusion construction for infrared face recognition based on bio-heat transfer. Bio- Medical Materials and Engineering 2014; 24 (6): 2733-2742.

Xing J, Liu D, Zhou G, Li Y, Wang P, Hu K, Gu N, Ji M Liposomally formulated phospholipid-conjugated novel near-infrared fluorescence probe for particle size effect on cellular uptake and biodistribution in vivo. Colloids and Surfaces B: Biointerfaces 2017, 160: 265-271.

Xing S, Hou X, Aldahan A, Possnert G. Speciation analysis of 129I in seawater using coprecipitation and accelerator mass spectrometry and its applications. Journal of Radioanalytical and Nuclear Chemistry 2017, 311 (1): 833-841.

Xing X-H, Wang L, Sheng L, Sun D-T, Qiu C. Efficacy and safety on the cisplatin or los platinum chemotherapy by peritoneal perfusion and the microwave thermal therapy in cancerous ascites. Chinese Journal of Cancer Prevention and Treatment 2014; 21 (17) 1376-1378.

Xiong D, He H, James J, Tokunaga C, Powers C, Huang Y, Osinska H, Towbin JA, Purevjav E, Balschi JA, Javadov S, McGowan JR, FX, Strauss AW, Khuchua Z. Cardiac-specific VLCAD deficiency induces dilated cardiomyopathy and cold intolerance. American Journal of Physiology - Heart and Circulatory Physiology 2014; 306 (3): H326-H338.

Xu C, Vavadi H, Merkulov A, Li H, Erfanzadeh M, Mostafa A, Gong Y, Salehi H, Tannenbaum S, Zhu Q. Ultrasound-guided diffuse optical tomography for predicting and monitoring neoadjuvant chemotherapy of breast cancers: Recent progress. Ultrasonic Imaging 2016; 38 (1) 5-18

Xu C, Yang LI, Li L, Du XZ. Experimental study on heat transfer performance improvement of wavy finned flat tube. Applied Thermal Engineering 2015; 85: 80-88

Xu H, Hafezi M, Fan J, Taylor JM, Strouse GF, Ahmed Z. Ultra-sensitive chip-based photonic temperature sensor using ring resonator structures. Optics Express 2014; 22 (3): 3098-3104.

Xu J.-J, Shu L.-H. Clinical characteristics of refractory Mycoplasma pneumoniae pneumonia in children. Chinese Journal of Contemporary Pediatrics 2018; 20 (1): 37-42.

Xu L, Kollman MS, Song C, Shilling JE, Ng NL. Effects of NOx on the volatility of secondary organic aerosol from isoprene photooxidation. Environmental Science and Technology 2014; 48 (4): 2253-2262.

Xu N, Guo S, Yu J, Ma Y. A case report of perioperative managements for a patient with gastric cancer and cold agglutinin syndrome. Medicine (United States), 2017, 96 (10), art. no. e6082.

Xu N, Wang Y, Rong M, Ye Z, Deng Z, Chen X. Facile preparation and applications of graphitic carbon nitride coating in solid-phase microextraction. Journal of Chromatography A 2014; 1364: 53-58.

Xu Q, Yang J, Wang L, Deng Z, Wang Y, Yang L, Wu P, Li L. Use of laser speckle contrast imaging to reveal changes in temperature and blood perfusion in the skin of healthy subjects after administration of heated moxa sticks and Daiwenjiu ointment. Journal of Traditional Chinese Medicine 2014; 34 (4): 455- 459.

Xu S, Agarwal H, Bernardo M, Seifabadi R, Turkbey B, Partanen A, Negussie A, Glossop N, Choyke P, Pinto P, Wood BJ. An MRI guided system for prostate laser ablation with treatment planning and multi- planar temperature monitoring. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9786, art no 97861I

Xu W, Fu Z.-Q, Lin J, Huang X.-C, Yu H.-M, Huang Z.-H, Fan S.-M. Rapid simultaneous determination of ten major flavonoids in Tetrastigma hemsleyanum by UPLC-MS/MS. Yao xue Xue bao [=Acta Pharmaceutica Sinica] 2014; 49 (12): 1711-1717.

Xu W, Pan Y, Wang H, Li H, Peng Q, Wei D, Chen C, Zheng J Synthesis and Evaluation of New Pyrazoline Derivatives as Potential Anticancer Agents in HepG-2 Cell Line. Molecules (Basel, Switzerland) 2017, 22:3.

Xu W, Song Q, Zheng L, Zhang Z, Cao W. Optical temperature sensing based on the near- infrared emissions from Nd3+/Yb3+ codoped CaWO4. Optics Letters 2014; 39 (16): 4635-4638.

Xu X, Shen Y, Wang W, Sun C, Li C, Xiong Y, Tu J. Preparation and in vitro characterization of thermosensitive and mucoadhesive hydrogels for nasal delivery of phenylephrine hydrochloride. European Journal of Pharmaceutics and Biopharmaceutics 2014; 88 (3): 998-1004.

Xuan X. Study of indoor environmental quality and occupant overall comfort and productivity in LEED- and non-LEED–certified healthcare settings. Indoor and Built Environment 2018; 27 (4): 544-560.

Xue H, Gao R. Multi-channel thermal infrared image edge detection method under multi-core environment. Proceedings - 2016 8th International Conference on Measuring Technology and Mechatronics Automation ICMTMA 2016, art no 7488579 405-408

Xue S, Roy A, Ng WF, Ekkad SV. A Novel Transient Technique to Determine Recovery Temperature Heat Transfer Coefficient and Film Cooling Effectiveness Simultaneously in a Transonic Turbine Cascade. Journal of Thermal Science and Engineering Applications 2015; 7(1) 011016

Xue-Xi Z Zhi-Yan X, Jian-Hua Y, Yang X. Concentration determination of collagen and proteoglycan in bovine nasal cartilage by Fourier transform infrared imaging and PLS. Progress in Biomedical Optics and Imaging -

Proceedings of SPIE 2014; 9230, Art. No. 923015.

Yaakub SM, Chen E, Bouma TJ, Erftemeijer PLA, Todd PA. Chronic light reduction reduces overall resilience to additional shading stress in the seagrass Halophila ovalis. Marine Pollution Bulletin 2014; 83 (2): 467-474

Yadav J, Rani A, Singh V, Murari BM. Investigations on multisensor-based noninvasive blood glucose measurement system. Journal of Medical Devices Transactions of the ASME, 11 (3), art. no. 031006.

Yadav S, Chakraborty S, Khandai M, Ghosh AK. Development and in-vitro evaluation of pectino-eudragit NE 30D based sustained release gastroretentive microspheric drug delivery system of ciprofloxacin hydrochloride. International Journal of Pharmaceutical Sciences Review and Research 2017, 44(1) 283-288.

Yagura K, Shinoda K, Matsumoto S, Terauchi G, Watanabe E, Matsumoto H, Akiyama G, Mizota A, Miyake Y. Intraoperative electroretinograms before and after core vitrectomy. PLoS ONE 2016; 11 (3), art no e0152052

Yahaya ZS, Ofokansi KC, Allagh ST, Bhatia PG. Preparation and characterization of artemether inclusion complexes with hydroxypropyl-β-cyclodextrin. Tropical Journal of Pharmaceutical Research 2017, 16 (10): 2359-2364.

Yakushkin AV, Akimov EB, Andreev RS, Kalenov YN, Kozlov AV, Kuznetsova OV, Son'kin VD. Effect of training on treadmill performance aerobic capacity and body responses to acute cold exposure. Human Physiology 2014; 40 (4) 422-432.

Yalındağ-Öztürk N, Girgin Incekoy F, Uyar E. Apnea Test on Extracorporeal Life Support System: Feasible and Needed. Artificial Organs 2018; 42 (2), p. 245.

Yamaguchi M, Sakane Y, Kamao T, Zheng X, Goto T, Shiraishi A, Ohashi Y. Noninvasive dry eye assessment using high-technology ophthalmic examination devices. Cornea 2016; 35 (11) S38-S48

Yamamoto D, Imai T, Tsuda E, Hozuki T, Yamauchi R, Hisahara S, Kawamata J, Shimohama S. Effect of local cooling on excitation-contraction coupling in myasthenic muscle: Another mechanism of ice-pack test in myasthenia gravis. Clinical Neurophysiology 2017, 128 (11): 2309-2317.

Yamamoto H, Okada M. Application of laser speckle flow graph for compensatory sweating. Journal of Thoracic and Cardiovascular Surgery 2017, 154 (6): e113-e115.

Yamamoto Y, Yamamoto D, Takada M, Naito H, Arie T, Akita S, Takei K. Efficient Skin Temperature Sensor and Stable Gel-Less Sticky ECG Sensor for a Wearable Flexible Healthcare Patch. Advanced Healthcare Materials 2017, 6(17) Article Number: 1700495.

Yamaura K, Nanishi N, Higashi M, Hoka S. Effects of thermoregulatory vasoconstriction on pulse hemoglobin measurements using a co-oximeter in patients undergoing surgery. Journal of Clinical Anesthesia 2014; 26 (8) 643-647.

Yamazaki S, Michikawa T. Association between high and low ambient temperature and out-of-hospital cardiac arrest with cardiac etiology in Japan: A case-crossover study. Environmental Health and Preventive Medicine 2017, 22 (1).

Yan H, Fan S, Guo C, Hu J, Dong L. Quantifying the impact of land cover composition on intra- urban air temperature variations at a mid-latitude city. PLoS ONE 2014; 9 (7), art. no. e102124

Yan X, Wu G, Qu Q, Fan X, Xu X, Liu N. A hybrid peptide PTS that facilitates transmembrane delivery and its application for the rapid in vivo imaging via near-infrared fluorescence imaging. Frontiers in Pharmacology 2016; 7 (MAR), art no 51

Yan Y, John S, Ghalehnovi M, Kabbani L, Kennedy NA, Mehrmohammadi M. Ultrasound and photoacoustic imaging for enhanced image-guided endovenous laser ablation procedures. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10580, art. no. 105800T.

Yanagisawa K, Nakamura N, Tsunashima H, Narita N. Proposal of auxiliary diagnosis index for autism spectrum disorder using near-infrared spectroscopy. Neurophotonics 2016; 3 (3), art no 031413

Yang C, Li Y, Yang Y, Tong R, He L, Long E, Liang L, Cai L. Multidimensional theranostics for tumor fluorescence imaging photoacoustic imaging and photothermal treatment based on manganese doped carbon dots. Journal of Biomedical Nanotechnology 2018; 14 (9): 1590-1600.

Yang D, Ding F, Mitachi K, Kurosu M, Lee RE, Kong Y. A fluorescent probe for detecting mycobacterium tuberculosis and identifying genes critical for cell entry. Frontiers in Microbiology 2016; 7 (DEC), art no 2021

Yang F-L, Lee C-C, Subeq Y-M, Lee C-J, Ke C-Y, Lee R-P. Heat adaptation from regular hot water immersion decreases proinflammatory responses, HSP70 expression, and physical heat stress. Journal of Thermal Biology 2017, 69: 95-103.

Yang G, Baad-Hansen L, Wang K, Xie Q.-F, Svensson P. Effect of negative emotions evoked by light noise and taste on trigeminal thermal sensitivity Journal of Headache and Pain 2014; 15 (1) 2014; 12 p.

Yang H, Albiol L, Chan W-L, Wulsten D, Seliger A, Thelen M, Thiele T, Spevak L, Boskey A, Kornak U, Checa S, Willie BM. Examining tissue composition whole-bone morphology and mechanical behavior of GorabPrx1 mice tibiae: A mouse model of premature aging. Journal of Biomechanics 2017, 65: 145-153.

Yang H.-B, Liu H.-M, Yan J.-C, Lu Z.-Y. Effect of diallyl trisulfide on ischemic tissue injury and

revascularization in a diabetic mouse model. Journal of Cardiovascular Pharmacology 2018; 71 (6): 367-374.

Yang H-J, Kong Y, Cheng Y, Janagama H, Hassounah H, Xie H, Rao J, Cirillo JD. Real-time imaging of mycobacterium tuberculosis using a novel near-infrared fluorescent substrate. Journal of Infectious Diseases 2017, 215 (3): 405-414.

Yang J, Mei XS, Feng B, Zhao L, Ma C, Shj H. Experiments and Simulation of Thermal Behaviors of the Dual-drive Servo Feed System. Chinese Journal of Mechanical Engineering 2015; 28(1): 76-87

Yang J, Weng W, Zhang B. Experimental and numerical study of physiological responses in hot environments. Journal of Thermal Biology 2014; 45: 54-61.

Yang J, Wu J, Shen X, Zhang M, Liu Z, Qi D, Zhou J, Cui X, Zhang L, Li Y. Efficacy of moxibustion by stimulating acupoints of Danzhong (CV 17) and Ganshu (BL 18) on hyperplasia of mammary gland in rats. Journal of Traditional Chinese Medicine 2018; 38 (1): 76-82.

Yang J.-M, Lee J.-H. Is kinesio taping to generate skin convolutions effective for increasing local blood circulation? Medical Science Monitor 2018; 24, art. no. 905708: 288-293.

Yang J.-M, Shen X.-Y, Zhang L, Shen S.-X, Qi D.-D, Zhu S.-P, Luo L, Ren X.-X, Ji B, Zhang L.-F, Li X.-H, Zhu J. The effect of acupuncture to sp6 on skin temperature changes of SP6 and SP10: An observation of "deqi". Evidence-based Complementary and Alternative Medicine 2014; 2014, art. no. 595963.

Yang JY, Li ZH, Xia JM, Han P. Fast Object Tracking Employing Labelled Particle Filter for Thermal Infrared Imager. International Journal of Distributed Sensor Networks 2015 497639

Yang RZ, He YZ, Gao B, Tian GY, Peng JP. Lateral heat conduction-based eddy current thermography for detection of parallel cracks and rail tread oblique cracks. Measurement 2015; 66: 54-61

Yang RZ, He YZ. Eddy current pulsed phase thermography considering volumetric induction heating for delamination evaluation in carbon fiber reinforced polymers. Applied Physics Letters 2015; 106(23) 234103

Yang RZ, He YZ. Pulsed inductive thermal wave radar (PI-TWR) using cross correlation matched filtering in eddy current thermography. Infrared Physics & Technology 2015; 71: 469-474

Yang S, Zhou R, Tang Z-S, Song Z-X, Liu Y-R, Shi X-B, Bai H-B, Qian D-W. HPLC fingerprint of Qinqi Rheumatism Formula. Chinese Traditional and Herbal Drugs 2017, 48 (5): 924-929.

Yang W, Zhang L. Association of Tear Film Stability and Corneal Surface Temperature in Pudong Patients. Current Eye Research 2017, 42 (5): 655-660.

Yang W-C, Kuo H-T, Lin C-H, Wu K-H, Chang Y-J, Chen C-Y, Wu H-P. Tympanic temperature versus temporal temperature in patients with pyrexia and chills. Medicine (United States) 2016; 95 (44), art no e5267

Yang X, Ishibashi K, Hoi L, Vu TN, Nguyen Van K, Sun G. Dengue Fever Detecting System Using Peak-detection of Data from Contactless Doppler Radar. Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBS, 2018; art. no. 8512355: 542-545.

Yang X, Ma R, Shi P, Huang H, Bai Y, Wang Y, Yang P, Fan Y, Yao B. Molecular characterization of a highly-active thermophilic β-glucosidase from Neosartorya fischeri P1 and its alication in the hydrolysis of soybean isoflavone glycosides. PLoS ONE 2014; 9 (9) Art. No. e106785.

Yang X, Zhang J, Fang X. Rare earth element recycling from waste nickel-metal hydride batteries Journal of Hazardous Materials 2014; 279: 384-388.

Yang Y, Zeng L, An Z, Wang L, Hu J. Minimally invasive thoracic sympathectomy for palmar hyperhidrosis via a single unilateral incision approach by the pleura videoscope. Journal of Laparoendoscopic and Advanced Surgical Techniques 2014; 24 (5): 328-332.

Yang Y, Zhao M, Xu X, Sun Z Yin G, Piao S. Diurnal and seasonal change in stem respiration of Larix principis-rurechtii trees northern China. PLoS ONE 2014; 9 (2) Art. No. e89294.

Yang Y, Zhen C, Yang B, Yu Y, Pan J. The effect of 580 nm-based-LED mixed light on growth adipose deposition skeletal development and body temperature of chickens. Journal of Photochemistry and Photobiology B: Biology 2018; 183: 288-292.

Yang Y-J, Sun X-G, Yang J, Li Q, Zhang J, Zhao Y, Ma B-P, Guo B-L. Determination of three saponins in rhizoma and fibrous root of Trillium tschonoskii and Trillium kamtschaticum. Zhongguo Zhongyao Zazhi 2017, 42 (6): 1146-1151.

Yanmaz LE, Dogan E, Okumus Z, Senocak MG, Yildirim F. Comparison of Rectal Eye and Ear Temperatures in Kangal Breed Dogs. Kafkas Universitesi Veteriner Fakultesi Dergisi 2015; 21(4): 615-617

Yao L, Lu N. Particulate matter pollution and population exposure assessment over Mainland China in 2010 with remote sensing. International Journal of Environmental Research and Public Health 2014; 11 (5) 5241-5250.

Yao N, Wang J, Zhou Y. Rapid determination of the chemical oxygen demand of water using a thermal biosensor. Sensors (Basel Switzerland) 2014; 14 (6): 9949-9960.

Yao X, W ei W, Li J, Wang L, Xu Z W an Y, Li K, Sun S. A comparison of mammography ultrasonography and far-infrared thermography with pathological results in screening and early diagnosis of breast cancer. Asian Biomedicine 2014; 8 (1) 11-19.

Yao Y, Bao L, Deng W, Xu L, Li F, Lv Q, Yu P, Chen T, Xu Y, Zhu H, Yuan J, Gu S, W ei Q, Chen H, Yuen K.-Y, Qin C. An animal model of mers produced by infection of rhesus macaques with MERS coronavirus. Journal of Infectious Diseases 2014; 209 (2): 236-242.

Yapo RI, Koné, B, Bonfoh B, Cissé, G, Zinsstag J, Nguyen-Viet H. Quantitative microbial risk assessment related to urban wastewater and lagoon water reuse in Abidjan Côte d'Ivoire. Journal of W ater and Health 2014; 12 (2): 301-309.

Yapp J-H, Kamil R, Rozi M, Mohtarrudin N, Loqman MY, Ezamin AR, Ahmad SA, Abu Bakar Z. Trends of reactive hyperaemia responses to repetitive loading on skin tissue of rats – Implications for pressure ulcer prevention. Journal of Tissue Viability 2017, 26 (3): 196-201.

Yarnell K, Fleming J, Stretton TD, Brassington R. Monitoring changes in skin temperature associated with exercise in horses on a water treadmill by use of infrared thermography. Journal of Thermal Biology 2014; 45, 110-116.

Yasuda S, Tanaka K, Ichikawa A, Watanabe K, Uchida E, Yamamoto M, Yamamoto K, Mizuchi D, Miura O, Fukuda T. Aggressive TAFRO syndrome with reversible cardiomyopathy successfully treated with combination chemotherapy. International Journal of Hematology 2016; 104 (4) 512-518

Yavuz M, Brem RW, Davis BL, Patel J, Osbourne A, Matassini MR, Wood DA, Nwokolo IO. Temperature as a predictive tool for plantar triaxial loading. Journal of Biomechanics 2014; 47 (15): 3767-3770.

Yazdanirad S, Dehghan H. Designing of the cooling vest from paraffin compounds and evaluation of its impact under laboratory hot conditions. International Journal of Preventive Medicine MARCH-2016, art no 47 2016; 7 p

Ye H, De S. Thermal injury of skin and subcutaneous tissues: A review of experimental approaches and numerical models. Burns 2017, 43 (5): 909-932.

Ye J-F, Zhao Y-X, Ju J, Wang W. Building and verifying a severity prediction model of acute pancreatitis (AP) based on BISAP, MEWS and routine test indexes. Clinics and Research in Hepatology and Gastroenterology 2017, 41 (5): 585-591.

Ye T, Zhang H, Chen G, Shang L, Wang S. Fluorescent molecular imaging of metastatic lymph node using near-infrared emitting low molecular weight heparin modified nanoliposome based on enzyme-substrate interaction. Contrast Media and Molecular Imaging 2016; 11 (6) 482-491

Ye ZJ, Kang YH, Sun YH, Yang GY, Feng B, Zhou Q. Theoretical analyses of an alternating current electric flux leakage inspection method and experimental verification. insight 2015; 57(2): 78-84

Yeager D, Chen Y.-S, Litovsky S, Emelianov S. Intravascular photoacoustics for image-guidance and temperature monitoring during plasmonic photothermal therapy of atherosclerotic plaques: A feasibility study. Theranostics 2014; 4 (1): 36-46

Yeh K, Bhargava R. Discrete frequency infrared imaging using quantum cascade lasers for biological tissue analysis. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9704, art no 970406

Yeh Y-H, Chang S-H, Chen S-Y, Wen C-J, Wei F-C, Tang R, Achilefu S, Wun T-C, Chen W-J. Bolus injections of novel thrombogenic site-targeted fusion proteins comprising annexin-V and Kunitz protease inhibitors attenuate intimal hyperplasia after balloon angioplasty. International Journal of Cardiology 2017, 240: 339-346.

Yeo S, Tan JH, Acharya UR, Sudarshan VK, Tong L. Longitudinal changes in tear evaporation rates after eyelid warming therapies in meibomian gland dysfunction. Investigative Ophthalmology and Visual Science 2016; 57 (4) 1974-1981

Yeoh WK, Lee JKW, Lim HY, Gan CW, Liang W, Tan KK. Re-visiting the tympanic membrane vicinity as core body temperature measurement site. PLoS ONE 2017, 12(4) Article Number: e0174120.

Yi S, Lu M, Yee A, Harmon J, Meng F, Hinduja S. Enhance wound healing monitoring through a thermal imaging-based smartphone app. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10579, art. no. 105791P.

Yiannakou M, Menikou G, Yiallouras C, Damianou C. MRI-guided coupling for a focused ultrasound system using a top-to-bottom propagation. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 6.

Yiannakou M, Menikou G, Yiallouras C, Ioannides C, Damianou C. MRI guided focused ultrasound robotic system for animal experiments. International Journal of Medical Robotics and Computer Assisted Surgery 2017, 13 (4), art. no. e1804.

Yokota K, Matsumoto T, Murakami Y, Akiyama M. Near-infrared image-guided superselective intra-arterial infusion of high-dose cisplatin for squamous cell carcinoma on the lower lip. European Journal of Dermatology 2017, 27 (2): 208-209.

Yokota M, Karis AJ, Tharion WJ. Thermal-work strain in law enforcement personnel during chemical biological radiological and nuclear (CBRN) training. International Journal of Occupational and Environmental Health 2014; 20 (2): 126-133.

Yoneda JS, Rigos CF, De Lourenço TFA, Sebinelli HG, Ciancaglini P. NaK-ATPase reconstituted in ternary liposome: The presence of cholesterol affects protein activity and thermal stability. Archives of Biochemistry and Biophysics 2014; 564, 136-141.

Yoo J, Estrada-Perez CE, Hassan YA. An accurate wall temperature measurement using Infrared thermometry

with enhanced two-phase flow visualization in a convective boiling system. International Journal of Thermal Sciences 2015; 90: 248-266

Yoo MA, Seo YK, Ryu JH, Back JH, Koh JS. A validation study to find highly correlated parameters with visual assessment for clinical evaluation of cosmetic anti-cellulite products. Skin Research and Technology 2014; 20 (2) 200-207.

Yoo Y-S, Na K-S, Kim DY, Yang S-W, Joo C-K. Morphological evaluation for diagnosis of dry eye related to meibomian gland dysfunction. Experimental Eye Research 2017, 163: 72-77.

Yoshikawa TT. Conundrum of contagions causing cold in the old: Not Everybody's got the fever. Journal of the American Geriatrics Society 2015, 62 (1): 186-188.

Yoshino A. Afebrile Kawasaki disease is not a benign form of the disease: Reply. Pediatrics International 2018; 60 (2): 204-205.

You XM, Hu XM, Tong LL. W/Cu PFCs Defects Detection with Infrared Non-destructive Examination Method for EAST. Journal of Fusion Energy, 2015; 34(3): 671-678

Young MN, Hollenbeck RD, Pollock JS, McPherson JA, Fredi JL, Piana RN, Mah ML, Fish FA, Markham L. Effectiveness of mild therapeutic hypothermia following cardiac arrest in adult patients with congenital heart disease. American Journal of Cardiology 2014; 114 (1): 128-130.

Young PJ, Saxena M. Fever management in intensive care patients with infections. Critical Care 2014;18(2)Art. No. 206.

Young SL, Chyasnavichyus M, Erko M, Barth FG, Fratzl P, Zlotnikov I, Politi Y, Tsukruk VV. A spider's biological vibration filter: Micromechanical characteristics of a biomaterial surface. Acta Biomaterialia 2014; 10 (11): 4832-4842.

Youngerman BE, Oh JY, Anbarasan D, Billakota S, Casadei CH, Corrigan EK, Banks GP, Pack AM, Choi H, Bazil CW, Srinivasan S, Bateman LM, Schevon CA, Feldstein NA, Sheth SA, McKhann GM, II, Akman CI, Bell MW, Cole J, Hamberger MJ, Kent PF, Krish SN, Levy KJ, Mandel AM, Mendiratta A, the Columbia Comprehensive Epilepsy Center Co-Authors. Laser ablation is effective for temporal lobe epilepsy with and without mesial temporal sclerosis if hippocampal seizure onsets are localized by stereoelectroencephalography. Epilepsia 2018; 59 (3): 595-606.

Yousefi M, Hossein Goli SA, Kadivar M. Physicochemical and nutritional stability of optimized low-calorie quince (Cydonia oblonga) jam containing stevioside during storage. Current Nutrition and Food Science 2018; 14 (1): 79-87.

Yu MH, Ding GD, Gao GL, Zhao YY, Yan L, Saj K. Using Plant Temperature to Evaluate the Response of Stomatal Conductance to Soil Moisture Deficit. Forests. 2015; 6(1)0: 3748-3762

Yu Q, Liu H, Xiao N. Unmanned aerial vehicles: Potential tools for use in zoonosis control. Infectious Diseases of Poverty 2018; 7 (1), art. no. 49.

Yu S-L, Dai Y, Cao X-H, Zhang Z-B, Liu Y-H, Ma H-J, Xiao S-J, Lai Z-J, Chen H-J, Zheng Z-Y, Le Z-G. Adsorption of uranium (VI) from aqueous solution using a novel magnetic hydrothermal cross-linking chitosan. Journal of Radioanalytical and Nuclear Chemistry 2016; 310 (2) 651-660

Yu T-C, Hamill JKM, Evans SM, Price NR, Morreau PN, Upadhyay VA, Ferguson RS, Best EJ, Hill AG. Duration of postoperative intravenous antibiotics in childhood complicated appendicitis: A propensity score- matched comparison study. European Journal of Pediatric Surgery 2014; 24 (4): 341-349.

Yu X, Zhu W, Di Y, Gu J, Guo Z, Li H, Fu D, Jin C. Triple-functional albumin-based nanoparticles for combined chemotherapy and photodynamic therapy of pancreatic cancer with lymphatic metastases. International Journal of Nanomedicine 2017, 12: 6771-6785.

Yuan F, Zheng J, Sun Y, Wang Y, Lyu P. Regulation and Measurement of the Heat Generated by Automatic Tooth Preparation in a Confined Space. Photomedicine and Laser Surgery 2017, 35 (6): 332-337.

Yuan H-J, Li W, Jin J-M, Chen J-J, Jiang J, Wang H, Jia X-B, Feng L. Research progress on chemical constituents pharmacological mechanism and clinical application of Guizhi decoction. Zhongguo Zhongyao Zazhi 2017, 42 (23): 4556-4564.

Yuan J, Zhao C-L, Zhou Y, Yu X, Kang J, Wang J, Jin S. Reflective long-period fiber grating- based sensor with Sagnac fiber loop mirror for simultaneous measurement of refractive index and temperature. Applied Optics 2014; 53 (29): H85-H90.

Yuan S-M. Biomarkers of cerebral injury in cardiac surgery. Anadolu Kardiyoloji Dergisi 2014; 14 (7): 638- 645.

Yuan S-M. S100 and s100ß: Biomarkers of cerebral damage in cardiac surgery with or without the use of cardiopulmonary bypass [S100 e S100ß: Biomarcadores de dano cerebral em cirurgia cardíaca com ou sem o uso de circulação extracorpórea]. Brazilian Journal of Cardiovascular Surgery 2014; 29 (4): 630- 641.

Yuan WJ, Yu Y, Yue YD, Wang J, Zhang FC, Dang XH. Use of Infrared thermal imaging to diagnose health of Ammopiptanthus mongolicus in northwestern China. Journal of Forestry Research 2015; 26(3): 605-612

Yuh B, Liu A, Beatty R, Jung A, Wong JYC. Focal therapy using magnetic resonance image-guided focused ultrasound in patients with localized prostate cancer. Journal of Therapeutic Ultrasound 2016; 4 (1), art no 8

Yun J, Lee S.-S. Human movement detection and identification using pyroelectric infrared sensors. Sensors (Basel Switzerland) 2014; 14 (5): 8057-8081.

Yung JP, Fuentes D, MacLellan CJ, Maier F, Liapis Y, Hazle JD, Stafford RJ. Referenceless magnetic resonance temperature imaging using Gaussian process modeling. Medical Physics 2017, 44 (7): 3545-3555.

Zacharias J. Laboratory assessment of thermal characteristics of three phacoemulsification tip designs operated using torsional ultrasound. Clinical Ophthalmology 2016; 10 1095-1101

Zachiu C, Denis de Senneville B, Dmitriev ID, Moonen CTW, Ries M. A framework for continuous target tracking during MR-guided high intensity focused ultrasound thermal ablations in the abdomen. Journal of Therapeutic Ultrasound 2017, 5 (1), art. no. 27.

Zadeh HG, Danaeian M, Fayazi A, Toussi CA, Ahmadinejad N, Navid M. Following a patient with breast cysts using thermal imaging: Case report. Tehran University Medical Journal 2018; 76 (7): 503-508.

Zadeh HG, Haddadnia J, Ahmadinejad N, Baghdadi MR. Assessing the potential of thermal imaging in recognition of breast cancer. Asian Pacific Journal of Cancer Prevention 2016; 16 (18) 8619-8623

Zadeh HG, Haddadnia J, Zadeh FJS, Zadeh ZE, Kianersi S, Masoumzadeh S, Nour S. A review of the dedicated studies to breast cancer diagnosis by thermal imaging in the fields of medical and artificial intelligence sciences. Biomedical Research (India) 2016; 27 (2) 543-552

Zadeh HG, Masoumzadeh S, Nour S, Kianersi S, Zadeh ZE, Zadeh FJS, Haddadnia J, Khamseh F, Ahmadinejad N. Breast cancer diagnosis by thermal imaging in the fields of medical and artificial intelligence sciences: Review article. Tehran University Medical Journal 2016; 74 (6) 377-385

Zadorozhnyy OS, Guzun OV, Bratishko AIu Kustryn TB, Nasinnyk IO, Korol AR. Infrared thermography of external ocular surface in patients with absolute glaucoma in transscleral cyclophotocoagulation: a pilot study. Oftalmologicheskii Zhurnal 2018; (2): 23-28.

Zadorozhnyy OS, Savin NV, Buiko AS. Improving the technique for controlled cryogenic destruction of conjunctival tumors located in the projection of the ciliary body onto the sclera: A preliminary report. Oftalmologicheskii Zhurnal 2018; (5): 60-65.

Zafren K. Out-of-Hospital Evaluation and Treatment of Accidental Hypothermia. Emergency Medicine Clinics of North America 2017, 35 (2): 261-279.

Zahirovic S, Siddique F. A Tale of Two Thumbs a Dog and a Wooden Table. Arthritis Care and Research 2017, 69 (6): 912-914.

Zaidi N, Bucak E, Yazici P, Soundararajan S, Okoh A, Yigitbas H, Dural C, Berber E. The feasibility of indocyanine green fluorescence imaging for identifying and assessing the perfusion of parathyroid glands during total thyroidectomy. Journal of Surgical Oncology 2016; 113 (7) 775-778

Zaitsev VY, Matveyev AL, Matveev LA, Gelikonov GV, Gubarkova E, Gladkova ND, Vitkin A. Robust strain mapping in optical coherence elastography by combining local phase-resolved measurements and cumulative displacement tracking. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9710, art no 97100O

Zaki A, Chaj HK, Aggelis DG, Alver N. Non-Destructive Evaluation for Corrosion Monitoring in Concrete: A, Review and Capability of Acoustic Emission Technique. Sensors 2015; 15(8): 19069-19101

Zalameda JN, Burke ER, Horne MR, Bly JB. Real time fatigue damage growth assessment of a composite three-stringer panel using passive thermography. In: Hsieh SI, Zalameda JN, eds. Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, 2015, pp. 948502-948502

Zalewski P, Buszko K, Zawadka-Kunikowska M, Slomko J, Szrajda J, Klawe JJ, Tafil-Klawe M, Sinski M, Newton J. Cardiovascular and autonomic responses to whole-body cryostimulation in essential hypertension. Cryobiology 2014; 69 (2): 249-255.

Zamoshchina TA, Krasnov EA, Otmakhov VI, Petrova EV, Reshetov YaE, Prosekina EYu Tomova TA, Kuskova IS. Chronobiological activity of aqueous extracts of the above-ground part of agrimonia pilosa L In rats. Eksperimental'naya i Klinicheskaya Farmakologiya 2016; 79 (5) 3-6

Zand N, Shirkavand A. Letter regarding “Effect of laser on pain relief and wound healing of recurrent aphthous stomatitis: a systematic review”. Lasers in Medical Science 2017, 32 (8), p. 1941.

Zandieh F, Ghazi BM, Izadi A, Gharegozlu M, Aghajani M, Sheikh M. Papillon lefevre syndrome and footprints of mycobacterium tuberculosis. Iranian Journal of Allergy Asthma and Immunology 2014; 13 (4) 286-289.

Zanoni S, Platt G, Carstairs S, Hernandez M. Complete ventricular asystole in a patient with altered mental status. Western Journal of Emergency Medicine 2014; 15 (2): 149-151.

Zaproudina N, Lipponen JA, Karjalainen PA, Kamshilin AA, Giniatullin R, Närhi M. Acral coldness in migraineurs Autonomic Neuroscience: Basic and Clinical 2014; 180 (1): 70-73.

Zaproudina N, Ming ZY, Narhj M. Sensory and sympathetic disorders in chronic non-specific neck pain. Functional Neurology 2015; 30(3): 165-171

Zare I, Ghafarpour A, Zadeh HG, Haddadnia J, Isfahani SMM. Evaluating the thermal imaging system in detecting certain types of breast tissue masses. Biomedical Research (India) 2016; 27 (3) 670-675

Zargari S, Ramezani A, Ostvar S, Rezaei R, Niazi A, Ayatollahi S. Isolation and characterization of gram- positive biosurfactant-producing halothermophilic bacilli from Iranian petroleum reservoirs. Jundishapur Journal of Microbiology 2014; 7 (8).

Zarkovic MD, Stojkovic Z. Fuzzy logic and artificial neural network-based thermography approach for monitoring of high-voltage equipment. International Journal of Electrical Engineering Education 2015; 52(1): 81-96

Zauner D, Quehenberger F, Hermann J, Dejaco C, Stradner MH, Stojakovic T, Angerer H, Rinner B, Graninger WB. Whole body hyperthermia treatment increases interleukin 10 and toll-like receptor 4 expression in patients with ankylosing spondylitis: A pilot study. International Journal of Hyperthermia 2014; 2014; 30 (6) 393-401.

Zaytseva TN, Kulikov AG, Yarustovskaya OV. Scoliosis in the children: the new approaches to the treatment and rehabilitation [Skolioz u deteĭ: novye podkhody k lecheniiu i reabilitatsii]. Voprosy kurortologii fizioterapii i lechebnoi fizicheskoi kultury 2017, 94 (4): 43-47.

Zeev MS.-B, Miller DD, Latkany R. Diagnosis of dry eye disease and emerging technologies. Clinical Ophthalmology 2014; 8: 581-590.

Zemmer-Nalivka T, McCurdy SM, Staszak-Nalivka C, Killinger KM. Instant-read food thermometer accuracy in measuring end-point temperature in ground beef patties prepared by three methods. Food Protection Trends 2014; 34 (4): 237-246.

Zghibi M, Khlifa WB, Werghi N, Selmi O. The effect of time of day on short-term maximal performance in obese and non-obese young men. Biological Rhythm Research 2016; 47 (3) 463-474

Zhadobov M, Alekseev SI, Sauleau R, Le Page Y, Le Drean Y, Fesenko EE. Microscale temperature and SAR measurements in cell monolayer models exposed to millimeter waves. Bioelectromagnetics 2017, 38 (1): 11-21.

Zhang A, Salahura G, Kottaiyan R, Yoon G, Aquavella JV, Zavislan JM. Multimodal imaging of ocular surface of dry eye subjects. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9701, art no 97010H

Zhang A; Maki KL, Salahura G, Kottaiyan R, Yoon G, Hindman HB, Aquavella JV, Zavislan JM. Thermal analysis of dry eye subjects and the thermal impulse perturbation model of ocular surface. Experimental Eye Research 2015; 132: 231-239

Zhang B, Zeng T, Zhang J, Peng C, Zheng J, Chen G. Excellent temperature performance of spherical LiFePO4/C composites modified with composite carbon and metal oxides The Scientific World Journal 2014; art. no. 364327

Zhang D, Xie D, W ei X, Zhang D, Chen M, Yu X, Liang P. Microwave ablation of the liver abutting the stomach: Insulating effect of a chitosan-based thermosensitive hydrogel. International Journal of Hyperthermia 2014; 30 (2): 126-133.

Zhang H, Genest M, Robitaille F, Maldague X, West L, Joncas S, Leduc C BE TI Infrared thermography and ultrasound C-scan for non-destructive evaluation of 3D carbon fiber materials: A comparative study. In. Hsieh SI, Zalameda JN, eds, Proceedings of SPIE Conference on Thermosense -Thermal Infrared Applications XXXVII, APR 20-23, 2015, Baltimore MD 2015; 9485

Zhang H, Hassler U, Genest M, Fernandes H, Robitaille F, Ibarra-Castanedo C, Joncas S, Maldague X Comparative study on submillimeter flaws in stitched T-joint carbon fiber reinforced polymer by Infrared thermography microcomputed tomography ultrasonic c-scan and microscopic inspection. Optical Engineering 2015; 54(1)0 AR 104109

Zhang H, Li X, Yang Q, Sun L, Yang X, Zhou M, Deng R, Bi L. Plant growth antibiotic uptake and prevalence of antibiotic resistance in an endophytic system of pakchoi under antibiotic exposure. International Journal of Environmental Research and Public Health 2017, 14 (11), art. no. 1336.

Zhang HY, Youk TM, Yoo KC, Lee HK, Song HJ, Yang KY, Lee HY, Cho YE, Noh SH, Choi JB, Nam GH Reference temperature data of normal Korean lower extremity. Thermology International 2018; 28(2) 88-90.

Zhang J, Lin W, Lin H, Wang Z, Dong H Identification of skin electrical injury using infrared imaging: A possible complementary tool for histological examination. PLoS ONE 2017, 12(1) Article Number: e0170844.

Zhang J, Ring HL, Hurley KR, Shao Q, Carlson CS, Idiyatullin D, Manuchehrabadi N, Hoopes PJ, Haynes CL, Bischof JC, Garwood M. Quantification and biodistribution of iron oxide nanoparticles in the primary clearance organs of mice using T1 contrast for heating. Magnetic Resonance in Medicine 2017, 78 (2): 702-712.

Zhang J-Y, Meng X-B, Xu W, Zhang W, Zhang Y. Research on the compression algorithm of the infrared thermal image sequence based on differential evolution and double exponential decay model. The Scientific World Journal 2014; art. no. 601506.

Zhang L, Bao Y. Effect of acclimation training on physiological changes in a randomized controlled trial in hot-humid environment. Zhongguo ying yong sheng li xue za zhi = Zhongguo yingyong shenglixue zazhi = Chinese journal of applied physiology 2014; 30 (6): 544-548.

Zhang L, Burant A, McCallister A, Zhao V, Koshlap KM, Degan S, Antonacci M, Branca RT. Accurate MR thermometry by hyperpolarized 129Xe. Magnetic Resonance in Medicine 2017, 78 (3): 1070-1079.

Zhang L, McCallister A, Koshlap KM, Branca RT. Correlation distance dependence of the resonance frequency of intermolecular zero quantum coherences and its implication for MR thermometry. Magnetic Resonance in Medicine 2018; 79 (3): 1429-1438.

Zhang L-L, Xia G-M, Liu Y-J, Dou R, Eisenbrey J, Liu J-B, Wang X-W, Qian L-X. Effect of a poloxamer 407-based thermosensitive gel on minimization of thermal injury to diaphragm during microwave ablation of the liver. World Journal of Gastroenterology 2017, 23 (12): 2141-2148.

Zhang M, Liang P, Cheng Z-G, Yu X-L, Han Z-Y, Yu J. Efficacy and safety of artificial ascites in assisting percutaneous microwave ablation of hepatic tumours adjacent to the gastrointestinal tract. International Journal of Hyperthermia 2014; 2014; 30 (2) 134-141.

Zhang Q, Liu W, Ma W, Zhang L, Shi Y, Wu Y, Zhu Y, Zhou M. Impact of meteorological factors on scarlet fever in Jiangsu province China. Public Health 2018; 161: 59-66.

Zhang T, Ji D, Wang F. Endovascular treatment of Brucella-infected abdominal aortic aneurysm. Medicine (United States) 2017, 96 (42), art. no. e7666.

Zhang X, Gan RZ. Dynamic properties of human stapedial annular ligament measured with frequency-temperature superposition. Journal of Biomechanical Engineering 2014; 136 (8), art. no. 081004.

Zhang X, Liu J, Schmitter S, Van De Moortele P.-F, He B. Predicting temperature increase through local SAR estimation by B1 mapping: A phantom validation at 7T . 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society EMBC 2014, art. no. 6943788: 1107-1110.

Zhang X, Wang B, Zhao N, Tian Z, Dai Y, Nie Y, Tian J, Wang Z, Chen X. Improved tumor targeting and longer retention time of NIR fluorescent probes using bioorthogonal chemistry. Theranostics 2017, 7 (15), art. no. 20912, p. 20912.

Zhang XY, Zhang XY, Liu XW, Shao LW, Sun HY, Chen SY incorporating root distribution factor to evaluate soil water status for winter wheat. Agricultural Water Management 2015; 153: 32-41

Zhang Y, Gan M, Tomar V. Raman thermometry based thermal conductivity measurement of bovine cortical bone as a function of compressive stress. Journal of Nanotechnology in Engineering and Medicine 2014; 5 (2), art. no. 021003.

Zhang Y, Lv T, Zhang H, Xie X, Li Z, Chen H, Gao Y. Folate and Heptamethine Cyanine Modified Chitosan-Based Nanotheranostics for Tumor Targeted Near-Infrared Fluorescence Imaging and Photodynamic Therapy AUTHOR NAMES. Biomacromolecules 2017, 18(7) 2146-2160.

Zhang Y, Poorman ME, Grissom WA. Dual-echo Z-shimmed proton resonance frequency-shift magnetic resonance thermometry near metallic ablation probes: Technique and temperature precision. Magnetic Resonance in Medicine 2017, 78 (6): 2299-2306.

Zhang Y, Zhu Y, Zhao N, Wu J, Hu Y. Application of isothermal titration calorimeter for screening bitterness-suppressing molecules of quinine. Food Chemistry 2016; 190 1007-1012

Zhang YM, Feng SW, Wang L, Jj Y, Han XD, Shj L, Zhao Y. Measuring temperature in GaN-based high electron mobility transistors by cathodoluminescence spectroscopy. Semiconductor Science and Technology 2015; 30(5) 055016

Zhang Z, Michaelis T, Frahm J. Towards MRI temperature mapping in real time-the proton resonance frequency method with undersampled radial MRI and nonlinear inverse reconstruction. Quantitative Imaging in Medicine and Surgery 2017, 7 (2): 251-258.

Zhao C, Mumford KG, Kueper BH. Laboratory study of non-aqueous phase liquid and water co- boiling during thermal treatment. Journal of Contaminant Hydrology 2014; 164: 49-58

Zhao H, Chen D, Tang J, Jia G, Long D, Liu G, Chen X, Shang H. Partial optimization of the 5- terminal codon increased a recombination porcine pancreatic lipase (oPL) expression in pichia pastoris. PLoS ONE 2014; 9 (12) Art. No. e114385.

Zhao J, Gao J, Chen F, Ren F, Dai R, Liu Y, Li X. Modeling and predicting the effect of temperature on the growth of Proteus mirabilis in chicken. Journal of Microbiological Methods 2014; 99 (1): 38-43.

Zhao J, Kim HJ, Sparrow JR. Multimodal fundus imaging of sodium iodate-treated mice informs RPE susceptibility and origins of increased fundus autofluorescence. Investigative Ophthalmology and Visual Science 2017, 58 (4): 2152-2159.

Zhao J-J, Song Q. Advances in rapid cooling treatment for heat stroke. Medical Journal of Chinese People's Liberation Army 2014; 39 (10) 838-842.

Zhao JX, Zhou GY, Peng H, Dong YY, Ma C, Shen LY linical study on real-time skin thermography used as a thermal monitor, during aesthetic laser therapy by Infrared camera. Lasers in surgery and medicine, 2015; 45: 16-16

Zhao K, Cho S, Procissi D, Larson AC, Kim D-H Non-invasive monitoring of branched Au nanoparticle-mediated photothermal ablation. Journal of Biomedical Materials Research - Part B Applied Biomaterials 2017, 105(8) 2352-2359.

Zhao SB, Wang HM, Wu NM, Zhang CL. Nondestructive testing of the fatigue properties of air plasma sprayed thermal barrier coatings by pulsed thermography (1). Russian Journal of Nondestructive Testing 2015; 51(7): 445-456

Zhao W-N, Xu S-Q, Liang J-F, Peng L, Liu H-L, Wang Z, Fang Q, Wang M, Yin W-Q, Zhang W-J, Lou J-N.

Endothelial progenitor cells from human fetal aorta cure diabetic foot in a rat model. Metabolism: Clinical and Experimental 2016; 65 (12) 1755-1767

Zhao X, Chen F, Feng Z, Li X, Zhou X.-H. Characterizing the effect of temperature fluctuation on the incidence of malaria: An epidemiological study in south-west China using the varying coefficient distributed lag non-linear model. Malaria Journal 2014; 13 (1), art. no. 192.

Zhao X, Chua KJ. Studying the performance of bifurcate cryoprobes based on shape factor of cryoablative zones. Cryobiology 2014; 68 (3) 309-317.

Zhao X, Yang L. The correction model and error analysis of Infrared radiation temperature measurement of semitransparent object. in; Gong H, Wu N, Ni Y, Chen W, Lu J, eds, Proceedings of SPIE Annual Conference of the Chinese-Society-for-Optical-Engineering on Applied Optics and Photonics China (AOPC) 2015, pp. 96742B-96742B

Zhaojie M, Ming Z Shengnan W, Xiaojia B, Hatch GM, Jingkai G, Li C. Amorphous solid dispersion of berberine with absorption enhancer demonstrates a remarkable hypoglycemic effect via improving its bioavailability. International Journal of Pharmaceutics 2014; 467 (1-2) 50-59.

Zhen C, Xia Z, Long L, Pu Y. Accuracy of infrared ear thermometry in children: A meta-analysis and systematic review. Clinical Pediatrics 2014; 53 (12): 1158-1165.

Zheng D, Bao J, Lu J, Gao C. Isolation and characterization of a furfural-degrading bacterium Bacillus cereus sp. strain DS1. Current Microbiology 2015, 70 (2) 199-205. (Epub 2014 Oct 2.)

Zheng KY, Chang YS, Wang KH, Yao Y: Improved non-destructive testing of carbon fiber reinforced polymer (CFRP) composites using pulsed thermograph. Polymer Testing 2015; 46: 26-32

Zheng KY, Chang YS, Yao Y. Defect detection in CFRP structures using pulsed thermographic data enhanced by penalized least squares methods. Composites Part B-Engineering 2015; 79: 351-358

Zheng Q, Wei P, Zhou J, Zhou H, Ji F, Tang W, Li J.Case report: Perioperative management of caesarean section for a parturient with mitochondrial myopathy. BMC Anesthesiology 2017, 17:1 Article Number: 94.

Zheng X, Deng Y-L, Li Q.-J, Lu H. [Assessing drug targeting of Yougui Pill Zuogui Pill and their disassembled prescriptions using infrared thermography]. Zhongguo Zhong xi yi jie he za zhi Zhongguo Zhongxiyi jiehe zazhi = Chinese journal of integrated traditional and Western medicine / Zhongguo Zhong xi yi jie he xue hui Zhongguo Zhong yi yan jiu yuan zhu ban 2014; 34 (4): 446- 449.

Zheng X, Mao H, Huo D, Wu W, Liu B, Jiang X. Successively activatable ultrasensitive probe for imaging tumour acidity and hypoxia. Nature Biomedical Engineering 2017, 1 (4), art. no. 0057.

Zheng X, Takatsu S, Wang H, Hasegawa H. Acute intraperitoneal injection of caffeine improves endurance exercise performance in association with increasing brain dopamine release during exercise.

Zheng Z-G, Li Y, Bisoyi HK, Wang L, Bunning TJ, Li Q. Three-dimensional control of the helical axis of a chiral nematic liquid crystal by light. Nature 2016; 531 (7594) 352-356

Zherebtsova AI, Zherebtsov EA, Dunaev AV, Podmasteryev KV, Koskin AV, Pilipenko OV. A Method and a Device for Diagnostics of the Functional State of Peripheral Vessels of the Upper Limbs. Biomedical Engineering 2017, 51 (1): 46-51.

Zherebtsova AI, Zherebtsov EA, Dunaev AV, Podmasteryev KV, Pilipenko OV, Krupatkin AI, Khakhicheva LS, Muradyan VF. Study of the functional state of peripheral vessels in fingers of rheumatological patients by means of laser Doppler flowmetry and cutaneous thermometry measurements. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2016; 9917, art no 99170M

Zhong B, Xu YJ. Predicting climate change effects on surface soil organic carbon of Louisiana USA. Environmental Monitoring and Assessment 2014; 186 (10) 6169-6192.

Zhou B, Bai J, Liang YY, Wang KW, Lu QB, Zhang S. Detection of defects in optics based on scanning. in; Zhu J, Tam HY, Xu K, Xiao H, Han S Proceedings of SPIE International Conference on Optical instruments and Technology -Optoelectronic Measurement Technology and Systems, 2015, pp. 96231F- 96231F

Zhou C, Bright F, Winskog C, Yool AJ, Byard RW. Lethal hypothermia in an animal model not associated with basal renal epithelial vacuolization. Journal of Forensic and Legal Medicine 2014; 21: 14-16.

Zhou C, Wang Y, Qiao C, Dai W. Calibration method of an ultrasonic system for temperature measurement. PLoS ONE 2016; 11 (10), art no e0165335

Zhou HJ. [Effects of moxa-stick ignition locations on temperature of needle body and surrounding environment during warm needling]. Zhongguo zhen jiu = Chinese acupuncture & moxibustion 2014; 34 (7): 675-677

Zhou P, Ge S, Wang Y, Xiong W, Wang T, Xue Z. Novamin infusion: A new method to cure postoperative shivering with hypothermia. Journal of Surgical Research 2014; 188 (1): 69-76.

Zhou Q, Bao Y, Zhang X, Zeng L, Wang L, Wang J, Jiang W. Optimal interval for hot water immersion tail- flick test in rats. Acta Neuropsychiatrica 2014; 26 (4): 218-222.

Zhou RO, Liu JW, Zhang D, Zhang Q. Heatstroke model for desert dry-heat environment and observed organ damage. American Journal of Emergency Medicine 2014; 32 (6): 573-579.

Zhou XY, Zhou JL, Tian GY, Wang YZ. Research on Defects inspection of Solder Balls Based on Eddy Current Pulsed Thermography. Sensors 2015; 15(10): 25882-25897

Zhou Y, Lee R, Sadr A, Seibel EJ. Near-infrared dental imaging using scanning fiber endoscope. Progress in Biomedical Optics and Imaging - Proceedings of SPIE 2018; 10473, art. no. 1047308.

Zhou Y, Yan B, Lei F. Postsynthetic lanthanide functionalization of nanosized metal-organic frameworks for highly sensitive ratiometric luminescent thermometry. Chemical Communications 2014; 50 (96): 15235-15238.

Zhou Y. Noninvasive Thermometry in High-Intensity Focused Ultrasound Ablation. Ultrasound Quarterly 2017, 33 (4): 253-260.

Zhu H, Feng G, Wang Q. Numerical investigation of temperature distribution in an eroded bend pipe and prediction of erosion reduced thickness. The Scientific World Journal 2014; art. no. 435679.

Zhu M, Sun Z, Ng CK. Image-guided thermal ablation with MR-based thermometry. Quantitative Imaging in Medicine and Surgery 2017, 7 (3): 356-368.

Zhu M.-J, Kuang G.-J, Gao W, Yi H, Zhao Z.-X, Zhou Y, Wei P.-Q, Liao Q.-F, Zhang L. HPLC-UV fingerprints and chemical pattern recognition of Ilicis Pubescentis Radix. Zhongguo Zhongyao Zazhi 2018; 43 (6): 1182-1187.

Zhu Q, Tannenbaum S, Kurtzman SH, DeFusco P, Ricci A, Vavadi H, Zhou F, Xu C, Merkulov A, Hegde P, Kane M, Wang L, Sabbath K. Identifying an early treatment window for predicting breast cancer response to neoadjuvant chemotherapy using immunohistopathology and hemoglobin parameters. Breast Cancer Research 2018; 20 (1), art. no. 56.

Zhu S, Gao X, Huang K, Gu Y, Hu Y, Wu Y, Ji Z, Wang Q, Pan S. Glibenclamide enhances the therapeutic benefits of early hypothermia after severe stroke in rats. Aging and Disease 2018; 9 (4): 685-695.

Zhu T, Yuan L, Jones G, Hua P, He G, Chen J, Zhang S. OB-RL silencing inhibits the thermoregulatory ability of Great Roundleaf Bats (Hiosideros armiger). General and Comparative Endocrinology 2014; 204, 80-87.

Zhu X, Zhao Z Wang J, Chen G, Liu QH. Active adjoint modeling method in microwave induced thermoacoustic tomography for breast tumor. IEEE Transactions on Biomedical Engineering 2014; 61 (7) Art. No. 6756958, 1957-1966.

Zhu Y, Wang X, Zhang J, Meng F, Deng C, Cheng R, Feijen J, Zhong Z. Exogenous vitamin C boosts the antitumor efficacy of paclitaxel containing reduction-sensitive shell-sheddable micelles in vivo. Journal of Controlled Release 2017, 250: 9-19.

Zhu Z, Spicer EG, Gavini CK, Goudjo-Ako AJ, Novak CM, Shi H. Enhanced sympathetic activity in mice with brown adipose tissue transplantation (transBATation). Physiology and Behavior 2014; 125: 21-29.

Zibly Z Graves CA, Harnof S, Hadani M, Cohen ZR. Sonoablation and alication of MRI guided focused ultrasound in a preclinical model. Journal of Clinical Neuroscience 2014; 21 (10) 1808- 1814.

Zidar M, Šušterič, A, Ravnik M, Kuzman D. High Throughput Prediction Approach for Monoclonal Antibody Aggregation at High Concentration. Pharmaceutical Research 2017, 34 (9): 1831-1839.

Ziegler B, Hirche C, Horter J, Kiefer J, Grützner P.A, Kremer T, Kneser U, Münzberg M. In view of standardization Part 2: Management of challenges in the initial treatment of burn patients in Burn Centers in Germany, Austria and Switzerland. Burns 2017, 43(2) 318-325.

Ziegler M, Myrach P, Neding B. Heat Treatment and Nondestructive Testing: Finding Surface Cracks using Laser-Thermography. HTM-Journal of Heat Treatment and Materials 2015; 70 (4): 190-195

Zilberti L, Arduino A, Bottauscio O, Chiampi M. Parametric analysis of transient skin heating induced by terahertz radiation. Bioelectromagnetics 2014; 35 (5): 314-323.

Zileli M. Surgery for Primary Spine Tumors: How Radical Must We Operate? World Neurosurgery 2017, 100: 688-689.

Zimmermann S, Rohde D, Marwan M, Ludwig J, Achenbach S. Complete recovery after out-of- hospital cardiac arrest with prolonged (59min) mechanical cardiopulmonary resuscitation mildtherapeutic hypothermia and complex percutaneous coronary intervention for ST-elevation myocardial infarction. Heart and Lung: Journal of Acute and Critical Care 2014; 43 (1): 62-65.

Zionts LE. CORR Insights®: The 2017 ABJS Nicolas Andry Award: Advancing Personalized Medicine for Clubfoot Through Translational Research. Clinical Orthopaedics and Related Research 2017, 475 (6): 1726-1729.

Zipursky S, Djingarey MH, Lodjo J.-C, Olodo L, Tiendrebeogo S, Ronveaux O. Benefits of using vaccines out of the cold chain: Delivering Meningitis A vaccine in a controlled temperature chain during the mass immunization campaign in Benin. Vaccine 2014; 32 (13): 1431-1435

Zoboli Pezzucchi M, Brioschi ML, Jacobsen Teixeira M. An infrared imaging case study: facial pain caused by pulpitis (extended abstract) Thermology international 2014; 24(1) 20

Zore Z, Filipovic-Zore I, Stanec M, Batinian G, Matejcic A, Association of clinical histopathological and immunohistochemical prognostic factors of invasive breast tumors and thermographic findings. Infrared Physics & Technology 2015; 68: 201-205

Zornoza-Moreno M, Fuentes-Hernández S, Carrión V, Alcántara-López MV, Madrid JA, López- Soler C, Sánchez-

Solís M, Larqué, E. Is low docosahexaenoic acid associated with disturbed rhythms and neurodevelopment in offsprings of diabetic mothers? European Journal of Clinical Nutrition 2014; 68 (8): 931-937.

Zosa BM, Golob JF, Conrad-Schnetz KJ, Schechtman D, Kreiner LA, Claridge JA. Current Pneumonia Surveillance Methodology: Similar Underestimation in Trauma and Surgical Patients in the Intensive Care Unit. Surgical Infections 2017, 18 (5): 558-562.

Zou C, Tie C, Pan M, Wan Q, Liang C, Liu X, Chung Y-C. Referenceless MR thermometry - A comparison of five methods. Physics in Medicine and Biology 2017, 62 (1): 1-16.

Zou H, Huang FZ. A novel intelligent fault diagnosis method for electrical equipment using Infrared thermography. Infrared Physics & Technology 2015; 73: 29-35

Zou Y, Chen L, Hua T, Yang M. Protective effects of endovascular cooling treatment on post-resuscitation syndrome and its mechanism. Zhonghua Wei Zhong Bing Ji Jiu Yi Xue 2018; 30 (9): 888-893.

Zucchelli G, Di Cori A, Segreti L, Bongiorni MG. How to prevent atrial-oesophageal fistula following ablation of atrial fibrillation: Are there actually any effective methods? Europace 2018; 20 (3), 562.

Zucconi F, Colombo PE, Pasetto S, Lascialfari A, Ticca C, Torresin A. Analysis and reduction of thermal dose errors in MRgFUS treatment. Physica Medica 2014; 30 (1) 111-116.

Zumbrunnen M. Paradigm shift allows for readily available therapeutic hypothermia treatment of the head region. Journal of Medical Devices Transactions of the ASME 2014; 8 (2), art. no. 020921

Zupancic M, Steinbucher M, Gregorcic P, Golobic I. Enhanced pool-boiling heat transfer on laser-made hydrophobic /superhydrophilic polydimethylsiloxane-silica patterned surfaces. Applied Thermal Engineering 2015; 91: 288-297.

Zurbuchen U, Poch F, Gemeinhardt O, Kreis ME, Niehues SM, Vahldieck JL, Lehmann KS. Determination of the electrical conductivity of human liver metastases: Impact on therapy planning in the radiofrequency ablation of liver tumors. Acta Radiologica 2017, 58 (2): 164-169.